PageSpeed Insights

Copy Link Docs

Report from Mar 11, 2026, 11:47:47 PM

https://tech-doctor-hub.replit.app/

Analyze

Discover what your real users are experiencing

No Data

Diagnose performance issues

Performance	Accessibility	Best Practices	SEO
55	86	100	100

55

Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

0–49 50–89 90–100



METRICS Expand view

▲ First Contentful Paint 13.8 s	▲ Largest Contentful Paint 13.9 s
● Total Blocking Time 40 ms	● Cumulative Layout Shift 0
▲ Speed Index 14.8 s	

Captured at Mar 11, 2026, 11:48 PM GMT+2
Initial page load

Emulated Moto G Power with Lighthouse 13.0.1
Slow 4G throttling

Single page session
Using HeadlessChromium 145.0.7632.116 with lr

Show audits relevant to: All FCP LCP TBT

INSIGHTS

▲ Render blocking requests — Est savings of 3,150 ms

Requests are blocking the page's initial render, which may delay LCP. Deferring or inlining can move these network requests out of the critical path. LCP FCP Unscored

☑ Show 3rd-party resources (2)

/assets/index-DwNWfTpo.css (tech-doctor-hub.replit.app)	162.2 KiB	3,210 ms
Google Fonts Cdn	**9.6 KiB**	**1,210 ms**
/css2?family=... (fonts.googleapis.com)	8.1 KiB	750 ms
/css2?family=... (fonts.googleapis.com)	1.5 KiB	450 ms

! Document request latency — Error!

Your first network request is the most important. Reduce its latency by avoiding redirects, ensuring a fast server response, and enabling text compression. Unscored

URL	Transfer Size	Duration

▲ Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about forced reflows and possible mitigations. Unscored

/assets/index-Dz1rHjaS.js:2:10756 (tech-doctor-hub.replit.app)	52 ms
Top function call	**Total reflow time**

/assets/index-Dz1rHjaS.js:8:229914 (tech-doctor-hub.replit.app)	52 ms
Source	**Total reflow time**

▲ LCP breakdown

Each subpart has specific improvement strategies. Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Time to first byte	0 ms
Element render delay	6,580 ms



Subpart	Duration
Επαναφέρουμε την Τεχνολογία σας στη Ζωή. text-foregr…"> -tight	

▲ Network dependency tree

Avoid chaining critical requests by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: **7,069 ms**

Initial Navigation

...v20/UcCo3FwrK....woff2 (fonts.gstatic.com) - **6,508 ms,** 72.10 KiB
...v15/QGYvz_MVc....woff2 (fonts.gstatic.com) - **6,507 ms,** 32.27 KiB
/assets/index-Dz1rHjaS.js (tech-doctor-hub.replit.app) - **6,276 ms,** 1,955.36 KiB
/api/products (tech-doctor-hub.replit.app) - **6,965 ms,** 94.44 KiB
...products/categories (tech-doctor-hub.replit.app) - **7,069 ms,** 0.68 KiB
/assets/index-DwNWfTpo.css (tech-doctor-hub.replit.app) - **660 ms,** 162.18 KiB
/css2?family=... (fonts.googleapis.com) - **673 ms,** 1.52 KiB
...v20/UcC73FwrK....woff2 (fonts.gstatic.com) - **6,507 ms,** 19.39 KiB
...v20/UcC73FwrK....woff2 (fonts.gstatic.com) - **6,507 ms,** 48.09 KiB

Preconnected origins

preconnect hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

https://fonts.googleapis.com/	head > link `<link rel="preconnect" href="https://fonts.googleapis.com">`
https://fonts.gstatic.com/	head > link `<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin="">`

Origin	Source

Add preconnect hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

3rd parties

These insights are also available in the Chrome DevTools Performance Panel - record a trace to view more detailed information.

DIAGNOSTICS

Reduce unused JavaScript — Est savings of 1,347 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. Learn how to reduce unused JavaScript. LCP FCP Unscored

replit.app 1st Party	1,849.6 KiB	1,347.0 KiB

▲ Reduce unused CSS — Est savings of 138 KiB

URL	Transfer Size	Est Savings
replit.app 1st Party	**161.7 KiB**	**138.1 KiB**
/assets/index-DwNWfTpo.css (tech-doctor-hub.replit.app)	161.7 KiB	138.1 KiB

URL	Transfer Size	Est Savings

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. Learn how to avoid long main-thread tasks TBT Unscored

replit.app 1st Party		**195 ms**
/assets/index-Dz1rHjaS.js (tech-doctor-hub.replit.app)	949 ms	110 ms
/assets/index-Dz1rHjaS.js (tech-doctor-hub.replit.app)	13,797 ms	85 ms
Unattributable		**73 ms**
Unattributable	1,059 ms	73 ms

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (18) Show

URL	Start Time	Duration

Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues

NAMES AND LABELS

▲ Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. Learn how to make buttons more accessible.



header.sticky > div.container > div.flex > button.inline-flex

```
<button class="inline-flex items-center justify-center gap-2 whitespace-nowrap rounded-md…" type="button" aria-haspopup="dialog" aria-expanded="false" aria-controls="radix-:r4:" data-state="closed">
```

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

Failing Elements

BEST PRACTICES

▲ `[user-scalable="no"]` is used in the `<meta name="viewport">` element or the `[maximum-scale]` attribute is less than 5.

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. Learn more about the viewport meta tag.

head > meta

```
<meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1">
```

○ Failing Elements

Links with the same destination should have the same description, to help users understand the link's purpose and decide whether to follow it. Learn more about identical links. Unscored



HiTech DOCTOR

```
<a href="/" class="flex items-center gap-2 group">
```

HiTech Doctor

```
<a href="/" class="flex items-center gap-2.5 mb-4 group">
```



```
<a href="https://hitechdoctor.com" target="_blank" rel="noopener noreferrer"
class="hover:text-primary transition-colors">
```

These items highlight common accessibility best practices.

CONTRAST

▲ Background and foreground colors do not have a sufficient contrast ratio.

Failing Elements



Πολιτική Cookies

```
<a href="/politiki-cookies" class="text-primary hover:underline">
```

Failing Elements

```
black/50 p-5">
```



Αποδοχή Όλων

```
<button class="inline-flex items-center justify-center gap-2
whitespace-nowrap rounded-md…" data-testid="btn-cookie-accept">
```



14 Φεβρουαρίου 2026 · 5 λεπτά ανάγνωσης

```
<p class="text-[10px] text-muted-foreground/60 mb-2">
```

14 Φεβρουαρίου 2026 · 5 λεπτά ανάγνωσης Πότε να Αλλάξεις την Μπαταρία του iPho...

```
<article class="group bg-card border border-white/6 rounded-2xl overflow-hidden
hover:bord…">
```



21 Φεβρουαρίου 2026 · 4 λεπτά ανάγνωσης

```
<p class="text-[10px] text-muted-foreground/60 mb-2">
```

21 Φεβρουαρίου 2026 · 4 λεπτά ανάγνωσης Πώς να Καθαρίσεις Σωστά την Οθόνη του ...

```
<article class="group bg-card border border-white/6 rounded-2xl overflow-hidden
hover:bord…">
```



27 Φεβρουαρίου 2026 · 6 λεπτά ανάγνωσης

```
<p class="text-[10px] text-muted-foreground/60 mb-2">
```

27 Φεβρουαρίου 2026 · 6 λεπτά ανάγνωσης Samsung vs iPhone: Ποιο Επισκευάζεται ...

```
<article class="group bg-card border border-white/6 rounded-2xl overflow-hidden hover:bord…">
```

These are opportunities to improve the legibility of your content.

ADDITIONAL ITEMS TO MANUALLY CHECK (10) Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

PASSED AUDITS (23) Show

NOT APPLICABLE (33) Show

100

Best Practices

TRUST AND SAFETY

- Ensure CSP is effective against XSS attacks
- Use a strong HSTS policy
- Ensure proper origin isolation with COOP
  - Failing Elements
- Mitigate DOM-based XSS with Trusted Types

GENERAL

NOT APPLICABLE (2) Show

100

SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more about Google Search Essentials.

ADDI Failing Elements de

Structured data is valid

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (10) Show

What's new

Documentation

Learn about Web Performance

Ask questions on Stack Overflow

Mailing list

Updates

Web Fundamentals

Case Studies

Podcasts

Twitter

Youtube

Google for Developers Chrome Firebase All products

Terms and Privacy Policy

For details, see the Google Developers Site Policies.