

Experiment 2

Aim - To understand Version Control System / Source Code Management, install git and create a GitHub account

THEORY

What Is Version Control?

A system called version control, sometimes referred to as source control or revision control, keeps track of changes made to a file or group of files over time so that you may retrieve particular versions at a later time. Although it can be applied to any circumstance where several versions of something are made and may need to be monitored and recalled, it is most frequently employed in software development.

What is GIT?

- a. Git is a free and open-source distributed version control system designed to handle everything from small to very large projects with speed and efficiency.
- b. Git relies on the basis of distributed development of software where more than one developer may have access to the source code of a specific application and can modify changes to it that may be seen by other developers..
- c. Initially designed and developed by Linus Torvalds for Linux kernel development in 2005.
- d. Every git working directory is a full-fledged repository with complete history and full version tracking capabilities, independent of network access or a central server.
- e. Git allows a team of people to work together, all using the same files. It helps the team cope with the confusion that tends to happen when multiple people are editing the same files.

What Is GitHub?

GitHub is an web based platform which hosts software development projects and uses Git for version management. Git is a distributed version control system that helps developers to work together on same software projects and keep track of changes made to their code by on another. GitHub offers a user-friendly interface, which is very collaborative tools, and more project management tools, GitHub will enhance the potential of the Git.

GitHub allows developers to create and manage the code in the repository in the remote location where others can access the code or Github is an collection repositories which contains the files of the project.

What is Use Of Version Control Software?

- a. Version control software allows the user to have “versions” of a project, which how the changes that were made to the code over time, and allows the user to backtrack if necessary and undo those changes.
- b. This ability alone– of being able to compare two versions or reverse changes, takes it fairly invaluable when working on larger projects.
- c. In a version control system, the changes would be saved just in time– a patch file that could be applied to one version, in order to make it the same as the next version.
- d. All versions are stored on a central server, and individual developers checkout and upload changes back to this server.

What Are the Uses Cases Of GitHub?

Following are some of the use cases of GitHub

- a. **Version Control:** GitHub is also called an version control system because of it uses such has if the certain developers are working on the same project and if any developer make changes at it is effecting the entire code then they move back to previous version with immediate actions.
- b. **Collaboration and Code Review:** GitHub allows group of developers work on same project where there can review the each others code and can work on the same project which will improve the productivity and where they can develop the complex application in faster manner.
- c. **Issue Tracking:** Has an certain group of developers will work on the same project so when the issue arises in the GitHub then you can assign the issue to the other developer to whom you want.
- d. **Open Source Development:** The most widely used platform for open source development is GitHub.

What Are Characteristics of Git?

A. Strong support for non-linear development

- a. Git supports rapid branching and merging and includes specific tools for visualizing and navigating a non-linear development history.
- b. A major assumption in Git is that a change will be merged more often than it is written.
- c. Branches in Git are very Lightweight.

B. Distributed development

- a. Git provides each developer a local copy of the entire development history, and changes are copied from one such repository to another.
- b. The changes can be merged in the same way as a locally developed branch very efficiently and effectively.

C. Compatibility with existing systems/protocol

- a. Git has a CVS server emulation, which enables the use of existing CVS clients and IDE plugins to access Git repositories.

D. Efficient handling of large projects

- a. Git is very fast and scalable compared to other version control systems.
- b. The fetching power from a local repository is much faster than is possible with a remote server.

E. Data Assurance

- a. The Git history is stored in such a way that the ID of a particular version depends upon the complete development history leading up to that commit.
- b. Once published, it is not possible to change the old versions without them Being noticed.

F. Automatic Garbage Collection


- a. Git automatically performs garbage collection when enough loose objects have been created in the repository.
- b. Garbage collection can be called explicitly using `git gc--prune`.
- c. Periodic explicit object packing
- d. Git stores each newly created object as a separate file. It uses packs that store a large number of objects in a single file (or network byte stream) called packfile, delta-compressed among themselves.
- e. A corresponding index file is created for each pack file, specifying the offset of each object in the packfile.
- f. The process of packing can be very expensive computationally.
- g. Git allows the expensive pack operation to be deferred until later when time does not matter.
- h. Git does periodic repacking automatically but manual repacking can be done with the `git gc` command.

How does GIT work?

- a. A Git repository is a key-value object store where all objects are indexed by their SHA-1 hash value.
- b. All commits, files, tags, and filesystem tree nodes are different types of objects living in this repository.
- c. A Git repository is a large hash table with no provision made for hash collisions.
- d. Git specifically works by taking “snapshots” of files

Steps to creating a Github account:

1. Go to <https://github.com/join> in a web browser.



2. Enter your personal details
3. Click Verify to start the verification puzzle
4. Click the green Create account button
5. Verify your email by entering the code
6. Select your preferences and click Continue
7. Note the types of plans offered by GitHub
8. Select the free plan

CONCLUSION-Thus we learnt about how to create a Github Account.

```
MINGW64:/c/Users/LENOVO/Desktop/t23-134

LENOVO@503-022 MINGW64 ~
$ git version
git version 2.51.0.windows.1

LENOVO@503-022 MINGW64 ~
$ git
usage: git [-v | --version] [-h | --help] [-C <path>] [-c <name>=<value>]
          [--exec-path[=<path>]] [--html-path] [--man-path] [--info-path]
          [-p | --paginate | -P | --no-pager] [--no-replace-objects] [--no-lazy
-fetch]
          [--no-optional-locks] [--no-advice] [--bare] [--git-dir=<path>]
          [--work-tree=<path>] [--namespace=<name>] [--config-env=<name>=<envva
r>]
          <command> [<args>]

These are common Git commands used in various situations:

start a working area (see also: git help tutorial)
  clone      Clone a repository into a new directory
  init       Create an empty Git repository or reinitialize an existing one

work on the current change (see also: git help everyday)
```

```
LENOVO@503-022 MINGW64 ~
$ mkdir t23/134
mkdir: cannot create directory 't23/134': No such file or directory

LENOVO@503-022 MINGW64 ~
$ mkdir t23-134

LENOVO@503-022 MINGW64 ~
$ cd Desktop/

LENOVO@503-022 MINGW64 ~/Desktop
$ mkdir t23-134

LENOVO@503-022 MINGW64 ~/Desktop
$ cd t23-134/

LENOVO@503-022 MINGW64 ~/Desktop/t23-134
$ git config --global --list
fatal: unable to read config file 'C:/Users/LENOVO/.gitconfig': No such file or directory

LENOVO@503-022 MINGW64 ~/Desktop/t23-134
$ git config --global user.name "Tiya"


LENOVO@503-022 MINGW64 ~/Desktop/t23-134
$ git config --global user.email "nathwanitiya@gmail.com"

LENOVO@503-022 MINGW64 ~/Desktop/t23-134
$ git config --global --list
user.name=Tiya
user.email=nathwanitiya@gmail.com

LENOVO@503-022 MINGW64 ~/Desktop/t23-134
$ |
user.email=nathwanitiya@gmail.com

LENOVO@503-022 MINGW64 ~/Desktop/t23-134
$ git init
Initialized empty Git repository in C:/Users/LENOVO/Desktop/t23-134/.git/

LENOVO@503-022 MINGW64 ~/Desktop/t23-134 (master)
$
```



The screenshot displays the GitLab web interface for creating a new project. The browser tabs at the top include WhatsApp, Google Docs, GitLab, ChatGPT, and a download confirmation. The GitLab page has a sidebar with navigation links like Home, Projects, Groups, Issues, Merge requests, To-Do List, Milestones, Snippets, Activity, Import history, Workspaces, Environments, Operations, and Security. The main content area is titled 'Create blank project' and includes a security alert about changing the password. Below the alert, there are input fields for 'Project name' (with 'My project' entered) and 'Project URL' (with 'https://gitlab.com/' and a dropdown for 'Pick a group or namespace'). A 'Project slug' field contains 'my-awesome-project'. There is also a 'Project deployment target (optional)' dropdown. The 'Visibility Level' section has three radio buttons: 'Private' (selected), 'Internal', and 'Public'. The 'Project Configuration' section includes checkboxes for 'Initialize repository with a README', 'Enable Static Application Security Testing (SAST)', and 'Enable Secret Detection'. At the bottom, there are 'Create project' and 'Cancel' buttons.

gitlab.com/projects/new#blank_project

Search or go to...

Your work / Projects / New project / Create blank project

Security Alert: Change your GitLab password
Your GitLab.com account password may be compromised due to a data breach on another service or platform. Please change your password immediately.
[Change GitLab Password](#)

Create blank project

Create a blank project to store your files, plan your work, and collaborate on code, among other things.

Project name
My project

Project URL
https://gitlab.com/ Pick a group or namespace

Project slug
my-awesome-project

Project deployment target (optional)
Select the deployment target

Visibility Level



- ☒ Private
Project access must be granted explicitly to each user. If this project is part of a group, access is granted to members of the group.
- ☐ Internal
The project can be accessed by any logged in user except external users.
- ☐ Public
The project can be accessed without any authentication.

Project Configuration

- ☐ Initialize repository with a README
Allows you to immediately clone this project's repository. Skip this if you plan to push up an existing repository.
- ☐ Enable Static Application Security Testing (SAST)
Analyze your source code for known security vulnerabilities. [Learn more.](#)
- ☐ Enable Secret Detection
Scan your code for secrets and credentials to prevent unauthorized access. [Learn more.](#)

> Experimental settings

[Create project](#) [Cancel](#)



```
MINGW64~/Users/LENOVO/Desktop/t23-134
My second Commit
LENOVO8503-022 MINGW64 ~/Desktop/t23-134 (master)
$ git log --oneline
4a1029 (HEAD -> master) My second Commit
LENOVO8503-022 MINGW64 ~/Desktop/t23-134 (master)
$ git log --oneline index.html
4a1029 (HEAD -> master) My second Commit
LENOVO8503-022 MINGW64 ~/Desktop/t23-134 (master)
$ git remote add origin https://gitlab.com/nathwanitiya/t23-sepm.git
$ cd
LENOVO8503-022 MINGW64 ~/Desktop/t23-134 (master)
$ cls
bash: cls: command not found
LENOVO8503-022 MINGW64 ~/Desktop/t23-134 (master)
$ git remote add origin https://gitlab.com/nathwanitiya/t23-sepm.git
LENOVO8503-022 MINGW64 ~/Desktop/t23-134 (master)
$ git push origin master
info: please complete authentication in your browser...
fatal: Missing 'code' in response.
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
writing objects: 100% (3/3), 217 bytes | 217.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://gitlab.com/nathwanitiya/t23-sepm.git
 * [new branch]      master -> master
LENOVO8503-022 MINGW64 ~/Desktop/t23-134 (master)
$ git pull origin master
LENOVO8503-022 MINGW64 ~/Desktop/t23-134 (master)
$ git pull
There is no tracking information for the current branch.
Please specify which branch you want to merge with.
See git-pull(1) for details.

    git pull <remote> <branch>

If you wish to set tracking information for this branch you can do so with:

    git branch --set-upstream-to=origin/<branch> master
LENOVO8503-022 MINGW64 ~/Desktop/t23-134 (master)
$ git log --oneline origin/master
4a1029 (HEAD -> master, origin/master, origin/HEAD) My second Commit
LENOVO8503-022 MINGW64 ~/Desktop/t23-134 (master)
$ git log --oneline master
4a1029 (HEAD -> master, origin/master, origin/HEAD) My second Commit
LENOVO8503-022 MINGW64 ~/Desktop/t23-134 (master)
$
```