HealthConnect CLEANSED Layer – Data Model Documentation (2025)

Prepared for: HealthConnect Data Warehouse Project
Version: 1.0 | Environment: CLEANSED Layer | Author: Data Engineering Team

Confidential – For internal use only

Project Overview

The **HealthConnect CLEANSED Layer** forms the second stage of the data warehouse pipeline. It is derived from the RAW layer, focusing on **data validation, standardization, and enrichment**. Each table in this layer represents a cleaned version of its RAW counterpart, ensuring consistency, format correction, and referential integrity before being moved to the REFined layer. The **load_date** field tracks when the data was processed and loaded into this layer.

Table: cleansed_patients

Column	Type	Constraints
patient_id	INT	
first_name	VARCHAR(50)	
last_name	VARCHAR(50)	
gender	CHAR(1)	
date_of_birth	DATE	
state_code	CHAR(2)	
city	VARCHAR(50)	
phone	VARCHAR(15)	
load_date	DATE	

Table: cleansed_providers

Column	Type	Constraints
provider_id	INT	
first_name	VARCHAR(50)	
last_name	VARCHAR(50)	
specialty	VARCHAR(50)	
npi	VARCHAR(20)	
load_date	DATE	

Table: cleansed_payers

Column	Type	Constraints
payer_id	INT	
payer_name	VARCHAR(100)	
load_date	DATE	

Table: cleansed_encounters

Column	Type	Constraints
encounter_id	INT	
patient_id	INT	
provider_id	INT	
encounter_type	VARCHAR(10)	
encounter_start	DATETIME	
encounter_end	DATETIME	
height_cm	INT	
weight_kg	FLOAT	
systolic_bp	INT	
diastolic_bp	INT	
load_date	DATE	

Table: cleansed_diagnoses

Column	Type	Constraints
diagnosis_id	INT	
encounter_id	INT	
diagnosis_description	VARCHAR(100)	
is_primary	VARCHAR(10)	
load_date	DATE	

Table: cleansed_procedures

Column	Type	Constraints
procedure_id	INT	
encounter_id	INT	
procedure_description	VARCHAR(100)	
load_date	DATE	

Table: cleansed_medications

Column	Type	Constraints
medication_id	INT	
encounter_id	INT	
drug_name	VARCHAR(50)	
route	VARCHAR(20)	
dose	VARCHAR(20)	
frequency	VARCHAR(10)	
days_supply	INT	
load_date	DATE	

Table: cleansed_claims

Column	Type	Constraints
claim_id	INT	
encounter_id	INT	
payer_id	INT	
admit_date	DATE	
discharge_date	DATE	
total_billed_amount	FLOAT	
total_allowed_amount	FLOAT	
total_paid_amount	FLOAT	
claim_status	VARCHAR(20)	
load_date	DATE	