

ASSIGNMENT 10.1

NAME: K.Hithesh

HALLTICKET: 2303A51291

BATCH: 05

TASK1:


PROMPT:

Correct syntax and logical errors Fix indentation and typos from the given code

INCORRECT CODE:

```
code.py > ...
1 # Calculate average score of a student
2 def calc_average(marks):
3     total = 0
4     for m in marks:
5         total += m
6     average = total / len(marks)
7     return avrage # Typo here
8 marks = [85, 90, 78, 92]
9 print("Average Score is ", calc_average(marks))
```

CORRECT CODE:



```
1 def calc_average(marks):
2     total = 0
3     for m in marks:
4         total += m
5     average = total / len(marks)
6     return average
7
8 marks = [85, 90, 78, 92]
9 print("Average Score is ", calc_average(marks))
10
```

PS C:\Users\Administrator\Desktop\aiasscode> & C:/Users/Administrator/AppData/Local/Python/pythoncore-3.14-64/python.exe c:/Users/Administrator/Desktop/aiasscode/101.py
Average Score is 86.25
PS C:\Users\Administrator\Desktop\aiasscode>


EXPLANATION: 1) Proper indentation was added inside the function. 2) Corrected spelling of average in return statement. 3) Added missing closing parenthesis in print function. 4) Ensured correct structure of loop and function block. 5) Now the program runs correctly and prints the average score.

TASK2:

PROMPT:


Refactor the following Python code to follow PEP 8 style guidelines and improve readability. Provide the corrected code with proper formatting and naming.

INCORRECT CODE:



```
1 Task Description #2 - PEP 8 Compliance
2 Task: Use AI to refactor Python code to follow PEP 8 style
3 guidelines.
4 Sample Input Code:
5 def area_of_rect(L,B) : return L*B
6 print(area_of_rect(10,20))
```

CORRECT CODE:



```
1 def area_of_rectangle(length, width):
2     """Calculate the area of a rectangle."""
3     return length * width
4
5
6 print(area_of_rectangle(10, 20))
```


```
PS C:\Users\Administrator\Desktop\aiasscode> & C:/Users/Administrator/AppData/Local/Python/pythoncore-3.14-64/python.exe
xe c:/Users/Administrator/Desktop/aiasscode/101.py
200
PS C:\Users\Administrator\Desktop\aiasscode>
```

EXPLANATION: 1) Parameter names changed to lowercase descriptive names (length, breadth). 2) Added proper spacing after comma between parameters. 3) Removed extra space before colon in function definition. 4) Moved return statement to a new properly indented line. 5) Added blank line after function definition as per PEP 8 guidelines.

TASK3:

PROMPT: Improve the readability of the following Python code without changing its logic. Rename variables meaningfully, format it properly, and provide the cleaned code.


INCORRECT CODE:



The screenshot shows a code editor with a dark theme. The file explorer at the top lists several files: 12lab1.py, 12lab3.py, 12lab4.py, 12lab5.py, and 101.py. The active file is 'code.py'. The code is as follows:

```
1 Use AI to make code more readable without changing its
2 logic.
3 Sample Input Code:
4 def c(x,y):
5     return x*y/100
6     a=200
7     b=15
8     print(c(a,b))
```

CORRECT CODE:



The screenshot shows the same IDE with the file explorer listing 12lab1.py, 12lab3.py, 12lab4.py, 12lab5.py, 101.py, and code.py. The active file is '101.py'. The code is as follows:

```
1 def calculate_percentage(value, percentage):
2     return value * percentage / 100
3
4
5 base_value = 200
6 percentage_rate = 15
7 print(calculate_percentage(base_value, percentage_rate))
```

Below the code editor, the terminal window shows the following commands and output:

```
PS C:\Users\Administrator\Desktop\aiasscode> & C:\Users\Administrator\AppData\Local\Python\pythoncore-3.14-64\python.exe
xe c:\Users\Administrator\Desktop\aiasscode\101.py
38.0
PS C:\Users\Administrator\Desktop\aiasscode>
```


EXPLANATION: 1) Renamed function c to calculate_percentage for clarity. 2) Replaced unclear variables with descriptive names. 3) Added proper indentation inside the function. 4) Included inline comments to explain purpose of variables and function. 5) Maintained same logic while improving overall readability.

TASK4:

PROMPT:

Refactor the following Python code by breaking repetitive statements into reusable functions. Keep the logic the same and provide clean, modular code.


INCORRECT CODE:



A screenshot of the Visual Studio Code editor interface. The file explorer on the left shows a project named 'aiasscode' with several Python files. The active file is 'code.py', which contains the following Python code:

```
1 students = ["Alice", "Bob", "Charlie"]
2 print("welcome", students[0])
3 print("welcome", students[1])
4 print("welcome", students[2])
```

CORRECT CODE:



A screenshot of the Visual Studio Code editor interface showing the refactored code in '101.py'. The code is as follows:

```
1 students = ["Alice", "Bob", "Charlie"]
2
3 def welcome_student(name):
4     print("Welcome", name)
5
6 for student in students:
7     welcome_student(student)
```

Below the editor, the TERMINAL panel shows the command executed and the output:

```
PS C:\Users\Administrator\Desktop\aiasscode> & C:/Users/Administrator/AppData/Local/Python/pythoncore-3.14-64/python.exe c:/Users/Administrator/Desktop/aiasscode/101.py
Welcome Alice
Welcome Bob
Welcome Charlie
PS C:\Users\Administrator\Desktop\aiasscode>
```

The status bar at the bottom indicates the file is '101.py' with 7 lines of code, using Python 3.14.2.


EXPLANATION: 1) Created a reusable function `welcome_student()` to print greeting. 2) Created another function `welcome_all_students()` to handle list iteration. 3) Removed repetitive print statements. 4) Used a loop instead of hardcoded indexes. 5) Code is now modular, scalable, and easy to maintain.

TASK5:

PROMPT:

Optimize the following Python code to improve performance without changing its output. Use a more efficient approach and provide the faster version of the code with a brief explanation.

INCORRECT CODE:

A screenshot of a code editor interface with a dark theme. The editor has a menu bar at the top with 'File', 'Edit', 'Selection', 'View', 'Go', 'Run', 'Terminal', and 'Help'. Below the menu bar is a search bar containing 'aiaascode'. The editor shows several open files in the top tab bar: '12lab1.py', '12lab3.py', '12lab4.py', '12lab5.py', '101.py', and 'code.py 1'. The 'code.py 1' file is active and contains the following Python code:

```
1 # Find squares of numbers
2 nums = [i for i in range(1,1000000)]
3 squares = []
4 for n in nums:
5     squares.append(n**2)
6 print(len(squares))
```

The left sidebar contains icons for Explorer, Search, Source Control, Run and Debug, Extensions, Code Snippets, and Python. The right sidebar has tabs for 'CHAT' and 'SESSIONS'.

CORRECT CODE:

```
101.py 2 --
1 # Find squares of numbers - Optimized version
2 squares = [i**2 for i in range(1, 1000000)]
3 print(len(squares))
```

```
oreIfNoAction, Object arg)
at Microsoft.PowerShell.PSConsoleReadLine.InputLoop()
at Microsoft.PowerShell.PSConsoleReadLine.ReadLine(Runspace runspace, EngineIntrinsics engineIntrinsics)
-----
PS C:\Users\Administrator\Desktop\aiasscode> & C:\Users\Administrator\AppData\Local\Python\pythoncore-3.14-64\python.exe
xe c:\Users\Administrator\Desktop\aiasscode\101.py
999999
PS C:\Users\Administrator\Desktop\aiasscode>
```

EXPLANATION: 1) Replaced nested if-else with elif to reduce complexity. 2) Removed unnecessary else blocks after return statements. 3) Improved readability with cleaner structure. 4) Logic remains exactly the same as original. 5) Code is now easier to maintain and understand.