口 mysql -h localhost -u root MariaDB [challenge db]> select \* from profiles: profilesID tell birthday name age 課題1 insert into profiles(profilesID,name,tell,age,birthday) value(1,'田中実','012-345-6789',30,'1994-02-01'); 012-345-6789 1994-02-01 insert into profiles(profilesID,name,tell,age,birthday) value(2,'鈴木 茂','090-1122-3344',37,'1987-08-12'); 1987-08-12 insert into profiles(profilesID,name,tell,age,birthday) value(3,'鈴木 実','080-5566-7788',24,'2000-12-24'); 24 2000-12-24 insert into profiles(profilesID,name,tell,age,birthday) value(4,'佐藤 清','012-0987-6543',19,'2005-08-01'); insert into profiles(profilesID,name,tell,age,birthday) value(5,高橋清,'090-9900-1234',24,'2000-12-24'); 2005-08-0 select \* from profiles; 5 rows in set (0.00 sec) MariaDB [challenge db]> select \* from where profilesID = 3: ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to us near 'where profilesID = 3' at line 1 MariaDB [challenge db]> select \* from profiles where profilesID = 3; profilesID | name birthday 課題2:profilesIDが3のレコードのみを検索して表示 select \* from profiles where profilesID = 3; 鈴木 実 080-5566-7788 row in set (0.03 sec) MariaDB [challenge db]> select \* from profiles where name = '高橋 清'; profilesID | birthday name 課題3:nameが「高橋清」のレコードのみを検索して表示 select \* from profiles where name = '高橋 清'; 090-9900-1234 row in set (0.05 sec) MariaDB [challenge db]> select \* from profiles where age = 24; profilesID | name birthday 課題4:ageが「24」のレコードのみを検索して表示 2000-12-24 select \* from profiles where age = 24; ^ 🖅 🦟 🤣 📮 A 🔘 Cortanaに何か聞いてみてください。 2016/06/17





