

ea源码使用文档

环境准备


系统环境必须安装有conda与docker

源代码:

<https://github.com/hitsz-ids/Al-Course.git>

Agentic_AI_M2/ea复现/code/experiment-agent.zip

解压源代码到文件夹:




使用命令行解压:

代码块

- 1 #将压缩包放到文件夹解压
- 2 unzip experiment-agent.zip

打开VSCode选择已解压项目




创建ea-python环境

1.新建conda环境

新建终端,并创建experiment-agent conda环境

代码块


```
1      conda create -n experiment-agent python=3.12 -y
```



2. 激活conda环境

代码块

```
1 conda activate experiment-agent
```




3. 依赖安装

3.1 openhands依赖安装

代码块

```
1 cd third_party/
2 cd openhands_0.48.0/
3 pip install -e .
```



完成依赖后终端指令退回到项目根目录

代码块


```
1 cd ../
2 cd ../
```

3.2 ea依赖安装

在ea项目根目录执行命令

代码块

```
1 pip install -e .
```





等待命令执行完毕,完成ea依赖安装

4.镜像构建

运行命令构建ea使用的基础镜像

代码块

```
1  ddocker build -t experiment-agent-base:0.1 -f docs/dockerfile/dockerfile-  
base.dockerfile .
```



复现TimeXer项目

检查配置


项目配置

检查项目根目录下config.toml文件配置

1.stage的值为reproduction

2.runtime的类型为docker

3.模型配置是否正确



任务配置检查

查看task_example/reproduction.json的值


确认git_url是否为需要复现的项目地址:<https://github.com/thuml/TimeXer.git>

确认project_name是否为正确的项目名:TimeXer

确认image_name是否为构建的ea基础镜像

代码块

```
1 {
2   "task": "Wind_Power",
3   "sota_candidate": {
4     "git_url": "https://github.com/thuml/TimeXer.git",
5     "project_name": "TimeXer",
6     "image_name": "experiment-agent-base:0.1"
7   }
8 }
9
```




运行项目复现

运行复现命令

代码块

```
1 python experiment_agent/start.py --params-file
./task_example/reproduction.json
```



日志查看进入训练

The image shows a VS Code editor interface. On the left is a file explorer showing a project structure with folders like .idea, .vscode, launch.json, docs, ea-logs, experiment_agent, __pycache__, -, adaptation, framework, output, reproduction, third_party, workspace, _init_.py, start.py, google_config, kube_config, output, task_example, adaptation.json, all.json, reproduction.json, third_party, workspace, downloads, actionformer_release, TimeXer, checkpoints, data_provider, dataset/EPF, BE.csv, DE.csv, FR.csv, NP.csv, PJM.csv, exp, 大纲, and 时间线. The main area is a terminal window displaying a log of training progress. The log shows iterations from 2100 to 326, with metrics like speed, left time, and loss. A large, semi-transparent Docker logo is overlaid on the right side of the terminal. In the bottom right corner, there is a Docker icon and a button labeled 'docker', along with a 'Python...' button.