

Http缓存相关字段

笔记本：gehj


创建时间：2018/8/2 9:48

更新时间：2018/8/2 9:52

作者：540127948@qq.com

慕课网笔记


总体流程:



相关字段



cacheControl



实际在浏览器中的展示:

▼ Response Headers [view source](#)

Cache-Control: max-age=60
Connection: keep-alive
Content-Encoding: gzip
Content-Type: text/html; charset=GB2312
Date: Mon, 22 Aug 2016 13:13:25 GMT
Expires: Mon, 22 Aug 2016 13:14:25 GMT
Server: squid/3.4.3
Transfer-Encoding: chunked
Vary: Accept-Encoding
Vary: Accept-Encoding
Vary: Accept-Encoding
X-Cache: MISS from tianjin.qq.com

▼ Response Headers

Access-Control-Allow-Origin: *
cache-control: no-cache
Content-Security-Policy: script-src 'self' https://ssl.goog
ETag: "N1SHt+t/cXSu2NlAQ2CLnMTWG34="

▼ Response Headers [view source](#)

Access-Control-Expose-Headers: X-Server-Ip
Access-Control-Expose-Headers: X-Upstream-Ip
Access-Control-Expose-Headers: X-Client-Ip
Cache-Control: max-age=600
Connection: keep-alive
Content-Encoding: gzip
Content-Length: 401
Content-Type: text/css
Date: Mon, 22 Aug 2016 13:13:25 GMT
Expires: Mon, 22 Aug 2016 13:23:25 GMT
Last-Modified: Tue, 24 Jun 2014 06:18:40 GMT
Server: X2_Platform
X-Cache-Lookup: Hit From Disktank Gz
X-Client-Ip: 223.72.68.240
X-Server-Ip: 111.13.137.13