Lecture 4 Data collection and sampling

Digital methods lecture 4

Course responsible: Hjalmar Bang Carlsen, Associate Professor SODAS. hc@sodas.ku.dk

Pick up from last time.

Today's tasks

1. Data design
2. Data sampling
3. Data collection

Data Integration

Concerns how different froms of data relate to one another.

- Nested
- Hierarchical
- Transformation

Nested data Integration



Nested data Integration

- Definition: different types of data on the same unite of observation.
- Classical example: survey data and interview data on the same individual
- Digital example: text data and feedback data on social media post
- Strength: allows validation, strong data link, strong analytical integration.

Hierarchical data integration



Hierarchical data integration

- Definition: A larger unite that contains many smaller unites
- Classical example: School(big unite) containing students(small unite)
- Digi example: Social media group containing social media users
- Trick: Use qual analysis of small N-larger unite to measure a context variable amongst large N-smaller unite
- Strength(low-cost, qual driven) AND Weakness(unsure relation)

Data transformation



Data transformation

- Definition: Transform qual data to quant data through analytical procedure
- Classical example: label text data(qual) to get a count variable(quant)
- Digi example: use computational methods to label text to get a count variable
- Strength: strong analytical and data integration, low-cost data collection

Data collection design in mixed methods

Motivation for different data types

- Complementary: different data to analysis different aspects
- Confirmatory: analyse the same aspect using different data

Concurrent design



Concurrent confirmatory design



Concurrent complementary design



Sequencial design

What to measure and how? What relations to test?

Biased QUAL sample Quantifiable QUAL?



Sequencial design





Dependencies in mixed data collection

1. Quant data collection is dependent upon qual data collection and analysis(netnography determining datasite)
2. Qual data analysis dependent on large scale data collection(computer assisted data analysis)

Sampling ideals

1. Random sample
2. Full sample
3. Fair sample
4. Case logic sampling

Sampling types on social media

1. actor based sample
2. topic based sample
3. location based sampling
4. Mixed sampling

Sampling on Known Actors

Find or construct a Twitter external list of population (Full population)

Sampling on Known Actors

Find or construct a Twitter external list of population (Full population)

→

Search for actor twitter account (Twitter population)

Sampling on Known Actors

Find or construct a Twitter external list of population (Full population)

→

Search for actor twitter account (Twitter population)

→

Collect Tweets and network data from Twitter population

Sampling on Known Actors



Sampling on Known Actors



Snowball sampling for uncovering unknown actors

1. logic: use the social relations of actors to find new actors
2. why: to find hidden population(unknown populations), No sampling frame
3. classical: respondents tell you whom to contact next
4. digi version: relational traces tell you where to do next
5. digital traces provide low-cost traces that can automatically folllowed, but also provides low-quality data that needs to be qualified.
6. Snowball sampling relies on the principle of homophily, which can also bias your sample

Snowballing a network to find cases



Not part of the population

Part of the population

Snowballing a network to find cases




Visible
Walk A
Seed A
Entry A


Entry B
Entry C
Seed B
Walk B
Walk C
Seed C
Visible
Walk A
Seed D
Walk D
Seed A
Entry A
Entry D

Entry B

Entry C

Walk C

Seed C

Remember to choose different types of actors/terms to snowball sample from

Keep track of the depth of your search

Are your actors related to others in the same way

Sample will be biased toward one type/group of actors

AND

Miss potentially important actors in your field

Walk D

Seed A

Entry A

Entry D

Sampling on Topic - Query design

Topic of interest

Animal rights/solidarity

Sampling on Topic - Query design



Sampling on Topic - Query design

Topic of interest

Animal rights/solidarity

A Query is dependent upon how actors use of words, NOT the lexical definition of words!

Words that actors use to address this topic (Query terms)

animal abuse

animal protection

animal welfare

Poor dog

Why is query design important

Total population of Animal rights/solidarity content

Animal rights/solidarity

Why is query design important

Total population of Animal rights/solidarity content

Animal rights/solidarity



Why is query design important

Total population of Animal rights/solidarity content

Animal rights/solidarity



Why is query design important



Topic sampling AND topic analysis! OBS

1. sampling on a topic makes topic analysis hard
2. The variation you observe is likely due to your query words.
3. If you do not have full sample it might be better with a fair sample: where any given topic is equally likely to occur given query terms.

locating support groups on social media

1. sample target: near full sample of ukraine refugee support groups on Facebook in Denmark
2. Data collection: Collect group information data and, withing-group interaction
3. Goal: to study within group interaction, support giving, political discussions, coordination
4. challenge: unknown population no sampling frame.

Table 1. Procedure for group sampling and basic description				
Steps	Step 1: **Extensive group search**	Step 2: **Group selection**	Step 3: Retrieve metadata	Step 4: Code groups
General description of procedure	Use social media search for both a general query targeting national groups and a location specific query targeting local groups.	The full list of groups returned by the extensive groups search is manually checked to ensure that the groups fall within the sample frame.	Facebook groups contain metadata which can be used to construct variables.	Location of group, group purpose, group rules and more.
Goal	**High recall**	**High precision**	Information for variable construction	Theoretical relevant variables
Specific procedure	Our query was “ukraine hjælp”(ukraine help), our locational query was “[location]” (going through a full list of names of Danish locations) + “ukraine” producing 581 different queries.	We read the group description and selected those which aimed to provide practical support or expressed solidarity with ukrainians.	Retrieved group's number of members, amount of recent activity, group name, groups description and public/private status.	In our case we inferred the location of the group from the title of groups, the group purpose and rules (last two not reported).
Result	A list of over 800 unique groups from the general and locational search.	128 groups were classified as Ukraine solidarity groups. 60 of these are tied to a location.	A dataset with the variables specified above. We removed all groups not active within the last month.	A dataset with the variables specified above + those identified in step 3.

collect all danish facebook pages

1. Gathered an extensive seed of local and national Danish Facebook pages.
2. Snowball sampled millions of Facebook pages around the world.
3. Selected the Page that wrote in Danish and collected activity data using the API.



Collection through API

1. Read the documentation
2. Design your data collection to most effectively exploit the possibilities in the API
3. Test in small scale
4. Monitor data collection
5. Validate data collection
6. Consider rate limit!

Data collection webscraping

1. get to know the site well: source code and build up.
2. look for lists that make collection easy
3. test in small scale
4. monitor data collection
5. validate data collection
6. No DOS attacks!
7. If you need to do somethings manually - do it manually.

What are important features of the large-scale data

1. Does your data have open text field?
2. Does your text data have scale?
3. Does it have metadata that allows for quantitative analysis

Next time Interview data collection