


问题列表二

电竞大厅

- 产品分类：query接口查得到数据，view查不到：【已修复】


o



```

{
  "c_product__c_key": "js_miss",
  "c_product__add_time": "2016-11-25 10:02:43",
  "c_product__description": "",
  "c_product__link_url": "",
  "c_product__id": 62,
  "c_product__price": "0.00",
  "c_product__status": 1,
  "c_product__c_img_sed": "product/20161125100243887367401220.png",
  "c_product__privilege": 1,
  "c_product__c_img": "product/20161125100243879655279250.png",
  "c_product__c_img_detail": "product/20161125100243888788218930.png",
  "id": 57,
  "c_product__c_sort": 2,
  "c_product__c_name": "MISS解说",
  "c_sort": 0,
  "status": 1,
  "c_product__c_type": 2,
  "c_kind__c_name": "精品手游"
}
```

o



```

{
  "message": "id:'57'不存在",
  "code": -1,
  "obj": null
}
```

- 新增报错：【已修复】

IntegrityError: (1048, \\"Column 'c_product_id' cannot be null\\")\\n\\",\\"code\\":-1,\\"id\\":null}"

实际上是传了改参数的：

```

▼ Form Data
  param: c_product_id=60&c_kind=2&c_sort=4&status=1
  m: product_map
```

- 资源管理, query接口无数据
 - 新增资源报错: 【已修复】

```
■ {"message": "Traceback (most recent call last):\n File\n \\\"\\\"\\\"home\\\"\\\"\\\"wangjushidaigame\\\"\\\"\\\"rh\\\"\\\"\\\"video_dx_sichuan\\\"\\\"\\\"base_api\\\"\\\"\\\"views.py\\\"\\\"\\\", line 330, in save\n     ret = instance.save()\n File\n \\\"\\\"\\\"usr\\\"\\\"\\\"local\\\"\\\"\\\"python\\\"\\\"\\\"lib\\\"\\\"\\\"python2.7\\\"\\\"\\\"site-packages\\\"\\\"\\\"Django-1.7.9-py2.7.egg\\\"\\\"\\\"django\\\"\\\"\\\"db\\\"\\\"\\\"models\\\"\\\"\\\"base.py\\\"\\\"\\\", line 589, in save\n     force_update=force_update, update_fields=update_fields)\n File\n \\\"\\\"\\\"usr\\\"\\\"\\\"local\\\"\\\"\\\"python\\\"\\\"\\\"lib\\\"\\\"\\\"python2.7\\\"\\\"\\\"site-packages\\\"\\\"\\\"Django-1.7.9-py2.7.egg\\\"\\\"\\\"django\\\"\\\"\\\"db\\\"\\\"\\\"models\\\"\\\"\\\"base.py\\\"\\\"\\\", line 617, in save_base\n     updated = self._save_table(raw, cls, force_insert, force_update, using,\n     update_fields)\n File\n \\\"\\\"\\\"usr\\\"\\\"\\\"local\\\"\\\"\\\"python\\\"\\\"\\\"lib\\\"\\\"\\\"python2.7\\\"\\\"\\\"site-packages\\\"\\\"\\\"Django-1.7.9-py2.7.egg\\\"\\\"\\\"django\\\"\\\"\\\"db\\\"\\\"\\\"models\\\"\\\"\\\"base.py\\\"\\\"\\\", line 698, in _save_table\n     result = self._do_insert(cls._base_manager, using, fields,\n     update_pk, raw)\n File\n \\\"\\\"\\\"usr\\\"\\\"\\\"local\\\"\\\"\\\"python\\\"\\\"\\\"lib\\\"\\\"\\\"python2.7\\\"\\\"\\\"site-packages\\\"\\\"\\\"Django-1.7.9-py2.7.egg\\\"\\\"\\\"django\\\"\\\"\\\"db\\\"\\\"\\\"models\\\"\\\"\\\"base.py\\\"\\\"\\\", line 731, in _do_insert\n     using=using, raw=raw)\n File\n \\\"\\\"\\\"usr\\\"\\\"\\\"local\\\"\\\"\\\"python\\\"\\\"\\\"lib\\\"\\\"\\\"python2.7\\\"\\\"\\\"site-packages\\\"\\\"\\\"Django-1.7.9-py2.7.egg\\\"\\\"\\\"django\\\"\\\"\\\"db\\\"\\\"\\\"models\\\"\\\"\\\"manager.py\\\"\\\"\\\", line 92, in manager_method\n     return getattr(self.get_queryset(), name)(*args, **kwargs)\n File\n \\\"\\\"\\\"usr\\\"\\\"\\\"local\\\"\\\"\\\"python\\\"\\\"\\\"lib\\\"\\\"\\\"python2.7\\\"\\\"\\\"site-packages\\\"\\\"\\\"Django-1.7.9-py2.7.egg\\\"\\\"\\\"django\\\"\\\"\\\"db\\\"\\\"\\\"models\\\"\\\"\\\"query.py\\\"\\\"\\\", line 921, in _insert\n     return query.get_compiler(using=using).execute_sql(return_id)\n File\n \\\"\\\"\\\"usr\\\"\\\"\\\"local\\\"\\\"\\\"python\\\"\\\"\\\"lib\\\"\\\"\\\"python2.7\\\"\\\"\\\"site-packages\\\"\\\"\\\"Django-1.7.9-py2.7.egg\\\"\\\"\\\"django\\\"\\\"\\\"db\\\"\\\"\\\"models\\\"\\\"\\\"sql\\\"\\\"\\\"compiler.py\\\"\\\"\\\", line 921, in execute_sql\n     cursor.execute(sql, params)\n File\n \\\"\\\"\\\"usr\\\"\\\"\\\"local\\\"\\\"\\\"python\\\"\\\"\\\"lib\\\"\\\"\\\"python2.7\\\"\\\"\\\"site-packages\\\"\\\"\\\"Django-1.7.9-py2.7.egg\\\"\\\"\\\"django\\\"\\\"\\\"db\\\"\\\"\\\"backends\\\"\\\"\\\"utils.py\\\"\\\"\\\", line 65, in execute\n     return self.cursor.execute(sql, params)\n File\n \\\"\\\"\\\"usr\\\"\\\"\\\"local\\\"\\\"\\\"python\\\"\\\"\\\"lib\\\"\\\"\\\"python2.7\\\"\\\"\\\"site-packages\\\"\\\"\\\"Django-1.7.9-py2.7.egg\\\"\\\"\\\"django\\\"\\\"\\\"db\\\"\\\"\\\"utils.py\\\"\\\"\\\", line 94, in __exit__\n     six.reraise(dj_exc_type, dj_exc_value, traceback)\n File\n \\\"\\\"\\\"usr\\\"\\\"\\\"local\\\"\\\"\\\"python\\\"\\\"\\\"lib\\\"\\\"\\\"python2.7\\\"\\\"\\\"site-packages\\\"\\\"\\\"Django-1.7.9-py2.7.egg\\\"\\\"\\\"django\\\"\\\"\\\"db\\\"\\\"\\\"backends\\\"\\\"\\\"utils.py\\\"\\\"\\\", line 65, in execute\n     return self.cursor.execute(sql, params)\n File\n \\\"\\\"\\\"usr\\\"\\\"\\\"local\\\"\\\"\\\"python\\\"\\\"\\\"lib\\\"\\\"\\\"python2.7\\\"\\\"\\\"site-packages\\\"\\\"\\\"Django-1.7.9-py2.7.egg\\\"\\\"\\\"django\\\"\\\"\\\"db\\\"\\\"\\\"backends\\\"\\\"\\\"mysql\\\"\\\"\\\"base.py\\\"\\\"\\\", line 129, in execute\n     return self.cursor.execute(query, args)\n File\n \\\"\\\"\\\"build\\\"\\\"\\\"bdist.linux-x86_64\\\"\\\"\\\"egg\\\"\\\"\\\"MySQLdb\\\"\\\"\\\"cursors.py\\\"\\\"\\\", line 174, in execute\n     self.errorhandler(self, exc, value)\n File\n \\\"\\\"\\\"build\\\"\\\"\\\"bdist.linux-x86_64\\\"\\\"\\\"egg\\\"\\\"\\\"MySQLdb\\\"\\\"\\\"connections.py\\\"\\\"\\\", line 36, in defaulterrorhandler\n     raise errorclass, errorvalue\nIntegrityError: (1452, 'Cannot add or update a child row: a foreign key constraint fails (`video_dx_sichuan`.`t_resource`, CONSTRAINT `t_resource_ibfk_1` FOREIGN KEY (`cp_id`) REFERENCES `t_cps` (`id`))')\n\", \"code\": -1, \"id\": null}"
```

■ 请求参数:

```
zsjid=11&assid=11&c_name=11&cp_id=2&status=new&c_corps=11&c_commentary=11&c_match=11  
&c_time=2017-08-  
05+18%3A50%3A36&status=0&content=1&play_auth=1&img_url=&start_param=&play_count=1&pr  
aise_count=1&favor_count=1&c_sort=1
```

- 产品绑定资源：query接口无数据【已修复】
 - 资源无数据，无法绑定资源和产品【已修复】
 - 编辑时报错：

```
{
  "message": "Traceback (most recent call last):
  File
    '\\\\home\\\\wangjushidaigame\\\\rh\\\\video_dx_sichuan\\\\base_api\\\\views.py',
    line 330, in save
      ret = instance.save()
  File
    '\\\\usr\\\\local\\\\python\\\\lib\\\\python2.7\\\\site-packages\\\\Django-1.7.9-
    py2.7.egg\\\\django\\\\db\\\\models\\\\base.py', line 589, in save
      force_update=force_update, update_fields=update_fields)
  File
    '\\\\usr\\\\local\\\\python\\\\lib\\\\python2.7\\\\site-packages\\\\Django-1.7.9-
    py2.7.egg\\\\django\\\\db\\\\models\\\\base.py', line 617, in save_base
      updated = self._save_table(raw, cls, force_insert, force_update, using, update_fields)
  File
    '\\\\usr\\\\local\\\\python\\\\lib\\\\python2.7\\\\site-packages\\\\Django-1.7.9-
    py2.7.egg\\\\django\\\\db\\\\models\\\\base.py', line 679, in _save_table
      forced_update)
  File
    '\\\\usr\\\\local\\\\python\\\\lib\\\\python2.7\\\\site-packages\\\\Django-1.7.9-
    py2.7.egg\\\\django\\\\db\\\\models\\\\base.py', line 723,
    in _do_update
      return filtered._update(values) > 0
  File
    '\\\\usr\\\\local\\\\python\\\\lib\\\\python2.7\\\\site-packages\\\\Django-1.7.9-
    py2.7.egg\\\\django\\\\db\\\\models\\\\query.py', line 600, in _update
      return query.get_compiler(self.db).execute_sql(CURSOR)
  File
    '\\\\usr\\\\local\\\\python\\\\lib\\\\python2.7\\\\site-packages\\\\Django-1.7.9-
    py2.7.egg\\\\django\\\\db\\\\models\\\\sql\\\\compiler.py', line 1005, in
    execute_sql
      cursor = super(SQLUpdateCompiler, self).execute_sql(result_type)
  File
    '\\\\usr\\\\local\\\\python\\\\lib\\\\python2.7\\\\site-packages\\\\Django-
    1.7.9-py2.7.egg\\\\django\\\\db\\\\models\\\\sql\\\\compiler.py', line 787, in
    execute_sql
      cursor.execute(sql, params)
  File
    '\\\\usr\\\\local\\\\python\\\\lib\\\\python2.7\\\\site-packages\\\\Django-1.7.9-
    py2.7.egg\\\\django\\\\db\\\\backends\\\\utils.py', line 65, in execute
      return self.cursor.execute(sql, params)
  File
    '\\\\usr\\\\local\\\\python\\\\lib\\\\python2.7\\\\site-packages\\\\Django-1.7.9-
    py2.7.egg\\\\django\\\\db\\\\utils.py', line 94, in __exit__
      six.reraise(dj_exc_type, dj_exc_value, traceback)
  File
    '\\\\usr\\\\local\\\\python\\\\lib\\\\python2.7\\\\site-packages\\\\Django-1.7.9-
    py2.7.egg\\\\django\\\\db\\\\backends\\\\utils.py', line 65, in execute
      return self.cursor.execute(sql, params)
  File
    '\\\\usr\\\\local\\\\python\\\\lib\\\\python2.7\\\\site-packages\\\\Django-1.7.9-
    py2.7.egg\\\\django\\\\db\\\\backends\\\\mysql\\\\base.py', line 129, in execute
      return self.cursor.execute(query, args)
  File
    '\\\\build\\\\bdist.linux-
    x86_64\\\\egg\\\\MySQLdb\\\\cursors.py', line 174, in execute
      self.errorhandler(self, exc, value)
  File
    '\\\\build\\\\bdist.linux-
    x86_64\\\\egg\\\\MySQLdb\\\\connections.py', line 36, in defaulterrorhandler
      raise errorclass, errorvalue
IntegrityError: (1452, 'Cannot add or update a child row:
a foreign key constraint fails (`video_dx_sichuan`.`t_product_resource`, CONSTRAINT
`t_product_resource_ibfk_2` FOREIGN KEY (`c_resource_id`) REFERENCES `t_resource`
(`id`))')
",
  "code": -1,
  "id": 1273
}
```

请求参数:

```
id=1273&c_product=68&c_resource=73&c_sort=11&status=1
```

model:

```

class ProductResource(models.Model):
    c_product = models.ForeignKey(Product)
    c_resource = models.ForeignKey(Resource)
    c_sort = models.IntegerField( u"优先级", null = False)
    status = models.SmallIntegerField(verbose_name=u"状态")

```

- 计费ID配置: query接口无数据
 - 新增接口报错:

```

{"message": "Traceback (most recent call last):\\n File
\\\\"\\home\\wangjushidaigame\\rh\\video_dx_sichuan\\base_api\\views.py\\",
line 330, in save\\n     ret = instance.save()\\n File
\\\\"\\usr\\local\\python\\lib\\python2.7\\site-packages\\Django-1.7.9-
py2.7.egg\\django\\db\\models\\base.py\\", line 589, in save\\n
force_update=force_update, update_fields=update_fields)\\n File
\\\\"\\usr\\local\\python\\lib\\python2.7\\site-packages\\Django-1.7.9-
py2.7.egg\\django\\db\\models\\base.py\\", line 617, in save_base\\n     updated
= self._save_table(raw, cls, force_insert, force_update, using, update_fields)\\n File
\\\\"\\usr\\local\\python\\lib\\python2.7\\site-packages\\Django-1.7.9-
py2.7.egg\\django\\db\\models\\base.py\\", line 698, in _save_table\\n
result = self._do_insert(cls._base_manager, using, fields, update_pk, raw)\\n File
\\\\"\\usr\\local\\python\\lib\\python2.7\\site-packages\\Django-1.7.9-
py2.7.egg\\django\\db\\models\\base.py\\", line 731, in _do_insert\\n
using=using, raw=raw)\\n File
\\\\"\\usr\\local\\python\\lib\\python2.7\\site-packages\\Django-1.7.9-
py2.7.egg\\django\\db\\models\\manager.py\\", line 92, in manager_method\\n
return getattr(self.get_queryset(), name)(*args, **kwargs)\\n File
\\\\"\\usr\\local\\python\\lib\\python2.7\\site-packages\\Django-1.7.9-
py2.7.egg\\django\\db\\models\\query.py\\", line 921, in _insert\\n     return
query.get_compiler(using=using).execute_sql(return_id)\\n File
\\\\"\\usr\\local\\python\\lib\\python2.7\\site-packages\\Django-1.7.9-
py2.7.egg\\django\\db\\models\\sql\\compiler.py\\", line 921, in
execute_sql\\n     cursor.execute(sql, params)\\n File
\\\\"\\usr\\local\\python\\lib\\python2.7\\site-packages\\Django-1.7.9-
py2.7.egg\\django\\db\\backends\\utils.py\\", line 65, in execute\\n     return
self.cursor.execute(sql, params)\\n File
\\\\"\\usr\\local\\python\\lib\\python2.7\\site-packages\\Django-1.7.9-
py2.7.egg\\django\\db\\backends\\mysql\\base.py\\", line 134, in execute\\n
six.reraise(utils.IntegrityError, utils.IntegrityError(*tuple(e.args)), sys.exc_info()
[2])\\n File \\\\"\\usr\\local\\python\\lib\\python2.7\\site-
packages\\Django-1.7.9-py2.7.egg\\django\\db\\backends\\mysql\\base.py\\",
line 129, in execute\\n     return self.cursor.execute(query, args)\\n File
\\\\"build\\bdist.linux-x86_64\\egg\\MySQLdb\\cursors.py\\", line 174, in
execute\\n     self.errorhandler(self, exc, value)\\n File \\\\"build\\bdist.linux-
x86_64\\egg\\MySQLdb\\connections.py\\", line 36, in defaulterrorhandler\\n
raise errorclass, errorvalue\\nIntegrityError: (1048, \\\"Column 'cp_id' cannot be
null\\\")\\n", "code": -1, "id": null}

```

请求参数:

```
cp_id=2&product_key=aa&product_name=1&money=1&cmboid=1&channelcode=1&related_products=76
&memo1=1&memo2=1&memo3=1&status=1
```

model:

```
class ProductId(models.Model):
    u"""
    产品包计费ID
    """
    cp = models.ForeignKey(CP, verbose_name=u"所属CP")
    product_key = models.CharField(verbose_name=u"产品包关键字", unique=True, blank=True, max_length=64)
    product_name = models.CharField(verbose_name=u"产品包名称", max_length=64, blank=True)
    money = models.CharField(verbose_name=u"产品包价格", db_index=True, max_length=16, blank=True)
    cmboid = models.CharField(verbose_name=u"电子渠道对应的套餐ID", db_index=True, max_length=16, blank=True)
    channelcode = models.CharField(verbose_name=u"渠道标示", db_index=True, max_length=16, blank=True)
    related_products = models.CharField(verbose_name=u"关联产品", max_length=50, blank=True)
    memo1 = models.CharField(verbose_name=u"预留字段", max_length=50, null=True, blank=True)
    memo2 = models.CharField(verbose_name=u"预留字段", max_length=50, null=True, blank=True)
    memo3 = models.CharField(verbose_name=u"预留字段", max_length=50, null=True, blank=True)
    status = models.SmallIntegerField(verbose_name=u"状态", default=1, choices=STATUS_CHOICES)
    add_time = models.DateTimeField(verbose_name=u"添加时间", auto_now_add=True)
```

- 产品绑定计费ID:
 - 编辑接口报错:

```
{
  "message": "Traceback (most recent call last):
  File
    '\\\\home\\\\wangjushidaigame\\\\rh\\\\video_dx_sichuan\\\\base_api\\\\views.py',
    line 330, in save
      ret = instance.save()
  File
    '\\\\usr\\\\local\\\\python\\\\lib\\\\python2.7\\\\site-packages\\\\Django-1.7.9-
    py2.7.egg\\\\django\\\\db\\\\models\\\\base.py', line 589, in save
      force_update=force_update, update_fields=update_fields)
  File
    '\\\\usr\\\\local\\\\python\\\\lib\\\\python2.7\\\\site-packages\\\\Django-1.7.9-
    py2.7.egg\\\\django\\\\db\\\\models\\\\base.py', line 617, in save_base
      updated = self._save_table(raw, cls, force_insert, force_update, using, update_fields)
  File
    '\\\\usr\\\\local\\\\python\\\\lib\\\\python2.7\\\\site-packages\\\\Django-1.7.9-
    py2.7.egg\\\\django\\\\db\\\\models\\\\base.py', line 698, in _save_table
      result = self._do_insert(cls._base_manager, using, fields, update_pk, raw)
  File
    '\\\\usr\\\\local\\\\python\\\\lib\\\\python2.7\\\\site-packages\\\\Django-1.7.9-
    py2.7.egg\\\\django\\\\db\\\\models\\\\base.py', line 731, in _do_insert
      using=using, raw=raw)
  File
    '\\\\usr\\\\local\\\\python\\\\lib\\\\python2.7\\\\site-packages\\\\Django-1.7.9-
    py2.7.egg\\\\django\\\\db\\\\models\\\\manager.py', line 92, in manager_method
      return getattr(self.get_queryset(), name)(*args, **kwargs)
  File
    '\\\\usr\\\\local\\\\python\\\\lib\\\\python2.7\\\\site-packages\\\\Django-1.7.9-
    py2.7.egg\\\\django\\\\db\\\\models\\\\query.py', line 921, in _insert
      return query.get_compiler(using=using).execute_sql(return_id)
  File
    '\\\\usr\\\\local\\\\python\\\\lib\\\\python2.7\\\\site-packages\\\\Django-1.7.9-
    py2.7.egg\\\\django\\\\db\\\\models\\\\sql\\\\compiler.py', line 921, in
      execute_sql
      cursor.execute(sql, params)
  File
    '\\\\usr\\\\local\\\\python\\\\lib\\\\python2.7\\\\site-packages\\\\Django-1.7.9-
    py2.7.egg\\\\django\\\\db\\\\backends\\\\utils.py', line 65, in execute
      return self.cursor.execute(sql, params)
  File
    '\\\\usr\\\\local\\\\python\\\\lib\\\\python2.7\\\\site-packages\\\\Django-1.7.9-
    py2.7.egg\\\\django\\\\db\\\\utils.py', line 94, in __exit__
      six.reraise(dj_exc_type, dj_exc_value, traceback)
  File
    '\\\\usr\\\\local\\\\python\\\\lib\\\\python2.7\\\\site-packages\\\\Django-1.7.9-
    py2.7.egg\\\\django\\\\db\\\\backends\\\\utils.py', line 65, in execute
      return self.cursor.execute(sql, params)
  File
    '\\\\usr\\\\local\\\\python\\\\lib\\\\python2.7\\\\site-packages\\\\Django-1.7.9-
    py2.7.egg\\\\django\\\\db\\\\backends\\\\mysql\\\\base.py', line 129, in execute
      return self.cursor.execute(query, args)
  File '\\\\build\\\\bdist.linux-
  x86_64\\\\egg\\\\MySQLdb\\\\cursors.py', line 174, in execute
    self.errorhandler(self, exc, value)
  File '\\\\build\\\\bdist.linux-
  x86_64\\\\egg\\\\MySQLdb\\\\connections.py', line 36, in defaulterrorhandler
    raise errorclass, errorvalue
IntegrityError: (1452, 'Cannot add or update a child row:
a foreign key constraint fails (`video_dx_sichuan`.`t_product_bind_id`, CONSTRAINT
`t_product_bind_id_ibfk_2` FOREIGN KEY (`c_productid_id`) REFERENCES `t_product_id`
(`id`))')
",
  "code": -1,
  "id": null
}
```

请求参数:

```
c_product=59&c_productid=73&status=0
```


model:

```

class Product(models.Model):
    c_productid = models.ForeignKey(ProductId)
    c_product = models.ForeignKey(Product)
    status = models.SmallIntegerField(verbose_name=u"状态", de


```

- 订购配置：query接口无数据【梁说暂时不做此功能】
 - 之前看四川现网此功能报500错误，无法使用
 - 重庆现网后台此功能报500错误，亦无法使用
- 拦截页面图片配置：query接口无数据【梁的文档中无此功能】
 - 重庆现网后台无该项功能
 - 之前四川现网看时由于没有数据，无法确定编辑与新增的字段
- 电竞导入数据：接口404



◦ Page not found

We're sorry, but the requested page could not be found.



◦ Page not found

We're sorry, but the requested page could not be found.