CUEQ-DEP1 Development-Host Runtime Evidence

mdstats development

2026-08-15

Result

Implementation: `mdstats 0.20.188a0`
Host role: CPU/control-plane development host
CUEQ-DEP1 result: not qualified
Runtime-record digest: `41c1e2890bc34c3d7908762efd3f9d55259fbced4e0b0c7d468e20e9cd79ff70`

The record is deliberately negative. MACE/e3nn satisfy the locked reference runtime, but this host has CPU-only PyTorch and no CuEquivariance packages. No backend fallback is interpreted as success.

Frozen reference components

Component	Version	Import	Content-addressed
PyTorch	`2.10.0+cpu`	pass	pass
MACE	`0.3.16`	pass	pass
e3nn	`0.4.4`	pass	pass
CuEq core	unavailable	fail	fail
CuEq Torch	unavailable	fail	fail
CuEq CUDA ops	unavailable	fail	fail
OpenEquivariance	unavailable	fail	optional

The supplied dependency archive is bound as

`888d545a512396697c8583d69bc9ed33110914675f466a4cbcafc3e1e1407171`.

Accelerator state

- CUDA available: **no**.
- CUDA runtime reported by PyTorch: none.
- Visible CUDA devices: 0.
- `nvidia-smi`: unavailable.
- `nvcc`: unavailable.
- PyTorch deterministic algorithms: disabled on this development host.
- float32 matmul precision: `highest`.

Blocking reasons

1. `cueq-core_import`;
2. `cueq-torch_import`;
3. `cueq-ops_import`;
4. `torch_cuda_available`;

5. `cuda_device_inventory`.

These blockers are expected under the deferred-GPU development policy. Final CUEQ-DEP1 qualification requires a release-matched `passed=true` record produced by the user's final CUDA/CuEq environment during `FINAL-GPU1`.