

Enumeration and visualization of various subspaces of the octahedral complex space

Stefan O. Gugler

Massachusetts Institute of Technology
Department of Chemical Engineering

April 27, 2018



Subsets of octahedral space

The sizes of the selected subsets of octahedral space.

Set	description	size
Homoleptics	$\text{eq} = \text{ax}$	553
"5+1" symmetric	$\text{eq} = \text{ax}_1 \neq \text{ax}_2$	163,620
"4+2" symmetric	$\text{eq}_1 \neq \text{eq}_2 = \text{ax}$	185,373
Strongly symmetric	$\text{eq} \neq \text{ax}$	245,316
Equatorially asymmetric	$\text{eq}_1 \neq \text{eq}_2 \neq \text{ax}$	15,924,796
Weakly symmetric	$\text{eq} \neq \text{ax}_1 \neq \text{ax}_2$	45,077,310
Complete Heteroleptics	$L_i \neq L_j$	$\approx 5.9 \cdot 10^{12}$
Octahedral Space	all	$> 1.8 \cdot 10^{14}$


Properties of the sets

- Reduce space to facilitate sampling from non-homoleptics
- Example: strongly symmetric, monodentate ligand fields (163,620)
- Exclude all with charge smaller than -4, which results in 87,150 ligand fields (53 %).



Principal Component Analysis

The homoleptics (ho) span the strong symmetry (ss) and "5+1" (fo) set.




Footprint and Entropy calculation

We use five properties to characterize the ligand field and generate a five dimensional distribution:

- total charge
- total valence electrons
- electronegativity of the connecting atom
- $\chi_{\text{ax,eq}}^{\text{lc}} = \sum EN_{\text{CA}} \cdot EN_i$
- $\chi'_{\text{ax,eq}}^{\text{lc}} = \sum EN_{\text{CA}} - EN_i$



We then calculate the entropy, H_{KDE} , of the Kernel Density Estimated distribution.

Correlation analysis for strongly symmetric monodentates



Example of KDE slice

Dimensions $\frac{lc}{ax, eq} \chi_1$ vs. charge in H_{KDE} for strongly symmetric monodentates.




Monodentate Footprints





Table : Entropic footprint

Set	$H_{\text{KDE}}^{\text{monodent}}$	$H_{\text{KDE}}^{\text{bident}}$
Homoleptics	19.7	15.63
"5+1" symmetric	13.7	-
Strongly symmetric AC	-	9.47
Strongly symmetric ADC	12.70	5.53
"4+2" symmetric	12.70	9.47
Weakly symmetric	8.1	
Equatorially asymmetric AC	-	10.04
Equatorially asymmetric ADC		

Entropy histogram



Mono-Heavy-Atomic Isoelectronic Ligand Distribution



- 0: $[NH_3]$, $[N]\#[N]$, $[C+]\#[O^-]$, $[C+]\#[NH^-]$
- 1: $[CH+] = [CH_3^-]$
- 8: $[OH_2^-] - [PH^+]$, $[P+] = [OH^-]$, $[PH^+] - [OH_2^-]$, $[NH_2^-] = [CH^+]$