



Plot 1: Qubit-Topologiegaphen und Subgraph-Matching

G (Schaltkreis-Anforderung, $n_G = 4$)



$\sigma_G = [5, 21, 36, 48]$

G' (Hardware-Topologie, $n_{G'} = 6$)



$G \subseteq G'$ nach Rotation $k = 0$

Zyklische Rotationen des Signatur-Arrays

$k=0$: $[\sigma_0, \sigma_1, \sigma_2, \sigma_3, \sigma_4, \sigma_5]$

✓ Match!

$k=1$: $[\sigma_1, \sigma_2, \sigma_3, \sigma_4, \sigma_5, \sigma_0]$

$k=2$: $[\sigma_2, \sigma_3, \sigma_4, \sigma_5, \sigma_0, \sigma_1]$

$k=3$: $[\sigma_3, \sigma_4, \sigma_5, \sigma_0, \sigma_1, \sigma_2]$

$k=4$: $[\sigma_4, \sigma_5, \sigma_0, \sigma_1, \sigma_2, \sigma_3]$

$k=5$: $[\sigma_5, \sigma_0, \sigma_1, \sigma_2, \sigma_3, \sigma_4]$

Nur $n_{G'} = 6$ Rotationen statt $6! = 720$ Permutationen