

LED Demo 실습

LED Demo 실습


- FreeRTOS_Projects 디렉터리 내
 - LED_DEMO 디렉터리 생성

🖥️ > Dropbox > FreeRTOS_Projects >

📁	📄	🔍	🔗	🗑️	↕ 정렬 ▾	☰ 보기 ▾	...
이름	상태	수정한 날짜	유형	크기			
📁 LCD_DEMO	✔	2026-09-17 오후 5:41	파일 폴더				
📁 LED_DEMO	✔	2026-09-17 오후 7:35	파일 폴더				
📁 LED_TOGGLE	✔	2026-09-17 오후 5:41	파일 폴더				
📁 RTOS_LCD_DEMO	✔	2026-09-17 오후 6:14	파일 폴더				
📁 RTOS_LED_DEMO	✔	2026-09-17 오후 7:32	파일 폴더				


LED Demo 실습

- LED_DEMO 프로젝트 생성
 - Microchip Studio 프로그램 실행 후
 - GCC C Executable Project 선택
 - Name : LED_DEMO
 - Location: FreeRTOS
 - Solution name: LED_DEMO




LED Demo 실습

- LED_DEMO 프로젝트 생성 (계속)
- Microchip Studio 프로그램 실행 후 (계속)
 - ATmega128 선택 후 'OK'



LED Demo 실습


- 컴파일러 심볼 등록 (계속)
 - 심볼(F_CPU=14745600UL) 등록



➤ 반드시 저장(ctrl+s)


LED Demo 실습

□ 'main' 함수 작성



LED Demo 실습


□ Build Solution



LED Demo 실습

□ Device Programming

○



I ED Demo 신승

AVRISP mkII (000200212345) - Device Programming

Tool: AVRISP mkII | Device: ATmega128 | Interface: ISP | Device signature: 0x1E9702 | Target Voltage: 3.3 V

Interface settings
Tool information
Device information
Oscillator calibration
Memories
Fuses
Lock bits
Production file

Device
Erase Chip | Erase now

Flash (128 KB)
C:\Users\IncheolShin\Dropbox\FreeRTOS_Projects\LED_DEMO\LED_DEMO\LED_DEMO...
☒ Erase device before programming
☒ Verify Flash after programming
Program | Verify | Read...
Advanced

EEPROM (4 KB)
...
☒ Verify EEPROM after programming
Advanced
Program | Verify | Read...

Reading device ID...OK

OK

Close

LED Demo 실습

- Device Programming (계속)
 - LCD_DEMO.elf 실행파일 선택

Dropbox > FreeRTOS_Projects > LED_DEMO > LED_DEMO > LED_DEMO > Debug					
이름	상태	수정한 날짜	유형	크기	
LED_DEMO.elf	✓	2026-09-17 오후 7:44	ELF 파일	10KB	
LED_DEMO.hex	✓	2026-09-17 오후 7:44	HEX 파일	1KB	

LED Demo 실행

AVRISP mkII (000200212345) - Device Programming

Tool: AVRISP mkII | Device: ATmega128 | Interface: ISP | Device signature: 0x1E9702 | Target Voltage: 3.3 V

Interface settings
Tool information
Device information
Oscillator calibration
Memories
Fuses
Lock bits
Production file

Device
Erase Chip | Erase now

Flash (128 KB)
C:\Users\IncheolShin\Dropbox\FreeRTOS_Projects\LED_DEMO\LED_DEMO\LED_DEMO\...
☒ Erase device before programming
☒ Verify Flash after programming
☐ Advanced
Program | Verify | Read...

EEPROM (4 KB)
...
☒ Verify EEPROM after programming
☐ Advanced
Program | Verify | Read...

Reading device ID...OK

OK

Close