

Emacs

Raphael Salvatore Licciardo, B.Sc.

Text Navigation Beginner

- **C-f** Move forward a char
- **C-b** Move backward a char
- **M-f** Move forward a word
- **M-b** Move backward a word
- **C-v** Move forward a screen
- **M-v** Move backward a screen
- **C-p** Move to previous line
- **C-a** Move to beginning of line
- **C-e** Move to end of line
- **M-a** Move to beginning of sentence
- **M-e** Move to end of sentence
- **M-<** Move to beginning of doc
- **M->** Move to end of doc

Text Editing Beginner

- **BACKSPACE** Delete previous char
- **C-d** Delete next char
- **M-BACKSPACE** Kill (cut) previous word
- **M-d** Kill (cut) next word
- **C-/** Undo

Text Navigation Intermediate

- **C-u8C-f** Move forward 8 chars
- **C-u6C-p** Move up 6 lines
- **C-u9C-b** Move backward 9 chars

Text Editing

- **C-u20w** Insert 20 'w's
- **M-k** Kill (cut) to end of sentence
- **M-y** Previous yank
- **C-w** Cut
- **M-w** Copy
- **C-y** Paste

File Management

- `C-xC-f` Find a file
- `C-xC-s` Save file
- `C-xC-b` List buffers
- `C-xb` Switch to buffer
- `C-xso` Save buffers
- `C-xk` Delete Buffer
- `C-xo` Switch Windows

Misc

- `C-x4C-f` Find in other window
- `M-xrepl s<enter>` Replace string
- `ESCESCESC` Get out of current command
- `M-xttext-mode<enter>` Text mode
- `C-x0C-l` Scroll line to top of screen
- `C-xC-c` Close emacs
- `C-z` Suspend emacs
- `C-g` Stop command
- `C-x2` Open 2 windows
- `C-x1` Open 1 window
- `M-x` fundamental-mode Fundamental Mode
- `C-s` Incremental search
- `C-xo` Change windows
- `M-C-v` Scroll other window
- `C-ha` Command apropos

Magit

- `<Tab>` Preview Changes
- `s` git add
- `cc` git add
 - Type in the Commit Message, save and leave
- `pp` git push

Dired

- `C-ud` Delete a File
- `C-xC-f` Create a File

Windows

- `C-x 2` Horizontal Split
- `C-x 3` Vertical Split
- `C-x o` Move around

- C-x 0 Close Split