




VISIBLE

SIMPLE

EFFECTIVE

Our radar speed display RAD62 is dedicated to reduce speed. Preferably installed in low-traffic areas, it displays the driver's speed in real time at a range of up to 1km. Ideally placed near schools, hospitals, bike-path crossings or any location where people might be at risk.



MADE IN CANADA

DESIGN • MANUFACTURING • SHIPPING



Easy to
install



Encourage drivers to
reduce their speed



Highly competitive
price



High
visibility

RAD62 SPEED DISPLAY

AMBER RADAR SPEED DISPLAY

PHONE: 450.444.0006 | WWW.SIGNAL.CA | EMAIL: INFO@SIGNAL.CA

- ▶ 7-SEGMENT SPEED DISPLAY, 8X8 AMBER LEDS
- ▶ RADAR RANGE UP TO 1KM
- ▶ MANUAL ON-SITE SPEED LIMIT ADJUSTMENT WITH STEALTH SENSOR



DURABLE IP65-RATED ENCLOSURE
FULLY PROTECTED AGAINST WATER
AND DUST INFILTRATION


- ▶ 1/8" (3MM) POLYCARBONATE WINDOW
- ▶ OPERATING TEMPERATURE RANGE: -40°C À 65°C

DIMENSION:

Height: 29.5" (750mm)
Width: 29.0" (737mm)
Depth: 4" (100mm)

Display
Speed : 13.00" x 15.60" (330 x 395mm)

Weight : 13 lb (6 kg) display unit
36.4 lb (16.6 kg) solar power system



AUTOMATIC BRIGHTNESS CONTROL

THE DISPLAY AUTOMATICALLY ADJUSTS ITS INTENSITY THROUGH A BUILT-IN PHOTSENSOR, ENSURING OPTIMAL VISIBILITY IN ALL LIGHTING CONDITIONS.

- ▶ 50° OPTIMAL VIEWING ANGLE PROVIDES CLEAR VISIBILITY FROM BOTH SHORT AND LONG DISTANCES



POWER SUPPLY :

ELECTRIC  SOLAR  or EFFIA 

PHONE: 450.444.0006 | WWW.SIGNAL.CA | EMAIL: INFO@SIGNAL.CA

OPTIONS


Option RAD6X. minimum 2km/h

RADOP-MIN

ACCESSORIES & MOUNTING OPTIONS

SET OF FOUR DETACHABLE-STEEL RADAR STRAPS

5/8", ÉP=.030", STAINLES STEEL
AVAILABLE IN TWO SIZES



FRONT FR | RAD62F

FRONT EN | RAD62E

VOTRE VITESSE

YOUR SPEED

Accessories and hardware for 2" to 12" poles
Straight round post, 4" dia., 12' long, black paint
Round base cover for 4" round post, black paint
Ground sleeve post support
Square Signel posts
Pyramidal concrete base, 115 lb (52 kg)
Additional pair of 12V-26Ah batteries
Multi-purpose trailer, 49" x 54" platform
Mobile battery enclosure
Hitch-mount system
Includes 7-pin round electrical connector

RADOP-ACS
AEF006
AEF002
AEF005
PTC - PTJ
AP2007
PSP0P-BT2
RSS60
RSS44
RSS80

COMPATIBLE WITH EFFIA SYSTEM

RADAR ON PEDESTAL
MOBILE BATTERY PEDESTAL
(RSS44)



RADAR ON TRAILER
MULTI-PURPOSE EFFIA TRAILER
(RSS60)



HITCH-MOUNTED RADAR
SLIDING HITCH SUPPORT - INCLUDES
7-PIN ROUND ELECTRICAL
CONNECTOR (RSS80)



PHONE: 450.444.0006 | WWW.SIGNAL.CA | EMAIL: INFO@SIGNAL.CA