FLU EXPRESS



Flu Express is a weekly report produced by the Respiratory Disease Office of the Centre for Health Protection. It monitors and summarizes the latest local and global influenza activities.

Local Situation of Influenza Activity (as of Sep 4, 2013)

Reporting period: Aug 25 - 31, 2013 (Week 35)

- The latest surveillance data showed that the local influenza activity remained stable.
- The Centre for Health Protection has collaborated with the Hospital Authority and private hospitals to monitor influenza associated intensive care unit (ICU) admissions or deaths (aged 18 years or above) since Jul 26, 2013. As of Sep 4, there were 26 cases of influenza associated ICU admission or death, in which 18 of them were fatal.
- Influenza can cause serious illnesses in high-risk individuals and even healthy persons. Except for those with contraindications, influenza vaccination is suitable for all members of the public.

Influenza-like-illness surveillance among sentinel general outpatient clinics, 2011-13

In week 35, the average consultation rate for influenza-like illness (ILI) among sentinel general outpatient clinics (GOPCs) was 3.8 ILI cases per 1,000 consultations (Figure 1).




Figure 1 ILI consultation rate at sentinel GOPC, 2011-13

Influenza-like illness surveillance among sentinel private doctors, 2011-13

In week 35, the average consultation rate for ILI among sentinel private doctors was 40.6 ILI cases per 1,000 consultations (Figure 2).




Figure 2 ILI consultation rate at sentinel GP, 2011-13

Influenza virus detections (Laboratory surveillance), 2012-13

In week 35, the number of influenza viruses detected in the Public Health Laboratory Centre was 144, including 120 influenza A (H3) viruses, 18 influenza A (H1N1)2009 viruses and 6 influenza B viruses (Figure 3).




Figure 3 Influenza virus detections, 2012-13

Influenza-like illness outbreak monitoring, 2012-13

In week 35, 2 ILI outbreaks occurring in schools/institutions were recorded. In the first 4 days of week 36 (Sep 1 to 4, 2013), 1 ILI outbreak occurring in an institutions was recorded (Figure 4).




Figure 4 ILI outbreaks, 2012-13

Rate of influenza-like illness syndrome group in accident and emergency departments, 2011-13#

In week 35, the rate of the influenza-like illness syndrome group in the accident and emergency departments (AED) was 146.5 (per 1,000 coded cases) (Figure 5).

#Note: The influenza-like illness syndrome group includes codes such as influenza, upper respiratory tract infection, fever, cough, throat pain, and nneumonia




Figure 5 Rate of ILI syndrome group in AED, 2011-13

Influenza associated hospital admission rates and deaths based on discharge coding, 2011-13

In week 35, hospital admission rates with principal diagnosis of influenza for persons aged 0-4 years, 5-64 years and 65 years or above were 0.81, 0.03 and 0.24 cases respectively (per 10,000 people in the age group) (Figure 6). Weekly number of deaths with any diagnosis of influenza in public hospitals is also shown in the figure on the right hand side.




Figure 6 Influenza associated hospital admission rates and deaths, 2011-13

Fever surveillance at sentinel child care centres/kindergartens, 2011-13

In week 35, 0.58% of children in the sentinel child care centres / kindergartens (CCC/ KG) had fever (Figure 7).




Figure 7 Percentage of children with fever at sentinel CCC/KG, 2011-13

Fever surveillance at sentinel residential care homes for the elderly, 2011-13

In week 35, 0.13% of residents in the sentinel residential care homes for the elderly (RCHEs) had fever (Figure 8).




Figure 8 Percentage of residents with fever at sentinel RCHE, 2011-13

Influenza-like illness surveillance among sentinel Chinese medicine practitioners, 2011-13

In week 35, the average consultation rate for ILI among Chinese medicine practitioners (CMPs) was 1.91 ILI cases per 1,000 consultations (Figure 9).




Figure 9 ILI consultation rate at sentinel CMP, 2011-13

Enhanced Surveillance for Severe Seasonal Influenza (Aged 18 years or above)

 From Aug 28, 2013, 12:00 noon to Sep 4, 2013, 12:00 noon, 3 cases of influenza associated ICU admission were recorded, in which 2 of them were fatal. In addition, one previously reported case who required ICU admission passed away during this reporting period.

Note: The data reported are provisional figures and subject to further revision.

Surveillance of severe paediatric influenza-associated complication/death (Aged above one month and below 18 years)

• In week 35 and the first 4 days of week 36 (Sep 1 to 4, 2013), there were no new reports of severe paediatric influenza-associated complication/death.

Note: The data reported are provisional figures and subject to further revision.

Surveillance of Tamiflu resistant influenza A(H1N1)2009 virus infection

• In week 35 and the first 4 days of week 36 (Sep 1 to 4, 2013), there were no new reports of oseltamivir (Tamiflu) resistant influenza A(H1N1)2009 virus infection. There are totally 35 reports of Tamiflu resistant influenza A(H1N1)2009 virus detected in Hong Kong since 2009.

Global Situation of Influenza Activity

- In the United States (week ending Aug 24, 2013), the influenza activity remained low.
- In Canada (week ending Aug 24, 2013), the influenza activity remained low.
- In the United Kingdom (week ending Aug 25, 2013), the ILI consultation rate remained low.
- In Europe (week ending Aug 25, 2013), the ILI consultation rate were at low levels in all countries in the Region.
- In New Zealand (week ending Sep 1, 2013), the ILI consultation rate was below the baseline.
- In Australia (week ending Aug 16, 2013), the overall influenza activity remained relatively low compared to 2011 and 2012, but the steady seasonal increase had continued.
- In Singapore (week ending Aug 31, 2013), the number of consultations for acute respiratory infections was below the warning level.

Sources:

Information have been extracted from the following sources when updates are available: <u>United States Centers for Disease Control and Prevention</u>, <u>Public Health Agency of Canada</u>, <u>United Kingdom Health Protection Agency</u>, <u>World Health Organization/Europe Euroflu</u>, <u>New Zealand Ministry of Health</u>, <u>Australia Department of Health and Ageing and Singapore Ministry of Health</u>.