Let T(n) be defined by

$$T(n) = \begin{cases} 1 & \text{if } n = 0 \\ 1 + \sum_{i=0}^{n-1} T(i) & \text{if } n > 0 \end{cases}$$

Then $T(n) = 2^n$.

Let T(n) be defined by

$$T(n) = \begin{cases} 1 & \text{if } n = 0\\ 1 + \sum_{i=0}^{n-1} T(i) & \text{if } n > 0 \end{cases}$$

Then $T(n) = 2^n$.

Proof:

(i) Base Case: $T(0) = 1 = 2^0$.

Let T(n) be defined by

$$T(n) = \begin{cases} 1 & \text{if } n = 0\\ 1 + \sum_{i=0}^{n-1} T(i) & \text{if } n > 0 \end{cases}$$

Then $T(n) = 2^n$.

- (i) Base Case: $T(0) = 1 = 2^0$.
- (ii) Induction hypothesis: Assume that $T(i) = 2^i$ for all $0 \le i < n$.

Let T(n) be defined by

$$T(n) = \begin{cases} 1 & \text{if } n = 0\\ 1 + \sum_{i=0}^{n-1} T(i) & \text{if } n > 0 \end{cases}$$

Then $T(n) = 2^n$.

- (i) Base Case: $T(0) = 1 = 2^0$.
- (ii) Induction hypothesis: Assume that $T(i) = 2^i$ for all $0 \le i < n$.

Then
$$T(n) = 1 + \sum_{i=0}^{n-1} T(i)$$
 Definition

Let T(n) be defined by

$$T(n) = \begin{cases} 1 & \text{if } n = 0\\ 1 + \sum_{i=0}^{n-1} T(i) & \text{if } n > 0 \end{cases}$$

Then $T(n) = 2^n$.

- (i) Base Case: $T(0) = 1 = 2^0$.
- (ii) Induction hypothesis: Assume that $T(i) = 2^i$ for all $0 \le i < n$.

Then
$$T(n) = 1 + \sum_{i=0}^{n-1} T(i)$$
 Definition
$$= 1 + \sum_{i=0}^{n-i} 2^i$$
 Strong induction hypothesis

Let T(n) be defined by

$$T(n) = \begin{cases} 1 & \text{if } n = 0\\ 1 + \sum_{i=0}^{n-1} T(i) & \text{if } n > 0 \end{cases}$$

Then $T(n) = 2^n$.

- (i) Base Case: $T(0) = 1 = 2^0$.
- (ii) Induction hypothesis: Assume that $T(i) = 2^i$ for all $0 \le i < n$.

Then
$$T(n)=1+\sum_{i=0}^{n-1}T(i)$$
 Definition
$$=1+\sum_{i=0}^{n-i}2^{i}$$
 Strong induction hypothesis
$$=1+(2^{n}-1)=2^{n}$$