# COMP1022Q Introduction to Computing with Excel VBA

### More on For Loops

Gibson Lam and David Rossiter

#### **Outcomes**

- After completing this presentation, you are expected to be able to:
  - 1. Use for loops with a step value
  - 2. Write nested loops in VBA

#### For...Next

We already know how to use a for loop

```
For counter = start To end
...statement(s)...
Next counter
```

- Until now, the *counter* has always been increased by exactly one after the loop content is executed
- The loop executes until the *counter* is equal to the value of *end*


### For...Next with Step

For counter = start To end Step step . . . statement(s). . .

Next counter

- Now let's look at using a for loop with a *step* value
- Using a *step* value, the *counter* can be increased or decreased by a fixed amount (the step) each time
- The *counter* is equal to *start* in the first iteration but it **may not be equal to** *end* in the last iteration

### The Flow of For...Next with Step



### An Example of For...Next with Step 1/3

- The following example puts the leap years from year 2000 up to 2100 in the cells in column A
- In the example, we assume that leap years occur every 4 years and year 2000 is a leap year (it is a bit more complicated than that in reality)

	А
4	Leap Years
5	2000
6	2004
7	2008
8	2012
9	2016

-
-
-

26	2084
27	2088
28	2092
29	2096
30	2100

#### An Example of For...Next with Step 2/3

• Here is the code of the example:

```
Dim Year As Integer, Row As Integer
```

```
' Start from Row 5
Row = 5
For Year = 2000 To 2100 Step 4
Cells(Row, 1).Value = Year
Loop body
' Move to the next row increasing by 4
Row = Row + 1
Next Year loop is run
```

### An Example of For...Next with Step 3/3

3		
4	Leap Years	
5	2000	
6	<b>A</b>	$\qquad \qquad \Box >$
7	Year = 2000	
8	2002	
0		

3	
4	Leap Years
5	2000
6	2004
7	<b>A</b>
8	Year = 2004
0	10a1 2007

3	
4	Leap Years
5	2000
6	2004
7	2008
8	•
0	
	Year = 2008

Repeat loop 26 times in total

3		
4	Leap Year	rs
5	2000	
6	2004	
7	2008	
	-	
	•	
28	2092	
29	2096	
30	2100	
21		

### Nested Loops

• A *nested loop* is a loop within a loop (the loops can be any kind of loop, e.g., while loops or do loops)

```
start outer loop

start inner loop

...statement(s)...

end inner loop

end outer loop
```


• In the following examples, we demonstrate nested loops using for loops, to show all the background colours and to generate a chess board

#### ColorIndex Numbers

These are discussed in another presentation


- You can change the colour of a cell by using a simple number which is called the ColorIndex
- In the following example, the background colour of cell A1 is changed to black by setting the ColorIndex to 1, and the background colour of cell B2 is changed to red by setting the ColorIndex to 3:

```
Range("A1").Interior.ColorIndex = 1
Range("B2").Interior.ColorIndex = 3
```



#### ColorIndex Numbers

• In the next example, we put the 56 colours into 7 rows so that the colours are arranged nicely like this:



### ColorIndex Numbers – The Outer Loop

• We start with a loop that goes through the rows, i.e. from row 4 to row 10:

```
For Row = 4 To 10


Next Row
```



COMP1022Q

### ColorIndex Numbers – The Inner Loop

- The loop going through the rows is the *outer loop*
- Since each row has 8 columns, we add an *inner loop* that goes through the 8 columns in the loop body
- The inner loop is then run for each row




#### ColorIndex Numbers – The Code

- The code we write inside the inner loop is executed on a cell in a particular row and column
- Inside the inner loop, we change the colour of the cells using the ColorIndex number


### Drawing a Chess Board

- The next example draws a chess board, i.e.:
- The chess board uses 8 rows, with each row having 8 columns
- We can use a
   nested loop to walk
   through the cells



### Drawing a Chess Board – The Loops


• The following loops walk through 8 rows and 8 columns, starting from cell B4 8 rows by



• This example again uses the ColorIndex number of the cells; setting them to white (=2) or black (=1)

## Drawing a Chess Board – Colouring

- We decide what colour of a cell is based on the following observations
  - A cell is white when
    - both row and column are even numbers such as B4, or



- both row and column are odd numbers such as C5
- A cell is black when
  - row is even and column is odd such as C4, or
  - row is odd and column is even such as B5

### Using Mod for Odd/Even Numbers

- If you divide an odd number by 2, you will always get a remainder of 1; if you divide an even number by 2, you will get a remainder of 0
- The Mod operator calculates the remainder of a division so the following expression can help you determine whether a number is odd or even:

#### Number Mod 2

• If the expression returns 0, Number is even; otherwise, Number is odd

### Drawing a Chess Board – The Code

• Here is the complete code: Both row and column are even numbers or For Row = 4 To 11 odd numbers For Col = 2 To 9 If Row Mod 2 = Col Mod 2 Then Change the background to white Cells (Row, Col). Interior. Color Index = 2Else Change the background to black Cells(Row, Col).Interior.ColorIndex = 1 End If Next Col Next Row