### COMP4021 Internet Computing

### MVC in Express Part 2

Gibson Lam


### This Presentation

 In the previous discussion, we talked about the MVC design

We have used EJS in Express to create


different views

 In this presentation we will continue with MVC building the models and controllers in Express




### Overview of MVC

You have seen this before



### Models in MVC

- Models in MVC manage all data-related functionalities
- Typically, they connect and retrieve data from databases located on some database servers




## Creating Models in Express

- Since we do not use any 'real' database, you can also create a model based on some data stored in, e.g.:
  - -CSV files
  - -JSON files
  - Remote locations/APIs
- In our example shown later in this discussion, we will use the data from a remote APIs

## Using Node.js Modules

- In an MVC Node.js project, you usually put models and controllers in separate files
- You can then use require() to import them when you need to
- Node.js modules work in a similar way to the JavaScript module patterns that you have used before



# The Exports Object

- In JavaScript module patterns, you create a module using a function
  - The function returns a JavaScript object, which contains the functionalities of the module
- In Node.js, you instead create a module using a global module.exports object
  - This object then contains the functionalities of the module and is implicitly returned by the require() command

## A Simple Module Pattern Example

```
const Counter = function() {
             let count = 0;
             const increase = function() {
Increase
                 count = count + 1;
and get a
             };
'counter'
             const get = function() {
from the
                 return count;
module
             };
             return { increase, get };
```

## Using the Module Pattern

 The module pattern in the previous slide can be created using this code:

```
const counter = Counter();
```

 Then, for example, you can increase the counter and get the counter back like this:

```
counter.increase();
const value = counter.get();
```

## A Node.js Module Example

 A Node.js module with similar functionalities can be created in a file as shown below:

```
let count = 0;
const increase = function() {
  count = count + 1;
                              Functions are
};
                              exported by the
const get = function() {
                              exports object
  return count;
};
module.exports = { increase, get };
```

## Using the Node.js Module

 If the file in the previous slide is called counter.js, it can be imported by a Node.js program using this code:

```
const counter = require("./counter");
```

 The module can then be used in a similar way to its JavaScript counterpart, i.e.:

```
counter.increase();
const value = counter.get();
```

## Making a Stock Model

 A stock data model can be created using a Node.js module



- The stock data is obtained using the Yahoo! Finance API
- A npm package called yahoo-finance2 lets us download Yahoo's stock data easily

## Using Yahoo! Finance

- To get stock data, you need to:
  - Install the package:

>npm install yahoo-finance2

- Import the package:

```
const yahooFinance =
   require('yahoo-finance2').default;
```

- Use either of these functions:

```
yahooFinance.quoteSummary() or
yahooFinance.historical()
```

You need to use .default here

## Getting Stock Data

 For example, you can get the stock summary of Apple Inc using its stock code AAPL:

```
const summary =
   yahooFinance.quoteSummary("AAPL");
```

Or, get its historical stock prices using this code:

### A Stock Model

 You can create the stock model like this:

```
const yahooFinance =
      require('yahoo-finance2').default;
                                            This is
                                            an async
async function getStock(code) {
                                            function
  const summary =
        await yahooFinance.quoteSummary(code);
  const prices =
        await yahooFinance.historical(code,
        { period1: "2001-01-01" });
  return { summary, prices };
                                  A single function is
                                  exported for getting
module.exports = { getStock }; -
                                  the stock data
```


### Using the Stock Model

 For example, you can use the stock model (stocks.js) to get stock data:

```
const stocks = require("./stocks");
         stocks.getStock("AAPL")
           .then((stock) => {
    You
             ... Do something with the stock data...
need to
           })
  use a
           .catch((error) => {
promise
             console.log(error.message);
   here
           });
```

### Controllers in MVC

Controllers handle
 the requests from
 the users, load the
 models and pair the
 models with the
 appropriate views



 These look exactly like what the routes in Express, i.e. app.get() and app.post(), can do

## Making Controller Modules

- You can group the route callback functions of the same controller into a single Node.js module
- For example, here is part of the content of an 'authentication' controller:

```
const signIn = (req, res) => { ... };
const signOut = (req, res) => { ... };
...
module.exports = { signIn, signOut, ... };
```


## Importing the Controllers

 If the module in the previous slide is called authentication, you can set up the Express server like this:

These two endpoints are handled by the authentication controller

## Using MVC in Express

 Based on what we have discussed so far, we can build an example web application using Express



 The application is a stock display system, where you can show the historical stock prices and the corresponding chart of a particular stock

# The Stock Application


Enter the stock code

**Stock System** 

Stock Code: FB Show



See the stock prices



FB - Meta Platforms, Inc.

Change Stock

## MVC in the Example

- Here are the components in the stock application:
  - 5 server endpoints
    - '/', '/get', '/change', '/table' and '/chart'
  - 1 model
    - The stocks model
  - 3 views
    - The welcome view, the stock table view and the stock chart view
  - 2 controllers
    - The front page controller and the stock controller

# The Server Endpoints 1/2


- The '/' endpoint
  - Show the welcome page using the welcome view



- The '/get' endpoint
  - Load the stock into the session storage
  - Redirect the browser to '/table'
  - This does not have a view
- The '/change' endpoint
  - Remove the stock from the session storage
  - Redirect the browser to '/'
  - This does not have a view

# The Server Endpoints 2/2


- The '/table' endpoint
  - Show the table view of the stock
  - Redirect the browser to '/'
    if the stock is not loaded
- The '/chart' endpoint
  - Show the chart view of the stock
  - Redirect the browser to '/'
    if the stock is not loaded





### The Welcome View

 The welcome view is a plain HTML page



- If you enter a stock code and press 'Show', the form will be submitted to the '/get' endpoint
- If no error occurs, you will get to the stock table view page
- Example stock codes are AAPL, FB, 0001.HK and 0388.HK

### The Stock Table View


- The stock table view puts the stock prices in an HTML table
- The table is then nicely formatted using the

Table View						Change Stock
				Chart View		
how 10 ∨ ent.  Date  ▼	open Open	High	Low	Close	Adjusted Close	Volume
3/31/2022	HK\$376.00	HK\$376.20	HK\$369.80	HK\$371.40	HK\$371.40	4147679
3/30/2022	HK\$376.00	HK\$383.80	HK\$372.40	HK\$376.20	HK\$376.20	5173799
3/29/2022	HK\$375.20	HK\$376.80	HK\$370.00	HK\$372.00	HK\$372.00	3072303
3/28/2022	HK\$370.40	HK\$377.60	HK\$367.00	HK\$372.40	HK\$372.40	3839918
3/25/2022	HK\$380.00	HK\$385.00	HK\$370.80	HK\$373.60	HK\$373.60	4984150
3/24/2022	HK\$380.40	HK\$386.60	HK\$378.40	HK\$384.00	HK\$384.00	4285958
3/23/2022	HK\$378.00	HK\$388.00	HK\$378.00	HK\$382.80	HK\$382.80	5421773
3/22/2022	HK\$376.40	HK\$381.00	HK\$371.80	HK\$380.00	HK\$380.00	4236957
3/21/2022	HK\$382.80	HK\$383.00	HK\$373.40	HK\$374.20	HK\$374.20	3817968
3/18/2022	HK\$381.60	HK\$385.20	HK\$373.00	HK\$378.60	HK\$378.60	6012437

- Datatable JavaScript library
- You can click on 'Chart View' to see the chart (using '/chart') or 'Change Stock' to switch to another stock (using '/change')

### The Stock Chart View

- The stock chart view shows the chart of a period of the stock
- You can adjust the period using the slider at the top of the chart,



- which is drawn using the D3 JavaScript library
- You can switch to see the table view or another stock, similar to the table view

### The Controllers

- The front page controller manages only the welcome page of the system, i.e. the '/' endpoint
- The stock controller maintains all other endpoints, which manipulate the stock that you can see from the browser
- Using the controllers, the Express app can be set up concisely, as the application logic is inside the controllers

## Summary

- Using MVC, you can separate your code into models, views and controllers
- This allows you to focus on one aspect of the project, rather than mixing them all together
- It is not only useful in Express, but also in other client-side or server-side frameworks