




Set-Up To access Claude Code, VS Code and Jupyter Lab in Virtual Machine (VM)

Things to keep handy before connecting

- Ensure that **Zscaler is connected** before attempting access.
- Make sure that **you have the IP Address** allocated to you for the course. This will be available in the Teams chat for your course batch or in your email.
- You need to have your **password for your system** (biometric won't work)





1. Access VM in Windows(~5 Min)

- 1) Press **Win + R** to open Run.
- 2) Type **mstsc** and press Enter.
- 3) The Remote Desktop Connection window will open.
- 4) Enter the **IP address** of the VM and click **Connect**.
- 5) Once connected, log in using your credentials in the format **firstname.lastname** and add your system password
- 6) If you face any issues while connecting, please reach out to the IT team for assistance.




1. Access VM in Mac(~5 min)

- 1) Open Microsoft Remote desktop on your Mac (If installed)
- 2) If not installed – Open Self-service Portal, search and install **Microsoft Remote desktop**
- 3) Once open, Click on Add PC, **paste the IP address** in the {PC Name} field and click on Add.
- 4) Click on the instance create in the Microsoft Remote desktop, confirm connection and add your credentials in the format **firstname.lastname** along with your system password



A screenshot of the "Add PC" configuration window. The title "Add PC" is at the top left. Below it, the "PC name:" label is followed by a text input field containing the placeholder "Host name or IP address". The "User account:" label is followed by a dropdown menu showing "Ask when required" with a blue arrow icon. At the bottom, there are four tabs: "General", "Display", "Devices & Audio", and "Folders", with "General" being the active tab.A screenshot of the "Enter Your User Account" dialog box. The title "Enter Your User Account" is at the top. Below it, a message states: "This user account will be used to connect to 172.16.34.225 (remote PC).". There are two input fields: "Username:" with the placeholder "User@Domain or Domain\User" and "Password:". Below the password field is a checkbox labeled "Show password".

2. Navigating Ubuntu Interface

Once in the system, you may get the following screen -> Click Twice on Cancel to Remove it





Once in the Ubuntu Interface, if you ever encounter a blank screen, you can always click on Activities to see the search bar and the Apps Dashboard



Access code-server (VS-Code) in VM on Chrome (~ 5 min)

- 1) In the search bar type “xfce” and open xfce terminal
- 2) Run this command in the terminal: **code-server --bind-addr 0.0.0.0:0**
- 3) A link will be displayed in the output, copy the link and paste it in the **Chrome** browser
- 4) You will be prompted for a password (first time only)

A terminal window titled "Terminal - aadil.queshi@FALMUMFAUB01: ~" showing the execution of the command `code-server --bind-addr 0.0.0.0:0`. The output includes several log messages: "code-server 4.112.0 d7599ae360990ad55b503e3c840b417aleae4798", "Using user-data-dir /home/FRACTAL/aadil.queshi/.local/share/code-server", "Using config file /home/FRACTAL/aadil.queshi/.config/code-server/config.yaml", "HTTP server listening on http://0.0.0.0:35421/", "Authentication is enabled", "Using password from /home/FRACTAL/aadil.queshi/.config/code-server/config.yaml", "Not serving HTTPS", and "Session server listening on /home/FRACTAL/aadil.queshi/.local/share/code-server/code-server-ipc.sock". A red arrow points to the URL `http://0.0.0.0:35421/` in the output.

Password for this is stored in this path :

`cat /home/FRACTAL/firstname.lastname/.config/code-server/config.yaml`

- 5) To Access the password open a **New terminal**. Click on File in the existing terminal and click on “Open terminal”. IMPORTANT: Do not close the existing running terminal.
- 6) In the New terminal run the above command after **replacing** **firstname.lastname** with your name.
- 7) Use the password you get in the terminal in the Chrome window. You should see VS Code open-up in Chrome.


Troubleshooting

If you face the Code server password incorrect issue. Please run below command

1. **code-server --bind-addr 127.0.0.1:0**
2. Then please use the **port number generated by the command** and access this into the browser.
3. using **cat** command please open the file and use the same password
4. Do not close that running command terminal. (always open a new xfce terminal and do not close the old one)


How use Claude Code

- 1) When Inside VSCode open a terminal inside VSCode below is the steps.
Click on the 3 lines left side then select Terminal and New terminal.



A New terminal will open.

Then Type **claude** (as shown below)



Press Enter

Then the options are select appearance (click enter again)

You will get the below option (select YES) and then enter

```
Do you want to use this API key?

> 1. Yes
   2. No (recommended)

Enter to confirm · Esc to cancel
```

Then press Enter again till you reach the below screen.

