

Dynamic DB Table Trigger Setting API Documentation

Overview

The Trigger Setting API provides endpoints for managing trigger configurations for Master Tables. These triggers evaluate data changes (create, update, delete) against defined rules and execute automated workflows when conditions are met.

Base URL: `${API}/dynamic-db/table/{masterTableId}/trigger-settings`

Common Headers:

```
1 Content-Type: application/json
2 Authorization: Bearer {token}
3
```

Common Response Format:

```
1 {
2   "code": "200",
3   "data": { ... },
4   "message": "success",
5   "result": true
6 }
7
```

API Endpoints

1. Create Trigger Setting

Endpoint: `POST /dynamic-db/table/{masterTableId}/trigger-settings`

Description: Create a new trigger setting for a specific Master Table.

Path Parameters

Parameter	Type	Required	Description
masterTableId	string	Yes	Master Table ID (UUID)

Request Parameters

Parameter	Type	Required	Description
trigger_name	string	Yes	Trigger name

description	string	No	Description of the trigger
event_type	string	Yes	Trigger event type (e.g., record_created record_updated record_deleted field_changed)
watch_field	string	Conditional	Field name to watch. Required if event_type is field_changed
conditions	object	No	Trigger rules JSON structure, for example: {"trigger_rule": [{"id": "1775547086227- 45981", "value": "www", "operator": "eq", "field_name": "pro_name_1225_8 c578e60"}, {"id": "1775547086227- 5353", "value": 100, "operator": "gt", "field_name": "amount_1229_1b8 d6410"}]}
match_type	string	Yes	Match logic for conditions: all or

			any (must be explicit)
workflow_id	string	Yes	ID of the workflow to trigger
map_workflow_parameters	object	No	Parameter mapping: {"workflowVar": "masterTableField"}
status	string	No	Status: A-Active, I-Inactive (Default: A)

Request Example

```

1  {
2      "trigger_name": "Notify on new record",
3      "description": "Trigger workflow when a new record is created",
4      "event_type": "record_created",
5      "conditions": {
6          "trigger_rule": [
7              {
8                  "id": "rule-002",
9                  "field_name": "title_2447_8d9147d0",
10                 "operator": "eq",
11                 "value": "A"
12             }
13         ]
14     },
15     "match_type": "all",
16     "workflow_id": "workflow-001",
17     "map_workflow_parameters": {
18         "recordId": "id",
19         "recordName": "name"
20     },
21     "status": "A"
22 }
```

Response Example

```

1  {
2      "code": 200,
3      "data": {
4          "id": "81ddf865-c9ab-412f-adea-ce5a31a73c64",
5          "master_table_id": "8d7cae60-445a-11f1-b623-df30f74295d2",
6          "trigger_name": "Notify on new record",
7          "description": "Trigger workflow when a new record is created",
8          "event_type": "record_created",
9          "conditions": {
10             "trigger_rule": [
11                 {
12                     "field_name": "title_2447_8d9147d0",
13                     "id": "rule-002",
14                     "operator": "eq",
15                     "value": "A"
16                 }
17             ]
18         }
19     }
20 }
```

```

18     },
19     "match_type": "all",
20     "workflow_id": "workflow-001",
21     "map_workflow_parameters": {
22         "recordId": "id",
23         "recordName": "name"
24     },
25     "status": "A",
26     "created_by": "administrator",
27     "updated_by": "administrator",
28     "created_at": "2026-04-30T06:17:36.021423",
29     "updated_at": "2026-04-30T06:17:36.021423"
30 },
31 "message": "success",
32 "result": true
33 }

```

2. Update Trigger Setting

Endpoint: PATCH /dynamic-db/table/{masterTableId}/trigger-settings/{id}

Description: Update an existing trigger setting. Unprovided fields will remain unchanged.

Path Parameters

Parameter	Type	Required	Description
masterTableId	string	Yes	Master Table ID
id	string	Yes	Trigger Setting ID

Request Parameters

Parameter	Type	Required	Description
trigger_name	string	No	New trigger name
description	string	No	New description
event_type	string	No	Valid event type
watch_field	string	No	Field to watch (required if changing to <code>field_changed</code>)
conditions	object	No	Updated conditions JSON
match_type	string	No	<code>all</code> or <code>any</code>
workflow_id	string	No	New workflow ID

map_workflow_parameters	object	No	Updated parameter mappings
status	string	No	Status: A-Active, I-Inactive

Request Example

```

1  {
2    "trigger_name": "Updated trigger name",
3    "event_type": "record_updated",
4    "match_type": "any",
5    "description": "Trigger workflow when a new record is updated",
6    "conditions": {
7      "trigger_rule": [
8        {
9          "field_name": "title_2447_8d9147d0",
10         "id": "rule-003",
11         "operator": "eq",
12         "value": "A"
13       }
14     ]
15   },
16   "status": "A"
17 }

```

Response Example

```

1  {
2    "code": 200,
3    "data": {
4      "id": "81ddf865-c9ab-412f-adea-ce5a31a73c64",
5      "master_table_id": "8d7cae60-445a-11f1-b623-df30f74295d2",
6      "trigger_name": "Updated trigger name",
7      "description": "Trigger workflow when a new record is updated",
8      "event_type": "record_updated",
9      "watch_field": "",
10     "conditions": {
11       "trigger_rule": [
12         {
13           "field_name": "title_2447_8d9147d0",
14           "id": "rule-003",
15           "operator": "eq",
16           "value": "A"
17         }
18       ]
19     },
20     "match_type": "any",
21     "workflow_id": "workflow-001",
22     "map_workflow_parameters": {
23       "recordId": "id",
24       "recordName": "name"
25     },
26     "status": "A",
27     "created_by": "administrator",
28     "updated_by": "administrator",
29     "created_at": "2026-04-30T06:17:36.021423",
30     "updated_at": "2026-04-30T06:17:36.021423"
31   },
32   "message": "success",
33   "result": true

```

3. Delete Trigger Setting

Endpoint: DELETE /dynamic-db/table/{masterTableId}/trigger-settings/{id}

Description: Physically delete a Trigger Setting. (If you only want to disable it, update the status to I instead).

Path Parameters

Parameter	Type	Required	Description
masterTableId	string	Yes	Master Table ID
id	string	Yes	Trigger Setting ID to delete

Request Example

```
1 DELETE /dynamic-db/table/1c0cbb00-2f0e-11f1-aab2-a71594c44b5d/trigger-settings/e45a2b8e-1234-4abc-9876-000000000001
2
```

Response Example

```
1 {
2   "code": "200",
3   "data": true,
4   "message": "success",
5   "result": true
6 }
7
```

4. Get Trigger Setting

Endpoint: GET /dynamic-db/table/{masterTableId}/trigger-settings/{id}

Description: Get details of a specific Trigger Setting (Excludes deleted records).

Path Parameters

Parameter	Type	Required	Description
masterTableId	string	Yes	Master Table ID
id	string	Yes	Trigger Setting ID

Request Example

```
1 GET /dynamic-db/table/8d7cae60-445a-11f1-b623-df30f74295d2/trigger-settings/81ddf865-c9ab-412f-adea-ce5a31a73c64
```

Response Example

```
1  {
2    "code": 200,
3    "data": {
4      "id": "81ddf865-c9ab-412f-adea-ce5a31a73c64",
5      "master_table_id": "8d7cae60-445a-11f1-b623-df30f74295d2",
6      "trigger_name": "Updated trigger name",
7      "description": "Trigger workflow when a new record is updated",
8      "event_type": "record_updated",
9      "watch_field": "",
10     "conditions": {
11       "trigger_rule": [
12         {
13           "field_name": "title_2447_8d9147d0",
14           "id": "rule-003",
15           "operator": "eq",
16           "value": "A"
17         }
18       ]
19     },
20     "match_type": "any",
21     "workflow_id": "workflow-001",
22     "map_workflow_parameters": {
23       "recordId": "id",
24       "recordName": "name"
25     },
26     "status": "A",
27     "created_by": "administrator",
28     "updated_by": "administrator",
29     "created_at": "2026-04-30T06:17:36.021423",
30     "updated_at": "2026-04-30T06:17:36.021423"
31   },
32   "message": "success",
33   "result": true
34 }
```

5. List Trigger Settings

Endpoint: POST /dynamic-db/table/{masterTableId}/trigger-settings/page

Description: Paginated query to list trigger settings for a Master Table.

Path Parameters

Parameter	Type	Required	Description
masterTableId	string	Yes	Master Table ID

Request Parameters

Parameter	Type	Required	Description
pageNum	integer	No	Page number (Default: 1)

pageSize	integer	No	Page size (Default: 50, Max: 200)
status	string	No	Filter by status: A or I
event_type	string	No	Filter by event type (e.g., record_created)

Request Example

```
1 {
2   "pageNum": 1,
3   "pageSize": 20,
4   "status": "A",
5   "event_type": "record_created"
6 }
7
```

Response Example

```
1 {
2   "code": 200,
3   "data": {
4     "entryList": [
5       {
6         "id": "f949fb6c-f209-473d-9007-dd1c572506c9",
7         "master_table_id": "8d7cae60-445a-11f1-b623-df30f74295d2",
8         "trigger_name": "Notify on new record",
9         "description": "Trigger workflow when a new record is created",
10        "event_type": "record_created",
11        "conditions": {
12          "trigger_rule": [
13            {
14              "field_name": "title_2447_8d9147d0",
15              "id": "rule-001",
16              "operator": "eq",
17              "value": "A"
18            }
19          ]
20        },
21        "match_type": "all",
22        "workflow_id": "workflow-001",
23        "map_workflow_parameters": {
24          "recordId": "id",
25          "recordName": "name"
26        },
27        "status": "A",
28        "created_by": "administrator",
29        "updated_by": "administrator",
30        "created_at": "2026-04-30T06:07:27.977857",
31        "updated_at": "2026-04-30T06:07:27.977857"
32      },
33      {
34        "id": "d58fcb00-1180-4ad0-98a8-cc09fe0553bd",
35        "master_table_id": "8d7cae60-445a-11f1-b623-df30f74295d2",
36        "trigger_name": "Notify on new record",
37        "description": "Trigger workflow when a new record is created",
38        "event_type": "record_created",
39        "conditions": {
40          "trigger_rule": [
41            {
```



```

42         "field_name": "status",
43         "id": "rule-001",
44         "operator": "eq",
45         "value": "A"
46     }
47 ]
48 },
49 "match_type": "all",
50 "workflow_id": "workflow-001",
51 "map_workflow_parameters": {
52     "recordId": "id",
53     "recordName": "name"
54 },
55 "status": "A",
56 "created_by": "administrator",
57 "updated_by": "administrator",
58 "created_at": "2026-04-30T06:07:10.514284",
59 "updated_at": "2026-04-30T06:07:10.514284"
60 }
61 ],
62 "totalSize": 2
63 },
64 "message": "success",
65 "result": true
66 }

```

6. Test Trigger Setting

Endpoint: POST /dynamic-db/table/{masterTableId}/trigger-settings/test

Description: Test Active (status=A) trigger settings against a mock message data without writing to logs. Returns condition evaluation results for each trigger.

Path Parameters

Parameter	Type	Required	Description
masterTableId	string	Yes	Master Table ID

Request Parameters

Parameter	Type	Required	Description
event_type	string	Yes	Mock event type (e.g., record_created)
data	object	Yes	Mock Master Table record data

Request Example

```

1 {
2     "event_type": "record_created",
3     "data": {
4         "id": "test-record-uuid",
5         "status": "A",

```

```
6      "name": "Sample Record"
7    }
8  }
9
```

Response Example

```
1  {
2    "code": 200,
3    "data": {
4      "d58fcb00-1180-4ad0-98a8-cc09fe0553bd": {
5        "details": {
6          "rule-001": true
7        },
8        "passed": true,
9        "trigger_name": "Notify on new record"
10     },
11     "f949fb6c-f209-473d-9007-dd1c572506c9": {
12       "details": {
13         "rule-001": false
14       },
15       "passed": false,
16       "trigger_name": "Notify on new record"
17     }
18   },
19   "message": "success",
20   "result": true
21 }
22
```

Appendices

Event Types

Event Type	Description
record_created	Triggered when a new record is inserted
record_updated	Triggered when a record is updated
record_deleted	Triggered when a record is deleted
field_changed	Triggered when a specific field (defined in <code>watch_field</code>) value changes

Match Types

Match Type	Description
all	AND logic. All rules in <code>conditions</code> must evaluate to true

any	OR logic. At least one rule in conditions must evaluate to true
-----	--

Status Codes

Status	Description
A	Active
I	Inactive
D	Deleted (Used internally, physical deletion endpoint is recommended)