

[Table of Contents \(toc.html\)](#) > [Volume 3 \(mado-volume3.html\)](#) > **DICOM KOS Manifest**

EU Manifest-based Access to DICOM Objects (MADO) - Local Development build (v0.2.1-build) built by the FHIR (HL7® FHIR® Standard) Build Tools. See the [Directory of published versions](#)

6.2 DICOM KOS Manifest

The base definition of the DICOM KOS Manifest is defined in [IHE MADO: DICOM KOS Manifest](#). In addition the following EU specific requirement apply:

- In TID 1602, the TargetRegion SHALL use code from [\[\[\[ValueSetAnatomicalRegion\]\]\]](#)

- [DICOM Modules](#)
- [DICOM Templates](#)

6.2.1 DICOM Modules

6.2.1.1 General Study Module

DICOM General Study attributes (PS3.3 C.7.2.1) with their IHE-MADO usage and EU-MADO Consumer/Producer obligations.

- DICOM source:** [PS3.3 C.7.2.1](#)
- IHE-MADO:** [IHE RAD MADO supplement](#)

General Study Module

Attribute Name	Tag	DICOM Type	IHE Usage	Consumer Obligation	Producer Obligation
Study Instance UID	(0020,000D)	1			SHALL:populate
Study Date	(0008,0020)	2	R+	SHOULD:process	SHALL:able-to-populate
Study Time	(0008,0030)	2	R+	SHOULD:process	SHALL:able-to-populate
Referring Physician's Name	(0008,0090)	2			
Referring Physician Identification Sequence	(0008,0096)	3			
Consulting Physician's Name	(0008,009C)	3			

Attribute Name	Tag	DICOM Type	IHE Usage	Consumer Obligation	Producer Obligation
Consulting Physician Identification Sequence	(0008,009D)	3			
Study ID	(0020,0010)	2			
Accession Number	(0008,0050)	2	O+ R+ in req proc seq in SR Key Document Module.		SHALL:populate R+ in req proc seq in SR Key Document Module.
Issuer of Accession Number Sequence	(0008,0051)	3	RC+		SHALL:populate
Study Description	(0008,1030)	3	RC+ ?	SHOULD:process	SHALL:able-to-populate
Physician(s) of Record	(0008,1048)	3			
Physician(s) of Record Identification Sequence	(0008,1049)	3			
Name of Physician(s) Reading Study	(0008,1060)	3			
Physician(s) Reading Study Identification Sequence	(0008,1062)	3			
Requesting Service	(0032,1033)	3			
Requesting Service Code Sequence	(0032,1034)	3			
Referenced Study Sequence	(0008,1110)	3			
Procedure Code Sequence	(0008,1032)	3			
Reason For Performed Procedure Code Sequence	(0040,1012)	3			

6.2.1.2 Patient Module

DICOM Patient attributes (PS3.3 C.7.1.1) with their IHE-MADO usage and EU-MADO Consumer/Producer obligations.

- **DICOM source:** [PS3.3 C.7.1.1](#)
- **IHE-MADO:** [IHE RAD MADO supplement](#)

Patient Module

Attribute Name	Tag	DICOM Type	IHE Usage	Consumer Obligation	Producer Obligation
Patient's Name	(0010,0010)	2			SHALL:able-to-populate

Attribute Name	Tag	DICOM Type	IHE Usage	Consumer Obligation	Producer Obligation
Patient ID	(0010,0020)	2	R+		SHALL:able-to-populate
Type of Patient ID	(0010,0022)	3			SHALL:able-to-populate
Patient's Birth Date	(0010,0030)	2			SHOULD:able-to-populate
Patient's Birth Date in Alternative Calendar	(0010,0033)	3			
Patient's Death Date in Alternative Calendar	(0010,0034)	3			
Patient's Alternative Calendar	(0010,0035)	1C			
Patient's Sex	(0010,0040)	2			SHOULD:able-to-populate
Referenced Patient Photo Sequence	(0010,1100)	3			
Quality Control Subject	(0010,0200)	3			
Referenced Patient Sequence	(0008,1120)	3			
Patient's Birth Time	(0010,0032)	3			
Other Patient IDs Sequence	(0010,1002)	3	R+		
>Patient ID	(0010,0020)	1	R+		SHALL:able-to-populate
>Type of Patient ID	(0010,0022)	1			SHALL:able-to-populate
Other Patient Names	(0010,1001)	3			
Ethnic Group Code Sequence	(0010,2161)	3			
Ethnic Groups	(0010,2162)	3			
Patient Comments	(0010,4000)	3			
Patient Species Description	(0010,2201)	1C			
Patient Species Code Sequence	(0010,2202)	1C			

Attribute Name	Tag	DICOM Type	IHE Usage	Consumer Obligation	Producer Obligation
Patient Breed Description	(0010,2292)	2C			
Patient Breed Code Sequence	(0010,2293)	2C			
Breed Registration Sequence	(0010,2294)	2C			
>Breed Registration Number	(0010,2295)	1			
>Breed Registry Code Sequence	(0010,2296)	1			
>>Include Table 8.8-1 "Code Sequence Macro Attributes"	DCID 7481 "Breed Registry"				
Strain Description	(0010,0212)	3			
Strain Nomenclature	(0010,0213)	3			
Strain Code Sequence	(0010,0219)	3			
Strain Additional Information	(0010,0218)	3			
Strain Stock Sequence	(0010,0216)	3			
>Strain Stock Number	(0010,0214)	1			
>Strain Source	(0010,0217)	1			
>Strain Source Registry Code Sequence	(0010,0215)	1			
>>Include Table 8.8-1 "Code Sequence Macro Attributes"	DCID 7490 "Research Animal Source Registry"				
Genetic Modifications Sequence	(0010,0221)	3			
>Genetic Modifications Description	(0010,0222)	1			

Attribute Name	Tag	DICOM Type	IHE Usage	Consumer Obligation	Producer Obligation
>Genetic Modifications Nomenclature	(0010,0223)	1			
>Genetic Modifications Code Sequence	(0010,0229)	3			
>>Include Table 8.8-1 "Code Sequence Macro Attributes"	No Baseline CID is defined.				
Responsible Person	(0010,2297)	2C			
Responsible Person Role	(0010,2298)	1C			
Responsible Organization	(0010,2299)	2C			
Patient Identity Removed	(0012,0062)	3			
De-identification Method	(0012,0063)	1C			
De-identification Method Code Sequence	(0012,0064)	1C			
> Issuer of Patient ID	(0010,0021)		O+		SHALL:able-to-populate
> Issuer of Patient ID Qualifiers Sequence	(0010,0024)		R+		SHALL:able-to-populate
Universal Entity ID	(0040,0032)		R+		SHALL:able-to-populate
Universal Entity ID Type	(0040,0033)		R+		SHALL:able-to-populate

6.2.1.3 General Equipment Module

DICOM General Equipment attributes (PS3.3 C.7.5.1) with their IHE-MADO usage and EU-MADO Consumer/Producer obligations.

- **DICOM source:** [PS3.3 C.7.5.1](#)
- **IHE-MADO:** [IHE RAD MADO supplement](#)

General Equipment Module

Attribute Name	Tag	DICOM Type	IHE Usage	Consumer Obligation	Producer Obligation
Manufacturer	(0008,0070)	2	R		SHALL:able-to-populate

Attribute Name	Tag	DICOM Type	IHE Usage	Consumer Obligation	Producer Obligation
Institution Name	(0008,0080)	3	R		SHALL:able-to-populate Includes Institution ID
Institution Address	(0008,0081)	3			
Station Name	(0008,1010)	3			
Institutional Department Name	(0008,1040)	3			
Institutional Department Type Code Sequence	(0008,1041)	3			
Manufacturer's Model Name	(0008,1090)	3			
Manufacturer's Device Class UID	(0018,100B)	3			
Device Serial Number	(0018,1000)	3			
Software Versions	(0018,1020)	3			
Gantry ID	(0018,1008)	3			
UDI Sequence	(0018,100A)	3			
Device UID	(0018,1002)	3			
Spatial Resolution	(0018,1050)	3			
Date of Manufacture	(0018,1204)	3			
Date of Installation	(0018,1205)	3			
Date of Last Calibration	(0018,1200)	3			
Time of Last Calibration	(0018,1201)	3			
Pixel Padding Value	(0028,0120)	1C			

6.2.1.4 SOP Common Module

DICOM SOP Common attributes (PS3.3 C.12.1) with their IHE-MADO usage and EU-MADO Consumer/Producer obligations.

- **DICOM source:** [PS3.3 C.12.1](#)
- **IHE-MADO:** [IHE RAD MADO supplement](#)

SOP Common Module

Attribute Name	Tag	DICOM Type	IHE Usage	Consumer Obligation	Producer Obligation
SOP Class UID	(0008,0016)	1			Fixed Value for KOS
SOP Instance UID	(0008,0018)	1			SHAL:populate
Specific Character Set	(0008,0005)	1C			SHALL Populate
Instance Creation Date	(0008,0012)	3			SHALL:populate (time the Instance UID of manifest is assigned)
Instance Creation Time	(0008,0013)	3			SHALL:populate
Instance Coercion DateTime	(0008,0015)	3			
Instance Creator UID	(0008,0014)	3			
Related General SOP Class UID	(0008,001A)	3			
Original Specialized SOP Class UID	(0008,001B)	3			
Synthetic Data	(0008,001C)	3			
Sensitive Content Code Sequence	(0008,001D)	3			
Coding Scheme Identification Sequence	(0008,0110)	3			
>Coding Scheme Designator	(0008,0102)	1			
>Coding Scheme Registry	(0008,0112)	1C			
>Coding Scheme UID	(0008,010C)	1C			
>Coding Scheme External ID	(0008,0114)	2C			
>Coding Scheme Name	(0008,0115)	3			
>Coding Scheme Version	(0008,0103)	3			

Attribute Name	Tag	DICOM Type	IHE Usage	Consumer Obligation	Producer Obligation
>Coding Scheme Responsible Organization	(0008,0116)	3			
>Coding Scheme Resources Sequence	(0008,0109)	3			
>>Coding Scheme URL Type	(0008,010A)	1			
>>Coding Scheme URL	(0008,010E)	1			
Context Group Identification Sequence	(0008,0123)	3			
>Context Identifier	(0008,010F)	1			
>Context UID	(0008,0117)	3			
>Mapping Resource	(0008,0105)	1			
>Context Group Version	(0008,0106)	1			
Mapping Resource Identification Sequence	(0008,0124)	3			
>Mapping Resource	(0008,0105)	1			
>Mapping Resource UID	(0008,0118)	3			
>Mapping Resource Name	(0008,0122)	3			
Timezone Offset From UTC	(0008,0201)	3	R+		SHALL Populate
Contributing Equipment Sequence	(0018,A001)	3			
>Purpose of Reference Code Sequence	(0040,A170)	1			
>>Include Table 8.8-1 "Code Sequence Macro Attributes"	DCID 7005 "Contributing Equipment Purpose of Reference".				

Attribute Name	Tag	DICOM Type	IHE Usage	Consumer Obligation	Producer Obligation
>Manufacturer	(0008,0070)	1			SHALL:able-to-populate
>Institution Name	(0008,0080)	3			SHALL:able-to-populate
>Institution Address	(0008,0081)	3			
>Station Name	(0008,1010)	3			
>Institutional Department Name	(0008,1040)	3			
>Institutional Department Type Code Sequence	(0008,1041)	3			
>>Include Table 8.8-1 "Code Sequence Macro Attributes"	BCID 7030 "Institutional Department/Unit/Service".				
>Operators' Name	(0008,1070)	3			
>Operator Identification Sequence	(0008,1072)	3			
>>Include Table 10-1 "Person Identification Macro Attributes"					
>Manufacturer's Model Name	(0008,1090)	3			
>Device Serial Number	(0018,1000)	3			
>Software Versions	(0018,1020)	3			
>Date of Manufacture	(0018,1204)	3			
>Date of Installation	(0018,1205)	3			
>Device UID	(0018,1002)	3			
>UDI Sequence	(0018,100A)	3			
>>Include Table 10.29-1 "UDI Macro Attributes"					

Attribute Name	Tag	DICOM Type	IHE Usage	Consumer Obligation	Producer Obligation
>Spatial Resolution	(0018,1050)	3			
>Date of Last Calibration	(0018,1200)	3			
>Time of Last Calibration	(0018,1201)	3			
>Contribution DateTime	(0018,A002)	3			
>Contribution Description	(0018,A003)	3			
Instance Number	(0020,0013)	3			
SOP Instance Status	(0100,0410)	3			
SOP Authorization DateTime	(0100,0420)	3			
SOP Authorization Comment	(0100,0424)	3			
Authorization Equipment Certification Number	(0100,0426)	3			
Encrypted Attributes Sequence	(0400,0500)	1C			
>Encrypted Content Transfer Syntax UID	(0400,0510)	1			
>Encrypted Content	(0400,0520)	1			
HL7 Structured Document Reference Sequence	(0040,A390)	1C			
>HL7 Instance Identifier	(0040,E001)	1			
>Retrieve URI	(0040,E010)	3			
Longitudinal Temporal Information Modified	(0028,0303)	3			
Query/Retrieve View	(0008,0053)	1C			
Conversion Source Attributes Sequence	(0020,9172)	1C			
Content Qualification	(0018,9004)	3			

Attribute Name	Tag	DICOM Type	IHE Usage	Consumer Obligation	Producer Obligation
Private Data Element Characteristics Sequence	(0008,0300)	3			
>Private Group Reference	(0008,0301)	1			
>Private Creator Reference	(0008,0302)	1			
>Private Data Element Definition Sequence	(0008,0310)	3			
>>Private Data Element	(0008,0308)	1			
>>Private Data Element Value Multiplicity	(0008,0309)	1			
>>Private Data Element Value Representation	(0008,030A)	1			
>>Private Data Element Number of Items	(0008,030B)	1C			
>>Private Data Element Keyword	(0008,030D)	1			
>>Private Data Element Name	(0008,030C)	1			
>>Private Data Element Description	(0008,030E)	3			
>>Private Data Element Encoding	(0008,030F)	3			
>>Retrieve URI	(0040,E010)	3			
>Block Identifying Information Status	(0008,0303)	1			
>Nonidentifying Private Elements	(0008,0304)	1C			
>Deidentification Action Sequence	(0008,0305)	3			
>>Identifying Private Elements	(0008,0306)	1			
>>Deidentification Action	(0008,0307)	1			
Instance Origin Status	(0400,0600)	3			
Barcode Value	(2200,0005)	3			

Attribute Name	Tag	DICOM Type	IHE Usage	Consumer Obligation	Producer Obligation
Universal Entity ID	(0010,0032)		R+		
Universal Entity ID Type	(0010,0033)		RC+		
Study Instance UID	(0020,000D)		R		SHALL:populate
Display URI	(gggg,eeee) (See Note for temporary TI private tag)		O		
Referenced Series Sequence	(0008,1115)		R		SHALL:able-to-populate
Retrieve Location UID	(0040,E011)		R+		SHALL:able-to-populate
Retrieve URL	(0008,1190)		O		SHALL:able-to-populate

6.2.1.5 Key Object Document Series Module

DICOM Key Object Document Series attributes (PS3.3 C.17.6.1) with their IHE-MADO usage and EU-MADO Consumer/Producer obligations.

- **DICOM source:** [PS3.3 C.17.6.1](#)
- **IHE-MADO:** [IHE RAD MADO supplement](#)

Key Object Document Series Module

Attribute Name	Tag	DICOM Type	IHE Usage	Consumer Obligation	Producer Obligation
Modality	(0008,0060)	1			SHALL able to Populate with a fixed Value: KO
Series Instance UID	(0020,000E)	1			SHALL able to Populate For the Manifest: Any value ?
Series Number	(0020,0011)	1			SHALL able to Populate For the Manifest: Any value ?
Series Date	(0008,0021)	3		SHOULD:process	SHALL:able-to-populate From manifest instance creation
Series Time	(0008,0031)	3			SHALL:able-to-populate From manifest instance creation
Protocol Name	(0018,1030)	3			

Attribute Name	Tag	DICOM Type	IHE Usage	Consumer Obligation	Producer Obligation
Series Description	(0008,103E)	3			
Series Description Code Sequence	(0008,103F)	3			
Referenced Performed Procedure Step Sequence	(0008,1111)	2			
Treatment Session UID	(300A,0700)	3			

MISSING: Reference Request Sequence 1C R+ See Section 6.X.2.8.1

6.2.1.6 Key Object Document Module

DICOM Key Object Document attributes (PS3.3 C.17.6.2) with their IHE-MADO usage and EU-MADO Consumer/Producer obligations.

- **DICOM source:** [PS3.3 C.17.6.2](#)
- **IHE-MADO:** [IHE RAD MADO supplement](#)

Key Object Document Module

Attribute Name	Tag	DICOM Type	IHE Usage	Consumer Obligation	Producer Obligation
Instance Number	(0020,0013)	1			SHALL:populate
Content Date	(0008,0023)	1			SHALL:populate
Content Time	(0008,0033)	1			SHALL:populate
Referenced Request Sequence	(0040,A370)	1C	R+		SHALL: able to populate
Current Requested Procedure Evidence Sequence	(0040,A375)	1			SHALL:populate
Identical Documents Sequence	(0040,A525)	1C			

6.2.2 DICOM Templates

6.2.2.1 TID 2010 Key Object Selection

DICOM SR template TID 2010 (Key Object Selection) nodes with DICOM/IHE requirement types and EU-MADO Consumer/Producer obligations. This template is used in the SR Document Module

- **DICOM source:** [PS3.16 TID 2010](#)
- **IHE-MADO:** [IHE RAD MADO supplement](#)

TID 2010 Key Object Selection

Row No	NL	REL with Parent	VT	Concept Name	VM	Req Type (DICOM)	Req Type (IHE)	Consumer Obligation	Producer Obligation
1			CONTAINER	DCID 7010 "Key Object Selection Document Title"	1	M			
2	>	HAS CONCEPT MOD	COD E	EV (113011, DCM, "Document Title Modifier")	1-n	U			SHALL populate fixed value: Concept Name = (131560, DCM, "Manifest with Description")
3	>	HAS CONCEPT MOD	COD E	EV (113011, DCM, "Document Title Modifier")	1	UC			
4	>	HAS CONCEPT MOD	COD E	EV (113011, DCM, "Document Title Modifier")	1	MC			
4b	>	HAS CONCEPT MOD	COD E	EV (121023, DCM, "Procedure Code")	1-n	U			SHALL-populate
5	>	HAS CONCEPT MOD	INCL UDE	DTID 1204 "Language of Content Item and Descendants"	1	U			
6	>	HAS OBS CONTEXT	INCL UDE	DTID 1002 "Observer Context"	1-n	U			
7	>	CONTAINS	TEXT	EV (113012, DCM, "Key Object Description")	1	U		This content item is not used	SHALL-able-to-populate
8	>	CONTAINS	IMAG E		1-n	MC			
9	>	CONTAINS	WAV EFOR M		1-n	MC			
10	>	CONTAINS	COM POSI TE		1-n	MC			
11	>	CONTAINS	INCL UDE	DTID 1600 "Image Library"	1	MC			

6.2.2.2 TID 1600 Image Library

DICOM SR template TID 1600 (Image Library) nodes with DICOM/IHE requirement types and EU-MADO Consumer/Producer obligations.

- **DICOM source:** [PS3.16 TID 1600](#) 
- **IHE-MADO:** [IHE RAD MADO supplement](#) 

TID 1600 Image Library

Row No	NL	REL with Parent	VT	Concept Name	VM	Req Type (DICOM)	Req Type (IHE)	Consumer Obligation	Producer Obligation
1			CONTAINER	EV (111028, DCM, "Image Library")	1	M	R+	SHOULD:process	SHALL:able-to-populate ; SHALL:populate
1b	>	HAS ACQ CONTEXT	CODE	EV (121139, DCM, "Modality")	1-n	U	R+	SHOULD:process	SHALL:able- SHALL populate; to-populate
1c	>	HAS ACQ CONTEXT	UIDREF	EV (110181, DCM, "SOP Class UID")	1-n	U			
1d	>	HAS ACQ CONTEXT	CODE	EV (123014, DCM, "Target Region")	1-n	U	R+	SHOULD:process	SHALL:able- SHALL populate; to-populate
1e	>	HAS ACQ CONTEXT	TEXT	EV (123014, DCM, "Target Region")	1-n	U	R+---	SHOULD:process	SHALL:able- Not used to-populate
1f	>	HAS ACQ CONTEXT	NUM	EV (131565, DCM, "Number of Study Related Series")	1	U	R+	SHOULD:process	SHALL:able- to-populate SHALL populate;
2	>	CONTAINS	CONTAINER	EV (126200, DCM, "Image Library Group")	1-n	U	R+	SHOULD:process	SHALL:able- to-populate ; SHALL:populate SHALL populate;
3	>>	HAS ACQ CONTEXT	INCLUDE	DTID 1602 "Image Library Entry Descriptors"	1	U	R+		SHALL populate;
4	>>	CONTAINS	INCLUDE	DTID 1601 "Image Library Entry"	1-n	U	At least one per the textual requirement		SHALL: Populate

6.2.2.3 TID 1601 Image Library Entry

DICOM SR template TID 1601 (Image Library Entry) nodes with DICOM/IHE requirement types and EU-MADO Consumer/Producer obligations.

- **DICOM source:** [PS3.16 TID 1601](#)
- **IHE-MADO:** [IHE RAD MADO supplement](#)

TID 1601 Image Library Entry

Row No	NL	REL with Parent	VT	Concept Name	VM	Req Type (DICOM)	Req Type (IHE)	Consumer Obligation	Producer Obligation
1			IMAGE		1	MC		SHOULD: Process	If study contains images SHALL: Populate

Row No	NL	REL with Parent	VT	Concept Name	VM	Req Type (DICOM)	Req Type (IHE)	Consumer Obligation	Producer Obligation
2	>	HAS ACQ CONTEXT	INCL UDE	DTID 1602 "Image Library Entry Descriptors"	1	U		SHOULD: Process	SHALL: Populate
3			COMPOSITE		1	MC		same as above	
4	>	HAS ACQ CONTEXT	INCL UDE	DTID 1602 "Image Library Entry Descriptors"	1	U		same as above	
5			WAVEFORM		1	MC		same as above	
6	>	HAS ACQ CONTEXT	INCL UDE	DTID 1602 "Image Library Entry Descriptors"	1	U			

6.2.2.4 TID 1602 Image Library Entry Descriptors

DICOM SR template TID 1602 (Image Library Entry Descriptors) nodes with DICOM/IHE requirement types and EU-MADO Consumer/Producer obligations.

- **DICOM source:** [PS3.16 TID 1602](#)
- **IHE-MADO:** [IHE RAD MADO supplement](#)

TID 1602 Image Library Entry Descriptors

Row No	NL	REL with Parent	VT	Concept Name	VM	Req Type (DICOM)	Req Type (IHE)	Consumer Obligation	Producer Obligation
1		HAS ACQ CONTEXT	COD E	EV (121139, DCM, "Modality")	1	U	R+ Series Level	SHOULD:process ss	SHALL:able-to-populate; SHALL populate;
2		HAS ACQ CONTEXT	COD E	EV (123014, DCM, "Target Region")	1	U	RC+ Series level	SHOULD:process ss	SHALL:able-to-populate
2b		HAS ACQ CONTEXT	TEXT	EV (123014, DCM, "Target Region")	1	U	RC+ Not used - Remove	SHOULD:process ss	SHALL:able-to-populate
3		HAS ACQ CONTEXT	COD E	EV (111027, DCM, "Image Laterality")	1	U	RC+ Not used - Remove	SHOULD:process ss	SHALL:able-to-populate
4		HAS ACQ CONTEXT	DATE	EV (111060, DCM, "Study Date")	1	U	RC+ Not used - Remove	SHOULD:process ss	SHALL:able-to-populate
5		HAS ACQ CONTEXT	TIME	EV (111061, DCM, "Study Time")	1	U	RC+ Not used - Remove		
5a		HAS ACQ CONTEXT	UIDREF	EV (112002, DCM, "Series Instance UID")	1	U	R+ Series Level	SHOULD:process ss	SHALL:able-to-populate

Row No	NL	REL with Parent	VT	Concept Name	VM	Req Type (DICOM)	Req Type (IHE)	Consumer Obligation	Producer Obligation
5b		HAS ACQ CONTEXT	TEXT	EV (113607, DCM, "Series Number")	1	U	RC+ Series level	SHOULD:process	SHALL:able-to-populate
5c		HAS ACQ CONTEXT	TEXT	EV (131563, DCM, "Series Description")	1	U	RC+ Series level	SHOULD:process	SHALL:able-to-populate
5d		HAS ACQ CONTEXT	COD E	EV (131563, DCM, "Series Description")	1	U	RC+	SHOULD:process Not used - Remove	SHALL:able-to-populate
5e		HAS ACQ CONTEXT	DATE	EV (131561, DCM, "Series Date")	1	U	RC+ Series level	SHOULD:process	SHALL:able-to-populate
5f		HAS ACQ CONTEXT	TIME	EV (131562, DCM, "Series Time")	1	U	RC+ Series level	SHOULD:process	SHALL:able-to-populate
5g		HAS ACQ CONTEXT	NUM	EV (131564, DCM, "Number of Series Related Instances")	1	U	R+ Series level	SHOULD:process	SHALL:able-to-populate SHALL:Populate
6		HAS ACQ CONTEXT	DATE	EV (111018, DCM, "Content Date")	1	U	R+	Not used	
7		HAS ACQ CONTEXT	TIME	EV (111019, DCM, "Content Time")	1	U	RC+	Not used	
8		HAS ACQ CONTEXT	DATE	EV (126201, DCM, "Acquisition Date")	1	U	RC+	Not used - Remove	
9		HAS ACQ CONTEXT	TIME	EV (126202, DCM, "Acquisition Time")	1	U	R+	Not used - Remove	
10		HAS ACQ CONTEXT	UIDREF	EV (112227, DCM, "Frame of Reference UID")	1	U	RC+	Not used - Remove	
11		HAS ACQ CONTEXT	NUM	EV (110910, DCM, "Pixel Data Rows")	1	U	RC+	Not used - Remove	
12		HAS ACQ CONTEXT	NUM	EV (110911, DCM, "Pixel Data Columns")	1	U			
12a		HAS ACQ CONTEXT	TEXT	EV (113609, DCM, "Instance Number")	1	U	RC+ Instance level		SHALL:able-to-populate
12b		HAS ACQ CONTEXT	NUM	EV (121140, DCM, "Number of Frames")	1	U	RC+ Instance level		SHALL:able-to-populate
13		HAS ACQ CONTEXT	INCL UDE	DTID 1603 "Image Library Entry Descriptors for Projection Radiography"	1	MC		Not used - Remove	
14		HAS ACQ CONTEXT	INCL UDE	DTID 1604 "Image Library Entry Descriptors for Cross-Sectional Modalities"	1	MC		Not used - Remove	

Row No	NL	REL with Parent	VT	Concept Name	VM	Req Type (DICOM)	Req Type (IHE)	Consumer Obligation	Producer Obligation
15		HAS ACQ CONTEXT	INCL UDE	DTID 1605 "Image Library Entry Descriptors for CT"	1	MC		Not used - Remove	
16		HAS ACQ CONTEXT	INCL UDE	DTID 1606 "Image Library Entry Descriptors for MR"	1	MC		Not used - Remove	
17		HAS ACQ CONTEXT	INCL UDE	DTID 1607 "Image Library Entry Descriptors for PET"	1	MC		Not used - Remove	
18		HAS ACQ CONTEXT	INCL UDE	DTID 1609 "Image Library Entry Descriptors for Key Object Selection"	1	MC	RC+		SHALL be able to populate

IG © 2025+ [HL7 Europe](#). Package hl7.fhir.eu.imaging-manifest#0.2.1-build based on [FHIR 4.0.1](#). Generated 2026-07-02

Links: [Table of Contents \(toc.html\)](#) | [QA Report \(qa.html\)](#) |  (<http://hl7.org/fhir/R4/license.html>) [Propose a change](#) (<http://jira.hl7.org>).

Split the above table to distinguish the instance level from the series level/
Missing TID 1609

Doc Title

Object Description