

SUMMARY OF CANCER TREATMENT

This "Survivorship Passport" is a short summary extracted from the information reported in the medical record. It describes the disease and its clinical course as well the treatments you received. This document does not replace the medical record that is always available at our center. This document does not replace the medical record which is always available at the treatment center in case of need

Passport Number:

ERSONAL DATA				
ame		Lastname		
ate of birth 03/0	07/2011	Sex	Male	
obile phone				
IAGNOSIS				
ate of diagnosis		23/09/2015		
Institution		Vilniaus universiteto ligoninė	Santaros klinikos	
Classification		3 - Malignant, primary site	3 - Malignant, primary site	
Diagnosis		Precursor B-cell lymphoblasti	Precursor B-cell lymphoblastic leukemia	
Diagnosis (morphology)		Precursor B-cell lymphoblasti	Precursor B-cell lymphoblastic leukemia	
iagnosis description	osis description Üminė pre-B limfoblastinė leukemija, standartinės ri		ıkemija, standartinės rizikos grupė, CNS 1	
ite		Bone marrow		
aterality		Not applicable (Tumor in a no	ot paired site)	
etastatic		No		
THER DISEASES				
ereditary Cancer Predisposition Syndro	me or medical condition	n cancer 22Q11.1-Q11.22 DUPLIKACI	IJOS SINDROMAS	
ssociated				
ther medical conditions, not cancer ass	ociated	Stebimas kardiologų dėl įgimi	tos širdies ydos (2 sav. amžiuje operuotas dėl	
		PPD, esant pilnam anomaliar	PPD, esant pilnam anomaliam plaučių venų drenažui). Dėl netinkamos organu	
		išsidėstymo pozicijos operuot	tas žarnynas, skrandis, apendicitas.	
		Astigmatizmas, nešioja akiniu	Astigmatizmas, nešioja akinius, operuota akis dėl žvairumo, sekamas	
		oftalmologo. Nustatytas mišru	us specifinis raidos sutrikimas. Nepakankamas	
		kūno svoris. Netaisyklinga lai	kūno svoris. Netaisyklinga laikysena, čiurnų kontraktūros.	
IRST-LINE TREATMENTS				
he treatment has been executed followir	ng	A trial/protocol: PAGAL NOPI	HO ALL-2008 PROTOKOLĄ	
roup/Arm/Randomization		STANDARTINĖ RIZIKOS GF	RUPĖ	
ummary of major treatments		Chemotherapy	Yes	
		HSCT	No	
		Radiotherapy	No	
		Major Surgery	No	
rogression/Relapse during first-line trea	tment	No		
ate of first elective end of treatment		27/03/2018		
HEMOTHERAPY				
IRST LINE				
tart date 23/0	09/2015	End date	27/03/2018	
	AN	TINEOPLASTIC AGENTS		
rug name		Total cumulative dose	Measure unit	
ethotrexate		40000 (Dose given)	mg/m2	
ercaptopurine		1400 (Dose given)	mg/m2	
hioguanine		840 (Dose given)	mg/m2	
ytarabine		600 (Dose given)	mg/m2	
incristine		32 (Dose given)	mg/m2	
oxorubicin		80 (Dose given)	mg/m2	
trathecal injections (13)		METOTREKSATAS		
	(OTHER TREATMENTS		
ther treatments			OIDŲ VARTOJIMAS, PEG-ASPARAGINAZĖ,	
		PALAIKYMUI 6-MERKAPTO	PURINAS, METOTREKSATAS PO	

OTHER RELEVANT CLINICAL INFORMATION AND EVENTS				
CLINICAL COURSE				
Important toxicity during treatment	Yes			
Toxicity number	1			
First toxicity				
Date of event	04/04/2016			
Description	Vaistų sukelta periferinė neuropatija			
Resolved	Yes			
CVC positioning	Yes (Removed)			
If yes, specify the site	v.subclavia sin.			
Catheter-related thrombosis	No			
Transfusion	Yes			
Last transfusion date				
Fertility preservation	No			
Other treatments	Trimetoprimas/sulfametoksazolas intermituojančiu režimu PO			

RECOMMENDATIONS FOR FOLLOW-UP

FOLLOW-UP RECOMMENDATIONS:

Here below are listed personalized follow-up recommendations, based on the treatments you received.

These advices are based on international experience with people who received similar treatments as you. They are meant to prevent and/or diagnose at an early stage possible future complications.

General recommendations:

A healthy lifestyle helps to maintain physical and mental wellbeing, as well as preventing possible diseases such as cardiovascular complications, tumors, and psychological problems. We therefore recommend you to:

- Maintain a normal body weight and engage in regular physical activity
- Eat plenty of fruits and vegetables, and reduce fat, sugar, and salt intake
- Maintain proper dental hygiene
- Avoid excessive sun exposure and remember to use high-protection sunscreen
- Don't smoke and avoid excessive alcohol intake
- · Check your blood pressure periodically
- Report to your health care provider any experience of chronic pain, excessive fatigue and/or deterioration of performance in your daily activities (study, work and/or exercise)
- Adhere to all cancer screening programs that will be offered by the health system

The treatment plan created by the "SurPass" Class 1 Medical Device developed from Cineca.

		·
You could be at risk of	Since you was treated with	Therefore it is recommended that
Hypertension		Check blood pressure at least every 2 years and at every medical examination. Comments: 2024-08 AKS normotenzinis
Arrhythmia	- Anthracyclines (doxorubicin isotoxic equivalents) <100 mg/m2	Perform an ECG after the end of treatment and in any case repeat it after the age of 18, and perform a cardiological assessment if palpitations, dizziness and/or fainting/loss of consciousness occur. Comments: Sekamas vaikų kardiologo dėl ĮŠY, konsultuotas 2024-08
Reduced bone mineral density	- Prolonged (at least 4 weeks, continuously) corticosteroids as anticancer treatment	Maintain an adequate intake of calcium and vitamin D. Sunlight exposure and regular physical activity. Bone densitometry (DEXA) should be performed at least once. In prepubertal or pubertal children, consider postponing DEXA until the end of puberty. Report any persistent back pain and/or accidental fractures to your doctor. Comments: 2024-05 buvo atliktas kaulų mineralinio tankio įvertinimas Dexa scan - kaulų tankis nesumažėjęs
Osteonecrosis	- Prolonged (at least 4 weeks, continuously) corticosteroids as anticancer treatment	Report any persistent bone pain (particularly joint pain) to your doctor.

You could be at risk of	Since you was treated with	Therefore it is recommended that
Liver problems	- Methotrexate - Mercaptopurine or Thioguanine	Regular clinical evaluation for signs and symptoms of liver dysfunction (e.g. hepatomegaly, spider nevi or pruritus). Transaminases, gammaGT and alkaline phosphatase should be measured at least once after treatment ends. In case of an increase in liver enzyme values: if between 1-2 times the normal value: repeat the test within 1 year. If more than 2 times the normal value: repeat the test within 2 months. In case of persistent liver abnormalities: Ask a hepatologist or gastroenterologist for further indications. If there is no obvious explanation (alcohol, medication, obesity) Avoid or use with caution potentially hepatotoxic drugs and supplements Consider immunisation against hepatitis A and B, if not already immune in case of chronic HBV / HCV infections discuss precautions to reduce viral transmission to family and sexual partners Comments: 2024-08 ŠF padidėjusi virš normos 1,03 k, kiti kepenų fermentai - normos ribose
Cataract	- Prolonged (at least 4 weeks, continuously) corticosteroids as anticancer treatment	Have an ophtalmological examination every 5 years Comments: Sekamas oftalmologo dėl astigmatizmo
Dental and oral problems	- Chemotherapy	Careful dental hygiene, and a dental examination in case of oral problems such as caries (tooth decay), abnormal tooth development or dry mouth.
Peripheral neuropathy	- Vinca-Alkaloids	Contact your doctor if you experience persistent pain, tingling, reduced strength and/or sensation in your limbs. Comments: 2024-05 - ENMG kojos motorinių nervų aksonopatijos požymiai (vertinama, kad pakitimai nesusiję su taikytu gydymu), vaikų neurologo sekimas, 2024-08 konsultuotas genetiko

	Planned for
Hypertension	AKS įvertinimas kiekvieno vizito pas gydytoją metu
Arrhythmia	Tolimesnis vaikų kardiologo sekimas pagal numatytą planą
Reduced bone mineral density	Dexa scan po lytinio brendimo
Liver problems	Kepenų fermentai 2025 m.
Dental and oral problems	Odontologo priežiūra

Data are updated to the date of issue of the passport or the date of the last clinical examination certified by the physician.

Passport issued by

Institution

Date of issue

Signature of the doctor in charge:

