Einstein Equations and General Relativistic Hydrodynamical System in Spherically Symmetric Metric with Horizon Penetrating Coordinate

Hyun Lim

We present a horizon penetrating coordinate for spherically symmetric metric. We adopt $G = c = 1$ unit system. Consider usual Schwarzschild line element in BL coordinate for practice

$$ds^2 = -\left(1 - \frac{2M}{r}\right)dt^2 + \left(1 - \frac{2M}{r}\right)^{-1}dr^2 + r^2d\Omega^2 \tag{1}$$

where M is a mass. Compare this with usual 3+1 line element form $ds^2 = -\alpha^2 dt^2 + \gamma_{ij}(dx^i + \beta^i dt)(dx^j + \beta^j dt)$ we can identify the lapse $\alpha^2 = \left(1 - \frac{2M}{r}\right)$. As we know, the line element(Eqn. 1) is singular at the horizon ($r = 2M$) and lapse collapse to zero. This can be problematic because equations of motion for the metric can be become exponentially unstable in the presence of a coordinate singularity without some regularization technique.

One way to resolve this problem is to move to a horizon penetrating coordinate system where this singularity is not present. The Kerr-Schild coordinates are one such coordinate system.

For example, Schwarzschild solution in spherical type Kerr-Schild coordinates

$$\alpha = \sqrt{\frac{r}{r + 2M}} \tag{2}$$

$$\beta^r = \frac{2M}{r + 2M} \tag{3}$$

$$\beta_r = \frac{2M}{r} \tag{4}$$

$$\beta^\theta = \beta^\varphi = 0 \tag{5}$$

$$K_{ij} = \text{diag}\left[-\frac{2M(r + M)}{\sqrt{r^5(r + 2M)}}, 2M\sqrt{\frac{r}{r + 2M}}, K_{\theta\theta}\sin^2\theta\right] \tag{6}$$

Schwarzschild solution in Cartesian type Kerr-Schild coordinate

$$\alpha = \sqrt{\frac{r}{r + 2M}} \tag{7}$$

$$\beta^i = \frac{2M}{r}\frac{x^i}{r + 2M} \tag{8}$$

$$\beta_i = \frac{2Mx_i}{r^2} \tag{9}$$

$$K_{ij} = \frac{2M}{r^4}\sqrt{\frac{r}{r + 2M}}\left[\left(\frac{M}{r} + 2\right)x_ix_j - r^2\delta_{ij}\right] \tag{10}$$

where $x^i = (x, y, z)$ which is usual spatial Cartesian coordinate. In both cases, we can see lapse is regular at the horizon.

General spherical symmetric line element in polar-areal form

$$ds^2 = -\alpha(r)^2 dt^2 + a(r)^2 dr^2 + r^2 d\Omega^2 \tag{11}$$

where α is referred as lapse function. Compare with above Schwarzschild solution, $\alpha = 1/a$.

Now consider a transformation of the Schwarzschild time t coordinate to a new generic coordinate $\hat{t}$ according to

$$d\hat{t} = dt + a^2\sqrt{1 - \frac{g}{a^2}}dr \tag{12}$$

where $g(r)$ is arbitrary function. Substitute this into $ds^2 = -\alpha^2 dt^2 + a^2 dr^2 + r^2 d\Omega^2$ gives

$$ds^2 = -\alpha^2 \left(d\hat{t} - a^2 \sqrt{1 - \frac{g}{a^2}} dr \right)^2 + a^2 dr^2 + r^2 d\Omega^2$$

$$= -\alpha^2 d\hat{t}^2 + 2\sqrt{1 - \frac{g}{a^2}} d\hat{t} dr + g dr^2 + r^2 d\Omega^2 \tag{13}$$

Compare this with usual 3+1 framework

$$ds^2 = -\alpha^2 d\hat{t}^2 + \gamma_{ij}(dx^i + \beta^i d\hat{t})(dx^j + \beta^j d\hat{t}) \tag{14}$$

and so into the lapse $\alpha = 1/\sqrt{g}$, the shift $\beta_i = (\sqrt{1 - g/a^2}, 0, 0)$ or $\beta^i = \gamma^{ij}\beta_j$ and the spatial metric of the constant $\hat{t}$ hypersurface $\gamma_{ij} = diag(g, r^2, r^2 \sin^2\theta)$.

If we choose $\alpha = \sqrt{1 - 2M/r} = 1/a$ and $g = 1 + 2M/r$ like in previous (which we will use this), we get

$$ds^2 = -\left(1 - \frac{2M}{r}\right) d\hat{t}^2 + \frac{4M}{r} d\hat{t} dr + \left(1 + \frac{2M}{r}\right) dr^2 + r^2 d\Omega^2 \tag{15}$$

which is Schwarzschild in Kerr-Schild coordinate (or Eddington-Finkelstein coordinate). And correspondingly, $\alpha = \sqrt{r/(r + 2M)}$, $\beta_i = (2M/r, 0, 0)$, and $\gamma_{ij} = diag(1 + 2M/r, r^2, r^2 \sin^2\theta)$ which are same as above.

As you can see here, the KS (or EF) form of the metric represents an analytic expansion of the Schwarzschild solution from the region $2M < r < \infty$ to $0 < r < \infty$. Thus, we apply this coordinate transformation for our equations.

It is good to rewrite the metric into usual $3 + 1$ variable form i.e. keep it geometric variables (should be careful of confusion) with considering time dependent case (This is almost same as Marsa and Choptuik's paper). Here, we use t for time coordinate that we used above.

$$ds^2 = (-\alpha^2 + a^2\beta^2)dt^2 + 2a^2\beta dt dr + a^2 dr^2 + r^2 b^2 d\Omega^2 \tag{16}$$

where α, a, b, and β are functions of r and t, and $d\Omega^2$ is the metric of unit sphere. From this, we can calculate non-vanishing components of connection coefficients and Ricci tensors for i, j, and k (spatial indices)

$$\Gamma^r{}_{rr} = \frac{\partial_r a}{a}, \quad \Gamma^r{}_{\theta\theta} = -\frac{rb\partial_r(rb)}{a^2}, \quad \Gamma^\theta{}_{r\theta} = \frac{\partial_r(rb)}{rb}$$

$$\Gamma^r{}_{\varphi\varphi} = -\sin^2\theta \frac{rb\partial_r(rb)}{a^2}, \quad \Gamma^\varphi{}_{r\varphi} = \Gamma^\theta{}_{r\theta}$$

$$\Gamma^\theta{}_{\varphi\varphi} = -\sin\theta\cos\theta, \quad \Gamma^\varphi{}_{\varphi\theta} = -\cot\theta$$

$$R^r{}_r = -\frac{2}{arb}\partial_r\left(\frac{\partial_r(rb)}{a}\right) \tag{17}$$

$$R^\theta{}_\theta = \frac{1}{ar^2b^2}\left[a - \partial_r\left(\frac{rb\partial_r(rb)}{a}\right)\right] \tag{18}$$

$$\tag{19}$$

I. THEORETICAL MODEL

Here, as a beginning set up, we first use the perfect fluid approximation for the matted model. So the stress-energy tensor takes form

$$T_{ab} = (\rho + P)u_a u_b + P g_{ab} \tag{20}$$

where $u^a(r, t)$ is the 4-velocity of a given perfect element, $P(r, t)$ is the isotropic pressure, $\rho(r, t) = \rho_0(r, t)(1 + \epsilon(r, t))$ is the energy density, $\rho_0(r, t)$ is the rest-mass energy density, and $\epsilon(r, t)$ is the specific internal energy.

The equations of motion for this case are derive from the local conservative equations for energy and baryon number such that

$$\nabla_a T^a_{\ b} = 0 \tag{21}$$
$$\nabla_a(\rho_0 u^a) = 0 \tag{22}$$

We are using HRSC so we would like to write this in terms of flux-conservative form such that

$$\partial_t \mathbf{U} + \partial_i \mathbf{F^i} = \mathbf{\Psi} \tag{23}$$

where $\mathbf{U}$,

$$\mathbf{U} = \begin{pmatrix} \sqrt{\gamma} W \rho_0 \\ \sqrt{\gamma} \alpha T^t_{\ j} \\ \alpha^2 \sqrt{\gamma} T^{tt} - \sqrt{\gamma} W \rho_0 \end{pmatrix} \tag{24}$$

and $\mathbf{F^i}$

$$\mathbf{F^i} = \begin{pmatrix} \sqrt{\gamma} W \rho_0 v^i \\ \sqrt{\gamma} \alpha T^i_{\ j} \\ \alpha^2 \sqrt{\gamma} T^{ti} - \sqrt{\gamma} W \rho_0 v^i \end{pmatrix} \tag{25}$$

and ψ

$$\mathbf{\Psi} = \begin{pmatrix} 0 \\ \frac{1}{2}\sqrt{\gamma} \alpha T^{ab} g_{ab,j} \\ \alpha^2 \sqrt{\gamma}(T^{at}\partial_a \alpha - \Gamma^0_{\ ab}T^{ab}\alpha) \end{pmatrix} \tag{26}$$

where W is Lorentz factor such that $W = \alpha u^t$ and $v^i = u^i/u^t$. Under our choice of system, $u^a = (u^t, u^r, 0, 0)$ so we can reduce

$$\partial_t(r^2 ab W \rho_0) + \partial_r(r^2 ab W \rho_0 v^r) = 0 \tag{27}$$
$$\partial_t(r^2 ab\alpha T^t_{\ r}) + \partial_r(r^2 ab\alpha T^r_{\ r}) = \frac{1}{2}r^2 ab T^{ab} g_{ab,r} \tag{28}$$
$$\partial_t(\alpha^2 r^2 ab T^{tt} - r^2 ab W \rho_0) + \partial_r(\alpha^2 r^2 ab T^{tr} - r^2 ab W \rho_0 v^r) = \alpha r^2 ab(T^{at}\partial_a \alpha - \Gamma^0_{\ ab}T^{ab}\alpha) \tag{29}$$

Here I omit sin term in the metric determinant because it will be cancelled out anyway
It is useful to define variables like below

$$D = \rho_0 abW \tag{30}$$
$$E = \rho_0 hW^2 - P \tag{31}$$
$$S = \rho_0 hW^2 v \tag{32}$$
$$\tau = E - D \tag{33}$$

And nonzero components of T^{ab} which we are using

$$T^t_{\ t} = -E \tag{34}$$
$$T^t_{\ r} = \frac{ab}{\alpha}S \tag{35}$$
$$T^r_{\ r} = Sv + P \tag{36}$$
$$T^\theta_{\ \theta} = T^\varphi_{\ \varphi} = P \tag{37}$$

where we define fluid velocity in Eulerian observer

$$v = \frac{ab}{\alpha}v^r = \frac{abu^r}{\alpha u^t} \tag{38}$$

then also $W = 1/\sqrt{1-v^2}$ and $h = 1 + \epsilon + P/\rho_0$ which is specific enthalpy. Then we can reduce

$$\partial_t(r^2 D) + \partial_r\left(\frac{r^2\alpha}{ab}Dv\right) = 0 \tag{39}$$

$$\partial_t(r^2 S) + \partial_r\left(\frac{r^2\alpha}{ab}(Ev + P)\right) = \frac{1}{2}r^2 ab T^{ab}g_{ab,r} \tag{40}$$

$$\partial_t(r^2\tau) + \partial_r\left(\frac{r^2\alpha}{ab}(S - Dv)\right) = \alpha r^2 ab(T^{at}\partial_a\alpha - \Gamma^0{}_{ab}T^{ab}\alpha) \tag{41}$$

or in the form

$$\partial_t\mathbf{u} + \frac{1}{r^2}\partial_r(Xr^2\mathbf{f}) = \psi \tag{42}$$

$$\mathbf{u} = \begin{pmatrix} D \\ S \\ \tau \end{pmatrix}, \quad \mathbf{f} = \begin{pmatrix} Dv \\ Ev + P \\ S - Dv \end{pmatrix}, \quad \psi = \begin{pmatrix} 0 \\ \frac{ab}{2}abT^{ab}g_{ab,r} \\ \alpha ab(T^{at}\partial_a\alpha - \Gamma^0{}_{ab}T^{ab}\alpha) \end{pmatrix} \tag{43}$$

where $X = \alpha/(ab)$ which is purely geometric factor. Some detail evaluation of RHS source terms are in here
Now consider the Einstein's equations. Define below quantities that are appearing in the 3+1 equations

$$\rho_{hydro} = n_a n_b T^{ab} = \rho_0 h W^2 - P \tag{44}$$

$$S_i^{hydro} = -\gamma_{ia}n_b T^{ab} = \rho_0 h W u_i \tag{45}$$

$$S_{ij}^{hydro} = \gamma_{ia}\gamma_{ib}T^{ab} = P\gamma_{ij} + \rho_0 h u_i u_j \tag{46}$$

$$S_{hydro} = \gamma^{ij}S_{ij} = 3P + \rho_0 h(W^2 - 1) \tag{47}$$

The Einstein's equations in the ADM form are

$$\partial_t\gamma_{ij} = -2\alpha K_{ij} + D_i\beta_j + D_j\beta_i \tag{48}$$

$$\partial_t K^i{}_j = \alpha(R^i{}_j + KK^i{}_j) - D^i D_j\alpha - 8\pi\alpha\left(S^i{}_j - \frac{1}{2}\delta^i{}_j(S - \rho)\right)$$
$$+ \beta^k\partial_k K^i{}_j + K^i{}_k\partial_j\beta^k - K^k{}_j\partial_k\beta^i \tag{49}$$

where D_i is covariant derivative on spatial hypersurface. Momentum and Hamiltonian constraints are

$$R + K^2 - K_{ij}K^{ij} = 16\pi\rho \tag{50}$$

$$D_i K^i{}_j - D_j K = 8\pi S_j \tag{51}$$

Substitute hydro source terms (ρ, S etc) from above then we have

$$\partial_t K^i{}_j = \alpha(R^i{}_j + KK^i{}_j) - \gamma^{ik}(\partial_i\partial_k\alpha - \Gamma^l{}_{ik}\partial_l\alpha) - 8\pi\alpha\left(\frac{1}{2}\delta^i{}_j(\rho_0 h - 2P) + \rho_0 h u^i u_j\right)$$
$$+ \beta^k\partial_k K^i{}_j + K^i{}_k\partial_j\beta^k - K^k{}_j\partial_k\beta^i \tag{52}$$

$$\partial_t\gamma_{ij} = -2\alpha K_{ij} + D_i\beta_j + D_j\beta_i \tag{53}$$

$$R + K^2 - K_{ij}K^{ij} = 16\pi(\rho_0 h W^2 - P) \tag{54}$$

$$D_i K^i{}_j - D_j K = 8\pi\rho_0 h W u_j \tag{55}$$

From our choice of metric/coordinate system, we calculated non-trivial connection coefficients and Ricci tensors. Also, metric form suggests that $\beta^i = (\beta^r, 0, 0)$, $K^i{}_j = diag(K^r{}_r, K^\theta{}_\theta, K^\theta{}_\theta)$. Using these facts, the evolution equations

for geometric quantities are

$$\partial_t a = -\alpha a K^r{}_r + \partial_r(a\beta^r) \tag{56}$$

$$\partial_t b = -\alpha b K^\theta{}_\theta + \frac{\beta^r}{r}\partial_r(r\beta^r) \tag{57}$$

$$\partial_t K^r{}_r = \beta^r \partial_r K^r{}_r + \alpha K^r{}_r K - \frac{1}{a}\partial_r\left(\frac{\partial_r \alpha}{a}\right) - \frac{2\alpha}{arb}\partial_r\left(\frac{\partial_r(rb)}{a}\right)$$
$$- 4\pi\alpha\left[(1 + 2u^r u_r)\rho_0 h - 2P\right] \tag{58}$$

$$\partial_t K^\theta{}_\theta = \beta^r \partial_r K^\theta{}_\theta + \alpha K^\theta{}_\theta K - \frac{\alpha}{r^2 b^2} - \frac{1}{ar^2 b^2}\partial_r\left(\frac{\alpha r b \partial_r(rb)}{a}\right)$$
$$- 4\pi\alpha(\rho_0 h - 2P) \tag{59}$$

From constraints

$$\frac{1}{ar^2 b^2}\left[a - \partial_r\left(\frac{rb\partial_r(rb)}{a}\right)\right] - \frac{2}{arb}\partial_r\left(\frac{\partial_r(rb)}{a}\right) + 2K^\theta{}_\theta(K^\theta{}_\theta + 2K^r{}_r) = 16\pi(\rho_0 h W^2 - P)$$

$$\frac{\partial_t(rb)}{rb}(K^\theta{}_\theta - K^r{}_r) - \partial_r K^\theta{}_\theta = 4\pi\rho_0 h W u_r \tag{60}$$

We can apply different choice of slicing (i.e. gauge choice) to reduce/determine above system. Possible (or simple) choices would be maximal or polar slicing.

A.   Choice of Gauge

1.   Maximal Slicing

First, we consider maximal slicing i.e. $K = \partial_t K = 0$ then

$$\partial_t a = -\alpha a K^r{}_r + \partial_r(a\beta^r) \tag{61}$$

$$\partial_t b = \frac{\alpha b}{2}K^r{}_r + \frac{\beta^r}{r}\partial_r(r\beta^r) \tag{62}$$

$$\partial_t K^r{}_r = \beta^r \partial_r K^r{}_r - \frac{1}{a}\partial_r\left(\frac{\partial_r \alpha}{a}\right) - \frac{2\alpha}{arb}\partial_r\left(\frac{\partial_r(rb)}{a}\right) - \frac{2\alpha}{r^2 b^2} - \frac{2}{ar^2 b^2}\partial_r\left(\frac{\alpha r b \partial_r(rb)}{a}\right)$$
$$- 8\pi\alpha\left[(2 + 2u^r u_r)\rho_0 h - 4P\right] \tag{63}$$

From constraints

$$\frac{1}{ar^2 b^2}\left[a - \partial_r\left(\frac{rb\partial_r(rb)}{a}\right)\right] - \frac{2}{arb}\partial_r\left(\frac{\partial_r(rb)}{a}\right) - \frac{3}{2}(K^r{}_r)^2 = 16\pi(\rho_0 h W^2 - P)$$

$$\partial_r K^r{}_r - \frac{3\partial_t(rb)}{rb}K^r{}_r = 8\pi\rho_0 h W u_r \tag{64}$$

Fluid EOM parts are same as previous
    For lapse, we use

$$\partial_t K = -D^2 \alpha + \alpha(K^{ij} K_{ij} + 4\pi(\rho + S)) + \beta^i D_i K \tag{65}$$

In our choice of gauge, this can be reduced

$$D^2 \alpha = \alpha(K^{ij} K_{ij} + 4\pi(\rho + S)) = \alpha\left(K^{ij} K_{ij} + 8\pi\left[P + \rho_0 h\left(W^2 - \frac{1}{2}\right)\right]\right)$$

$$= \alpha\left(2(K^r{}_r)^2 + 8\pi\left[P + \rho_0 h\left(W^2 - \frac{1}{2}\right)\right]\right) \tag{66}$$

Also, for shift, we use

$$\partial_t \ln \sqrt{\gamma} = -\alpha K + D_i \beta^i \tag{67}$$

In maximal slicing, this reduces

$$D_i \beta^i = -\partial_t \ln \sqrt{\gamma} \tag{68}$$

or we can write

$$\partial_i \beta^i = -\partial_t \sqrt{\gamma} \tag{69}$$

This shows that the proper volume element $\sqrt{\gamma}$ satisfies a continuity equation in maximal slicing.

In terms of our metric choice and variable

$$\partial_r \beta^r = \frac{b}{2b + \beta^r} \left[\frac{\alpha K^r{}_r}{2} - \frac{(\beta^r)^2 b}{r} - \frac{\partial_r a}{a} \beta^r \right] \tag{70}$$

B. Spherical-G-BSSN with 1+log and Γ driver

Another possible way to describe this system is writing the equations in terms of BSSN form. This makes every equations in hyperbolic form which do not require to solve elliptic equations.

We follow the usual treatment in BSSN variable. Also, we still keep HPC-SS metric which is described previous section

Let 's consider usual BSSN form (make conformal transformation $\hat{\gamma} \to e^{4\phi}\gamma$ i.e.

$$\phi = \frac{1}{12} \ln(\gamma/\hat{\gamma}) \tag{71}$$

It is common to define a new variable $\chi = e^{-2\phi}$ instead of using the conformal factor ϕ. (Perhaps, we get similar result..) Evolution equation for χ is

$$\partial_t \chi = \beta^r \partial_r \chi - \frac{1}{3} \chi \left[\alpha K - \partial_r \beta^r - \beta^r \left(\frac{\partial_r(ab^2)}{2ab^2} + \frac{2}{r} \right) \right] \tag{72}$$

We also use traceless part of the extrinsic curvature $\hat{A}_{ij}$. In SS, we have $\hat{A}^r_r$ and $\hat{A}^\theta_\theta$. Note that as $\hat{A}_{ij}$ is traceless $\hat{A}^r_r + 2\hat{A}^\theta_\theta = 0$. Evolution equations for spatial metric γ give

$$\partial_t a = \beta^r \partial_r a + 2a \partial_r \beta^r - \frac{2a}{3} \left[\partial_r \beta^r + \beta^r \left(\frac{\partial_r(ab^2)}{2ab^2} + \frac{2}{r} \right) \right] - 2\alpha a \hat{A}^r_r \tag{73}$$

$$\partial_t b = \beta^r \partial_r b + 2b \frac{\beta^r}{r} - \frac{2b}{3} \left[\partial_r \beta^r + \beta^r \left(\frac{\partial_r(ab^2)}{2ab^2} + \frac{2}{r} \right) \right] + \alpha b \hat{A}^r_r \tag{74}$$

Evolution equation for trace of extrinsic curvature K is

$$\partial_t K = \beta^r \partial_r K - \frac{\chi^2}{\alpha} \left[\partial_r^2 \alpha - \partial_r \left(\frac{\partial_r a}{2a} - \frac{\partial_r b}{b} + \frac{\partial_r \chi}{\chi} - \frac{2}{r} \right) \right]$$
$$+ \alpha \left(\frac{3}{2}(\hat{A}^r_r)^2 + \frac{1}{3}K^2 \right) + 4\pi\alpha(\rho + S^r_r + S^\theta_\theta) \tag{75}$$

We have only one independent component of traceless part of the extrinsic curvature. Evolution equations for that is

$$\partial_t \hat{A}^r_r = \beta^r \partial_r \hat{A}^r_r - \frac{\chi^2}{\alpha} \left(\left[\partial_r^2 \alpha - \partial_r \left(\frac{\partial_r a}{2a} - \frac{\partial_r \chi}{\chi} \right) \right] - \frac{1}{3} \left[\partial_r^2 \alpha - \partial_r \left(\frac{\partial_r a}{2a} - \frac{\partial_r b}{b} + \frac{\partial_r \chi}{\chi} - \frac{2}{r} \right) \right] \right)$$
$$+ \frac{\alpha}{3}(2R^r{}_r - R^\theta{}_\theta) + \alpha K \hat{A}^r_r - 16\pi\alpha(S^r_r - S^\theta_\theta) \tag{76}$$

Finally, we obtain the evolution equation for $\hat{\Delta}^r$ which is the radial component of conformal connection function which is defined by $\hat{\Delta}^i = \hat{\gamma}^{mn}(\hat{\Gamma}^i{}_{mn} - \mathring{\Gamma}^i{}_{mn})$ where $\mathring{\Gamma}^i{}_{mn}$ is defined by $\mathring{\gamma}_{ij}$ which is flat metric in spherical coordinate i.e. $\mathring{\gamma} = r^2 \sin^2 \theta$

$$\partial_t \hat{\Delta}^r = \beta^r \partial_r \hat{\Delta}^r - \hat{\Delta}^r \partial_r \beta^r + \frac{1}{a}\partial^2 \beta^r + \frac{2}{b}\partial_r \left(\frac{\beta^r}{r}\right)$$

$$+ \frac{1}{3}\left[\frac{1}{a}\left\{\partial_r^2 \beta^r + \partial_r \beta^r \left(\frac{\partial_r(ab^2)}{2ab^2} + \frac{2}{r}\right) + \beta^r \partial_r \left(\frac{\partial_r(ab^2)}{2ab^2} + \frac{2}{r}\right)\right\} + 2\hat{\Delta}^r \left\{\partial_r \beta^r + \beta^r \left(\frac{\partial_r(ab^2)}{2ab^2} + \frac{2}{r}\right)\right\}\right]$$

$$- \frac{2}{a}(\hat{A}_r^r \partial_r \alpha + \alpha \partial_r \hat{A}_r^r) + 2\alpha \left(\hat{A}_r^r \hat{\Delta}^r + \frac{3}{rb}\hat{A}_r^r\right)$$

$$+ \frac{2\alpha}{a}\left[\partial_r \hat{A}_r^r - \frac{2}{3}\partial_r K - \frac{3\hat{A}_r^r}{\chi}\partial_r \chi + \frac{3}{2}\hat{A}_r^r \left(\frac{2}{r} + \frac{\partial_r b}{b}\right) - 8\pi S_r\right] \tag{77}$$

We also evaluate Hamiltonian and momentum constraints to monitor our numerical evolutions

$$\mathcal{H} = -\frac{2}{arb}\partial_r \left(\frac{\partial_r(rb)}{a}\right) + \frac{1}{ar^2b^2}\left[a - \partial_r \left(\frac{rb\partial_r(rb)}{a}\right)\right] - \frac{3}{2}(\hat{A}_r^r)^2 + \frac{2}{3}K^2 - 16\pi\rho = 0 \tag{78}$$

$$\mathcal{M} = \partial_r \hat{A}_r^r - \frac{2}{3}\partial_r K - \frac{3\hat{A}_r^r}{2\chi}\partial_r \chi + \frac{2}{3}\hat{A}_r^r \left(\frac{2}{r} + \frac{\partial_r b}{b}\right) - 8\pi S_r = 0 \tag{79}$$

1. Gauge Choice

In addition to SS-GBSSN variables, we still have two more variables that need to be chosen. Here, we use 1+log condition for lapse and Gamma driver condition for shift. The form of this slicing condition is

$$\partial_t \alpha = -2\alpha K \tag{80}$$

We have only radial component for shift vector so Gamma driver condition is

$$\partial_t B^r = \frac{3}{4}\partial_t \hat{\Delta}^r \tag{81}$$

$$\partial_t \beta^r = B^r \tag{82}$$

We introduce an auxiliary variable B^r to reduce derivative order of time from second to first

C. Initial Data

Our initial NS model is approximated by solution of TOV. After the initial data calculation, an in-going velocity profile is added to drive the star to collapse. We follow the way is described in (https://arxiv.org/pdf/gr-qc/0107045.pdf). First, specifying the coordinate velocity

$$U \equiv \frac{dr}{dt} = \frac{u^r}{u^r} \tag{83}$$

of the star. In general, the profile take the algebraic form $U_g(x) = A_0(x^3 - B_0 x)$ where $x \equiv r/R_{star}$ and R_{star} is the radius of the TOV solution.

In this work, we set two profiles

$$U(x) = \begin{cases} U_1(x) = U_{crit}(x^3 - 3x) & x < x_{tlv} \\ \\ U_2(x) = 0 & \text{otherwise} \end{cases} \tag{84}$$

U_{crit} is the amplitude that occurs critical collapse, and x_{tlv} the region that forms black hole.

Our interest is interaction between BH inside of NS we set x_{tlv} is small value such as 1% of size of star i.e. $x_{tlv} = 0.01$ since x is normalized radius by star radius (x_{tlv} must be smaller than 1).