Praetor

Self-driving money.
The regulator holds the brakes.

自动驾驶的资金，刹车握在监管者手中。

FinTechathon 2026 · International Track · Topic F: Agent Wallet

Alexandre Huou (EPFL) · Stan Stelcher (HEIG-VD)

An AI agent with a wallet is one sentence away from emptying it.

一句话，就能让持有钱包的 AI 智能体把钱包清空。



@bankrbot on X, 4 May 2026 (via Cointelegraph)

IT ALREADY HAPPENED · ON BASE

A hidden line in Morse code made Grok tell an AI wallet agent to send 3 billion tokens: over $150,000.

No contract was hacked. The agent obeyed.

Give the agent the key: one sentence drains it. **Approve every step:** it does nothing. **And no bank or regulator can stop it.**

Praetor


Praetor: the agent acts, the contract decides, the regulator holds the brakes.

智能体负责执行，合约负责裁决，监管方握有刹车。




ALONE · T1

Lin's agent invests, rebalances and pays her bills inside her mandate.



ASKS LIN · T2

Anything unusual: Lin approves inside WeChat, with Face ID.





STOPPED · T4

One regulator signature freezes the agent. Two of three members release it.

One Face ID approves exactly one payment, inside WeChat.

在微信里刷一次脸，只批准一笔付款。





Refused: new payee (T2)
0x23a62b45…c57fea00

→

Face ID approval (SOTER), checked by the attester in a TEE
0x2a707c5d…588fa3d9

→


Executed exactly once
0x08b37d27…ce0212b8

Same payment again: refused, a new Face ID needed (0xa522deb4…a5dffbb0)


两条链，一本规则：资金在 Base，权力在 FISCO（微众银行开源技术栈）。

Who signs what

1. **Lin's passkey (her phone)**
   owner actions, web approvals
2. **Face ID attester (TEE)**
   WeChat approvals
3. **Agent key (TEE)**
   the agent's transactions, then checked by the hook
4. **Bank · regulator · operator**
   consortium decisions, via WeCross



THE ATTACK Replay the Bankr attack in Praetor: follow one injected payment.



The Morse-code line reaches the agent. Any model can be fooled, so it holds no power: tools only, and a key locked in a TEE.

Zoom 1 of 5

You and your agent

你和你的智能体

Lin's passkey owns the vault.

No seed phrase. Even if stolen: approvals stay inside the bank's caps.


Any model can be the agent.

It only gets tools. The hook decides.

Its key lives in a TEE.

Intel TDX on Phala, attested on Base. It can't leak; the hook stops it misbehaving.

Built with WebAuthn passkeys, a WeChat mini program, Tencent SOTER, Phala dstack (Intel TDX) and OpenCode with any LLM



Bankr's attacker bought a higher tier with an NFT. Here, permissions live on-chain: no token, backend or prompt can grant them.

Zoom 2 of 5

The backend holds no key

后端不持有任何密钥

It holds no key.

api for Lin's apps, MCP for the agent, bundler to submit.


It can delay. It can never forge.

Every signature is checked on-chain; Lin's phone recomputes what she signs.

x402, through the mandate.

The agent pays a 402 merchant, then proves it. Supported, not yet on the public server.

Built with MCP over OAuth 2.1 (10 wallet tools), x402 via our praetor-mandate scheme, and our own bundler and paymaster



The payment reaches the hook. Unapproved asset, unknown payee, 3 billion over the hard cap: default deny.

Zoom 3 of 5

Base: the vault and its rulebook

Base：金库和它的规则本

Every call passes the hook.

Whoever signs it. Default deny.


Lin's rules and the bank's caps.

Payees, caps, budgets, cash buffer, asset bands. The stricter value wins.

Tested like it's the only guard.

19 invariants, 235 Foundry tests, 99.5 % coverage, Slither 0 High.

Built with Safe7579, an ERC-7579 hook, ERC-4337 EntryPoint v0.7, ERC-3643 gold and silver, and live Pyth prices



Zoom 4 of 5

Every call ends one of three ways

每次调用只有三种结局

Refused and logged on Base: the money never moves. Same refusal, live, for an unknown payee and a sanctioned one.

Executed alone

Café payment, rent via the payout rail (labelled mock gateway), a rebalance into gold.

`0xeb400c2d…a43a85f0`

Asks Lin

Unknown payee: Face ID in WeChat, then executed once.

`0x2a707c5d…588fa3d9`

Refused and logged


Injected payment with the agent's own key: sanctioned (18 Oct run). Red team: 100 runs, 0 executed.

`0x5a38adfe…e63bb9af`

Built with refusal reasons computed on-chain, single-use approval digests, and a red-team judge that checks on-chain effects, not model text

Praetor

Base Sepolia, public server demo run, 20 Oct 2026



If that address is flagged, the regulator sanctions it on FISCO, WeCross carries it to Base, and one more signature freezes the agent.

Built with FISCO BCOS, WeIdentity, WeCross and our own EVM stub plugin

Praetor

Zoom 5 of 5

FISCO: the institutions' control room

FISCO：机构的控制室

One signature tightens.

The regulator can freeze the agent alone.

Two of three loosen.

Bank, regulator, operator. No member can unfreeze alone.

Silence fails safe.

Operator quiet 15 minutes: the agent loses its autonomy.

The bank knows Lin, and knows her agent.

银行了解 Lin，也了解她的智能体。



Personal data stays encrypted at the bank.

On-chain: identifiers, hashes, and KYC level, risk profile, country.

No valid agent credential: every call refused.

One signature stops it. Two of three let it go.

一个签名即可冻结，解冻需要三方中的两方。

The regulator's brake

6.3 s

from the FISCO decision to enforcement on Base, measured in the team's phone test (local fork)


FISCO BCOS

- **Regulator clicks Freeze** — staff passkey
- **FISCO board** — 1 signature is enough to tighten
- **WeCross** — carries the signed decision

Base Sepolia

- **Mandate hook on Base** — checks the signatures
- **Next agent payment** — refused **FROZEN**

Loosen needs 2 of 3 members (bank, regulator, operator) — measured **7.5 s**



Freeze, 1 signer	`0x1adb003c...775be758`
Refused FROZEN	`0x5ff2ae9d...9e683e0d`
Loosen, 2 of 3	`0x5ef02cd6...55f0795b`


If the operator goes silent for 15 minutes, the agent loses its autonomy.

Praetor

Hashes: Base Sepolia, public server, 20 Oct 2026 · 6.3 s and 7.5 s: our phone test, on our local fork

Every action leaves evidence a bank can verify.

每个操作都会留下银行可以核验的证据。



FISCO BCOS

Hash-chained audit on FISCO.

Base Sepolia

Anchored on Base by two members:
`0x71dedbdf...c823d778`

The bank

Exported as an ISO 20022 statement (camt.053).

Built to be checked

每一项都可以验证

47
live transactions on Base Sepolia, each one verified

235
contract tests, 99.5 % of the hook covered

0 / 100
attack runs that moved money, on our local fork

2
TEEs, their code attested on-chain

WeBank	**FISCO BCOS, WeIdentity, WeCross with our own EVM stub plugin**
Tencent	**WeChat mini program, SOTER Face ID**
Base	**Safe7579, ERC-4337, our ERC-7579 Mandate hook**
Phala	**Intel TDX confidential VMs**
Open standards	**WebAuthn, MCP, x402, ISO 20022, Pyth**

Self-driving money.
The regulator holds the brakes.

自动驾驶的资金，刹车握在监管者手中。

Try it

app.praetorwallet.com

Video QR:
add when
VIDEO_URL exists

Demo video

[VIDEO_URL]

On-chain evidence

The server run on Base Sepolia

Praetor

Alexandre Huou (alex.huou@gmail.com) · Stan Stelcher (stanstelcher@gmail.com)