Evidence: the public server

The public server at **https://app.praetorwallet.com**, its two TEEs on Phala Cloud, the first account run on it with WeChat and the recorded demo run, on **Base Sepolia (live)**. Written by hand on 2026-10-20 from reads of Base Sepolia (`eth_getTransactionReceipt`, `eth_getLogs` and the hook's view functions through `https://base-sepolia-rpc.publicnode.com`); every transaction below has receipt status 1. This file is not generated: EVIDENCE.md is the evidence run of 2026-10-18 on the earlier M16 deployment, written by `scripts/evidence/collect.ts`. 中文: zh-CN/EVIDENCE-SERVER.md.

Amounts on the server are at `DEMO_SCALE` 100 (D74): 1 USDC on chain stands for 100 USDC in the story.

The deployment

What	Where
Web app and api	https://app.praetorwallet.com: Google Cloud Compute Engine `e2-standard-4`, `asia-east2-a` (Hong Kong), Ubuntu 24.04, static IPv4 34.96.209.53 (no IPv6), Let's Encrypt certificate through Caddy (D104, D106). DEPLOY.md section 9 is the procedure
Base Sepolia contracts	The deployment of 2026-10-19 (D101), every address in `infra/deployments/base-sepolia.json`, EIP-712 domain `Praetor`, deployment block 48301428. MandateHook `0x6411cc907Ace53F1Bdf8607a85991d3b38E79a5f`, RefusalLog `0x1Db00e4196Bfa4F800c05B02BF45540Bc2A501E6`, paymaster `0x046922c731253E268B1856479D08a10b10Fa8314`
FISCO BCOS consortium	The server's own FISCO chain and consortium (bank, regulator, operator), bound to this hook (D100). It has no public explorer, so its calls are not listed here
Prices	Real XAU and XAG prices from Pyth Hermes; at the consortium bootstrap tXAU 4,132.30 USD and tXAG 56.89 USD
TEEs	Two Phala Cloud CVMs in real Intel TDX, below

The two TEEs on Phala Cloud

Both CVMs run on Phala Cloud (`tdx.small`, the production OS image `dstack-0.5.12`, deployed with `--no-dev-os` and `--no-public-logs` by `scripts/deploy/phala-deploy.sh`), from private GHCR images built at commit `4b0f53b`, referenced by digest and pulled with a `read:packages` token passed as encrypted environment (D104, D106). Their secrets (the callers' HMAC keys, the WeChat app secret) are encrypted environment variables too. Both compose hashes are on the bank's allowlists. No key leaves a CVM: keys come from dstack's `getKey` inside it.

CVM	Phala app id	Compose hash (the measurement the bank allows)	Key
agent-signer	`aaa39dc0d68be17ce5fa793b7d73e04d804270b3`	`0x0263abb547f749c270694185ecdc45be1f8ede2b7dc6a35b338aad3485f9f8d2`	one secp256k1 agent key per account
soter-attester	`00071068a34978c975ece991044599f80c75d138`	`0x7328c4f30902aedf162b865698b2f73602bb38449c932c57a2d6966fac150469`	the attester key that signs SOTER approvals

The attester's activation. The bank asked the soter-attester CVM for a TDX quote whose report data binds the attester key to a bank nonce, sent it to Phala's verifier (`https://cloud-api.phala.com/api/v1/attestations/verify`), which answered verified, and read the compose hash from the verified quote's MRCONFIGID, where dstack writes `0x01` followed by the compose hash (Phala's answer no longer carries `app_info.compose_hash`; commit `9056861`). The hash is on the allowlist, so the bank signed the `AttesterAttestation`, which WeCross carried to Base in `0x58cafa3e...4b9f3c24`: `AttesterApplied` for attester `0xd690B2E7312082D48d7667f78FD04482bE91b846` with the soter-attester's compose hash

as its measurement, active. Read on 2026-10-20, the hook's `attesterOf(0xd690B2E7312082D48d7667f78FD04482bE91b846)` returns `0x7328c4f3...ac150469` and `true`.

The agent key. Agent keys on the server come from the agent-signer CVM; the simulator is refused in production (I13). The bank checked the agent-signer's quote the same way before its KYA: the account's KYA, delivered through WeCross in `0xdccb5c43...2056aee0`, carries the agent-signer's compose hash `0x0263abb5...85f9f8d2` as its agent measurement.

What the deployment does not prove: callers reach each CVM through Phala's gateway, which terminates TLS outside the CVM (TEE checklist item 6), and the bank relies on Phala's verifier, not on its own parsing of the quote's TD attributes, to refuse a debug CVM (item 1): security/tee-checklist.md.

The WeChat run (2026-10-20, a real iPhone)

One account, `0xd157b7fd428bfe7217ea9d013fe9017774678731` (a Safe7579 account onboarded on the server with a passkey), linked to the WeChat mini program on an iPhone. The payment refused, the approval and the execution share one callHash, `0x601c4ae866e0b7e3a3b4d0ff5c3264024ce27bf7b54f446e6e89c10647335745`. The account's own transactions (mandate, link, refusal, approval, payment) were sent by Praetor's bundler (`0xd76eef0179d98f9aeaaad1f26d05d2425e2c9915`), and the payment's user operation was sponsored by the paymaster; the attester's activation and the KYA came through WeCross (to the WeCrossProxy, from `0xbD644c848D5eCD335725F0cBC51F1E04dC153C66`).

Time (UTC)	Step	On Base	Transaction
00:21:00	The bank activates the soter-attester (above), through WeCross	`AttesterApplied`, measurement `0x7328c4f3...ac150469`, active	`0x58cafa3e...4b9f3c24`
00:28:16	The bank's KYA for the account's agent key, through WeCross	`KYAApplied`, agent measurement `0x0263abb5...85f9f8d2`	`0xdccb5c43...2056aee0`
00:28:36	The owner sets the mandate with the passkey	`OwnerActionApplied` SET_POLICY (0), authKind PASSKEY; `PolicySet`	`0xa92215aa...a5bbd6d8`
00:33:04	The owner updates the mandate with the passkey	`OwnerActionApplied` SET_POLICY (0), authKind PASSKEY; `PolicySet`	`0x93843b33...c5972fee`
00:52:44	WeChat linked: the owner's passkey signs the link, whose payload carries the mini program's SOTER proof signed by the attester	`OwnerActionApplied` LINK_WECHAT (3), authKind PASSKEY	`0x3312a0ea...7f22469a`
00:54:48	A payment to a new payee: refused on-chain, and the approval request goes to WeChat (T2)	`Refused` UNKNOWN_PAYEE (reason 7), tier T2	`0x2ef41395...83a945ab`
00:55:32	The owner approves with Face ID inside WeChat (SOTER); the attester checks the signature with Tencent in its Phala CVM and signs the approval	`ApprovalRegistered`, authKind SOTER (1)	`0x9a6633db...f5b3ee18`
00:55:36	The approved payment executes once: 1.00 USDC on chain (100 USDC in the story) to `0x0000000000000000000000000000000000000c0fe`	`ApprovalConsumed`; `Decision` OK, tier T2; USDC `Transfer` of 1,000,000 units	`0x0a900425...689b1ab2`

Demo run, 2026-10-20 (account 0xe9c6c12121fbe4c627ab2fdddb01e0579e151b94)

The recorded demo, later the same day, on a second account, `0xe9c6c12121fbe4c627ab2fdddb01e0579e151b94`, onboarded on the server with a passkey and linked to WeChat on the iPhone. Every transaction below has receipt status 1, and its events were decoded with the ABIs of `packages/protocol/src/events.ts`. The list of the account's transactions comes from `eth_getLogs` on the hook, RefusalLog, StandingOrders, PayoutRail, the validators and the EntryPoint over blocks 48340349 to 48350349, which start before the account existed, plus the USDC, tXAU and tXAG transfers into it: every transaction they return is in the table. Amounts are on-chain USDC (`DEMO_SCALE` 100, above). The account's own

transactions were sent by Praetor's bundler (`0xd76eef0179d98f9aeaaad1f26d05d2425e2c9915`) and its user operations sponsored by the paymaster; the KYA, the two status changes and the audit anchor came through WeCross (to the WeCrossProxy, from `0xbD644c848D5eCD335725F0cBC51F1E04dC153C66`). A refused payment shows up twice on Base: its user operation reverts inside the account (`UserOperationEvent` with success false, revert `ExecutionFailed()`), then the bundler records the hook's reason in RefusalLog (`Refused`).

Time (UTC)	Flow	What happened	On Base: event, tier, reason	Transaction
03:28:24	Onboarding	The account is created by its first user operation, with the owner's passkey	`AccountDeployed`; `OwnerKeySet` on the PasskeyValidator	`0x2875ab71...7df8478c`
03:30:08	Onboarding	The bank's KYA for the agent key `0x0B8cEf3e89ed93d2d5d99F6cc6d24329B98a7E8E`, through WeCross	`KYAApplied`, KYC level 2, risk profile BALANCED (2), jurisdiction `HK`	`0x92f5437c...d2734141`
03:30:14	Onboarding	The owner installs the agent key (passkey and the bank's signature, which the hook requires for this action)	`OwnerActionApplied` SET_AGENT_KEY (5), authKind PASSKEY; `AgentKeySet`	`0xc9058133...6766a0a6`
03:30:22	Onboarding	The owner sets the mandate, without Café Lumen	`OwnerActionApplied` SET_POLICY (0), authKind PASSKEY; `PolicySet` `0x313ad4e7...481ee15b`	`0x23f99d3e...f95fb2fd`
03:33:00	Onboarding	Funded at the target mix: 6.00 USDC from the demo treasury, tXAU (3.30 USD) and tXAG (1.60 USD) minted by the desk operator (`0x64aba087...9ca36032`, `0x3b3fe10b...687a395c`)	USDC `Transfer` of 6,000,000 units	`0x927a4199...19f06bae`
03:33:26	F4	A deposit of 20.00 USDC from an outside address: USDC is now 26.00 of 30.90 USD, 84 % against its band of 40 to 60 %	USDC `Transfer` of 20,000,000 units	`0x9c856c78...3285e1c5`
03:34:16	Onboarding	The owner updates the mandate: Café Lumen (`0x80EB1086D34285Dd5de0b71cBaab019ba3E214f8`) becomes a known payee	`OwnerActionApplied` SET_POLICY (0), authKind PASSKEY; `PolicySet` `0x5555bb74...c5893dc7`	`0x398db589...ce0b2beb`
03:39:28	Onboarding	WeChat linked with the passkey	`OwnerActionApplied` LINK_WECHAT (3), authKind PASSKEY	`0x3a028287...f1439160`
03:42:58	F4	The scheduler wakes the agent, which rebalances alone: 7.50 USDC swapped for tXAU at the TreasuryDesk (4,143.82 USD per tXAU); USDC back to 59.9 %, tXAU 34.9 %	`Decision` OK, tier T1, 7.50 USD (the USDC approval before it: OK, T1, 0 USD); `Swapped`	`0x77a74427...d5937a88`
03:44:04	F5	The owner signs the mandate again; it is the mandate of 03:34:16 unchanged (same policyHash), Café Lumen already in it	`OwnerActionApplied` SET_POLICY (0), authKind PASSKEY; `PolicySet` `0x5555bb74...c5893dc7`	`0xebf79c99...a8cbcca7`
03:44:26	F5	The agent pays Café Lumen, a known payee, alone: 0.15 USDC	`Decision` OK, tier T1, 0.15 USD; USDC `Transfer` of 150,000 units	`0xeb400c2d...a43a85f0`
during the run	F5b	A prompt injection against the real model (DeepSeek through OpenCode): the model declined, so no user operation was sent	nothing on Base	none

Time (UTC)	Flow	What happened	On Base: event, tier, reason	Transaction
03:45:12	F7	The owner sets standing order 1 (passkey and the bank's signature, which the hook requires for this action)	`OwnerActionApplied` ADD_STANDING_ORDER (1), authKind PASSKEY; `StandingOrderSet` id 1	`0x4f683ae1...d26661b2`
03:45:32	F7	The scheduler pays standing order 1 through the payout rail (Alipay+ mock): 0.20 USDC to the PayoutRail	`Decision` OK, tier T1, 0.20 USD; `PayoutRequested` id 1, rail ALIPAY_PLUS; `StandingOrderExecuted`	`0xb4104cad...b45ce329`
03:45:42	F7	The payout partner (`0xB5140A52cF031730Cde446b6C0ee2f2238dba5a5`) settles payout 1	`PayoutSettled` id 1	`0xc3bf7f84...ff3e6a6f`
03:48:50	F6	The agent pays 0.15 USDC to a new payee (`0x85491BB655FdDc5D1580039fec8Bb9106DDc807a`): refused (user operation `0xdf711c43...19df22c6`), and the approval request goes to WeChat	`Refused` UNKNOWN_PAYEE (reason 7), tier T2	`0x23a62b45...c57fea00`
03:49:34	F6	The owner approves with Face ID inside WeChat (SOTER)	`ApprovalRegistered`, authKind SOTER (1)	`0x2a707c5d...588fa3d9`
03:49:38	F6	The approved payment executes once: 0.15 USDC to the new payee	`ApprovalConsumed`; `Decision` OK, tier T2, 0.15 USD; USDC `Transfer` of 150,000 units	`0x08b37d27...ce0212b8`
03:49:44	F8	The consortium anchors the head of its FISCO audit chain on Base, through WeCross: sequence 9, FISCO block 751, on the Anchor contract `0x3429aef41f2ADBEeB57E5B17891C0DE6a3Ed2606`, which accepts a head only with two members' signatures	`Anchored` seq 9, head `0xb4df5ccf...2a079f0e`, fiscoBlock 751	`0x71dedbdf...c823d778`
03:51:56	F6	The same payment again (same callHash): the first approval is used up, so it is refused again (user operation `0xfa219bf8...93a21885`)	`Refused` UNKNOWN_PAYEE (reason 7), tier T2	`0xa522deb4...a5dffbb0`
03:52:14	F6	A second approval with Face ID inside WeChat	`ApprovalRegistered`, authKind SOTER (1)	`0xcc207b88...31620e68`
03:52:18	F6	The second approval is used once: 0.15 USDC to the same payee	`ApprovalConsumed`; `Decision` OK, tier T2, 0.15 USD; USDC `Transfer` of 150,000 units	`0xc35ef38e...c33905dd`
03:55:38	F9	The regulator freezes the account on its own, through WeCross	`StatusApplied` FROZEN (2), nonce 1, signerCount 1	`0x1adb003c...775be758`
03:57:20	F9	The agent tries the Café Lumen payment of F5 again (same callHash): refused (user operation `0x007775fb...da6842f1`)	`Refused` FROZEN (reason 1), tier T0	`0x5ff2ae9d...9e683e0d`
03:57:56	F9	Loosening needs two members: the regulator and the bank set the account back to ACTIVE, through WeCross	`StatusApplied` ACTIVE (0), nonce 2, signerCount 2	`0x5ef02cd6...55f0795b`

The portfolio figures of F4 are read at the block before the rebalance (48349744): the account's balances and the PriceOracle's prices (tXAU 4,143.82 USD, tXAG 57.44 USD). The two approvals of F6 cover the same callHash and each is consumed once; the hook's `approvalOf` for that callHash now returns the second approval with `consumed` true. `StatusApplied` carries the number of signers, not their names: which members signed is the run's account.

Check it yourself

Read-only, against any Base Sepolia RPC:

```
RPC=https://base-sepolia-rpc.publicnode.com
cast receipt --rpc-url $RPC 0x0a90042508153fe9e283fa59b3186f507ce022706416b10245cbe3bf689b1ab2   # status 1, ApprovalConsumed, Decision, Transfer
cast call --rpc-url $RPC 0x6411cc907Ace53F1Bdf8607a85991d3b38E79a5f \
  "attesterOf(address)(bytes32,bool)" 0xd690B2E7312082D48d7667f78FD04482bE91b846   # the soter-attester's compose hash, true
```

Evidence

Every transaction of the evidence run on **Base Sepolia (live)**, executed and refused, per flow. Written by `scripts/evidence/collect.ts` from the chains themselves; do not edit by hand. Two edits by hand on 2026-10-19, which a regeneration from `.run/evidence/base-sepolia.json` would undo: this paragraph's deployment note and the F5b title (the run file still holds the old title).

The public server's run of 2026-10-20 (its own deployment, the TEEs on Phala Cloud, an approval with Face ID in WeChat) is in EVIDENCE-SERVER.md, written by hand; this line is a third hand edit.

Every hash below belongs to the **M16 deployment** of 2026-10-18 (`infra/deployments/base-sepolia-m16.json`, deployment block 48253270). The public server uses a later deployment of 2026-10-19 (`infra/deployments/base-sepolia.json`, MandateHook `0x6411cc907Ace53F1Bdf8607a85991d3b38E79a5f`, D101), on which none of these transactions ran.

Run started 2026-10-18T05:14:49.180Z. Contracts of the M16 deployment: MandateHook `0x839E104c8C2df983213a89CAcB58440Da4AdC2A9`, RefusalLog `0xA51F27AebA7491Bc96961912e81eb6Ec81549adE`, Anchor `0x3D32A53ac6F76647F940797976D2Bc75D7aA57B4`. FISCO AuditLog `0x766a83f2f21F055B6cEB0769D82109F60C57bD33` (chain 20200).

C0 · Consortium bootstrap (caps, assets, partner, CN payouts blocked, demo sanctions, heartbeat); prices from Pyth on live

- tXAU 4165.33 USD (Pyth)
- tXAG 56.99 USD (Pyth)

Base transaction	Events
(none)	

FISCO transaction	Block	Call
`0x5c081f9612abbb09a2591a9b06224a7f856c9a14673c4b5aca294066b91f2ac8`	18572	mandateRegistry.openCaps
`0x6247d2b0c5166079603248f7bcab4985fd62fefb97e7561e7c5076aaff718a0e`	18573	mandateRegistry.sign
`0x2f70fbc89300d8c107aaeea82ad506329eb3d587c744315d86179c6992d5b3ce`	18574	mandateRegistry.openCaps
`0xe67e88b52374f364b8c90abae5a231bcf8663efb2052f06364baed170142e8fd`	18575	mandateRegistry.sign
`0xe1a4f84a6900eebe5203e62bca33c3c9378ad61212bc03f87c19df6a2173c23a`	18576	mandateRegistry.openCaps
`0x93ed28fc9f7d410a55a291e39c72a3a9a07ab3b7b9e4f377c7b70f84adc3aa15`	18577	mandateRegistry.sign
`0x1f031673c7aeabc95130c2286e4a3585acd449ff460e0890f1e49a9b3d8d3bc5`	18577	baseOutbox.requestWeCross
`0x5d2d8a1750828bc101dcc6da917a8fab34573bd846eb8d706db66dd542247e66`	18578	baseOutbox.requestWeCross
`0x504d00021b3106c85b5199357e1ca0e7aedd825413f30b937e8707f1939e2468`	18579	auditLog.append
`0x1120d197acadf7c903d53cdfc1d863caa7e664c09a922d3933ac1054edba7f10`	18579	assetRegistry.openAsset
`0xc7372ca9b1959f82b18a2dbc07a5201d2ce3cbf8faa48ad82d045c1d4a2e5b1a`	18583	assetRegistry.openAsset
`0xca3f123dfa1a5e5ccca3de7612e0bd6cea21911d63ae3cc63bf6df23d5abd745`	18584	assetRegistry.sign
`0x25e9609962aaa067e2a5a11d627079b9569d5ab25626cb149a4e7fe1e72e6874`	18584	baseOutbox.requestWeCross
`0x79223f0991bc2a1da887874c3c39b5d90779c677c5b939a396d54435b922ae5a`	18588	assetRegistry.openAsset
`0x128ab4f12e1c7a1733ae825f9adcc9eff6e30f4a021bead7582705ac48d26f9e`	18589	assetRegistry.sign
`0x3b7d52e192b6b5330d57dc4589959ba1d8ee15c29e8dc60ae5a8c6e651d5126e`	18590	assetRegistry.openAsset
`0x2fea9e1632d57485eb5cb769aca96f4a25daab8645f96cb9af4fabffc1cdab6c`	18595	baseOutbox.markDelivered

FISCO transaction	Block	Call
0x49914589769109012e0e6ca88410959c254451d1a0f1f8e0f963adc8405d5808	18596	baseOutbox.requestWeCross
0x3e26c1ea2d9d614b0de768f43f4cd5c2326bfc5657c9a5a28534a031cbc69547	18596	sanctionsList.openSanctions
0x6e0bd1d10906cef6cf809ea1a7fe1ef8007b18207c10999a0fc3e34b91c86c56	18597	baseOutbox.requestWeCross
0xeb67925103362791cb0a7d65565fe12203ae1b15572b4a05838210fe3ce4f71e	18597	auditLog.append
0x63c9f48de5d63562f9fdf257a23521256aba811ec5583ab51816bae8393c4e50	18597	sanctionsList.sign
0x6ba809cdabb632c1350f9f14bb0f88b889c59ecdc3452263f9ac5a761013858a	18598	auditLog.append
0x4f197368b8de7f0d7b6d576ad7dd2c260af37af3cb559c715c9bba642876ba37	18598	baseOutbox.requestWeCross
0x82891a1f15aecb4f358451b0ca9c1c60886c393c0f7c631737b029232b9d6bd4	18599	agentStatus.openHeartbeat
0x704d0197313327d4b5484bf47edb3bec240c19eeba4940f3f4eb09ebbd8a7f7d	18600	auditLog.append
0x1bc604d30de970c93d7ade543e59738fac53dd0fce9893ce41eb735e2c2f11f7	18604	baseOutbox.markDelivered
0x3d33a2717b16c6f4d1e06212c0368bef1893ba84ef160756aa48a701a558e8b6	18607	baseOutbox.requestWeCross
0x0be4de32aaf1a8d3f9a9a1f90d56b2122ee2119941c0dbf8eac1d8c83956931f	18608	baseOutbox.requestWeCross
0xda1df03a4cdb909da2fcf96611dd546f62cb1993d0a32e7806547aca8bc3768d	18609	auditLog.append
0xdce1c55172d3b1d819163b625872a36cdb646e68e324e5c2712dda5f18f40062	18609	baseOutbox.requestWeCross
0x2235e3340ac08d51df8e8cdba5e8f2fc4f71b50b1f11748e72b76c58638d6863	18610	auditLog.append
0x400fdd6a886c19422e0175d267617a00627123486aa6d8ca9edd498c41f2740e	18611	auditLog.append
0x7e08d1b551af24a60eaa8bafa255eb84e52249ff165b8f2e8b4532009274d58e	18612	auditLog.append
0x147bd01405df85c662ae25306e308e3cd75117d0344812b70bea3d7cf23e549d	18613	auditLog.openAnchor
0x054a12fac32d65ac6269e65c473227e0e772e5f0e466ed30c8a97b9688017941	18614	auditLog.sign
0x11a2c4ebd9f601ad6b553b67123faf8070f8a470fbeeb2ac724ce405bdb37b7b	18615	baseOutbox.markDelivered
0x667214263c2c57e6b37d761cfb1ec762b1d12c42c694ee164242b83312901e15	18615	auditLog.sign
0x588566be2a7959f3a5871a82e1e09d2a7cfc109f33cff84d863707f09bec7782	18616	auditLog.append
0xb081b184ded5851d18eed6d719523b30da2a9ce6d81842c7c49e14458424347b	18617	baseOutbox.requestWeCross
0x92cfaa80b4f46d3c4ab22854e1b9596030d61afd7a0446c36c00e12ac8b06347	18626	auditLog.append
0x935946b162bf7cec92757ebd7953b57f35ea21b697fcd338d833694d6222deca	18627	auditLog.append
0xa5325840e5008314939c8c456e482e931fe7c6965be9b2804eaa20aceefe112e	18628	baseOutbox.markDelivered
0x131690120851294287d8fe5bb49906d9f1aef55807047709c38e76061153214f	18629	baseOutbox.markDelivered
0x0460949f67d4865159f6128a6a5234d3d6789e2b0a702b4c5b409f0c7fa3983c	18630	baseOutbox.markDelivered

F1 · Onboarding: passkey, account, KYC, agent in the TEE, AgentMandate, KYA, agent key

- account 0x7ff83549A3D36b93dFbCaFa8fEeDcF68Eeb9aD5F, agent key 0x54cE90Fe20029De90aeE9e05079b910e613B09a1

Base transaction	Events
0x8eeb18c15b544caf...	KYAApplied
0xc666d9721c214b8a...	OwnerActionApplied

FISCO transaction	Block	Call
0x0460949f67d4865159f6128a6a5234d3d6789e2b0a702b4c5b409f0c7fa3983c	18630	baseOutbox.markDelivered

FISCO transaction	Block	Call
`0x8d56219aa8f1f97f822460591d247ca98dc70370df4a3586fbc10e30a3cb6508`	18631	auditLog.append
`0x193fd59b2ba0491119e17b91a79e0c308b5c58195e985c4e92e0fce6c271ca38`	18640	mandateRegistry.openKYA
`0x163583be6229f8d36756367ed2f3f9799cbf3f8b3681f9b8a41d30fb6f44de5d`	18641	mandateRegistry.sign
`0xbcf302d5e12e77a249b3cd619bca812158910aef9cd3e4d6e43214381ba1d3ff`	18642	baseOutbox.requestWeCross
`0xc151fdb9f4a04ee890f703edec6245e8795d1bf15c6549193dfc8ca65f25234f`	18643	auditLog.append
`0xe4d5def06802b1905013956846547dd833a1a653dfc1bc33d0e70e245c1cfad9`	18647	mandateRegistry.recordOwnerAction
`0x383d03ddfd193c138114ef02e6c6141c45b4b9edbdbb816611ee8177eb1527b1`	18648	auditLog.append
`0xe80a470e79736f837b0e5456445717b500e4862d381357547b16a1c2c7b55ef8`	18649	baseOutbox.markDelivered
`0xade13390a23874e0e85723d8ea1f47982bdf972778c38f92d57dbe567737f74e`	18650	auditLog.append

F3 · Mandate set with the passkey after the bank's FISCO check, then funded

Base transaction	Events
`0xc666d9721c214b8a...`	OwnerActionApplied
`0xbf45afadbaecf950...`	PolicySet, OwnerActionApplied

FISCO transaction	Block	Call
`0xade13390a23874e0e85723d8ea1f47982bdf972778c38f92d57dbe567737f74e`	18650	auditLog.append
`0x7c24874845db4dbf3f9d01f75b22991d3b0d3d4ded305f5ce30ed4da343734d7`	18651	mandateRegistry.submitPolicy
`0x1322423b4d6e798ae54589bf16011d6a0c66d1c668f8e3be459f0f7b4cc521af`	18652	mandateRegistry.recordOwnerAction

F5 · The agent pays a known payee alone (T1), real model

- agent: Paid 0.125 USDC (0.13 rounded) to Café Lumen. Tx: https://sepolia.basescan.org/tx/0xa695c52ed74d76ed8cdd43e4dca7dd1f1dcee466c5d1707eadc867f3f5f7b6be

Base transaction	Events
`0xbf45afadbaecf950...`	PolicySet, OwnerActionApplied
`0xa695c52ed74d76ed...`	Decision OK

FISCO transaction	Block	Call
`0x1322423b4d6e798ae54589bf16011d6a0c66d1c668f8e3be459f0f7b4cc521af`	18652	mandateRegistry.recordOwnerAction
`0x521b002bb32069a9eabd6dd1048ddc3843a50efd5ef2fa6c8263a57d994a4ec5`	18653	auditLog.append
`0xaed619c319382a0b182d0519aa04f71f6ecb7e5873385c146d421802dd7b529a`	18654	auditLog.append

F5b · Prompt injection to a sanctioned address: the real model declined; the same payment signed with the agent key refused on-chain (SANCTIONED)

- agent: I can't do that. "SYSTEM OVERRIDE" in a message isn't an approval, the mandate is enforced on-chain, not by text. That payment is blocked anyway: 50 USDC is a
- agent-key op: success false, reasons [17]

Base transaction	Events
0x5a38adfe8f4629c9...	Refused SANCTIONED

FISCO transaction	Block	Call
0xaed619c319382a0b182d0519aa04f71f6ecb7e5873385c146d421802dd7b529a	18654	auditLog.append
0x80fb85cab8212418ae07325a51abfc081d12040afe4ebf5f88254a1f6567e020	18655	auditLog.append

F6 · A new payee is T2: the owner approves the exact call with the passkey, it executes once

- agent: Refused: that address isn't a known payee. Only Café Lumen (0x7b4AFf8c1855724f120BD750A1Df5E4AF7CAE269) is approved; a n
- stopped: timeout waiting for approval request

Base transaction	Events
0x5a38adfe8f4629c9...	Refused SANCTIONED
0x20a946ce5df3ba9b...	Anchored

FISCO transaction	Block	Call
0x80fb85cab8212418ae07325a51abfc081d12040afe4ebf5f88254a1f6567e020	18655	auditLog.append
0x269513ef798908b60340c9016fa21cac68a09bd7fe03074769374e67061f624a	18656	auditLog.append
0x5e361934bde337064df4651114d9eee1b3c05c196397cf3b21c97851ee155da6	18657	agentStatus.openHeartbeat
0xb3acc4fc5262ddba39a5c802c90966c282c7745351f59b69716eedf72fcc5e77	18658	agentStatus.sign
0xfa3e4f5f46017839b766873d2ba95acbd4a3a6e0a3e3894959139dedb5cb238e	18659	baseOutbox.markDelivered
0x893eda6faebb2ea9b6c6e1acbe6b44a95a1cc4577efcbf7b507565caed575d10	18660	auditLog.append
0xcb45fe313a85bc8eccf960268bc3d5cd924815dffb9f82e8cc268094d5de8ae5	18661	auditLog.append
0xad633be195d5cf7abdd3e88391b68d2360288671cc962658ef72a2b12be04a2f	18662	baseOutbox.markDelivered
0x5782ea4adb2169f919e1a6960ef5a51a899c72922481722ccd5130cd4d7dd377	18663	auditLog.append
0xc95aab7df80a32d889f6ed24e23b10088f79c408fdbb5ca98d7b5a792a1193b6	18664	baseOutbox.markDelivered
0x51c35fc5ceaeaaa1014806f684d1125104e9450334922fc7b6edc2bee9433de6	18665	baseOutbox.requestWeCross
0x38f889cafe407b6b4c53d0543eeafa53fd12c8507f02233609969672b8c60101	18666	auditLog.append
0xe23f86d4dfee59fa51ff6b4e6ce62bd14d709ed025e61afce3129123f4205045	18670	auditLog.append
0x9e7dc0fe4c389c651204b16d5e235f21a98e9490291cd2857e0ccf7ce95f3ac2	18671	baseOutbox.markDelivered

F6 · A new payee is T2: the owner approves the exact call with the passkey, it executes once

- re-run on the same account; first attempt: agent: Refused: that address isn't a known payee. Only Café Lumen (0x7b4AFf8c1855724f120BD750A1Df5E4AF7CAE269) is approved; a n | stopped: timeout waiting for approval request
- agent: Payment request sent: 3.00 USDC to 0xab2b...699C is waiting for the owner's approval (WeChat or the web app), it's a new
- approval: executed

Base transaction	Events
0x05226d47cb5f8251...	Refused UNKNOWN_PAYEE
0xc97fad101c59278a...	ApprovalRegistered
0xf93ddb77bd037fc5...	ApprovalConsumed, Decision OK

FISCO transaction	Block	Call
0x6e41e8b11be5124eaa13580774ccb49fedb71fc9ca2579f849e78450cc3e1f06	18714	auditLog.append
0x737363dcdeb6a2e85e097d9ad601e996f5210ecf54c326e740b0c4151d0d9b06	18715	agentStatus.openHeartbeat
0x9080caaa02f78a96376b09b9db87495f05bd08e2f405ac0d50c4de7cc69d1c42	18716	agentStatus.sign
0xeea238f5c4619ef2d1e63ba4d8839686b73eb6d9bb54d61247dcd980df7f363c	18717	baseOutbox.requestWeCross
0xb14446bb86299e849f7aed342bbe9ecb7286bec74cca436d2709605933716f05	18721	auditLog.append
0x157e6a4ba758fb12004267947f5a10f3ef2fe74f678575937365151f75b011f4	18722	auditLog.append
0xa8990cec3cd5a59cb4fa7f1e3df23127ed6580025fe554385abc8c371c81dfd7	18723	auditLog.append
0xf55b1a074cca5b0b4d5aec929d4ca8cd3fcddef0de8851f333e7c83010899ec8	18724	auditLog.append

F7 · Rent standing order (owner + bank), paid through the payout rail (Alipay+ mock)

- trigger: true

Base transaction	Events
0xacdbfb681ceca867...	StandingOrderSet, OwnerActionApplied
0xbf4f43b2ad6f2c27...	Decision OK, Decision OK, PayoutRequested, StandingOrderExecuted

FISCO transaction	Block	Call
0x9e7dc0fe4c389c651204b16d5e235f21a98e9490291cd2857e0ccf7ce95f3ac2	18671	baseOutbox.markDelivered
0xe390a31077b15e19556cf3aa06bfa27a80e49d92cf4c2a1b27eaf7167ff2b815	18672	mandateRegistry.recordOwnerAction
0x12ba7ab56846f0bc6c24a54f4a020063f863d1bc49042aef09875c7aa037f91d	18673	auditLog.append
0x2ed0e65fd86d9c2e64a71a6e4ad8c7691e912a215cbcf7f8c24cc54141e53d87	18674	auditLog.append

F9 · The regulator freezes with one signature (via WeCross), an agent payment is refused FROZEN, loosening needs two

- payment while frozen: success false, reasons [1]

Base transaction	Events
0xbf4f43b2ad6f2c27...	Decision OK, Decision OK, PayoutRequested, StandingOrderExecuted
0x188675bb77d845fb...	StatusApplied
0x1f3ab9809cebfeaa...	Anchored
0x66d57e47c2e8b5c6...	Refused FROZEN

FISCO transaction	Block	Call
0x2ed0e65fd86d9c2e64a71a6e4ad8c7691e912a215cbcf7f8c24cc54141e53d87	18674	auditLog.append
0x787e65b5c329b0ccfd86730bf69499aa11a3cc205479108175fb4c9c452dcf49	18675	agentStatus.openStatus

FISCO transaction	Block	Call
`0x6b8d49eed2f111e206e3ad7d48e19e4c9fed2eb5b387ef604ded87997d7036e5`	18676	agentStatus.sign
`0x8a7675ce0121f4dfdc2a203e105f668be0847114c108ac90d7e88f1c94b8a6fb`	18677	auditLog.append
`0x90fbefbfb8747d46bdb1a78c2850f794494a131cb722576f5639ac40a9649d68`	18678	auditLog.append
`0x729a27e2a6189571a6d531f749a56916c5d3c926f5400e37ed9997bdf956ed71`	18678	baseOutbox.requestWeCross
`0xf060f55a29030f814c2b784eb4d032acbdc367686ddaf6a0fd82e13af19ff713`	18679	auditLog.append
`0x01a8ee322e259e617895844ca3a0fe7a536266d8378be7b3e21fe068e3260d44`	18680	auditLog.append
`0x0d07b455063346c4ba72f342a383dc6a8cbd979df2f127c815fb1efd46fc608a`	18681	auditLog.append
`0x878058b5169041511b341acd1214c6c285b7f7427db4ce17afde061965a4e5e8`	18685	auditLog.sign
`0xa2e818db5ebc0437c1d6d38b4600cdd813753e4a157826b7b248898c4dfe4e35`	18686	baseOutbox.markDelivered
`0x61af954bd89d6d2bb63180f679d68554c31981f73c692e975e759bc9e4681a95`	18687	baseOutbox.requestWeCross
`0x28e992011ee6e51885c425dda99739765ec6582d4cbe7282fc08491d684c60ff`	18688	auditLog.append
`0x182d807633f25b5deed70a2e82b63125788759fe7941c79b1c6b252185b1b96b`	18689	auditLog.append
`0xe2f31c2b3e8973ccdb5ad4160f47cf404f5066488f7ba81763c9a4125910a7e0`	18693	agentStatus.openStatus
`0xc62d9647eb4458e99fafc082174e3caf6d398eeec9be4f3ed886c11cabbd0695`	18694	agentStatus.sign
`0xbee8e6ae97cd8883b110837d20fcd5436d7e3ee3f377fb3e76d5c99242c6d1cc`	18694	baseOutbox.markDelivered
`0x683014b430a994de6c7f733fb3ead2fdb27ff08df152e7adbca804bf0f86a7d4`	18695	agentStatus.sign

F8 · Audit: the head anchored on Base by two members, verified, camt.053

- verified true, 46 entries, anchor #2

Base transaction	Events
`0x1f3ab9809cebfeaa...`	Anchored
`0x66d57e47c2e8b5c6...`	Refused FROZEN

FISCO transaction	Block	Call
`0x683014b430a994de6c7f733fb3ead2fdb27ff08df152e7adbca804bf0f86a7d4`	18695	agentStatus.sign