YOUR PAPER TITLE

YOUR NAME[1,2], YOUR CO-AUTHOR[2,3], & YOUR OTHER CO-AUTHOR[2]

[1] Language Science, University of HERE, STATE

[2] Brain and Cognitive Sciences, University of THERE

[3] Computer Science, University of THERE

Author Note

We are grateful to ### ommitted for review ###

Correspondence concerning this article should be addressed to YOUR NAME, YOUR ADDRESS. E-mail: YOUR@EMAIL-ADDRESS.COM

Abstract

YOUR ABSTRACT GOES HERE. All data and code for this study are shared via OSF, including the R markdown document that this article is generated from, and an R library that implements the models we present.

Keywords: KEY-WORD1; KEY-WORD2; KEY-WORD3; ...

Word count: X

YOUR PAPER TITLE

1 My TO DO list for this paper

This is a place where you can summarize your to-do list while you're working on the paper. By putting it at the beginning of your paper and using a logical flag to switch it on and off (in the main document), you can keep this information accessible to your collaborators while also making it easy to remove when you want to share your document with someone else.

1.1 Highest priority

- AUTHOR:
  - Do ….
  - Fix …
  - Make new plot for …
- CO_AUTHOR 1:
- Re-read … and make sure that we present their hypothesis correctly.
- CO-AUTHOR 2:
  - Code analysis for Experiment 2 …
  - Double check formula in Section …

1.2 To do later

- Everyone: Eat ice-cream and perhaps have a beer.

1 Introduction

This is an R Markdown-based template for APA articles, used by the Human Language Processing Lab at the University of Rochester. If you have questions or ideas on how to improve his template, please let us know, e.g., at fjaeger@ur.rochester.edu.

The template uses many cool R packages. In particular, the package relies heavily on papaja, knitr, citr, and other packages. Make sure to read the great https://frederikaust.com/papaja_man/writing.html.

To get started on using this manuscript, have a look at the index.Rmd file. It's the parent Rmd file that loads all the other Rmd files, one for each section of the paper. The index.Rmd file is also the file that is used to knit the entire document.

1.1 Issues with biblatex

This document uses biblatex, in order to allow multiple bibliographies—one at the end of the main text, and one at the end of the supplementary information. Biblatex and biber can be a bit difficult to handle, and you might see errors "Error: Failed to build the bibliography via biber" or lots of unrecognized references even when the .bib file contains them. In that case, make sure your biblatex and biber version are compatible. E.g., if you see something like:

```
ERROR - Error: Found biblatex control file version 3.11, expected version 3.10.
This means that your biber (2.19) and biblatex (3.20) versions are incompatible.
See compat matrix in biblatex or biber PDF documentation.
```

You need to make sure that you update your latex environment and that those updates are visible to RStudio. Generally, the easiest way to do that is via the R package `tinytex::tlmgr_update()`. Sometimes, however, this is not enough. In those cases, try `tinytex::tlmgr_install("biber")` and `tinytex::tlmgr_install("biblatex")`.

2 Another section with some examples of citations, figures, etc.

How humans managed to survive so far remains one of the central questions of the social sciences. … Here are some references (e.g., Bradlow & Bent, 2008; Nygaard et al., 1994; Perrachione et al.,

2016; Sidaras et al., 2009; Wade et al., 2007; Weil, 2001; Xie et al., 2021). And here is a figure references to Figure 1.



Figure 1. You should use a verbose caption that is self-contained and clearly states the main points of the figure. When you look at the R markdown for this document, note that the caption is *outside* of the R-chunk but linked to the R-chunk through a reference in the chunk option fig.cap. Notice also how the reference in the main text uses the label fig:label, whereas the caption and the R chunk option fig.cap that generates the figure use the label ref:label. Finally, the R-chunk itself is called label. Make sure to follow this format in order to make sure that your figure references and captions knit correctly. This example also demonstrates how you can use a globally defined base width and height for all figures. In this example, the base height is multiplied by two because we're faceting the data into two rows.

You can also make phonetic symbols, e.g., for the sound category [ʃ] (as in *ship*, Newman et al., 2001). And you can type equations like Equation (1), which describes Wichmann and Hill's psychometric model with parameters α and β and more.

$$p(category|input) = (1-\lambda)\frac{\mathcal{N}(input|\mu_c, \Sigma_c)\,\pi}{\Sigma_i \mathcal{N}\left(input|\mu_{c_i}, \Sigma_{c_i}\right)\pi_i} + \lambda\frac{\pi}{\Sigma_i \pi_i} \tag{1}$$

All data and code for this article can be downloaded from https://osf.io/q7gjp/. This

article is written in R markdown, allowing readers to replicate our analyses with the press of a button using freely available software (R, R Core Team, 2021; RStudio Team, 2020), while changing any of the parameters of our models. Readers can revisit any of the assumptions we make—for example, by substituting alternative models of linguistic representations. The supplementary information (SI, §2) lists the software/libraries required to compile this document. Beyond our immediate goals here, we hope that this can be helpful to researchers who are interested in developing more informative experimental designs, and to facilitate the interpretation of existing results (see also Tan et al., 2021).

3 General discussion

An example of a section.

3.1 Methodological advances that can move the field forward

An example of a subsection.

4 References

References

Bradlow, A. R., & Bent, T. (2008). Perceptual adaptation to non-native speech. *Cognition*, *106*, 707–729.

Newman, R. S., Clouse, S. A., & Burnham, J. L. (2001). The perceptual consequences of within-talker variability in fricative production. *The Journal of the Acoustical Society of America*, *109*, 1181–1196.

Nygaard, L. C., Sommers, M. S., & Pisoni, D. B. (1994). Speech perception as a talker-contingent process. *Psychological Science*, *5*, 42–46. https://doi.org/10.1111/j.1467-9280.1994.tb00612.x

Perrachione, T. K., Tufo, S. N. D., Winter, R., Murtagh, J., Cyr, A., Chang, P., Halverson, K., Ghosh, S. S., Christodoulou, J. A., & Gabrieli, J. D. (2016). Dysfunction of rapid neural adaptation in dyslexia. *Neuron*, *92*, 1383–1397. https://doi.org/10.1016/j.neuron.2016.11.020

R Core Team. (2021). *R: A language and environment for statistical computing*. R Foundation for Statistical Computing. Vienna, Austria. https://www.R-project.org/

RStudio Team. (2020). *Rstudio: Integrated development environment for r*. RStudio, PBC. Boston, MA. http://www.rstudio.com/

Sidaras, S., Alexander, J. A., & Nygaard, L. C. (2009). Perceptual learning of systematic variation in spanish-accented speech. *Journal of the Acoustical Society of America*, *125*, 3306–3316.

Tan, M., Xie, X., & Jaeger, T. F. (2021). Using rational models to understand experiments on accent adaptation. *Frontiers in Psychology*, *12*, 1–19. https://doi.org/10.3389/fpsyg.2021.676271

Wade, T., Jongman, A., & Sereno, J. (2007). Effects of acoustic variability in the perceptual learning of non-native-accented speech sounds. *Phonetica*, *64*, 122–144. https://doi.org/10.1159/000107913

Weil, S. A. (2001). *Foreign accented speech: Encoding and generalization*. The Ohio State University.

Xie, X., Liu, L., & Jaeger, T. F. (2021). Cross-talker generalization in the perception of non-native speech: A large-scale replication. *Journal of Experimental Psychology General*. https://doi.org/10.1037/xge0001039

Supplementary information

Both the main text and these supplementary information (SI) are derived from the same R markdown document available via OSF. It is best viewed using Acrobat Reader. Some links and animations might not work in other PDF viewers.

§2 Required software

The document was compiled using `knitr` (Xie, 2021) in RStudio with R:

```
##                _
## platform       aarch64-apple-darwin20
## arch           aarch64
## os             darwin20
## system         aarch64, darwin20
## status
## major          4
## minor          3.2
## year           2023
## month          10
## day            31
## svn rev        85441
## language       R
## version.string R version 4.3.2 (2023-10-31)
## nickname       Eye Holes
```

You will also need to download the IPA font SIL Doulos and a Latex environment like (e.g., MacTex or the R library `tinytex`).

We used the following R packages to create this document: R (Version 4.3.2; R Core Team, 2021) and the R-packages *assertthat* (Version 0.2.1; Wickham, 2019a), *brms* (Version 2.21.0; Bürkner, 2017, 2018, 2021), *cowplot* (Version 1.1.3; Wilke, 2020), *data.table* (Version 1.15.4; Dowle & Srinivasan, 2021), *diptest* (Version 0.77.1; Maechler, 2021), *dplyr* (Version 1.1.4; Wickham,

François, et al., 2021), *forcats* (Version 1.0.0; Wickham, 2021a), *gganimate* (Version 1.0.9; Pedersen & Robinson, 2020), *ggplot2* (Version 3.5.1; Wickham, 2016), *LaplacesDemon* (Version 16.1.6; Statisticat & LLC., 2021), *latexdiffr* (Version 0.2.0; Hugh-Jones, 2021), *linguisticsdown* (Version 1.2.0; Liao, 2019), *lme4* (Version 1.1.35.3; Bates et al., 2015), *lubridate* (Version 1.9.3; Grolemund & Wickham, 2011), *magick* (Version 2.8.3; Ooms, 2021), *magrittr* (Version 2.0.3; Bache & Wickham, 2020), *Matrix* (Version 1.6.5; Bates & Maechler, 2021), *modelr* (Version 0.1.11; Wickham, 2020), *papaja* (Version 0.1.2; Aust & Barth, 2020), *plotly* (Version 4.10.4; Sievert, 2020), *processx* (Version 3.8.4; Csárdi & Chang, 2021), *purrr* (Version 1.0.2; Henry & Wickham, 2020), *Rcpp* (Version 1.0.12; Eddelbuettel & Balamuta, 2018; Eddelbuettel & François, 2011), *readr* (Version 2.1.5; Wickham, Hester, & Bryan, 2021), *rlang* (Version 1.1.3; Henry & Wickham, 2021), *stringr* (Version 1.5.1; Wickham, 2019b), *tibble* (Version 3.2.1; Müller & Wickham, 2021), *tidyr* (Version 1.3.1; Wickham, 2021b), *tidyverse* (Version 2.0.0; Wickham et al., 2019), *tinylabels* (Version 0.2.4; Barth, 2022), and *tufte* (Version 0.13; Xie & Allaire, 2022). If opened in RStudio, the top of the R markdown document should alert you to any libraries you will need to download, if you have not already installed them. The full session information is provided at the end of this document.

§3 Other sections

§4 Session Info

```
## - Session info ---------------------------------------------------------------------------
##  setting  value
##  version  R version 4.3.2 (2023-10-31)
##  os       macOS Sonoma 14.4.1
##  system   aarch64, darwin20
##  ui       X11
##  language (EN)
##  collate  en_US.UTF-8
##  ctype    en_US.UTF-8
```

```
##  tz       America/New_York
##  date     2024-05-30
##  pandoc   3.1.11 @ /Applications/RStudio.app/Contents/Resources/app/quarto/bin/tools/aarch64
##
## - Packages ---------------------------------------------------------------------------------
##  package         * version    date (UTC) lib source
##  abind             1.4-5      2016-07-21 [1] CRAN (R 4.3.0)
##  assertthat      * 0.2.1      2019-03-21 [1] CRAN (R 4.3.0)
##  backports         1.4.1      2021-12-13 [1] CRAN (R 4.3.0)
##  bayesplot         1.11.1     2024-02-15 [1] CRAN (R 4.3.1)
##  bayestestR        0.13.2     2024-02-12 [1] CRAN (R 4.3.1)
##  bookdown          0.39       2024-04-15 [1] CRAN (R 4.3.1)
##  boot              1.3-30     2024-02-26 [1] CRAN (R 4.3.1)
##  bridgesampling    1.1-2      2021-04-16 [1] CRAN (R 4.3.0)
##  brms              2.21.0     2024-03-20 [1] CRAN (R 4.3.1)
##  Brobdingnag       1.2-9      2022-10-19 [1] CRAN (R 4.3.0)
##  broom             1.0.5      2023-06-09 [1] CRAN (R 4.3.0)
##  cachem            1.1.0      2024-05-16 [1] CRAN (R 4.3.3)
##  checkmate         2.3.1      2023-12-04 [1] CRAN (R 4.3.1)
##  cli               3.6.2      2023-12-11 [1] CRAN (R 4.3.1)
##  coda              0.19-4.1   2024-01-31 [1] CRAN (R 4.3.1)
##  codetools         0.2-20     2024-03-31 [1] CRAN (R 4.3.1)
##  colorspace        2.1-0      2023-01-23 [1] CRAN (R 4.3.0)
##  cowplot           1.1.3      2024-01-22 [1] CRAN (R 4.3.1)
##  crayon            1.5.2      2022-09-29 [1] CRAN (R 4.3.0)
##  curl              5.2.1      2024-03-01 [1] CRAN (R 4.3.1)
##  data.table        1.15.4     2024-03-30 [1] CRAN (R 4.3.1)
##  datawizard        0.10.0     2024-03-26 [1] CRAN (R 4.3.1)
##  devtools          2.4.5      2022-10-11 [1] CRAN (R 4.3.0)
##  digest            0.6.35     2024-03-11 [1] CRAN (R 4.3.1)
```

```
##  diptest           0.77-1     2024-04-10 [1] CRAN (R 4.3.1)
##  distributional    0.4.0      2024-02-07 [1] CRAN (R 4.3.1)
##  dplyr           * 1.1.4      2023-11-17 [1] CRAN (R 4.3.1)
##  effectsize        0.8.8      2024-05-12 [1] CRAN (R 4.3.3)
##  ellipsis          0.3.2      2021-04-29 [1] CRAN (R 4.3.0)
##  emmeans           1.10.1     2024-04-06 [1] CRAN (R 4.3.1)
##  estimability      1.5.1      2024-05-12 [1] CRAN (R 4.3.3)
##  evaluate          0.23       2023-11-01 [1] CRAN (R 4.3.1)
##  fansi             1.0.6      2023-12-08 [1] CRAN (R 4.3.1)
##  farver            2.1.2      2024-05-13 [1] CRAN (R 4.3.3)
##  fastmap           1.2.0      2024-05-15 [1] CRAN (R 4.3.3)
##  forcats         * 1.0.0      2023-01-29 [1] CRAN (R 4.3.0)
##  fs                1.6.4      2024-04-25 [1] CRAN (R 4.3.1)
##  generics          0.1.3      2022-07-05 [1] CRAN (R 4.3.0)
##  gganimate         1.0.9      2024-02-27 [1] CRAN (R 4.3.1)
##  ggplot2         * 3.5.1      2024-04-23 [1] CRAN (R 4.3.1)
##  gifski            1.12.0-2   2023-08-12 [1] CRAN (R 4.3.0)
##  glue              1.7.0      2024-01-09 [1] CRAN (R 4.3.1)
##  gridExtra         2.3        2017-09-09 [1] CRAN (R 4.3.0)
##  gtable            0.3.5      2024-04-22 [1] CRAN (R 4.3.1)
##  hms               1.1.3      2023-03-21 [1] CRAN (R 4.3.0)
##  htmltools         0.5.8.1    2024-04-04 [1] CRAN (R 4.3.1)
##  htmlwidgets       1.6.4      2023-12-06 [1] CRAN (R 4.3.1)
##  httpuv            1.6.15     2024-03-26 [1] CRAN (R 4.3.1)
##  httr              1.4.7      2023-08-15 [1] CRAN (R 4.3.0)
##  inline            0.3.19     2021-05-31 [1] CRAN (R 4.3.0)
##  insight           0.19.11    2024-05-12 [1] CRAN (R 4.3.3)
##  jsonlite          1.8.8      2023-12-04 [1] CRAN (R 4.3.1)
##  knitr             1.45       2023-10-30 [1] CRAN (R 4.3.1)
##  labeling          0.4.3      2023-08-29 [1] CRAN (R 4.3.0)
```

```
##  LaplacesDemon     16.1.6     2021-07-09 [1] CRAN (R 4.3.0)
##  later             1.3.2      2023-12-06 [1] CRAN (R 4.3.1)
##  latexdiffr      * 0.2.0      2024-02-16 [1] CRAN (R 4.3.1)
##  lattice           0.22-6     2024-03-20 [1] CRAN (R 4.3.1)
##  lazyeval          0.2.2      2019-03-15 [1] CRAN (R 4.3.0)
##  lifecycle         1.0.4      2023-11-07 [1] CRAN (R 4.3.1)
##  linguisticsdown * 1.2.0      2019-03-01 [1] CRAN (R 4.3.0)
##  lme4              1.1-35.3   2024-04-16 [1] CRAN (R 4.3.1)
##  loo               2.7.0      2024-02-24 [1] CRAN (R 4.3.1)
##  lubridate       * 1.9.3      2023-09-27 [1] CRAN (R 4.3.1)
##  magick            2.8.3      2024-02-18 [1] CRAN (R 4.3.1)
##  magrittr        * 2.0.3      2022-03-30 [1] CRAN (R 4.3.0)
##  MASS              7.3-60.0.1 2024-01-13 [1] CRAN (R 4.3.1)
##  Matrix            1.6-5      2024-01-11 [1] CRAN (R 4.3.1)
##  matrixStats       1.3.0      2024-04-11 [1] CRAN (R 4.3.1)
##  memoise           2.0.1      2021-11-26 [1] CRAN (R 4.3.0)
##  mgcv              1.9-1      2023-12-21 [1] CRAN (R 4.3.1)
##  mime              0.12       2021-09-28 [1] CRAN (R 4.3.0)
##  miniUI            0.1.1.1    2018-05-18 [1] CRAN (R 4.3.0)
##  minqa             1.2.6      2023-09-11 [1] CRAN (R 4.3.0)
##  modelr            0.1.11     2023-03-22 [1] CRAN (R 4.3.0)
##  multcomp          1.4-25     2023-06-20 [1] CRAN (R 4.3.0)
##  munsell           0.5.1      2024-04-01 [1] CRAN (R 4.3.1)
##  mvtnorm           1.2-4      2023-11-27 [1] CRAN (R 4.3.1)
##  nlme              3.1-164    2023-11-27 [1] CRAN (R 4.3.1)
##  nloptr            2.0.3      2022-05-26 [1] CRAN (R 4.3.0)
##  papaja          * 0.1.2      2023-09-29 [1] CRAN (R 4.3.1)
##  parameters        0.21.7     2024-05-14 [1] CRAN (R 4.3.3)
##  pillar            1.9.0      2023-03-22 [1] CRAN (R 4.3.0)
##  pkgbuild          1.4.4      2024-03-17 [1] CRAN (R 4.3.1)
```

```
##  pkgconfig         2.0.3     2019-09-22 [1] CRAN (R 4.3.0)
##  pkgload           1.3.4     2024-01-16 [1] CRAN (R 4.3.1)
##  plotly            4.10.4    2024-01-13 [1] CRAN (R 4.3.1)
##  posterior         1.5.0     2023-10-31 [1] CRAN (R 4.3.1)
##  prettyunits       1.2.0     2023-09-24 [1] CRAN (R 4.3.1)
##  processx          3.8.4     2024-03-16 [1] CRAN (R 4.3.1)
##  profvis           0.3.8     2023-05-02 [1] CRAN (R 4.3.0)
##  progress          1.2.3     2023-12-06 [1] CRAN (R 4.3.1)
##  progressr         0.14.0    2023-08-10 [1] CRAN (R 4.3.0)
##  promises          1.3.0     2024-04-05 [1] CRAN (R 4.3.1)
##  ps                1.7.6     2024-01-18 [1] CRAN (R 4.3.1)
##  purrr           * 1.0.2     2023-08-10 [1] CRAN (R 4.3.0)
##  QuickJSR          1.1.3     2024-01-31 [1] CRAN (R 4.3.1)
##  R6                2.5.1     2021-08-19 [1] CRAN (R 4.3.0)
##  Rcpp              1.0.12    2024-01-09 [1] CRAN (R 4.3.1)
##  RcppParallel      5.1.7     2023-02-27 [1] CRAN (R 4.3.0)
##  readr           * 2.1.5     2024-01-10 [1] CRAN (R 4.3.1)
##  remotes           2.5.0     2024-03-17 [1] CRAN (R 4.3.1)
##  rlang           * 1.1.3     2024-01-10 [1] CRAN (R 4.3.1)
##  rmarkdown         2.27      2024-05-17 [1] CRAN (R 4.3.3)
##  rstan             2.32.6    2024-03-05 [1] CRAN (R 4.3.1)
##  rstantools        2.4.0     2024-01-31 [1] CRAN (R 4.3.1)
##  rstudioapi        0.16.0    2024-03-24 [1] CRAN (R 4.3.1)
##  sandwich          3.1-0     2023-12-11 [1] CRAN (R 4.3.1)
##  scales            1.3.0     2023-11-28 [1] CRAN (R 4.3.1)
##  sessioninfo       1.2.2     2021-12-06 [1] CRAN (R 4.3.0)
##  shiny             1.8.1.1   2024-04-02 [1] CRAN (R 4.3.1)
##  StanHeaders       2.32.7    2024-04-25 [1] CRAN (R 4.3.1)
##  stringi           1.8.4     2024-05-06 [1] CRAN (R 4.3.1)
##  stringr         * 1.5.1     2023-11-14 [1] CRAN (R 4.3.1)
```

```
##  survival          3.6-4      2024-04-24 [1] CRAN (R 4.3.1)
##  tensorA           0.36.2.1   2023-12-13 [1] CRAN (R 4.3.1)
##  TH.data           1.1-2      2023-04-17 [1] CRAN (R 4.3.0)
##  tibble          * 3.2.1      2023-03-20 [1] CRAN (R 4.3.0)
##  tidyr           * 1.3.1      2024-01-24 [1] CRAN (R 4.3.1)
##  tidyselect        1.2.1      2024-03-11 [1] CRAN (R 4.3.1)
##  tidyverse       * 2.0.0      2023-02-22 [1] CRAN (R 4.3.0)
##  timechange        0.3.0      2024-01-18 [1] CRAN (R 4.3.1)
##  tinylabels      * 0.2.4      2023-09-02 [1] CRAN (R 4.3.0)
##  tufte             0.13       2023-06-22 [1] CRAN (R 4.3.0)
##  tweenr            2.0.3      2024-02-26 [1] CRAN (R 4.3.1)
##  tzdb              0.4.0      2023-05-12 [1] CRAN (R 4.3.0)
##  urlchecker        1.0.1      2021-11-30 [1] CRAN (R 4.3.0)
##  usethis           2.2.3      2024-02-19 [1] CRAN (R 4.3.1)
##  utf8              1.2.4      2023-10-22 [1] CRAN (R 4.3.1)
##  V8                4.4.2      2024-02-15 [1] CRAN (R 4.3.1)
##  vctrs             0.6.5      2023-12-01 [1] CRAN (R 4.3.1)
##  viridisLite       0.4.2      2023-05-02 [1] CRAN (R 4.3.0)
##  withr             3.0.0      2024-01-16 [1] CRAN (R 4.3.1)
##  xfun              0.44       2024-05-15 [1] CRAN (R 4.3.3)
##  xtable            1.8-4      2019-04-21 [1] CRAN (R 4.3.0)
##  yaml              2.3.8      2023-12-11 [1] CRAN (R 4.3.1)
##  zoo               1.8-12     2023-04-13 [1] CRAN (R 4.3.0)
##
##  [1] /Library/Frameworks/R.framework/Versions/4.3-arm64/Resources/library
##
## ------------------------------------------------------------------------------------------
```

References

Aust, F., & Barth, M. (2020). *papaja: Create APA manuscripts with R Markdown* [R package version 0.1.0.9997]. https://github.com/crsh/papaja

Bache, S. M., & Wickham, H. (2020). *Magrittr: A forward-pipe operator for r* [R package version 2.0.1]. https://CRAN.R-project.org/package=magrittr

Barth, M. (2022). *tinylabels: Lightweight variable labels* [R package version 0.2.3]. https://cran.r-project.org/package=tinylabels

Bates, D., Mächler, M., Bolker, B., & Walker, S. (2015). Fitting linear mixed-effects models using lme4. *Journal of Statistical Software*, *67*(1), 1–48. https://doi.org/10.18637/jss.v067.i01

Bates, D., & Maechler, M. (2021). *Matrix: Sparse and dense matrix classes and methods* [R package version 1.3-4]. https://CRAN.R-project.org/package=Matrix

Bürkner, P.-C. (2017). brms: An R package for Bayesian multilevel models using Stan. *Journal of Statistical Software*, *80*(1), 1–28. https://doi.org/10.18637/jss.v080.i01

Bürkner, P.-C. (2018). Advanced Bayesian multilevel modeling with the R package brms. *The R Journal*, *10*(1), 395–411. https://doi.org/10.32614/RJ-2018-017

Bürkner, P.-C. (2021). Bayesian item response modeling in R with brms and Stan. *Journal of Statistical Software*, *100*(5), 1–54. https://doi.org/10.18637/jss.v100.i05

Csárdi, G., & Chang, W. (2021). *Processx: Execute and control system processes* [R package version 3.5.2]. https://CRAN.R-project.org/package=processx

Dowle, M., & Srinivasan, A. (2021). *Data.table: Extension of 'data.frame'* [R package version 1.14.2]. https://CRAN.R-project.org/package=data.table

Eddelbuettel, D., & Balamuta, J. J. (2018). Extending extitR with extitC++: A Brief Introduction to extitRcpp. *The American Statistician*, *72*(1), 28–36. https://doi.org/10.1080/00031305.2017.1375990

Eddelbuettel, D., & François, R. (2011). Rcpp: Seamless R and C++ integration. *Journal of Statistical Software*, *40*(8), 1–18. https://doi.org/10.18637/jss.v040.i08

Grolemund, G., & Wickham, H. (2011). Dates and times made easy with lubridate. *Journal of Statistical Software*, *40*(3), 1–25. https://www.jstatsoft.org/v40/i03/

Henry, L., & Wickham, H. (2020). *Purrr: Functional programming tools* [R package version 0.3.4]. https://CRAN.R-project.org/package=purrr

Henry, L., & Wickham, H. (2021). *Rlang: Functions for base types and core r and 'tidyverse' features* [R package version 0.4.12]. https://CRAN.R-project.org/package=rlang

Hugh-Jones, D. (2021). *Latexdiffr: Diff 'rmarkdown' files using the 'latexdiff' utility* [R package version 0.1.0]. https://CRAN.R-project.org/package=latexdiffr

Liao, Y. (2019). *Linguisticsdown: Easy linguistics document writing with r markdown* [R package version 1.2.0]. https://CRAN.R-project.org/package=linguisticsdown

Maechler, M. (2021). *Diptest: Hartigan's dip test statistic for unimodality - corrected* [R package version 0.76-0]. https://CRAN.R-project.org/package=diptest

Müller, K., & Wickham, H. (2021). *Tibble: Simple data frames* [R package version 3.1.6]. https://CRAN.R-project.org/package=tibble

Ooms, J. (2021). *Magick: Advanced graphics and image-processing in r* [R package version 2.7.3]. https://CRAN.R-project.org/package=magick

Pedersen, T. L., & Robinson, D. (2020). *Gganimate: A grammar of animated graphics* [R package version 1.0.7]. https://CRAN.R-project.org/package=gganimate

R Core Team. (2021). *R: A language and environment for statistical computing*. R Foundation for Statistical Computing. Vienna, Austria. https://www.R-project.org/

Sievert, C. (2020). *Interactive web-based data visualization with r, plotly, and shiny*. Chapman; Hall/CRC. https://plotly-r.com

Statisticat & LLC. (2021). *Laplacesdemon: Complete environment for bayesian inference* [R package version 16.1.6]. Bayesian-Inference.com. https://web.archive.org/web/20150206004624/http://www.bayesian-inference.com/software

Wickham, H. (2016). *Ggplot2: Elegant graphics for data analysis*. Springer-Verlag New York. https://ggplot2.tidyverse.org

Wickham, H. (2019a). *Assertthat: Easy pre and post assertions* [R package version 0.2.1]. https://CRAN.R-project.org/package=assertthat

Wickham, H. (2019b). *Stringr: Simple, consistent wrappers for common string operations* [R package version 1.4.0]. https://CRAN.R-project.org/package=stringr

Wickham, H. (2020). *Modelr: Modelling functions that work with the pipe* [R package version 0.1.8]. https://CRAN.R-project.org/package=modelr

Wickham, H. (2021a). *Forcats: Tools for working with categorical variables (factors)* [R package version 0.5.1]. https://CRAN.R-project.org/package=forcats

Wickham, H. (2021b). *Tidyr: Tidy messy data* [R package version 1.1.4]. https://CRAN.R-project.org/package=tidyr

Wickham, H., Averick, M., Bryan, J., Chang, W., McGowan, L. D., François, R., Grolemund, G., Hayes, A., Henry, L., Hester, J., Kuhn, M., Pedersen, T. L., Miller, E., Bache, S. M., Müller, K., Ooms, J., Robinson, D., Seidel, D. P., Spinu, V., … Yutani, H. (2019). Welcome to the tidyverse. *Journal of Open Source Software*, *4*(43), 1686. https://doi.org/10.21105/joss.01686

Wickham, H., François, R., Henry, L., & Müller, K. (2021). *Dplyr: A grammar of data manipulation* [R package version 1.0.7]. https://CRAN.R-project.org/package=dplyr

Wickham, H., Hester, J., & Bryan, J. (2021). *Readr: Read rectangular text data* [R package version 2.1.1]. https://CRAN.R-project.org/package=readr

Wilke, C. O. (2020). *Cowplot: Streamlined plot theme and plot annotations for 'ggplot2'* [R package version 1.1.1]. https://CRAN.R-project.org/package=cowplot

Xie, Y. (2021). *Knitr: A general-purpose package for dynamic report generation in r* [R package version 1.36]. https://yihui.org/knitr/

Xie, Y., & Allaire, J. (2022). *Tufte: Tufte's styles for r markdown documents* [R package version 0.12]. https://CRAN.R-project.org/package=tufte