

GETTING STARTED

1. Install

In the terminal sudo pip install plotly

2. Sign Up & Configure

http://www.plot.ly/python/getting-started

3. Boilerplate Imports

import plotly.plotly as py
import plotly.graph_objs as go

4. A Hello World Figure

```
trace = { 'x' : [1, 2] , 'y' : [1, 2] }
data = [ trace ]
layout = { }
fig = go.Figure (
    data = data, layout = layout )
```

5. Plot the Figure!

In the terminal:
plot_url = py.plot (fig)
Or in the IPython notebook:
py.iplot (fig)

BASIC CHARTS

➤ Line Plots ♣ Bubble Charts

```
trace1 = go.Scatter (
    x = [1, 2], y = [1, 2])
trace2 = go.Scatter (
    x = [1, 2], y = [2, 1])
py.iplot ([trace1, trace2])
```

marker = dict (color = ['red', 'blue', 'green'] size = [30, 80, 200]), mode = 'markers') py.iplot ([trace])

x = [1, 2, 3], y = [1, 2, 3],

trace = go.Scatter (

Scatter Plots

```
trace1 = go.Scatter (
    x = [1, 2, 3], y = [1, 2, 3],
    text = ['A','B','C'],
    textposition = 'top center'
    mode = 'markers+text')
mode = [trace]
py.iplot (data)
```

Heatmaps

```
trace = go.Heatmap (
	z = [[1, 2, 3, 4],
	[5, 6, 7, 8]])
data = [trace]
py.iplot (data)
```

Bar Charts

```
trace = go.Bar (
    x = [1, 2], y = [1, 2])
data = [trace]
py.iplot (data)
```

Area Plots

```
trace = go.Scatter (
    x = [ 1, 2 ], y = [ 1, 2 ],
    fill = 'tonexty' )
data = [ trace ]
py.iplot ( data )
```

LAYOUT

```
Legends
trace1 = go.Scatter (
  name = 'Calvin'
  x = [1, 2], y = [1, 2]
trace2 = go.Scatter (
  name = 'Hobbes'
 x = [2, 1], y = [2, 1]
layout = go.Layout (
  showlegend = True,
  legend = dict (
    x = 0.2, y = 0.5)
data = [trace1, trace2]
fig = go.Figure (
 data = data ,
  layout = layout)
py.iplot (fig)
```

```
-,- Axes
trace = go.Scatter (
 x = [1, 2, 3, 4],
 y = [1, 2, 3, 6]
axis_template = dict (
 showgrid = False,
 zeroline = False,
 nticks = 20.
 showline = True,
 title = 'X AXIS'
 mirror = 'all')
layout = go.Layout (
 xaxis = axis_template ,
 yaxis = axis_template,
data = [trace]
fig = go.Figure (
 data = data
 layout = layout
py.iplot (fig)
```

Figure { }

LAYOUT { }
title ABC
XAXIS, YAXIS { }

SCENE {}

LEGEND {}

ANNOTATIONS { }

GE0 { }

```
trace = go.Histogram (
   x = [1, 2, 3, 3, 3, 4, 5])
data = [trace]
py.iplot (data)
```

H Box Plots

```
trace = go.Box (
    x = [ 1, 2, 3, 3, 3, 4, 5 ] )
data = [ trace ]
py.iplot ( data )
```

2D Histogram

```
trace = go.Historgram2d (
    x = [ 1, 2, 3, 3, 3, 4, 5 ] ,
    x = [ 1, 2, 3, 3, 3, 4, 5 ] )
data = [ trace ]
py.iplot ( data )
```

😘 Bubble Map

```
trace = dict (
    type = 'scattergeo' ,
    lon = [ 100, 400 ] , lat = [ 0, 0] ,
    marker = dict (
        marker = [ 'red', 'blue' ]
        size = [ 30, 50 ] ) ,
    mode = 'markers' )
py.iplot ( [ trace ] )
```

Choropleth Map

```
trc = dict (
  type = 'choropleth',
  locations = [ 'AZ', 'CA', 'VT'],
  locationmode = 'USA-states',
  colorscale = [ 'Viridis'],
  z = [ 10, 20, 40 ])
lyt = dict ( geo = dict ( scope = 'usa' ) )
map = go.Figure ( data = [ trc ],
  layout = lyt )
py.iplot ( map)
```

Scatter Map

```
trace = dict (
  type = 'scattergeo' ,
  Ion = [ 42, 39 ] , lat = [ 12, 22 ] ,
  marker = [ 'Rome' , 'Greece' ] ,
  mode = 'markers' )
py.iplot ( [ trace ] )
```

→ 3D Surface Plots

```
trace = go.Surface (
    colorscale = 'Viridis',
    z = [[3, 5, 8, 13],
       [21, 13, 8, 5])
data = [trace]
py.iplot ( data )
```

△→ 3D Line Plots

```
trace = go.Scatter3D (
	x = [9, 8, 5, 1], y = [1, 2, 4, 8],
	z = [11, 8, 15, 3],
	mode = 'lines')
data = [trace]
py.iplot (data)
```

3D Scatter Plots

```
trace = go.Scatter3D (

x = [9, 8, 5, 1], y = [1, 2, 4, 8],

z = [11, 8, 15, 3],

mode = 'markers')

data = [trace]

py.iplot (data)
```

```
DATA []

TRACE {}

x, y, z []

color, text, size []

colorscale ABC or []

MARKER {}

color ABC

symbol ABC

LINE {}

color ABC

width 123
```

XAXIS, YAXIS, ZAXIS { }

```
{} = dictionary
[] = list
ABC = string
123 = number
```