SOFTWARE REQUIREMENTS SPECIFICATION

for

ICEBERG - Rivers use case

Version 1.0

Prepared by Ioannis Paraskevakos RADICAL Brad Spitzbart Stony Brook University

October 24, 2018

Contents

1	Intro	oduction 4	ŀ
	1.1	Purpose	Ļ
	1.2	Document Conventions	Ļ
	1.3	Intended Audience and Reading Suggestions	Ŀ
	1.4	Project Scope	Ļ
	1.5	References	Ŀ
2	Ove	rall Description 5	;
	2.1	Product Perspective	,
	2.2	Product Functions	,
	2.3	User Classes and Characteristics	,
	2.4	Operating Environment	,
	2.5	Design and Implementation Constraints	;
	2.6	User Documentation	;
	2.7	Assumptions and Dependencies	j
3	Exte	ernal Interface Requirements 7	,
	3.1	User Interfaces	
	3.2	Hardware Interfaces	
	3.3	Software Interfaces	,
	3.4	Communications Interfaces	,
4	Svst	em Features)
	4.1	Analyzing images in bulk	
		4.1.1 Description and Priority)
		4.1.2 Stimulus/Response Sequences)
		4.1.3 Functional Requirements)
	4.2	Output seasons)
		4.2.1 Description and Priority)
		4.2.2 Stimulus/Response Sequences)
		4.2.3 Functional Requirements)
5	Oth	er Nonfunctional Requirements 11	Ĺ
	5.1	Performance Requirements	
	5.2	Safety Requirements	
	5.3	Security Requirements	
	5.4	Software Quality Attributes	-
		- ∨	

Revision History

Name		Reason For Changes	Version
Initial	9/28/2018		0.1

1 Introduction

1.1 Purpose

The purpose of this document is to capture the requirements of the ICEBERG: Rivers Use Case. It will include functional, non-functional and User Interface requirements. It will be used as the reference document between the RADICAL Team and the Stony Brook and UCSB teams for the Rivers use case development.

1.2 Document Conventions

The requested features are listed in section 4 and the non-functional requirements are listed in section 5. Each of these requirements have a priority from the set HIGH, MEDIUM, LOW. Based on the number of requirements and their priority, a timeline will be created with each requirement and its expected time-to-completion.

1.3 Intended Audience and Reading Suggestions

The document is edited and iterated between users and developers. It is intended to provide the developers as well as the project managers a complete understanding of the requirements as they are expected by the users.

An early use case document is provided in [1]. The current status of the project is provided by the use case Github repository [2].

1.4 Project Scope

We provide a detection algorithm to extract the location of water features from high-resolution imagery.

1.5 References

 $[1] \ https://github.com/iceberg-project/Rivers/blob/master/HOWTO_StreamExtraction.\\ txt$

[2] https://github.com/iceberg-project/Rivers

2 Overall Description

2.1 Product Perspective

ICEBERG is a multi-disciplinary, cyberinfrastructure, integration project to (1) develop open source image classification tools tailored to high-resolution satellite imagery of the Arctic and Antarctic to be used on HPDC resources, (2) create easy-to-use interfaces to facilitate the development and testing of algorithms for application specific geoscience requirements, (3) apply these tools through four use cases that span the biological, hydrological, and geoscience needs of the polar community, (4) transfer these tools to the larger (non-polar) EarthCube community for continued community-driven development.

2.2 Product Functions

The main functions of the Rivers pipeline are conversion of orthorectified imagery into NDWI: Normalized difference water index images, extracting large stream profiles, and extracting lake profiles.

2.3 User Classes and Characteristics

- Community users Will use a web interface to access the capabilities of ICEBERG
- Expert users Will use ICEBERG via command line interface to execute experiments and their use cases.
- Developers Are users that are able to develop additional pipelines and/or change/update existing pipelines. They will be able to use the CLI or directly the resource interfaces.

2.4 Operating Environment

The software's middleware should be able to use Unix-based Operating Systems, such as Linux and MacOS. The software has library dependencies as listed in Table 2.1. HARD dependency to a library is restricted to the version shown. SOFT dependency to a library requires as a minimum version the one depicted.

The Command Line Interface should be used from a Virtual Machine that is in the Cloud and has constant Internet connection.

The Web interface should be hosted on resources with constant operation.

Library	Version	Executable	Type
Python	3.5	All	SOFT
matplotlib	2.2.2	Verify	SOFT
EnTK	0.7	entk_script	SOFT

Table 2.1: Software Dependencies.

2.5 Design and Implementation Constraints

Access to the VM should be through SSH. The web interface should be under HTTPS protocol.

Users should have their image data uploaded to the resources via a secure data transfer system, like sftp/scp.

Users should not execute from the login nodes, unless otherwise specified explicitly by the resource documentation.

2.6 User Documentation

Users will be provided on-line documentation and help. Syntax, options, and error messages will be displayed via the web or command line interfaces.

2.7 Assumptions and Dependencies

OMPI is installed and provided via a module for the launch method of RP. Python 2.7 and 3.5 should exist in the resource.

3 External Interface Requirements

3.1 User Interfaces

Provide an interface where users can upload a set of images and get back a table with the water features.

The CLI interface should have the arguments based on table 3.1

Argument	Argument	Argument	Value	Required/
Name	Flag(s)	Type		Optional
Resource	-r/-resource	String	xsede.bridges	Required
Output Direc-	-op/-	String	'./'	Optional
tory	$\operatorname{output_dir}$			
Input Direc-	-ip/-input	String	/home/iparask/images	Required
tory	dir			
Path to Model	-m/-model	String	model file	Optional
Walltime	-w/-	Interger	60	Optional
	walltime			
User Name	-u/-	String	'iparask'	Required
	username			

Table 3.1: Command Line Interface Arguments.

3.2 Hardware Interfaces

The software system requires High Performance Computing (HPC) resources for execution and needs at least one GPU. The HPC resources should provide CPU and GPU node. Until now, PSC Bridges and SDSC Comet are the possible candidates.

3.3 Software Interfaces

<Describe the connections between this product and other specific software components (name and version), including databases, operating systems, tools, libraries, and integrated commercial components. Identify the data items or messages coming into the system and going out and describe the purpose of each. Describe the services needed and the nature of communications. Refer to documents that describe detailed application programming interface protocols. Identify data that will be shared across software</p>

components. If the data sharing mechanism must be implemented in a specific way (for example, use of a global data area in a multitasking operating system), specify this as an implementation constraint.>

3.4 Communications Interfaces

<Describe the requirements associated with any communications functions required by this product, including e-mail, web browser, network server communications protocols, electronic forms, and so on. Define any pertinent message formatting. Identify any communication standards that will be used, such as FTP or HTTP. Specify any communication security or encryption issues, data transfer rates, and synchronization mechanisms.>

4 System Features

<This template illustrates organizing the functional requirements for the product by system features, the major services provided by the product. You may prefer to organize this section by use case, mode of operation, user class, object class, functional hierarchy, or combinations of these, whatever makes the most logical sense for your product.>

4.1 Analyzing images in bulk

4.1.1 Description and Priority

The Rivers component should take as an input a set of images. These images will be organized in a single folder. Each analysis is independent of each other.

Priority: 9

4.1.2 Stimulus/Response Sequences

The stimulus of this feature will be the path to a folder where all the images will exist. The response sequence is a table with the water features per image.

4.1.3 Functional Requirements

The following list displays the requirements of this feature. All requirements have the same priority unless otherwise stated.

- REQ-1: Identify the individual images that exist in a single folder
- REQ-2: Each image should have an individual output file
- REQ-3: Provide an aggregated output file for all images with two columns: Image filename, id of water feature

4.2 Output seasons

***brad: Shape files for each image as they are produced and an CSV with the results for one season.

4.2.1 Description and Priority

The Rivers component should output results per season if need be.

Priority: 5

4.2.2 Stimulus/Response Sequences

The stimulus is a flag during runtime. The response would be to output the results of images as they are produced.

4.2.3 Functional Requirements

The following list displays the requirements of this feature. All requirements have the same priority unless otherwise stated.

- REQ-1: Create an input defining a season. The images of the season are prioritized over the rest of the images.***giannis: @Brad: how do we understand which images belong to a season?
- REQ-2: Create a file with the results of the season with two columns: Image filename, id of water feature

5 Other Nonfunctional Requirements

5.1 Performance Requirements

There are no performance requirements as of now.

5.2 Safety Requirements

All input data are treated as read only. They should not be deleted.

5.3 Security Requirements

All Digital Globe (WorldView) imagery is proprietary and cannot be released publically. Use of imagery must be in accordance with the guidelines and requirements of the Polar Geospatial Center and the NGA NextView License.

5.4 Software Quality Attributes

The software should be accompanied with detailed documentation, and examples that demonstrate its usage. In addition, the source code should publicly available through Github.