

Cor ideal primo localizacion extendido

Corolario 1. *Todo ideal primo de $S^{-1}R$ es el extendido de un ideal primo de R .*

Demostración: Sea $\mathfrak{q} \subset S^{-1}R$ un ideal primo. Por el apartado (1) de la `prop-ideales-extendidos-con` tenemos que $(\mathfrak{q}^c)^c = \mathfrak{q}$. Falta ver que $\mathfrak{q}^c \subset R$ es un ideal primo.

Sean $a, b \in R$ tales que $ab \in \mathfrak{q}^c$. Entonces, $\frac{ab}{1} = \iota_S(ab) \in \mathfrak{q}$. Como ι_S es morfismo de anillos, $\frac{a}{1} \cdot \frac{b}{1} = \iota_S(a) \cdot \iota_S(b) = \iota_S(ab) \in \mathfrak{q}$. Como $\mathfrak{q}$ es primo, $\frac{a}{1} \in \mathfrak{q} \vee \frac{b}{1} \in \mathfrak{q}$, es decir, $a \in \mathfrak{q}^c \vee b \in \mathfrak{q}^c$. Por tanto, $\mathfrak{q}^c$ es primo. ■

Referenciado en

- `ejer-localizacion-ideal-primo-anillo-local`
- `teo-extension-entera-ideal-primo-imp-exists-ideal-primo-contrae`

Temporary page!

L^AT_EX was unable to guess the total number of pages correctly. As there was some unprocessed data that should have been added to the final page this extra page has been added to receive it.

If you rerun the document (without altering it) this surplus page will go away, because L^AT_EX now knows how many pages to expect for this document.