

Prop fn exists var aleatoria

Proposición 1. Sea $F: \mathbb{R} \rightarrow \mathbb{R}$ monótona no decreciente que cumple (1), (2) y (3)

$$\implies \exists (\Omega, \Sigma, \mathbb{P}) \text{ espacio de probabilidad : } \exists X \text{ v.a. : } \forall t \in \mathbb{R} : F_X(t) = F(t).$$

Demostración: Consideramos en el espacio de probabilidad $([0, 1], \mathcal{B}([0, 1]), m)$ la variable aleatoria $X: [0, 1] \rightarrow \mathbb{R}$ dada por $\forall \omega \in [0, 1] : X(\omega) = \sup \{t \in \mathbb{R} : F(t) < \omega\}$.

$$\begin{aligned} \implies \forall t \in \mathbb{R} : m(\{\omega \in \mathbb{R} : X(\omega) \leq t\}) &= m(\{\omega \in \mathbb{R} : \sup \{s \in \mathbb{R} : F(s) < \omega\} \leq t\}) \\ &= m(\{\omega \in \mathbb{R} : \omega \leq F(t)\}) = F(t). \end{aligned}$$

Por tanto, $\forall t \in \mathbb{R} : F_X(t) = m(\{\omega \in \mathbb{R} : X(\omega) \leq t\}) = F(t)$ ¹. ■

¹También se puede definiendo X como la identidad en el espacio de medida dado por la medida de Lebesgue-Stieltjes.

Temporary page!

L^AT_EX was unable to guess the total number of pages correctly. As there was some unprocessed data that should have been added to the final page this extra page has been added to receive it.

If you rerun the document (without altering it) this surplus page will go away, because L^AT_EX now knows how many pages to expect for this document.