

Teorema de convergencia monótona

Teorema 1 (de convergencia monótona para conjuntos). Sea (X, Σ, μ) un espacio de medida y $(E_n)_{n \in \mathbb{N}} \subset \Sigma$ una sucesión creciente (i.e. $\forall n \in \mathbb{N} : E_n \subset E_{n+1}$)

$$\implies \mu \left(\bigcup_{n=1}^{\infty} E_n \right) = \lim_{n \rightarrow \infty} \mu \left(\bigcap_{i=1}^n E_i \right) = \lim_{n \rightarrow \infty} \mu(E_n)$$

Demostración: Definimos $F_1 = E_1$ y $\forall n \in \mathbb{N} : F_{n+1} = E_{n+1} \setminus E_n$. Entonces la sucesión $(F_n)_{n \in \mathbb{N}}$ es de conjuntos μ -medibles disjuntos. Si definimos $E_0 = \emptyset$, se tiene que $\forall n \in \mathbb{N}$:

$$\begin{aligned} \mu(E_n) &= \mu((E_n \setminus E_{n-1}) \sqcup E_{n-1}) \stackrel{\text{aditividad}}{=} \mu(E_n \setminus E_{n-1}) + \mu(E_{n-1}) \\ \iff \mu(E_n) - \mu(E_{n-1}) &= \mu(E_n \setminus E_{n-1}) = \mu(F_n) \end{aligned}$$

Por tanto, como $\bigcup_{n=1}^{\infty} E_n = \bigsqcup_{n=1}^{\infty} F_n$:

$$\mu \left(\bigcup_{n=1}^{\infty} E_n \right) = \mu \left(\bigsqcup_{n=1}^{\infty} F_n \right) \stackrel{\text{aditividad}}{=} \sum_{n \in \mathbb{N}} \mu(F_n) = \sum_{n=1}^{\infty} (\mu(E_n) - \mu(E_{n-1})) \stackrel{\text{suma telescópica}}{=} \lim_{n \rightarrow \infty} \mu(E_n)$$

■

Teorema 2 (de convergencia monótona para funciones). Sea (X, Σ, μ) un espacio de medida y $(f_n)_{n \in \mathbb{N}}$ una sucesión creciente de funciones medibles no negativas

$$\implies \forall E \in \Sigma : \lim_{n \rightarrow \infty} \int_E f_n d\mu = \int_E \lim_{n \rightarrow \infty} f_n d\mu$$

Demostración: $\forall x \in X, n \in \mathbb{N} : f_n(x) \leq f_{n+1}(x) \implies \forall x \in X : \exists \lim_{n \rightarrow \infty} f_n(x) =: f(x)$ y f es medible por serlo todas las f_n . ■

Referenciado en

- Prop-indep-pi-sistemas-imp-indep-sigma-algebras

- Teo-esp-lp-banach
- Prop-esperanza-fn
- Lem-fatou
- Quijote-infinito
- Lem-esperanza-condicionada
- Lem-borel-cantelli-i

Temporary page!

L^AT_EX was unable to guess the total number of pages correctly. As there was some unprocessed data that should have been added to the final page this extra page has been added to receive it.

If you rerun the document (without altering it) this surplus page will go away, because L^AT_EX now knows how many pages to expect for this document.