

Teo ideal imp exists ideal maximal contiene

Teorema 1. Sea $I \subsetneq R$ un ideal de un ACU R

$$\implies \exists J \text{ ideal maximal de } R \text{ tal que } I \subseteq J.$$

Demostración: Consideramos el conjunto $\Sigma := \{J \subset R \text{ ideal} : I \subset J \wedge I \neq R\}$.

- $\Sigma \neq \emptyset$ porque $I \in \Sigma$.
- $(\Sigma, \subset)$ está parcialmente ordenado.
- Si $\{J_\lambda\}_{\lambda \in \Lambda}$ es una colección de ideales en Σ totalmente ordenada por inclusión, entonces tiene una cota superior en Σ , que es $J := \bigcup_{\lambda \in \Lambda} J_\lambda$.

Como $J \neq \langle 1 \rangle$ (si $1 \in J \implies \exists \lambda \in \Lambda : 1 \in J_\lambda \implies J_\lambda = R$, contradicción), por el lema de Zorn, Σ tiene un elemento maximal M . ■

Temporary page!

L^AT_EX was unable to guess the total number of pages correctly. As there was some unprocessed data that should have been added to the final page this extra page has been added to receive it.

If you rerun the document (without altering it) this surplus page will go away, because L^AT_EX now knows how many pages to expect for this document.