

Teo cociente dalembert

Teorema 1 (Criterio del cociente de D'Alembert).

Sea $(z_n)_n \subset \mathbb{C}$ tal que $\forall n \in \mathbb{N} \cup \{0\} : z_n \neq 0$ y $\lim_{n \rightarrow \infty} \frac{|z_{n+1}|}{|z_n|} = \lambda \in [0, \infty]$, entonces

(1) $\lambda < 1 \implies \sum z_n$ converge absolutamente.

(2) $\lambda > 1 \implies \sum z_n$ diverge.

Demostración: Evaluemos por casos según el valor de λ :

(1) Si $\lambda \in [0, 1)$, definimos $r = \frac{\lambda+1}{2}$ tal que $\lambda < r < 1$. Tomamos $\varepsilon = r - \lambda$, $\exists N_0 \in \mathbb{N}$:

$$\forall n \geq N_0 : \left| \frac{|z_{n+1}|}{|z_n|} - \lambda \right| < \varepsilon \implies \frac{|z_{n+1}|}{|z_n|} < \varepsilon + \lambda = r \implies |z_{n+1}| < r |z_n|.$$

Por tanto, $|z_{N_0+1}| < r |z_{N_0}| \implies |z_{N_0+2}| < r^2 |z_{N_0}| \implies \forall k \in \mathbb{N} : |z_{N_0+k}| < r^k |z_{N_0}|.$

$$\implies \sum_{n=N_0}^{\infty} |z_n| = \sum_{k=0}^{\infty} |z_{N_0+k}| < |z_{N_0}| \sum_{k=0}^{\infty} r^k \text{ que converge.}$$

Entonces, por el corolario del criterio de Cauchy, $\sum_n |z_n|$ converge, luego $\sum_n z_n$ converge absolutamente.

(2) Si $\lambda \in (1, \infty)$, definimos $r = \frac{\lambda+1}{2}$ tal que $1 < r < \lambda$. Tomamos $\varepsilon = \lambda - r$, $\exists N_0 \in \mathbb{N}$:

$$\forall n \geq N_0 : \left| \frac{|z_{n+1}|}{|z_n|} - \lambda \right| < \varepsilon \implies \frac{|z_{n+1}|}{|z_n|} > \lambda - \varepsilon = r \implies |z_{n+1}| > r |z_n|.$$

Por tanto, $|z_{N_0+1}| > r |z_{N_0}| \implies |z_{N_0+2}| > r^2 |z_{N_0}| \implies \forall k \in \mathbb{N} : |z_{N_0+k}| > r^k |z_{N_0}|.$

Entonces, $\lim_{n \rightarrow \infty} |z_n| \neq 0$, luego $\lim_{n \rightarrow \infty} z_n \neq 0$ y la serie $\sum z_n$ diverge.

(3) Si $\lambda = \infty$ entonces $\forall M > 0 : \exists N_0 \in \mathbb{N} : \forall n \geq N_0 : |z_n| > M |z_{N_0}|$. Entonces, $|z_n| \nrightarrow 0$ y la serie $\sum z_n$ diverge (por el teo-convergencia-serie-imp-lim-0/Teorema 1).

■

Ejemplos 1 (Si $\lambda = 1$, el criterio del cociente no es concluyente).

[1] Si $\sum a_n$ está dada por $\forall n \in \mathbb{N} : a_n = \frac{1}{n}$, entonces, $\lim_{n \rightarrow \infty} \frac{a_{n+1}}{a_n} = 1$ y $\sum a_n$ diverge.

2 Si $\sum b_n$ está dada por $\forall n \in \mathbb{N} : b_n = \frac{1}{n^2}$, entonces, $\lim_{n \rightarrow \infty} \frac{b_{n+1}}{b_n} = 1$ y $\sum b_n$ converge.

Temporary page!

L^AT_EX was unable to guess the total number of pages correctly. As there was some unprocessed data that should have been added to the final page this extra page has been added to receive it.

If you rerun the document (without altering it) this surplus page will go away, because L^AT_EX now knows how many pages to expect for this document.