

Todo espacio L^2 es un espacio de Hilbert

Teorema 1. Sea (X, Σ, μ) un espacio de medida

$\implies L^2 := \mathcal{L}^2 / \sim$ es un espacio de Hilbert con el producto interno $\langle \cdot, \cdot \rangle$ dado por

$\forall f, g \in L^2 : \langle f, g \rangle = \int_X f \cdot \bar{g} d\mu$ donde $f \sim g \iff f = g$ c.t.p.

Demostración: Veamos primero que $\langle \cdot, \cdot \rangle$ es un producto hermitico en L^2 :

(i) Sesquilinealidad: $\forall f, g, h \in L^2 : \forall \alpha, \beta \in \mathbb{C} :$

$$\langle \alpha f + \beta h, g \rangle = \int_X (\alpha f + \beta h) \cdot \bar{g} d\mu \stackrel{\text{lineal}}{=} \alpha \int_X f \cdot \bar{g} d\mu + \beta \int_X h \cdot \bar{g} d\mu = \alpha \langle f, g \rangle + \beta \langle h, g \rangle$$

$$\langle f, \alpha g + \beta h \rangle = \int_X f \cdot \overline{(\alpha g + \beta h)} d\mu \stackrel{\text{lineal}}{=} \bar{\alpha} \int_X f \cdot \bar{g} d\mu + \bar{\beta} \int_X f \cdot \bar{h} d\mu = \bar{\alpha} \langle f, g \rangle + \bar{\beta} \langle f, h \rangle$$

(ii) Simetría conjugada: $\forall f, g \in L^2 : \langle f, g \rangle = \int_X f \cdot \bar{g} d\mu = \overline{\int_X g \cdot \bar{f} d\mu} = \overline{\langle g, f \rangle}$.

(iii) Definida positiva: $\forall f \in L^2 : \langle f, f \rangle = \int_X |f|^2 d\mu \geq 0$ y $\langle f, f \rangle = 0 \iff f = 0$ c.t.p.

Solo falta ver que L^2 es de Banach con la norma inducida por el producto interno:

$$\forall f \in L^2 : \|f\| = \sqrt{\langle f, f \rangle} = \left(\int_X f \cdot \bar{f} d\mu \right)^{1/2} = \left(\int_X |f|^2 d\mu \right)^{1/2} = \|f\|_2.$$

Esta es exactamente la norma 2-ésima y, por el `teo-esp-lp-banach/??`, sabemos que L^2 es un espacio de Banach con ella. ■

Referenciado en

- `teo-l2-unico-esp-hilbert`

Temporary page!

L^AT_EX was unable to guess the total number of pages correctly. As there was some unprocessed data that should have been added to the final page this extra page has been added to receive it.

If you rerun the document (without altering it) this surplus page will go away, because L^AT_EX now knows how many pages to expect for this document.