CGI IT UK LMITED

postgres_app_v61_sec_v19_ret_v7@localhost Data Dictionary

16/01/2024

Table of contents

| os | tgres@lc | ocalhost | 7 |
|----|------------|--|----|
| 1. | darts pr | roposed_courtroom_omitted | 8 |
| 2. | dart_pr | roposed_security | 9 |
| 3. | darts_p | proposed_retention | 10 |
| 4. | darts_p | proposed_courthouse | 11 |
| 5. | darts_p | proposed_tables_only | 12 |
| 6. | Other | | 13 |
| (| 5.1. Table | es | 13 |
| | 6.1.1. | Table: darts.annotation | 13 |
| | 6.1.2. | Table: darts.annotation_document | 14 |
| | 6.1.3. | Table: darts.audit | 15 |
| | 6.1.4. | Table: darts.audit_activity | 16 |
| | 6.1.5. | Table: darts.automated_task | 17 |
| | 6.1.6. | Table: darts.case_document | 18 |
| | 6.1.7. | Table: darts.case_judge_ae | 19 |
| | 6.1.8. | Table: darts.case_management_retention | 20 |
| | 6.1.9. | Table: darts.case_overflow | 21 |
| | 6.1.10. | Table: darts.case_retention | 22 |
| | 6.1.11. | Table: darts.case_transcription_ae | 23 |
| | 6.1.12. | Table: darts.court_case | 24 |
| | 6.1.13. | Table: darts.courthouse | 26 |
| | 6.1.14. | Table: darts.courthouse_region_ae | 27 |
| | 6.1.15. | Table: darts.courtroom | 28 |
| | 6.1.16. | Table: darts.daily_list | 29 |
| | 6.1.17. | Table: darts.defence | 30 |
| | 6.1.18. | Table: darts.defendant | 31 |
| | 6.1.19. | Table: darts.event | 32 |
| | 6.1.20. | Table: darts.event_handler | 34 |
| | 6.1.21. | Table: darts.external_location_type | 35 |
| | 6.1.22. | Table: darts.external_object_directory | 36 |
| | 6.1.23. | Table: darts.external_service_auth_token | 38 |
| | 6.1.24. | Table: darts.hearing | 39 |
| | 6.1.25. | Table: darts.hearing_annotation_ae | 41 |
| | 6.1.26. | Table: darts.hearing_event_ae | 42 |
| | 6.1.27. | Table: darts.hearing_judge_ae | 43 |
| | 6.1.28. | Table: darts.hearing_media_ae | 44 |
| | 6.1.29. | Table: darts.hearing_transcription_ae | 45 |
| | | Table: darts.judge | |
| | | Table: darts.media | |
| | | Table: darts.media_request | |
| | | Table: darts.node_register | |
| | | Table: darts.notification | |
| | | Table: darts.object_record_status | |
| | | Table: darts.prosecutor | |
| | 6.1.37. | Table: darts.region | 54 |


| 6.1.38. | Table: darts.report | 55 |
|-----------|---|----|
| 6.1.39. | Table: darts.retention_policy_type | 56 |
| 6.1.40. | Table: darts.security_group | 57 |
| 6.1.41. | Table: darts.security_group_courthouse_ae | 59 |
| 6.1.42. | Table: darts.security_group_user_account_ae | 60 |
| 6.1.43. | Table: darts.security_permission | 61 |
| 6.1.44. | Table: darts.security_role | 62 |
| 6.1.45. | Table: darts.security_role_permission_ae | 63 |
| 6.1.46. | Table: darts.transcription | 64 |
| 6.1.47. | Table: darts.transcription_comment | 66 |
| 6.1.48. | Table: darts.transcription_document | 67 |
| 6.1.49. | Table: darts.transcription_status | 68 |
| 6.1.50. | Table: darts.transcription_type | 69 |
| 6.1.51. | Table: darts.transcription_urgency | 70 |
| | Table: darts.transcription_workflow | |
| 6.1.53. | Table: darts.transformed_media | 72 |
| 6.1.54. | Table: darts.transient_object_directory | 73 |
| 6.1.55. | Table: darts.user_account | 74 |
| 6.2. Fund | ctions | 78 |
| 6.2.1. | Function: darts.tra_trw_sync_fnc | 78 |
| | | |

Legend


- **?** Primary key
- Primary key disabled
- **1** User-defined primary key
- **1** Unique key
- Unique key disabled
- **%** User-defined unique key
- Active trigger
- Disabled trigger
- → Many to one relation
- → User-defined many to one relation
- → One to many relation
- → Many to many relation
- ₩ User-defined many to many relation
- One to one relation
- User-defined one to one relation
- **→@** Input
- Output
- Input/Output
- Uses dependency
- User-defined uses dependency
- Used by dependency
- Tuser-defined used by dependency

postgres@localhost


1. darts proposed_courtroom_omitted




2. dart_proposed_security




3. darts_proposed_retention



4. darts_proposed_courthouse



5. darts_proposed_tables_only



6. Other

6.1. Tables

6.1.1. Table: darts.annotation

Columns

| | | Name | Data type | Description / Attributes |
|---|---|----------------------|--------------------------|---|
| ■ | 1 | ann_id | integer | primary key of annotation |
| | | annotation_text | character varying | directly sourced from moj_annotation_s.c_text Nullable |
| | | annotation_ts | timestamp with time zone | directly sourced from moj_annotation_s Nullable |
| ■ | | annotation_object_id | character varying(16) | internal Documentum primary key from moj_annotation_s Nullable |
| ■ | | version_label | character varying(32) | inherited from dm_sysobject_r, for r_object_type of moj_annotation Nullable |
| ■ | | current_owner | integer | References: darts.user_account |
| | | is_deleted | boolean | |
| ■ | | created_ts | timestamp with time zone | |
| ■ | | created_by | integer | References: darts.user_account |
| | | last_modified_ts | timestamp with time zone | |
| ■ | | last_modified_by | integer | References: darts.user_account |

Links to

| | Table | Join | Title / Name / Description |
|---------------|--------------------|---|-----------------------------|
| - | darts.user_account | darts.annotationcurrent_owner = darts.user_accountusr_id | annotation_current_owner_fk |
| > | darts.user_account | darts.annotationcreated_by = darts.user_accountusr_id | annotation_created_by_fk |
| \rightarrow | darts.user_account | darts.annotationlast_modified_by = darts.user_accountusr_id | annotation_modified_by_fk |

Linked from

| | Table | Join | Title / Name / Description |
|---------------|-----------------------------|--|-------------------------------------|
| \rightarrow | darts.annotation_document | darts.annotationann_id = darts.annotation_documentann_id | annotation_document_annotation_fk |
| → | darts.hearing_annotation_ae | darts.annotationann_id = darts.hearing_annotation_aeann_id | hearing_annotation_ae_annotation_fk |

| | Columns | Name / Description |
|---|---------|--------------------|
| P | ann_id | annotation_pk |

6.1.2. Table: darts.annotation_document

Columns

| | | Name | Data type | Description / Attributes |
|---|---|-------------------|--------------------------|--|
| ■ | 1 | ado_id | integer | primary key of annotation_document |
| | | ann_id | integer | foreign key from annotation References: darts.annotation |
| ■ | | content_object_id | character varying(16) | Nullable |
| ■ | | file_name | character varying | |
| ■ | | file_type | character varying | |
| ■ | | file_size | integer | |
| ■ | | checksum | character varying | |
| ■ | | is_hidden | boolean | |
| ■ | | uploaded_by | integer | |
| ▤ | | uploaded_ts | timestamp with time zone | |

Links to

| | Table | Join | Title / Name / Description |
|---|----------------------|---|-----------------------------------|
|) | — I darts annotation | <pre>darts.annotation_documentann_id = darts.annotationann_id</pre> | annotation_document_annotation_fk |

Linked from

| Table | Join | Title / Name / Description |
|-----------------------------------|--|----------------------------|
| → darts.external_object_directory | <pre>darts.annotation_documentado_id = darts.external_object_directoryado_id</pre> | eod_annotation_document_fk |

| | Columns | Name / Description |
|---|---------|------------------------|
| P | ado_id | annotation_document_pk |

6.1.3. Table: darts.audit

Columns

| | | Name | Data type | Description / Attributes |
|---|---|------------------|--------------------------|--|
| ■ | 1 | aud_id | integer | primary key of audit |
| ■ | | cas_id | integer | foreign key from case Nullable References: darts.court_case |
| ■ | | aua_id | integer | primary key of audit_activity References: darts.audit_activity |
| ■ | | usr_id | integer | foreign key from user_account References: darts.user_account |
| ■ | | additional_data | character varying | Nullable |
| ■ | | created_ts | timestamp with time zone | |
| ■ | | created_by | integer | References: darts.user_account |
| ■ | | last_modified_ts | timestamp with time zone | |
| ■ | | last_modified_by | integer | References: darts.user_account |

Links to

| | Table | Join | Title / Name / Description |
|---------------|----------------------|--|----------------------------|
| \rightarrow | darts.audit_activity | darts.auditaua_id = darts.audit_activityaua_id | audit_audit_activity_fk |
| \rightarrow | darts.court_case | darts.auditcas_id = darts.court_casecas_id | audit_case_fk |
| \rightarrow | darts.user_account | darts.auditusr_id = darts.user_accountusr_id | audit_user_account_fk |
| > | darts.user_account | darts.auditcreated_by = darts.user_accountusr_id | audit_created_by_fk |
| \rightarrow | darts.user_account | darts.auditlast_modified_by = darts.user_accountusr_id | audit_modified_by_fk |

| | Columns | Name / Description |
|---|---------|--------------------|
| 9 | aud_id | audit_pk |

6.1.4. Table: darts.audit_activity

Columns

| | | Name | Data type | Description / Attributes |
|---|---|----------------------|--------------------------|--------------------------------|
| ■ | 1 | aua_id | integer | |
| ■ | | activity_name | character varying | |
| ■ | | activity_description | character varying | |
| ■ | | created_ts | timestamp with time zone | |
| ■ | | created_by | integer | References: darts.user_account |
| ■ | | last_modified_ts | timestamp with time zone | |
| ■ | | last_modified_by | integer | References: darts.user_account |

Links to

| | Table | Join | Title / Name / Description |
|----------|--------------------|--|-------------------------------|
| — | darts.user_account | <pre>darts.audit_activitycreated_by = darts.user_accountusr_id</pre> | audit_activity_created_by_fk |
| — | darts.user_account | <pre>darts.audit_activity ast_modified_by = darts.user_accountusr_id</pre> | audit_activity_modified_by_fk |

Linked from

| | Table | Join | Title / Name / Description |
|---|-------|--|----------------------------|
| - | | darts.audit_activityaua_id = darts.auditaua_id | audit_audit_activity_fk |

| | Columns | Name / Description |
|---|---------|--------------------|
| P | aua_id | audit_activity_pk |

6.1.5. Table: darts.automated_task

Columns

| | | Name | Data type | Description / Attributes |
|---|---|------------------|--------------------------|--------------------------------|
| ■ | 1 | aut_id | integer | primary key of automated_task |
| ■ | | task_name | character varying | |
| ■ | | task_description | character varying | |
| ■ | | cron_expression | character varying | |
| ■ | | cron_editable | boolean | |
| ■ | | task_enabled | boolean | |
| ■ | | created_ts | timestamp with time zone | |
| ■ | | created_by | integer | References: darts.user_account |
| ■ | | last_modified_ts | timestamp with time zone | |
| ■ | | last_modified_by | integer | References: darts.user_account |

Links to

| | Table | Join | Title / Name / Description |
|---------------|--------------------|--|-------------------------------|
| \rightarrow | darts.user_account | <pre>darts.automated_taskcreated_by = darts.user_accountusr_id</pre> | automated_task_created_by_fk |
| — | darts.user_account | darts.automated_task ast_modified_by = darts.user_accountusr_id | automated_task_modified_by_fk |

| | Columns | Name / Description |
|---|---------|--------------------|
| 9 | aut_id | automated_task_pk |

6.1.6. Table: darts.case_document

Columns

| | | Name | Data type | Description / Attributes |
|---|---|-------------|--------------------------|------------------------------|
| ■ | 1 | cad_id | integer | |
| ■ | | cas_id | integer | References: darts.court_case |
| ■ | | file_name | character varying | |
| ■ | | file_type | character varying | |
| ■ | | file_size | integer | |
| ■ | | checksum | character varying | |
| ■ | | is_hidden | boolean | |
| ■ | | uploaded_by | integer | |
| ▤ | | uploaded_ts | timestamp with time zone | |

Links to

| | Table | Join | Title / Name / Description |
|-------------|--------------------|--|----------------------------|
| > | - darts.court_case | darts.case_documentcas_id = darts.court_casecas_id | case_document_case_fk |

Linked from

| | Table | Join | Title / Name / Description |
|---|-------------------------------------|---|----------------------------|
| - | → I darts external object directory | darts.case_documentcad_id = darts.external_object_directorycad_id | eod_case_document_fk |

| | Columns | Name / Description |
|---|---------|--------------------|
| P | cad_id | case_document_pk |

6.1.7. Table: darts.case_judge_ae

Columns

| | | Name | Data type | Description / Attributes |
|---|---|--------|-----------|---|
| ■ | 1 | cas_id | integer | foreign key from case, part of composite natural key and PK References: darts.court_case |
| ■ | 1 | jud_id | integer | foreign key from judge, part of composite natural key and PK References : darts.judge |

Links to

| | Table | Join | Title / Name / Description |
|----------|------------------|--|----------------------------|
| - | darts.court_case | darts.case_judge_aecas_id = darts.court_casecas_id | case_judge_ae_case_fk |
| - | darts.judge | darts.case_judge_aejud_id = darts.judgejud_id | case_judge_ae_judge_fk |

| | Columns | Name / Description |
|---|----------------|--------------------|
| 9 | cas_id, jud_id | case_judge_ae_pk |

6.1.8. Table: darts.case_management_retention

Columns

| | | Name | Data type | Description / Attributes |
|---|---|----------------|--------------------------|---|
| ■ | 1 | cmr_id | integer | |
| ■ | | cas_id | integer | References: darts.court_case |
| ■ | | rpt_id | integer | References: darts.retention_policy_type |
| ■ | | eve_id | integer | Nullable References: darts.event |
| ■ | | event_ts | timestamp with time zone | Nullable |
| ■ | | total_sentence | character varying | |

Links to

| | | Table | Join | Title / Name / Description |
|---|----------|-----------------------------|---|--|
| } | _ | darts.court_case | darts.case_management_retentioncas_ id = darts.court_casecas_id | case_management_retention_court_case_fk |
|) | — | darts.event | darts.case_management_retentioneve _id = darts.eventeve_id | case_management_retention_event_fk |
| > | — | darts.retention_policy_type | darts.case_management_retentionrpt_i d = darts.retention_policy_typerpt_id | case_management_retention_retention_policy_type_fk |

Linked from

| | Table | Join | Title / Name / Description |
|---------------|----------------------|--|---|
| \rightarrow | darts.case_retention | darts.case_management_retentioncmr _id = darts.case_retentioncmr_id | case_retention_case_management_retention_fk |

| | Columns | Name / Description |
|---|---------|------------------------------|
| 9 | cmr_id | case_management_retention_pk |

6.1.9. Table: darts.case_overflow

Columns

| | | Name | Data type | Description / Attributes |
|---|---|---------------------------|--------------------------|------------------------------|
| ■ | 1 | cas_id | integer | References: darts.court_case |
| ■ | | case_total_sentence | character varying | Nullable |
| ■ | | retention_event_ts | timestamp with time zone | Nullable |
| ■ | | case_retention_fixed | character varying | Nullable |
| ■ | | retention_applies_from_ts | timestamp with time zone | Nullable |
| ■ | | end_of_sentence_date_ts | timestamp with time zone | Nullable |
| ■ | | manual_retention_override | integer | Nullable |
| ■ | | retain_until_ts | timestamp with time zone | Nullable |
| ■ | | is_standard_policy | boolean | Nullable |
| ■ | | is_permanent_policy | boolean | Nullable |
| ▤ | | audio_folder_object_id | character varying(16) | Nullable |

Links to

| | Table | Join | Title / Name / Description |
|----------|------------------|---|-----------------------------|
| — | darts.court_case | <pre>darts.case_overflowcas_id = darts.court_casecas_id</pre> | case_overflow_court_case_fk |

| | Columns | Name / Description |
|---|---------|--------------------|
| 9 | cas_id | case_overflow_pk |

6.1.10. Table: darts.case_retention

Columns

| | | Name | Data type | Description / Attributes |
|---|---|----------------------------|--------------------------|--|
| ■ | 1 | car_id | integer | primary key of case_retention |
| ■ | | cas_id | integer | foreign key from court_case References: darts.court_case |
| ■ | | rpt_id | integer | References: darts.retention_policy_type |
| ■ | | cmr_id | integer | Nullable References: darts.case_management_retention |
| ■ | | total_sentence | character varying | |
| | | retain_until_ts | timestamp with time zone | |
| | | retain_until_applied_on_ts | timestamp with time zone | |
| ■ | | current_state | character varying | |
| ■ | | comments | character varying | Nullable |
| | | retention_object_id | character varying | Nullable |
| ■ | | submitted_by | integer | References: darts.user_account |
| ■ | | is_manual_override | boolean | |
| ■ | | created_ts | timestamp with time zone | |
| ■ | | created_by | integer | References: darts.user_account |
| ■ | | last_modified_ts | timestamp with time zone | |
| ■ | | last_modified_by | integer | References: darts.user_account |

Links to

| | Table | Join | Title / Name / Description |
|---------------|---------------------------------|---|---|
| → | darts.case_management_retention | darts.case_retentioncmr_id = darts.case_management_retentioncmr_id | case_retention_case_management_retention_fk |
| > | darts.court_case | darts.case_retentioncas_id = darts.court_casecas_id | case_retention_court_case_fk |
| - | darts.retention_policy_type | <pre>darts.case_retentionrpt_id = darts.retention_policy_typerpt_id</pre> | case_retention_retention_policy_type_fk |
| \rightarrow | darts.user_account | darts.case_retentioncreated_by = darts.user_accountusr_id | case_retention_created_by_fk |
| > | darts.user_account | darts.case_retentionlast_modified_by = darts.user_accountusr_id | case_retention_last_modified_by_fk |
| \rightarrow | darts.user_account | darts.case_retentionsubmitted_by = darts.user_accountusr_id | case_retention_submitted_by_fk |

| | Columns | Name / Description |
|---|---------|--------------------|
| ? | car_id | case_retention_pk |

6.1.11. Table: darts.case_transcription_ae

Columns

| | Name | Data type | Description / Attributes |
|---|--------|-----------|--|
| ■ | cas_id | integer | foreign key from case, part of composite natural key and PK References: darts.court_case |
| ■ | tra_id | integer | foreign key from transcription, part of composite natural key and PK References : darts.transcription |

Links to

| | Table | Join | Title / Name / Description |
|---------------|---------------------|---|--|
| \rightarrow | darts.court_case | darts.case_transcription_aecas_id = darts.court_casecas_id | case_transcription_ae_case_fk |
| \rightarrow | darts.transcription | darts.case_transcription_aetra_id = darts.transcriptiontra_id | case_transcription_ae_transcription_fk |

6.1.12. Table: darts.court_case

Columns

| | | Name | Data type | Description / Attributes |
|---|---|------------------|--------------------------|--|
| ■ | 1 | cas_id | integer | primary key of court_case |
| ■ | 1 | cth_id | integer | foreign key to courthouse References: darts.courthouse |
| | | evh_id | integer | Nullable References: darts.event_handler |
| ■ | | case_object_id | character varying(16) | internal Documentum primary key from moj_case_s Nullable |
| ▤ | 1 | case_number | character varying | directly sourced from moj_case_s.c_case_id |
| ▤ | | case_closed | boolean | migrated from moj_case_s, converted from numeric to boolean |
| ▤ | | interpreter_used | boolean | migrated from moj_case_s, converted from numeric to boolean |
| | | case_closed_ts | timestamp with time zone | directly sourced from moj_case_s.c_case_closed_date Nullable |
| | | version_label | character varying(32) | inherited from dm_sysobject_r, for r_object_type of moj_case, containing the version record Nullable |
| ■ | | created_ts | timestamp with time zone | |
| 目 | | created_by | integer | References: darts.user_account |
| 目 | | last_modified_ts | timestamp with time zone | |
| ■ | | last_modified_by | integer | References: darts.user_account |

Links to

| | Table | Join | Title / Name / Description |
|-------------|---------------------|---|-----------------------------|
| > | darts.courthouse | darts.court_casecth_id = darts.courthousecth_id | court_case_courthouse_fk |
| > | darts.event_handler | darts.court_caseevh_id = darts.event_handlerevh_id | court_case_event_handler_fk |
| > | darts.user_account | darts.court_casecreated_by = darts.user_accountusr_id | court_case_created_by_fk |
| > | darts.user_account | darts.court_caselast_modified_by = darts.user_accountusr_id | court_case_modified_by_fk |

Linked from

| | Table | Join | Title / Name / Description |
|---------------|---------------------------------|--|---|
| \rightarrow | darts.audit | darts.court_casecas_id = darts.auditcas_id | audit_case_fk |
| \rightarrow | darts.case_document | darts.court_casecas_id = darts.case_documentcas_id | case_document_case_fk |
| \rightarrow | darts.case_judge_ae | darts.court_casecas_id = darts.case_judge_aecas_id | case_judge_ae_case_fk |
| \rightarrow | darts.case_management_retention | darts.court_casecas_id = darts.case_management_retentioncas_id | case_management_retention_court_case_fk |
| → | darts.case_overflow | darts.court_casecas_id = darts.case_overflowcas_id | case_overflow_court_case_fk |

| | Table | Join | Title / Name / Description |
|---------------|-----------------------------|--|-------------------------------|
| \rightarrow | darts.case_retention | darts.court_casecas_id = darts.case_retentioncas_id | case_retention_court_case_fk |
| \rightarrow | darts.case_transcription_ae | darts.court_casecas_id = darts.case_transcription_aecas_id | case_transcription_ae_case_fk |
| \rightarrow | darts.defence | darts.court_casecas_id = darts.defencecas_id | defence_court_case_fk |
| \rightarrow | darts.defendant | darts.court_casecas_id = darts.defendantcas_id | defendant_court_case_fk |
| \rightarrow | darts.hearing | darts.court_casecas_id = darts.hearingcas_id | hearing_case_fk |
| \rightarrow | darts.notification | darts.court_casecas_id = darts.notificationcas_id | notification_case_fk |
| \rightarrow | darts.prosecutor | darts.court_casecas_id = darts.prosecutorcas_id | prosecutor_court_case_fk |

| | Columns | Name / Description |
|---|---------------------|----------------------------|
| ? | cas_id | court_case_pk |
| P | case_number, cth_id | cas_case_number_cth_id_unq |

6.1.13. Table: darts.courthouse

Columns

| | | Name | Data type | Description / Attributes |
|---|---|------------------|--------------------------|--|
| ■ | 1 | cth_id | integer | primary key of courthouse |
| | 1 | courthouse_code | integer | corresponds to the c_crown_court_code found in daily lists |
| ■ | 1 | courthouse_name | character varying | directly sourced from moj_courthouse_s.c_id |
| ■ | | display_name | character varying | |
| ■ | | created_ts | timestamp with time zone | |
| ■ | | created_by | integer | References: darts.user_account |
| ■ | | last_modified_ts | timestamp with time zone | |
| ■ | | last_modified_by | integer | References: darts.user_account |

Links to

| | Table | Join | Title / Name / Description |
|---------------|--------------------|--|----------------------------|
| \rightarrow | darts.user_account | <pre>darts.courthousecreated_by = darts.user_accountusr_id</pre> | courthouse_created_by_fk |
| — | darts.user_account | darts.courthouselast_modified_by = darts.user_accountusr_id | courthouse_modified_by_fk |

Linked from

| | Table | Join | Title / Name / Description |
|---------------|------------------------------------|--|---|
| \rightarrow | darts.court_case | darts.courthousecth_id = darts.court_casecth_id | court_case_courthouse_fk |
| \rightarrow | darts.courthouse_region_ae | <pre>darts.courthousecth_id = darts.courthouse_region_aecth_id</pre> | courthouse_region_courthouse_fk |
| \rightarrow | darts.courtroom | darts.courthousecth_id = darts.courtroomcth_id | courtroom_courthouse_fk |
| → | darts.security_group_courthouse_ae | darts.courthousecth_id = darts.security_group_courthouse_aect h_id | security_group_courthouse_courthouse_fk |

| | Columns | Name / Description |
|---|-----------------|--------------------------------|
| Ŷ | cth_id | courthouse_pk |
| Ŷ | courthouse_code | courthouse_courthouse_code_key |
| Ŷ | courthouse_name | courthouse_courthouse_name_key |

6.1.14. Table: darts.courthouse_region_ae

Columns

| | | Name | Data type | Description / Attributes |
|---|---|--------|-----------|------------------------------|
| ■ | 1 | cth_id | integer | References: darts.courthouse |
| ■ | 1 | reg_id | integer | References: darts.region |

Links to

| | Table | Join | Title / Name / Description |
|----------|------------------|---|---------------------------------|
| — | darts.courthouse | darts.courthouse_region_aecth_id = darts.courthousecth_id | courthouse_region_courthouse_fk |
| — | darts.region | darts.courthouse_region_aereg_id = darts.regionreg_id | courthouse_region_region_fk |

| | Columns | Name / Description |
|---|----------------|-------------------------|
| 9 | cth_id, reg_id | courthouse_region_ae_pk |

6.1.15. Table: darts.courtroom

Columns

| | | Name | Data type | Description / Attributes |
|---|---|----------------|--------------------------|---|
| ■ | 1 | ctr_id | integer | primary key of courtroom |
| ■ | 1 | cth_id | integer | foreign key to courthouse References: darts.courthouse |
| ■ | 1 | courtroom_name | character varying | |
| ■ | | created_ts | timestamp with time zone | |
| ■ | | created_by | integer | References: darts.user_account |

Links to

| | | Table | Join | Title / Name / Description |
|---|----------|--------------------|---|----------------------------|
| > | — | darts.courthouse | <pre>darts.courtroomcth_id = darts.courthousecth_id</pre> | courtroom_courthouse_fk |
| > | — | darts.user_account | darts.courtroomcreated_by = darts.user_accountusr_id | courtroom_created_by_fk |

Linked from

| | Table | Join | Title / Name / Description |
|---------------|---------------------|---|----------------------------|
| \rightarrow | darts.event | darts.courtroomctr_id = darts.eventctr_id | event_courtroom_fk |
| \rightarrow | darts.hearing | darts.courtroomctr_id = darts.hearingctr_id | hearing_courtroom_fk |
| \rightarrow | darts.media | darts.courtroomctr_id = darts.mediactr_id | media_courtroom_fk |
| \rightarrow | darts.node_register | darts.courtroomctr_id = darts.node_registerctr_id | node_register_courtroom_fk |
| \rightarrow | darts.transcription | darts.courtroomctr_id = darts.transcriptionctr_id | transcription_courtroom_fk |

| | Columns | Name / Description |
|---|------------------------|--------------------|
| ? | ctr_id | courtroom_pk |
| 9 | cth_id, courtroom_name | ctr_chr_crn_unq |

6.1.16. Table: darts.daily_list

Columns

| | | Name | Data type | Description / Attributes |
|---|---|-------------------------|--------------------------|---|
| ■ | 1 | dal_id | integer | primary key of daily_list |
| ■ | | listing_courthouse | character varying | |
| | | daily_list_object_id | character varying(16) | internal Documentum primary key from moj_daily_list_s Nullable |
| ■ | | unique_id | character varying | directly sourced from moj_daily_list_s, received as part of the XML, used to find duplicate daily lists Nullable |
| ■ | | job_status | character varying | directly sourced from moj_daily_list_s |
| ■ | | published_ts | timestamp with time zone | directly sourced from moj_daily_list_s.c_timestamp Nullable |
| ■ | | start_dt | date | directly sourced from moj_daily_list_s.c_start_date Nullable |
| ■ | | end_dt | date | directly sourced from moj_daily_list_s.c_end_date Nullable |
| ■ | | daily_list_id_s | character varying | directly sourced from moj_daily_list_s Nullable |
| ■ | | daily_list_source | character varying | directly sourced from moj_daily_list_s Nullable |
| ▤ | | daily_list_content_json | character varying | Nullable |
| ▤ | | daily_list_content_xml | character varying | Nullable |
| ▤ | | message_id | character varying | Nullable |
| ■ | | version_label | character varying(32) | inherited from dm_sysobject_r, for r_object_type of moj_daily_list Nullable |
| 目 | | created_ts | timestamp with time zone | |
| ▤ | | created_by | integer | References: darts.user_account |
| ▤ | | last_modified_ts | timestamp with time zone | |
| ▤ | | last_modified_by | integer | References: darts.user_account |

Links to

| | Table | Join | Title / Name / Description |
|---------------|--------------------|--|----------------------------|
| \rightarrow | darts.user_account | <pre>darts.daily_listcreated_by = darts.user_accountusr_id</pre> | daily_list_created_by_fk |
| - | darts.user_account | darts.daily_listlast_modified_by = darts.user_accountusr_id | daily_list_modified_by_fk |

| | Columns | Name / Description |
|---|---------|--------------------|
| 9 | dal_id | daily_list_pk |

6.1.17. Table: darts.defence

Columns

| | | Name | Data type | Description / Attributes |
|---|---|------------------|--------------------------|--|
| ■ | 1 | dfc_id | integer | primary key of defence_name |
| ■ | | cas_id | integer | foreign key from court_case References: darts.court_case |
| ■ | | defence_name | character varying | |
| ■ | | created_ts | timestamp with time zone | |
| ■ | | created_by | integer | References: darts.user_account |
| ■ | | last_modified_ts | timestamp with time zone | |
| ■ | | last_modified_by | integer | References: darts.user_account |

Links to

| | Table | Join | Title / Name / Description |
|-------------|--------------------|---|----------------------------|
| - | darts.court_case | darts.defencecas_id = darts.court_casecas_id | defence_court_case_fk |
| > | darts.user_account | <pre>darts.defencecreated_by = darts.user_accountusr_id</pre> | defence_created_by_fk |
| > | darts.user_account | darts.defencelast_modified_by = darts.user_accountusr_id | defence_modified_by_fk |

| | Columns | Name / Description |
|---|---------|--------------------|
| 9 | dfc_id | defence_pk |

6.1.18. Table: darts.defendant

Columns

| | | Name | Data type | Description / Attributes |
|---|---|------------------|--------------------------|--|
| ■ | 1 | dfd_id | integer | primary key of defendant_name |
| ■ | | cas_id | integer | foreign key from court_case References: darts.court_case |
| ■ | | defendant_name | character varying | |
| ■ | | created_ts | timestamp with time zone | |
| ■ | | created_by | integer | References: darts.user_account |
| ■ | | last_modified_ts | timestamp with time zone | |
| ■ | | last_modified_by | integer | References: darts.user_account |

Links to

| | Table | Join | Title / Name / Description |
|-------------|--------------------|---|----------------------------|
| - | darts.court_case | darts.defendantcas_id = darts.court_casecas_id | defendant_court_case_fk |
| - | darts.user_account | darts.defendantcreated_by = darts.user_accountusr_id | defendant_created_by_fk |
| > | darts.user_account | <pre>darts.defendantlast_modified_by = darts.user_accountusr_id</pre> | defendant_modified_by_fk |

| | Columns | Name / Description |
|---|---------|--------------------|
| 9 | dfd_id | defendant_pk |

6.1.19. Table: darts.event

Columns

| | | Name | Data type | Description / Attributes |
|---|---|------------------|--------------------------|--|
| ■ | 1 | eve_id | integer | primary key of moj_event |
| ▤ | | ctr_id | integer | foreign key from moj_courtroom Nullable References: darts.courtroom |
| | | evh_id | integer | foreign key for the moj_event_handler table References: darts.event_handler |
| B | | event_object_id | character varying(16) | internal Documentum primary key from moj_event_s Nullable |
| I | | event_id | integer | directly sourced from moj_event_s Nullable |
| ■ | | event_name | character varying | inherited from dm_sysobect_s.object_name Nullable |
| | | event_text | character varying | inherited from moj_annotation_s.c_text Nullable |
| ■ | | event_ts | timestamp with time zone | inherited from moj_annotation_s Nullable |
| ■ | | case_number | character varying(32)[]) | Nullable |
| ■ | | message_id | character varying | no migration element, records the id of the message that gave rise to this event Nullable |
| ▤ | | is_log_entry | boolean | |
| B | | version_label | character varying(32) | inherited from dm_sysobject_r, for r_object_type of moj_event Nullable |
| B | | created_ts | timestamp with time zone | |
| | | created_by | integer | References: darts.user_account |
| B | | last_modified_ts | timestamp with time zone | |
| ▤ | | last_modified_by | integer | References: darts.user_account |

Links to

| | Table | Join | Title / Name / Description |
|-------------|---------------------|--|----------------------------|
| — | darts.courtroom | <pre>darts.eventctr_id = darts.courtroomctr_id</pre> | event_courtroom_fk |
| — | darts.event_handler | darts.eventevh_id = darts.event_handlerevh_id | event_event_handler_fk |
| > | darts.user_account | darts.eventcreated_by = darts.user_accountusr_id | event_created_by_fk |
| — | darts.user_account | darts.eventlast_modified_by = darts.user_accountusr_id | event_modified_by_fk |

Linked from

| | Table | Join | Title / Name / Description |
|----------|---------------------------------|--|------------------------------------|
| → | darts.case_management_retention | darts.eventeve_id = darts.case_management_retentioneve _id | case_management_retention_event_fk |

| | Table | Join | Title / Name / Description |
|---|-------|---|----------------------------|
| - | | <pre>darts.eventeve_id = darts.hearing_event_aeeve_id</pre> | hearing_event_ae_event_fk |

| | Columns | Name / Description |
|---|---------|--------------------|
| P | eve_id | event_pk |

6.1.20. Table: darts.event_handler

content will be derived from TBL_MOJ_DOC_HANDLER in the legacy database, but currently has no primary key and 6 fully duplicated rows

Columns

| | | Name | Data type | Description / Attributes |
|---|---|--------------------------|--------------------------|---|
| ■ | 1 | evh_id | integer | primary key of moj_event_type |
| ■ | | event_type | character varying | directly sourced from doc_type |
| ■ | | event_sub_type | character varying | directly sourced from doc_sub_type Nullable |
| ■ | | event_name | character varying | directly sourced from event_name |
| ■ | | handler | character varying | directly sourced from doc_handler Nullable |
| ■ | | active | boolean | |
| ■ | | is_reporting_restriction | boolean | |
| ■ | | created_ts | timestamp with time zone | |
| ■ | | created_by | integer | References: darts.user_account |

Links to

| | Table | Join | Title / Name / Description |
|---|--------------------|---|-----------------------------|
| → | darts.user_account | <pre>darts.event_handlercreated_by = darts.user_accountusr_id</pre> | event_handler_created_by_fk |

Linked from

| | Table | Join | Title / Name / Description |
|---------------|------------------|---|-----------------------------|
| \rightarrow | darts.court_case | <pre>darts.event_handlerevh_id = darts.court_caseevh_id</pre> | court_case_event_handler_fk |
| \rightarrow | darts.event | darts.event_handlerevh_id = darts.eventevh_id | event_event_handler_fk |

| Columns | Name / Description | |
|---------|--------------------|--|
| evh_id | event_handler_pk | |

6.1.21. Table: darts.external_location_type

used to record acceptable external locations, found in external_object_directory

Columns

| | | Name | Data type | Description / Attributes |
|---|---|-----------------|-------------------|--------------------------|
| | 1 | elt_id | integer | |
| B | | elt_description | character varying | Nullable |

Linked from

| Table | Join | Title / Name / Description |
|---------------------------------|--|-------------------------------|
| → darts.external_object_directo | darts.external_location_typeelt_id = darts.external_object_directoryelt_id | eod_external_location_type_fk |

| | Columns | Name / Description |
|---|---------|---------------------------|
| P | elt_id | external_location_type_pk |

6.1.22. Table: darts.external_object_directory

Columns

| | Name | | Data type | Description / Attributes |
|---|------|-----------------------|--------------------------|---|
| ▤ | 1 | eod_id | integer | primary key of external_object_directory |
| | | med_id | integer | foreign key from moj_media Nullable References: darts.media |
| | | trd_id | integer | foreign key from transcription_document Nullable References: darts.transcription_document |
| | | ado_id | integer | foreign key from annotation_document Nullable References: darts.annotation_document |
| ■ | | cad_id | integer | Nullable References: darts.case_document |
| ■ | | ors_id | integer | References: darts.object_record_status |
| ■ | | elt_id | integer | foreign key from external_location_type References: darts.external_location_type |
| 目 | | external_location | uuid | |
| ■ | | external_file_id | character varying | Nullable |
| ▤ | | external_record_id | character varying | Nullable |
| ▤ | | checksum | character varying | Nullable |
| ▤ | | transfer_attempts | integer | Nullable |
| ▤ | | manifest_file | character varying | Nullable |
| ▤ | | event_date_ts | timestamp with time zone | Nullable |
| ▤ | | verification_attempts | integer | Nullable |
| ▤ | | created_ts | timestamp with time zone | |
| ▤ | | created_by | integer | References: darts.user_account |
| ▤ | | last_modified_ts | timestamp with time zone | |
| ▤ | | last_modified_by | integer | References: darts.user_account |

Links to

| | Table | Join | Title / Name / Description |
|---------------|------------------------------|--|-------------------------------|
| - | darts.annotation_document | darts.external_object_directoryado_id = darts.annotation_documentado_id | eod_annotation_document_fk |
| - | darts.case_document | darts.external_object_directorycad_id = darts.case_documentcad_id | eod_case_document_fk |
| - | darts.external_location_type | darts.external_object_directoryelt_id = darts.external_location_typeelt_id | eod_external_location_type_fk |
| \rightarrow | darts.media | darts.external_object_directorymed_id = darts.mediamed_id | eod_media_fk |
| > | darts.object_record_status | darts.external_object_directoryors_id = darts.object_record_statusors_id | eod_object_record_status_fk |
| > | darts.transcription_document | darts.external_object_directorytrd_id = darts.transcription_documenttrd_id | eod_transcription_document_fk |

| | | Table | Join | Title / Name / Description |
|---|----------|--------------------|--|---|
| > | - | darts.user_account | darts.external_object_directorylast_mo dified_by = darts.user_accountusr_id | eod_modified_by_fk |
| > | — | darts.user_account | darts.external_object_directorycreated _by = darts.user_accountusr_id | external_object_directory_created_by_fk |

| | Columns | Name / Description |
|---|---------|------------------------------|
| 9 | eod_id | external_object_directory_pk |

6.1.23. Table: darts.external_service_auth_token

Columns

| | | Name | Data type | Description / Attributes |
|---|---|-------------------------|--------------------------|---|
| ■ | 1 | esa_id | integer | primary key of external_service_auth_token |
| ■ | | external_service_userid | character varying | userId used by external services OR requestId user by Audio Request |
| ■ | | token_type | integer | 1=soap token, 2=email link token |
| ■ | | token | character varying | Encrypted Token |
| ■ | | expiry_ts | timestamp with time zone | Expiry Date & Time of the Token Nullable |
| ■ | | created_ts | timestamp with time zone | |
| ■ | | created_by | integer | References: darts.user_account |
| ■ | | last_modified_ts | timestamp with time zone | |
| ■ | | last_modified_by | integer | References: darts.user_account |

Links to

| | Table | Join | Title / Name / Description |
|-------------|--------------------|---|--|
| — | darts.user_account | darts.external_service_auth_tokencreat ed_by = darts.user_accountusr_id | external_service_auth_token_created_by_fk |
| > | darts.user_account | darts.external_service_auth_token ast_ modified_by = darts.user_accountusr_id | external_service_auth_token_modified_by_fk |

| | Columns | Name / Description |
|---|---------|--------------------------------|
| 9 | esa_id | external_service_auth_token_pk |

6.1.24. Table: darts.hearing

Columns

| | | Name | Data type | Description / Attributes |
|---|---|----------------------|--------------------------|---|
| ■ | 1 | hea_id | integer | primary key of hearing |
| ■ | 1 | cas_id | integer | foreign key from case References: darts.court_case |
| | 1 | ctr_id | integer | foreign key from courtroom References: darts.courtroom |
| ■ | 1 | hearing_date | date | directly sourced from moj_case_r |
| ■ | | scheduled_start_time | time without time zone | Nullable |
| ■ | | hearing_is_actual | boolean | |
| ■ | | judge_hearing_date | character varying | directly sourced from moj_case_r Nullable |
| ■ | | created_ts | timestamp with time zone | |
| | | created_by | integer | References: darts.user_account |
| ■ | | last_modified_ts | timestamp with time zone | |
| ■ | | last_modified_by | integer | References: darts.user_account |

Links to

| | Table | Join | Title / Name / Description |
|-------------|--------------------|--|----------------------------|
| - | darts.court_case | darts.hearingcas_id = darts.court_casecas_id | hearing_case_fk |
| > | darts.courtroom | darts.hearingctr_id = darts.courtroomctr_id | hearing_courtroom_fk |
| > | darts.user_account | darts.hearingcreated_by = darts.user_accountusr_id | hearing_created_by_fk |
| > | darts.user_account | darts.hearinglast_modified_by = darts.user_accountusr_id | hearing_modified_by_fk |

Linked from

| | LITIKEU ITOTT | | | | |
|---------------|--------------------------------|--|-------------------------------------|--|--|
| | Table | Join | Title / Name / Description | | |
| \rightarrow | darts.hearing_annotation_ae | darts.hearinghea_id = darts.hearing_annotation_aehea_id | hearing_annotation_ae_hearing_fk | | |
| \rightarrow | darts.hearing_event_ae | darts.hearinghea_id = darts.hearing_event_aehea_id | hearing_event_ae_hearing_fk | | |
| \rightarrow | darts.hearing_judge_ae | darts.hearinghea_id = darts.hearing_judge_aehea_id | hearing_judge_ae_hearing_fk | | |
| \rightarrow | darts.hearing_media_ae | darts.hearinghea_id = darts.hearing_media_aehea_id | hearing_media_ae_hearing_fk | | |
| \rightarrow | darts.hearing_transcription_ae | darts.hearinghea_id = darts.hearing_transcription_aehea_id | hearing_transcription_ae_hearing_fk | | |
| \rightarrow | darts.media_request | darts.hearinghea_id = darts.media_requesthea_id | media_request_hearing_fk | | |

| | Columns | Name / Description |
|---|------------------------------|--------------------|
| ? | hea_id | hearing_pk |
| P | cas_id, ctr_id, hearing_date | hea_cas_ctr_hd_unq |

6.1.25. Table: darts.hearing_annotation_ae

Columns

| | | Name | Data type | Description / Attributes |
|---|---|--------|-----------|--|
| | 1 | hea_id | integer | foreign key from hearing, part of composite natural key and PK References : darts.hearing |
| ■ | 1 | ann_id | integer | foreign key from annotation, part of composite natural key and PK References : darts.annotation |

Links to

| | Table | Join | Title / Name / Description |
|-------------|------------------|--|-------------------------------------|
| > | darts.annotation | darts.hearing_annotation_aeann_id = darts.annotationann_id | hearing_annotation_ae_annotation_fk |
| > | · darts.hearing | darts.hearing_annotation_aehea_id = darts.hearinghea_id | hearing_annotation_ae_hearing_fk |

| Columns | | Name / Description |
|---------|----------------|--------------------------|
| 9 | hea_id, ann_id | hearing_annotation_ae_pk |

6.1.26. Table: darts.hearing_event_ae

Columns

| | | Name | Data type | Description / Attributes |
|---|---|--------|-----------|---|
| | 1 | hea_id | integer | foreign key from hearing, part of composite natural key References: darts.hearing |
| ■ | 1 | eve_id | integer | foreign key from event, part of composite natural key References: darts.event |

Links to

| | Table | Join | Title / Name / Description |
|-------------|---------------|--|-----------------------------|
| > | darts.event | darts.hearing_event_aeeve_id = darts.eventeve_id | hearing_event_ae_event_fk |
| > | darts.hearing | darts.hearing_event_aehea_id = darts.hearinghea_id | hearing_event_ae_hearing_fk |

| | Columns | Name / Description |
|---|----------------|---------------------|
| P | hea_id, eve_id | hearing_event_ae_pk |

6.1.27. Table: darts.hearing_judge_ae

Columns

| | | Name | Data type | Description / Attributes |
|---|---|--------|-----------|---|
| ■ | 1 | hea_id | integer | foreign key from case, part of composite natural key and PK References : darts.hearing |
| ■ | 1 | jud_id | integer | foreign key from judge, part of composite natural key and PK References : darts.judge |

Links to

| | Table | Join | Title / Name / Description |
|----------|---------------|--|-----------------------------|
| — | darts.hearing | darts.hearing_judge_aehea_id = darts.hearinghea_id | hearing_judge_ae_hearing_fk |
| — | darts.judge | darts.hearing_judge_aejud_id = darts.judgejud_id | hearing_judge_ae_judge_fk |

| | Columns | Name / Description |
|---|----------------|---------------------|
| 9 | hea_id, jud_id | hearing_judge_ae_pk |

6.1.28. Table: darts.hearing_media_ae

Columns

| | | Name | Data type | Description / Attributes |
|---|---|--------|-----------|--|
| | 1 | hea_id | integer | foreign key from case, part of composite natural key References : darts.hearing |
| ■ | 1 | med_id | integer | foreign key from media, part of composite natural key References : darts.media |

Links to

| | Table | Join | Title / Name / Description |
|-------------|---------------|--|-----------------------------|
| > | darts.hearing | darts.hearing_media_aehea_id = darts.hearinghea_id | hearing_media_ae_hearing_fk |
| > | darts.media | darts.hearing_media_aemed_id = darts.mediamed_id | hearing_media_ae_media_fk |

| | Columns | Name / Description |
|---|----------------|---------------------|
| 9 | hea_id, med_id | hearing_media_ae_pk |

6.1.29. Table: darts.hearing_transcription_ae

Columns

| | Name | Data type | Description / Attributes |
|---|--------|-----------|--|
| ■ | hea_id | integer | foreign key from hearing, part of composite natural key and PK References : darts.hearing |
| ■ | tra_id | integer | foreign key from transcription, part of composite natural key and PK References : darts.transcription |

Links to

| | Table | Join | Title / Name / Description |
|-------------|---------------------|--|---|
| > | darts.hearing | darts.hearing_transcription_aehea_id = darts.hearinghea_id | hearing_transcription_ae_hearing_fk |
| > | darts.transcription | darts.hearing_transcription_aetra_id = darts.transcriptiontra_id | hearing_transcription_ae_transcription_fk |

6.1.30. Table: darts.judge

Columns

| | | Name | Data type | Description / Attributes |
|---|---|------------------|--------------------------|--------------------------------|
| ■ | 1 | jud_id | integer | primary key of judge_name |
| ■ | 1 | judge_name | character varying | |
| ■ | | created_ts | timestamp with time zone | |
| ■ | | created_by | integer | References: darts.user_account |
| ■ | | last_modified_ts | timestamp with time zone | |
| ■ | | last_modified_by | integer | References: darts.user_account |

Links to

| | | Table | Join | Title / Name / Description |
|---|----------|--------------------|---|----------------------------|
| : | — | darts.user_account | <pre>darts.judgecreated_by = darts.user_accountusr_id</pre> | judge_created_by_fk |
| : | — | darts.user_account | <pre>darts.judgelast_modified_by = darts.user_accountusr_id</pre> | judge_modified_by_fk |

Linked from

| | Table | Join | Title / Name / Description |
|---------------|------------------------|---|----------------------------|
| \rightarrow | darts.case_judge_ae | darts.judgejud_id = darts.case_judge_aejud_id | case_judge_ae_judge_fk |
| \rightarrow | darts.hearing_judge_ae | darts.judgejud_id = darts.hearing_judge_aejud_id | hearing_judge_ae_judge_fk |

| | Columns | Name / Description |
|---|------------|----------------------|
| ? | jud_id | judge_pk |
| 9 | judge_name | judge_judge_name_key |

6.1.31. Table: darts.media

Columns

| | | Name | Data type | Description / Attributes |
|---|---|-------------------|--------------------------|--|
| ■ | 1 | med_id | integer | primary key of media |
| ■ | | ctr_id | integer | foreign key from courtroom Nullable References: darts.courtroom |
| ■ | | media_object_id | character varying(16) | internal Documentum primary key from moj_media_s Nullable |
| ▤ | | content_object_id | character varying(16) | Nullable |
| ■ | | channel | integer | directly sourced from moj_media_s |
| ■ | | total_channels | integer | directly sourced from moj_media_s |
| | | reference_id | character varying | directly sourced from moj_media_s Nullable |
| ■ | | start_ts | timestamp with time zone | inherited from moj_case_document_s |
| ■ | | end_ts | timestamp with time zone | inherited from moj_case_document_s |
| ■ | | media_file | character varying | |
| ■ | | media_format | character varying | |
| ■ | | media_type | character(1) | Default: 'A'::bpchar |
| ■ | | file_size | bigint | |
| ■ | | checksum | character varying | Nullable |
| ■ | | is_hidden | boolean | |
| ■ | | media_status | character varying | |
| ■ | | case_number | character varying(32)[]) | Nullable |
| ■ | | version_label | character varying(32) | inherited from dm_sysobject_r, for r_object_type of moj_media Nullable |
| ■ | | created_ts | timestamp with time zone | |
| ▤ | | created_by | integer | References: darts.user_account |
| ▤ | | last_modified_ts | timestamp with time zone | |
| ▤ | | last_modified_by | integer | References: darts.user_account |

Links to

| | Table | Join | Title / Name / Description |
|---------------|--------------------|--|----------------------------|
| - | darts.courtroom | <pre>darts.mediactr_id = darts.courtroomctr_id</pre> | media_courtroom_fk |
| > | darts.user_account | darts.mediacreated_by = darts.user_accountusr_id | media_created_by_fk |
| > — | darts.user_account | darts.medialast_modified_by = darts.user_accountusr_id | media_modified_by_fk |

Linked from

| | Table | Join | Title / Name / Description |
|---------------|---------------------------------|---|----------------------------|
| \rightarrow | darts.external_object_directory | darts.mediamed_id = darts.external_object_directorymed_id | eod_media_fk |
| \rightarrow | darts.hearing_media_ae | darts.mediamed_id = darts.hearing_media_aemed_id | hearing_media_ae_media_fk |

| | Columns | Name / Description |
|---|---------|--------------------|
| P | med_id | media_pk |

6.1.32. Table: darts.media_request

Columns

| | | Name | Data type | Description / Attributes |
|---|---|-------------------|--------------------------|--|
| ■ | 1 | mer_id | integer | primary key of media_request |
| | | hea_id | integer | foreign key of hearing References: darts.hearing |
| ■ | | requestor | integer | requestor of the media request, possibly migrated from moj_transformation_request_s References: darts.user_account |
| ■ | | current_owner | integer | References: darts.user_account |
| ■ | | request_status | character varying | status of the migration request |
| ■ | | request_type | character varying | |
| | | req_proc_attempts | integer | number of attempts by ATS to process the request Nullable |
| | | start_ts | timestamp with time zone | start time in the search criteria for request, possibly migrated from moj_cached_media_s or moj_transformation_request_s |
| | | end_ts | timestamp with time zone | end time in the search criteria for request, possibly migrated from moj_cached_media_s or moj_transformation_request_s |
| ■ | | created_ts | timestamp with time zone | |
| ■ | | created_by | integer | References: darts.user_account |
| ▤ | | last_modified_ts | timestamp with time zone | |
| ■ | | last_modified_by | integer | References: darts.user_account |

Links to

| | Table | Join | Title / Name / Description | |
|---------------|--------------------|---|--------------------------------|--|
| — | darts.hearing | darts.media_requesthea_id = darts.hearinghea_id | media_request_hearing_fk | |
| > | darts.user_account | darts.media_requestcreated_by = darts.user_accountusr_id | media_request_created_by_fk | |
| > | darts.user_account | darts.media_request ast_modified_by = darts.user_accountusr_id | media_request_modified_by_fk | |
| > | darts.user_account | darts.media_requestrequestor = darts.user_accountusr_id | media_request_requestor_fk | |
| \rightarrow | darts.user_account | darts.media_requestcurrent_owner = darts.user_accountusr_id | media_request_current_owner_fk | |

Linked from

| | Table | Join | Title / Name / Description |
|---------------|-------------------------|---|----------------------------|
| \rightarrow | darts.transformed_media | darts.media_requestmer_id = darts.transformed_mediamer_id | trm_media_request_fk |

| | Columns | Name / Description |
|---|---------|--------------------|
| 9 | mer_id | media_request_pk |

6.1.33. Table: darts.node_register

corresponds to tbl_moj_node from legacy

Columns

| | | Name | Data type | Description / Attributes |
|---|---|-------------|--------------------------|---|
| ■ | 1 | node_id | integer | primary key of node_register |
| ■ | | ctr_id | integer | foreign key from moj_courtroom, legacy stored courthouse and courtroon un-normalised References: darts.courtroom |
| ■ | | node_type | character varying | Default : 'DAR'::character varying |
| ■ | | hostname | character varying | |
| ■ | | ip_address | character varying | |
| ■ | | mac_address | character varying | |
| ■ | | created_ts | timestamp with time zone | |
| ■ | | created_by | integer | References: darts.user_account |

Links to

| | | Table | Join | Title / Name / Description |
|--|---------------|--------------------|--|-----------------------------|
| | \rightarrow | darts.courtroom | darts.node_registerctr_id = darts.courtroomctr_id | node_register_courtroom_fk |
| | — | darts.user_account | darts.node_registercreated_by = darts.user_accountusr_id | node_register_created_by_fk |

| | Columns | Name / Description |
|---|---------|--------------------|
| P | node_id | node_register_pk |

6.1.34. Table: darts.notification

Columns

| | | Name | Data type | Description / Attributes |
|---|---|---------------------|--------------------------|--|
| ■ | 1 | not_id | integer | primary key of notification |
| ■ | | cas_id | integer | foreign key to case References: darts.court_case |
| ■ | | notification_event | character varying | event giving rise to the need for outgoing notification |
| ■ | | notification_status | character varying | status of the notification, expected to be one of [O]pen, [P]rocessing, [S]end, [F]ailed |
| ■ | | email_address | character varying | recipient of the notification |
| ■ | | send_attempts | integer | number of outgoing requests to gov.uk Nullable |
| ■ | | template_values | character varying | any extra fields not already covered or inferred from the case, in JSON format Nullable |
| ■ | | created_ts | timestamp with time zone | |
| ■ | | created_by | integer | References: darts.user_account |
| ■ | | last_modified_ts | timestamp with time zone | |
| ■ | | last_modified_by | integer | References: darts.user_account |

Links to

| | Table | Join | Title / Name / Description |
|---------------|--------------------|---|-----------------------------|
| - | darts.court_case | darts.notificationcas_id = darts.court_casecas_id | notification_case_fk |
| \rightarrow | darts.user_account | darts.notificationcreated_by = darts.user_accountusr_id | notification_created_by_fk |
| > | darts.user_account | darts.notification ast_modified_by = darts.user_accountusr_id | notification_modified_by_fk |

| Columns | Name / Description |
|---------|--------------------|
| not_id | notification_pk |

6.1.35. Table: darts.object_record_status

used to record acceptable statuses found in [external/transient]_object_directory

Columns

| | | Name | Data type | Description / Attributes |
|---|---|-----------------|-------------------|--------------------------|
| ■ | 1 | ors_id | integer | |
| ■ | | ors_description | character varying | Nullable |

Linked from

| | | Table | Join | Title / Name / Description |
|--|---------------|----------------------------------|--|-----------------------------|
| | \rightarrow | darts.external_object_directory | <pre>darts.object_record_statusors_id = darts.external_object_directoryors_id</pre> | eod_object_record_status_fk |
| | \rightarrow | darts.transient_object_directory | <pre>darts.object_record_statusors_id = darts.transient_object_directoryors_id</pre> | tod_object_record_status_fk |

| | Columns | Name / Description |
|---|---------|-------------------------|
| P | ors_id | object_record_status_pk |

6.1.36. Table: darts.prosecutor

Columns

| | | Name | Data type | Description / Attributes |
|---|---|------------------|--------------------------|--|
| ■ | 1 | prn_id | integer | primary key of prosecutor_name |
| ■ | | cas_id | integer | foreign key from court_case References: darts.court_case |
| ■ | | prosecutor_name | character varying | |
| ■ | | created_ts | timestamp with time zone | |
| ■ | | created_by | integer | References: darts.user_account |
| ■ | | last_modified_ts | timestamp with time zone | |
| ■ | | last_modified_by | integer | References: darts.user_account |

Links to

| | Table | Join | Title / Name / Description |
|-------------|--------------------|---|----------------------------|
| - | darts.court_case | darts.prosecutorcas_id = darts.court_casecas_id | prosecutor_court_case_fk |
| > | darts.user_account | darts.prosecutorcreated_by = darts.user_accountusr_id | prosecutor_created_by_fk |
| > | darts.user_account | darts.prosecutorlast_modified_by = darts.user_accountusr_id | prosecutor_modified_by_fk |

| Columns | | Name / Description |
|---------|--------|--------------------|
| ? | prn_id | prosecutor_pk |

6.1.37. Table: darts.region

Columns

| | | Name | Data type | Description / Attributes |
|---|---|-------------|-------------------|--------------------------|
| ■ | 1 | reg_id | integer | |
| ■ | | region_name | character varying | |

Linked from

| | Table | Join | Title / Name / Description |
|---|------------------------------|---|-----------------------------|
| - | → darts.courthouse_region_ae | darts.regionreg_id = darts.courthouse_region_aereg_id | courthouse_region_region_fk |

| | Columns | Name / Description |
|---|---------|--------------------|
| 9 | reg_id | region_pk |

6.1.38. Table: darts.report

Columns

| | | Name | Data type | Description / Attributes |
|---|---|------------------|--------------------------|---|
| ■ | 1 | rep_id | integer | primary key of report |
| | | report_object_id | character varying(16) | internal Documentum primary key from moj_report_s Nullable |
| ■ | | name | character varying | directly sourced from moj_report_s Nullable |
| ■ | | subject | character varying | directly sourced from moj_report_s Nullable |
| ■ | | report_text | character varying | directly sourced from moj_report_s Nullable |
| ■ | | query | character varying | directly sourced from moj_report_s Nullable |
| ■ | | recipients | character varying | directly sourced from moj_report_s Nullable |
| | | version_label | character varying(32) | inherited from dm_sysobject_r, for r_object_type of moj_report Nullable |
| ■ | | created_ts | timestamp with time zone | |
| ■ | | created_by | integer | References: darts.user_account |
| ■ | | last_modified_ts | timestamp with time zone | |
| ▤ | | last_modified_by | integer | References: darts.user_account |

Links to

| | Table | Join | Title / Name / Description |
|---------------|--------------------|--|----------------------------|
| \rightarrow | darts.user_account | <pre>darts.reportcreated_by = darts.user_accountusr_id</pre> | report_created_by_fk |
| → | darts.user_account | darts.reportlast_modified_by = darts.user_accountusr_id | report_modified_by_fk |

| | Columns | Name / Description |
|---|---------|--------------------|
| ? | rep_id | report_pk |

6.1.39. Table: darts.retention_policy_type

Columns

| | | Name | Data type | Description / Attributes |
|---|---|----------------------------|--------------------------|--------------------------------|
| ■ | 1 | rpt_id | integer | |
| ■ | | fixed_policy_key | integer | |
| ■ | | policy_name | character varying | |
| ■ | | duration | integer | |
| ▤ | | policy_start_ts | timestamp with time zone | |
| ■ | | policy_end_ts | timestamp with time zone | |
| ■ | | retention_policy_object_id | character varying | Nullable |
| ■ | | created_ts | timestamp with time zone | |
| ■ | | created_by | integer | References: darts.user_account |
| ■ | | last_modified_ts | timestamp with time zone | |
| ▤ | | last_modified_by | integer | References: darts.user_account |

Links to

| | Table | Join | Title / Name / Description |
|---------------|--------------------|---|---|
| \rightarrow | darts.user_account | <pre>darts.retention_policy_typecreated_by = darts.user_accountusr_id</pre> | retention_policy_type_created_by_fk |
| \rightarrow | darts.user_account | darts.retention_policy_typelast_modifie d_by = darts.user_accountusr_id | retention_policy_type_last_modified_by_fk |

Linked from

| | Table | Join | Title / Name / Description |
|---------------|---------------------------------|--|--|
| \rightarrow | darts.case_management_retention | darts.retention_policy_typerpt_id = darts.case_management_retentionrpt_i d | case_management_retention_retention_policy_type_fk |
| \rightarrow | darts.case_retention | darts.retention_policy_typerpt_id = darts.case_retentionrpt_id | case_retention_retention_policy_type_fk |

| | Columns | Name / Description |
|---|---------|--------------------------|
| ? | rpt_id | retention_policy_type_pk |

6.1.40. Table: darts.security_group

migration columns all sourced directly from dm_group_s, additional attributes may be required from dm_user_s, but data only where dm_user_s.r_is_group=1

Columns

| | | Name | Data type | Description / Attributes |
|---|---|------------------------|--------------------------|--|
| ■ | 1 | grp_id | integer | primary key of security_group |
| ■ | | rol_id | integer | References: darts.security_role |
| ■ | | global_access | boolean | Default : false |
| ■ | | display_state | boolean | |
| ■ | | display_name | character varying | |
| | | dm_group_s_object_id | character varying(16) | internal Documentum primary key from dm_group_s Nullable |
| ▤ | | group_name | character varying | |
| ■ | | is_private | boolean | Nullable |
| ■ | | description | character varying | Nullable |
| ■ | | group_class | character varying | Nullable |
| ■ | | group_global_unique_id | character varying | Nullable |
| | | group_display_name | character varying | Nullable |
| ■ | | use_interpreter | boolean | Default : false |
| 目 | | created_ts | timestamp with time zone | |
| ■ | | created_by | integer | References: darts.user_account |
| ■ | | last_modified_ts | timestamp with time zone | |
| 目 | | last_modified_by | integer | References: darts.user_account |

Links to

| | Table | Join | Title / Name / Description |
|---------------|---------------------|---|-------------------------------|
| — | darts.security_role | <pre>darts.security_grouprol_id = darts.security_rolerol_id</pre> | security_group_role_fk |
| — | darts.user_account | darts.security_groupcreated_by = darts.user_accountusr_id | security_group_created_by_fk |
| \rightarrow | darts.user_account | darts.security_grouplast_modified_by = darts.user_accountusr_id | security_group_modified_by_fk |

Linked from

| | Table | Join | Title / Name / Description |
|---------------|--|---|---|
| \rightarrow | darts.security_group_courthouse_ae | <pre>darts.security_groupgrp_id = darts.security_group_courthouse_aegr p_id</pre> | security_group_courthouse_group_fk |
| → | darts.security_group_user_account_ ae | <pre>darts.security_groupgrp_id = darts.security_group_user_account_ae grp_id</pre> | security_group_user_account_ae_group_fk |

| | Columns | Name / Description |
|---|---------|--------------------|
| 8 | grp_id | security_group_pk |

6.1.41. Table: darts.security_group_courthouse_ae

Columns

| | | Name | Data type | Description / Attributes |
|---|---|--------|-----------|----------------------------------|
| ■ | 1 | grp_id | integer | References: darts.security_group |
| ■ | 1 | cth_id | integer | References: darts.courthouse |

Links to

| | Table | Join | Title / Name / Description |
|-------------|----------------------|---|---|
| > | darts.courthouse | darts.security_group_courthouse_aect h_id = darts.courthousecth_id | security_group_courthouse_courthouse_fk |
| - | darts.security_group | darts.security_group_courthouse_aegr p_id = darts.security_groupgrp_id | security_group_courthouse_group_fk |

| Columns | | Name / Description |
|---------|----------------|---------------------------------|
| ? | grp_id, cth_id | security_group_courthouse_ae_pk |

6.1.42. Table: darts.security_group_user_account_ae

is the associative entity mapping users to groups, content will be defined by dm_group_r

Columns

| | | Name | Data type | Description / Attributes |
|---|---|--------|-----------|---|
| ■ | 1 | usr_id | integer | foreign key from user_account References: darts.user_account |
| B | 1 | grp_id | integer | foreign key from security_group References: darts.security_group |

Links to

| | Table | Join | Title / Name / Description |
|----------|----------------------|---|---|
| — | darts.security_group | darts.security_group_user_account_ae grp_id = darts.security_groupgrp_id | security_group_user_account_ae_group_fk |
| — | darts.user_account | darts.security_group_user_account_ae usr_id = darts.user_accountusr_id | security_group_user_account_ae_user_fk |

| Columns | | Name / Description |
|---------|----------------|-----------------------------------|
| ? | usr_id, grp_id | security_group_user_account_ae_pk |

6.1.43. Table: darts.security_permission

Columns

| | | Name | Data type | Description / Attributes |
|---|---|-----------------|-------------------|--------------------------|
| ▤ | 1 | per_id | integer | |
| ■ | | permission_name | character varying | |

Linked from

| | Table | Join | Title / Name / Description |
|---|-----------------------------------|---|--|
| - | darts.security_role_permission_ae | <pre>darts.security_permissionper_id = darts.security_role_permission_aeper_i d</pre> | security_role_permission_permission_fk |

| Columns | Name / Description |
|----------|------------------------|
| P per_id | security_permission_pk |

6.1.44. Table: darts.security_role

Columns

| | | Name | Data type | Description / Attributes |
|---|---|---------------|-------------------|--------------------------|
| ■ | 1 | rol_id | integer | |
| ■ | | role_name | character varying | |
| ■ | | display_name | character varying | |
| ■ | | display_state | boolean | |

Linked from

| | | Table | Join | Title / Name / Description |
|---|----------|-----------------------------------|--|-------------------------------------|
| - | → | darts.security_group | <pre>darts.security_rolerol_id = darts.security_grouprol_id</pre> | security_group_role_fk |
| - | → | darts.security_role_permission_ae | <pre>darts.security_rolerol_id = darts.security_role_permission_aerol_id</pre> | security_role_permission_ae_role_fk |

| Columns | | Name / Description |
|---------|--------|--------------------|
| ? | rol_id | security_role_pk |

6.1.45. Table: darts.security_role_permission_ae

Columns

| | | Name | Data type | Description / Attributes |
|---|---|--------|-----------|---------------------------------------|
| | 1 | rol_id | integer | References: darts.security_role |
| ■ | 1 | per_id | integer | References: darts.security_permission |

Links to

| | Table | Join | Title / Name / Description |
|-------------|-----------------------------|---|--|
| > | - darts.security_permission | darts.security_role_permission_aeper_i d = darts.security_permissionper_id | security_role_permission_permission_fk |
| + | darts.security_role | darts.security_role_permission_aerol_id = darts.security_rolerol_id | security_role_permission_ae_role_fk |

| Columns | | Name / Description |
|---------|----------------|--------------------------------|
| ? | rol_id, per_id | security_role_permission_ae_pk |

6.1.46. Table: darts.transcription

Columns

| | | Name | Data type | Description / Attributes |
|---|---|-----------------------------|--------------------------|---|
| ■ | 1 | tra_id | integer | primary key of transcription |
| | | trt_id | integer | foreign key to transcription_type, sourced from moj_transcription_s.c_type References: darts.transcription_type |
| ■ | | ctr_id | integer | foreign key from courtroom Nullable References: darts.courtroom |
| ■ | | tru_id | integer | foreign key from transcription_urgency Nullable References: darts.transcription_urgency |
| | | trs_id | integer | Nullable References: darts.transcription_status |
| ■ | | transcription_object_id | character varying(16) | internal Documentum primary key from moj_transcription_s Nullable |
| ■ | | requestor | character varying | directly sourced from moj_transcription_s Nullable |
| ■ | | hearing_date | date | directly sourced from moj_transcription_s Nullable |
| ■ | | start_ts | timestamp with time zone | inherited from moj_case_document_s Nullable |
| ■ | | end_ts | timestamp with time zone | inherited from moj_case_document_s Nullable |
| ▤ | | is_manual_transcription | boolean | |
| ▤ | | hide_request_from_requestor | boolean | |
| ■ | | version_label | character varying(32) | inherited from dm_sysobject_r, for r_object_type of moj_transcription Nullable |
| ■ | | created_ts | timestamp with time zone | |
| ■ | | created_by | integer | References: darts.user_account |
| ■ | | last_modified_ts | timestamp with time zone | |
| ■ | | last_modified_by | integer | References: darts.user_account |

Links to

| | Table | Join | Title / Name / Description | |
|-------------|-----------------------------|--|---------------------------------------|--|
| > | darts.courtroom | darts.transcriptionctr_id = darts.courtroomctr_id | transcription_courtroom_fk | |
| > | darts.transcription_status | darts.transcriptiontrs_id = darts.transcription_statustrs_id | transcription_transcription_status_fk | |
| > | darts.transcription_type | darts.transcriptiontrt_id = darts.transcription_typetrt_id | transcription_transcription_type_fk | |
| > | darts.transcription_urgency | darts.transcriptiontru_id = darts.transcription_urgencytru_id | transcription_urgency_fk | |
| > | darts.user_account | darts.transcriptionlast_modified_by = darts.user_accountusr_id | transcription_last_modified_by_fk | |
| > | darts.user_account | darts.transcriptioncreated_by = darts.user_accountusr_id | transcription_created_by_fk | |

Linked from

| | Table | Join | Title / Name / Description | |
|---------------|--------------------------------|--|---|--|
| \rightarrow | darts.case_transcription_ae | darts.transcriptiontra_id = darts.case_transcription_aetra_id | case_transcription_ae_transcription_fk | |
| \rightarrow | darts.hearing_transcription_ae | darts.transcriptiontra_id = darts.hearing_transcription_aetra_id | hearing_transcription_ae_transcription_fk | |
| \rightarrow | darts.transcription_comment | darts.transcriptiontra_id = darts.transcription_commenttra_id | transcription_comment_transcription_fk | |
| \rightarrow | darts.transcription_document | darts.transcriptiontra_id = darts.transcription_documenttra_id | transcription_document_transcription_fk | |
| \rightarrow | darts.transcription_workflow | darts.transcriptiontra_id = darts.transcription_workflowtra_id | transcription_workflow_transcription_fk | |

| | Columns | Name / Description |
|---|---------|--------------------|
| P | tra_id | transcription_pk |

6.1.47. Table: darts.transcription_comment

Columns

| | | Name | Data type | Description / Attributes |
|---|---|-------------------------|--------------------------|---|
| ■ | 1 | trc_id | integer | primary key of transcription_comment |
| ■ | | tra_id | integer | foreign key from transcription Nullable References: darts.transcription |
| ■ | | trw_id | integer | foreign key from transcription_workflow Nullable References: darts.transcription_workflow |
| | | transcription_object_id | character varying(16) | internal Documentum id from moj_transcription_s acting as foreign key Nullable |
| | | transcription_comment | character varying | directly sourced from moj_transcription_r Nullable |
| ■ | | comment_ts | timestamp with time zone | Nullable |
| ■ | | author | integer | Nullable References: darts.user_account |
| ■ | | created_ts | timestamp with time zone | |
| ■ | | created_by | integer | References: darts.user_account |
| ■ | | last_modified_ts | timestamp with time zone | |
| ■ | | last_modified_by | integer | References: darts.user_account |

Links to

| | Table | Join | Title / Name / Description |
|---------------|------------------------------|--|---|
| — | darts.transcription | darts.transcription_commenttra_id = darts.transcriptiontra_id | transcription_comment_transcription_fk |
| > | darts.transcription_workflow | darts.transcription_commenttrw_id = darts.transcription_workflowtrw_id | transcription_comment_transcription_workflow_fk |
| \rightarrow | darts.user_account | darts.transcription_commentauthor = darts.user_accountusr_id | transcription_comment_author_fk |
| > — | darts.user_account | darts.transcription_commentcreated_b y = darts.user_accountusr_id | transcription_comment_created_by_fk |
| > | darts.user_account | darts.transcription_commentlast_modified_by = darts.user_accountusr_id | transcription_comment_modified_by_fk |

| | Columns | Name / Description |
|---|---------|--------------------------|
| Ŷ | trc_id | transcription_comment_pk |

6.1.48. Table: darts.transcription_document

Columns

| | | Name | Data type | Description / Attributes |
|---|---|-------------------|--------------------------|--|
| ■ | 1 | trd_id | integer | primary key of transcription_document |
| | | tra_id | integer | foreign key from transcription References : darts.transcription |
| ■ | | content_object_id | character varying(16) | Nullable |
| ■ | | file_name | character varying | |
| ■ | | file_type | character varying | |
| ■ | | file_size | integer | |
| ■ | | checksum | character varying | |
| ■ | | is_hidden | boolean | |
| ■ | | uploaded_by | integer | |
| ■ | | uploaded_ts | timestamp with time zone | |

Links to

| | Table | Join | Title / Name / Description |
|---|---------------------|---|---|
| > | darts.transcription | <pre>darts.transcription_documenttra_id = darts.transcriptiontra_id</pre> | transcription_document_transcription_fk |

Linked from

| | Table | Join | Title / Name / Description |
|---|-----------------------------------|---|-------------------------------|
| - | I darts external onlect director/ | <pre>darts.transcription_documenttrd_id = darts.external_object_directorytrd_id</pre> | eod_transcription_document_fk |

| | Columns | Name / Description |
|---|---------|---------------------------|
| ? | trd_id | transcription_document_pk |

6.1.49. Table: darts.transcription_status

standing data table

Columns

| | | Name | Data type | Description / Attributes |
|---|---|--------------|-------------------|-------------------------------------|
| ■ | 1 | trs_id | integer | primary key of transcription_status |
| ■ | | status_type | character varying | |
| ■ | | display_name | character varying | |

Linked from

| | Table | Join | Title / Name / Description |
|---------------|------------------------------|---|--|
| \rightarrow | darts.transcription | <pre>darts.transcription_statustrs_id = darts.transcriptiontrs_id</pre> | transcription_transcription_status_fk |
| \rightarrow | darts.transcription_workflow | darts.transcription_statustrs_id = darts.transcription_workflowtrs_id | transcription_workflow_transcription_status_fk |

| | Columns | Name / Description |
|---|---------|-------------------------|
| ? | trs_id | transcription_status_pk |

6.1.50. Table: darts.transcription_type

standing data table, migrated from tbl_moj_transcription_type

Columns

| | | Name | Data type | Description / Attributes |
|---|---|---------------|-------------------|---|
| ■ | 1 | trt_id | integer | primary key, but not sequence generated |
| ■ | | description | character varying | |
| ■ | | display_state | boolean | |

Linked from

| | Table | Join | Title / Name / Description |
|---|-----------------------|---|-------------------------------------|
| - | → darts.transcription | <pre>darts.transcription_typetrt_id = darts.transcriptiontrt_id</pre> | transcription_transcription_type_fk |

| | Columns | Name / Description |
|---|---------|-----------------------|
| • | trt_id | transcription_type_pk |

6.1.51. Table: darts.transcription_urgency

will be migrated from tbl_moj_urgency

Columns

| | | Name | Data type | Description / Attributes |
|---|---|----------------|-------------------|--|
| ■ | 1 | tru_id | integer | inherited from tbl_moj_urgency.urgency_id |
| ■ | | description | character varying | inherited from tbl_moj_urgency.description |
| ■ | | display_state | boolean | |
| ■ | | priority_order | integer | |

Linked from

| | Table | Join | Title / Name / Description |
|---|-------|--|----------------------------|
| - | | <pre>darts.transcription_urgencytru_id = darts.transcriptiontru_id</pre> | transcription_urgency_fk |

| | Columns | Name / Description |
|---|---------|--------------------------|
| P | tru_id | transcription_urgency_pk |

6.1.52. Table: darts.transcription_workflow

Columns

| | | Name | Data type | Description / Attributes |
|---|---|----------------|--------------------------|--|
| ■ | 1 | trw_id | integer | |
| ■ | | tra_id | integer | References: darts.transcription |
| ■ | | trs_id | integer | References: darts.transcription_status |
| ■ | | workflow_actor | integer | References: darts.user_account |
| ■ | | workflow_ts | timestamp with time zone | |

Links to

| | Table | Join | Title / Name / Description |
|----------|----------------------------|---|--|
| — | darts.transcription | darts.transcription_workflowtra_id = darts.transcriptiontra_id | transcription_workflow_transcription_fk |
| — | darts.transcription_status | darts.transcription_workflowtrs_id = darts.transcription_statustrs_id | transcription_workflow_transcription_status_fk |
| — | darts.user_account | darts.transcription_workflowworkflow_ actor = darts.user_accountusr_id | transcription_workflow_workflow_actor_fk |

Linked from

| | Table | Join | Title / Name / Description |
|---|---------------------------------|--|---|
| - | → I darfs franscription comment | darts.transcription_workflowtrw_id = darts.transcription_commenttrw_id | transcription_comment_transcription_workflow_fk |

Unique keys

| | Columns | Name / Description |
|---|---------|---------------------------|
| 9 | trw_id | transcription_workflow_pk |

Triggers

| Name | When | Description |
|------------|--------------|-------------|
| trw_ar_trg | After Insert | |

6.1.53. Table: darts.transformed_media

to accommodate the possibility that a single media_request may be fulfilled as more than one resulting piece of media

Columns

| | | Name | Data type | Description / Attributes |
|---|---|------------------|--------------------------|--|
| ■ | 1 | trm_id | integer | |
| ■ | | mer_id | integer | References: darts.media_request |
| ■ | | start_ts | timestamp with time zone | Nullable |
| 目 | | end_ts | timestamp with time zone | Nullable |
| ■ | | last_accessed_ts | timestamp with time zone | Nullable |
| ■ | | expiry_ts | timestamp with time zone | Nullable |
| | | output_filename | character varying | filename of the requested media object, possibly migrated from moj_transformation_request_s Nullable |
| ■ | | output_filesize | integer | Nullable |
| | | output_format | character varying | format of the requested media object, possibly migrated from moj_transformation_s Nullable |
| ■ | | checksum | character varying | Nullable |
| | | created_ts | timestamp with time zone | |
| 目 | | created_by | integer | |
| 目 | | last_modified_ts | timestamp with time zone | |
| ■ | | last_modified_by | integer | |

Links to

| | Table | Join | Title / Name / Description |
|---|--------------------------|--|----------------------------|
| > | - I darte media requiect | <pre>darts.transformed_mediamer_id = darts.media_requestmer_id</pre> | trm_media_request_fk |

Linked from

| | Table | Join | Title / Name / Description |
|---------------|----------------------------------|--|----------------------------|
| \rightarrow | darts.transient_object_directory | darts.transformed_mediatrm_id = darts.transient_object_directorytrm_id | tod_transformed_media_fk |

| | Columns | Name / Description |
|---|---------|----------------------|
| Ŷ | trm_id | transformed_media_pk |

6.1.54. Table: darts.transient_object_directory

Columns

| | | Name | Data type | Description / Attributes |
|---|---|-------------------|--------------------------|--|
| ■ | 1 | tod_id | integer | |
| ■ | | trm_id | integer | References: darts.transformed_media |
| ■ | | ors_id | integer | References: darts.object_record_status |
| ■ | | external_location | uuid | |
| ■ | | checksum | character varying | Nullable |
| ■ | | transfer_attempts | integer | Nullable |
| ■ | | created_ts | timestamp with time zone | |
| ■ | | created_by | integer | References: darts.user_account |
| ■ | | last_modified_ts | timestamp with time zone | |
| ■ | | last_modified_by | integer | References: darts.user_account |

Links to

| | Table | Join | Title / Name / Description |
|---------------|----------------------------|---|--|
| — | darts.object_record_status | darts.transient_object_directoryors_id = darts.object_record_statusors_id | tod_object_record_status_fk |
| — | darts.transformed_media | darts.transient_object_directorytrm_id = darts.transformed_mediatrm_id | tod_transformed_media_fk |
| \rightarrow | darts.user_account | darts.transient_object_directorylast_m odified_by = darts.user_accountusr_id | tod_modified_by_fk |
| \rightarrow | darts.user_account | darts.transient_object_directorycreated _by = darts.user_accountusr_id | transient_object_directory_created_by_fk |

| | Columns | Name / Description |
|---|---------|-------------------------------|
| Ŷ | tod_id | transient_object_directory_pk |

6.1.55. Table: darts.user_account

migration columns all sourced directly from dm_user_s, but only for rows where r_is_group = 0

Columns

| | | Name | Data type | Description / Attributes |
|---|---|---------------------|--------------------------|---|
| ■ | 1 | usr_id | integer | primary key of user_account |
| | | dm_user_s_object_id | character varying(16) | internal Documentum primary key from dm_user_s Nullable |
| 目 | | user_name | character varying | |
| | | user_full_name | character varying | |
| ■ | | user_email_address | character varying | Nullable |
| ■ | | description | character varying | Nullable |
| ■ | | is_active | boolean | |
| ■ | | last_login_ts | timestamp with time zone | Nullable |
| ■ | | is_system_user | boolean | |
| ■ | | account_guid | character varying | Nullable |
| ■ | | created_ts | timestamp with time zone | |
| ■ | | created_by | integer | |
| ■ | | last_modified_ts | timestamp with time zone | |
| ■ | | last_modified_by | integer | |

Linked from

| | Table | Join | Title / Name / Description |
|---------------|----------------------|---|-------------------------------|
| \rightarrow | darts.annotation | darts.user_accountusr_id = darts.annotationcurrent_owner | annotation_current_owner_fk |
| \rightarrow | darts.annotation | darts.user_accountusr_id = darts.annotationcreated_by | annotation_created_by_fk |
| \rightarrow | darts.annotation | darts.user_accountusr_id = darts.annotationlast_modified_by | annotation_modified_by_fk |
| \rightarrow | darts.audit | darts.user_accountusr_id = darts.auditusr_id | audit_user_account_fk |
| \rightarrow | darts.audit | <pre>darts.user_accountusr_id = darts.auditcreated_by</pre> | audit_created_by_fk |
| \rightarrow | darts.audit | darts.user_accountusr_id = darts.auditlast_modified_by | audit_modified_by_fk |
| \rightarrow | darts.audit_activity | darts.user_accountusr_id = darts.audit_activitycreated_by | audit_activity_created_by_fk |
| \rightarrow | darts.audit_activity | darts.user_accountusr_id = darts.audit_activitylast_modified_by | audit_activity_modified_by_fk |
| \rightarrow | darts.automated_task | darts.user_accountusr_id = darts.automated_taskcreated_by | automated_task_created_by_fk |
| \rightarrow | darts.automated_task | darts.user_accountusr_id = darts.automated_tasklast_modified_by | automated_task_modified_by_fk |
| \rightarrow | darts.case_retention | darts.user_accountusr_id = darts.case_retentioncreated_by | case_retention_created_by_fk |

| | Table | Join | Title / Name / Description |
|---------------|-----------------------------------|--|--|
| \rightarrow | darts.case_retention | darts.user_accountusr_id = darts.case_retentionlast_modified_by | case_retention_last_modified_by_fk |
| \rightarrow | darts.case_retention | darts.user_accountusr_id = darts.case_retentionsubmitted_by | case_retention_submitted_by_fk |
| \rightarrow | darts.court_case | darts.user_accountusr_id = darts.court_casecreated_by | court_case_created_by_fk |
| \rightarrow | darts.court_case | darts.user_accountusr_id = darts.court_caselast_modified_by | court_case_modified_by_fk |
| \rightarrow | darts.courthouse | darts.user_accountusr_id = darts.courthousecreated_by | courthouse_created_by_fk |
| \rightarrow | darts.courthouse | darts.user_accountusr_id = darts.courthouselast_modified_by | courthouse_modified_by_fk |
| \rightarrow | darts.courtroom | darts.user_accountusr_id = darts.courtroomcreated_by | courtroom_created_by_fk |
| \rightarrow | darts.daily_list | darts.user_accountusr_id = darts.daily_listcreated_by | daily_list_created_by_fk |
| \rightarrow | darts.daily_list | darts.user_accountusr_id = darts.daily_listlast_modified_by | daily_list_modified_by_fk |
| \rightarrow | darts.defence | darts.user_accountusr_id = darts.defencecreated_by | defence_created_by_fk |
| \rightarrow | darts.defence | darts.user_accountusr_id = darts.defencelast_modified_by | defence_modified_by_fk |
| \rightarrow | darts.defendant | darts.user_accountusr_id = darts.defendantcreated_by | defendant_created_by_fk |
| \rightarrow | darts.defendant | darts.user_accountusr_id = darts.defendantlast_modified_by | defendant_modified_by_fk |
| \rightarrow | darts.event | darts.user_accountusr_id = darts.eventcreated_by | event_created_by_fk |
| \rightarrow | darts.event | darts.user_accountusr_id = darts.eventlast_modified_by | event_modified_by_fk |
| \rightarrow | darts.event_handler | darts.user_accountusr_id = darts.event_handlercreated_by | event_handler_created_by_fk |
| → | darts.external_object_directory | darts.user_accountusr_id = darts.external_object_directorylast_mo dified_by | eod_modified_by_fk |
| \rightarrow | darts.external_object_directory | darts.user_accountusr_id = darts.external_object_directorycreated _by | external_object_directory_created_by_fk |
| \rightarrow | darts.external_service_auth_token | darts.user_accountusr_id = darts.external_service_auth_tokencreat ed_by | external_service_auth_token_created_by_fk |
| → | darts.external_service_auth_token | darts.user_accountusr_id = darts.external_service_auth_tokenlast_modified_by | external_service_auth_token_modified_by_fk |
| \rightarrow | darts.hearing | darts.user_accountusr_id = darts.hearingcreated_by | hearing_created_by_fk |
| \rightarrow | darts.hearing | darts.user_accountusr_id = darts.hearinglast_modified_by | hearing_modified_by_fk |
| \rightarrow | darts.judge | darts.user_accountusr_id = darts.judgecreated_by | judge_created_by_fk |

| | Table | Join | Title / Name / Description |
|---------------|--|--|---|
| \rightarrow | darts.judge | darts.user_accountusr_id = darts.judgelast_modified_by | judge_modified_by_fk |
| \rightarrow | darts.media | darts.user_accountusr_id = darts.mediacreated_by | media_created_by_fk |
| \rightarrow | darts.media | darts.user_accountusr_id = darts.medialast_modified_by | media_modified_by_fk |
| \rightarrow | darts.media_request | darts.user_accountusr_id = darts.media_requestcreated_by | media_request_created_by_fk |
| \rightarrow | darts.media_request | darts.user_accountusr_id = darts.media_requestlast_modified_by | media_request_modified_by_fk |
| \rightarrow | darts.media_request | darts.user_accountusr_id = darts.media_requestrequestor | media_request_requestor_fk |
| \rightarrow | darts.media_request | darts.user_accountusr_id = darts.media_requestcurrent_owner | media_request_current_owner_fk |
| \rightarrow | darts.node_register | darts.user_accountusr_id = darts.node_registercreated_by | node_register_created_by_fk |
| \rightarrow | darts.notification | darts.user_accountusr_id = darts.notificationcreated_by | notification_created_by_fk |
| \rightarrow | darts.notification | darts.user_accountusr_id = darts.notificationlast_modified_by | notification_modified_by_fk |
| \rightarrow | darts.prosecutor | darts.user_accountusr_id = darts.prosecutorcreated_by | prosecutor_created_by_fk |
| \rightarrow | darts.prosecutor | darts.user_accountusr_id = darts.prosecutorlast_modified_by | prosecutor_modified_by_fk |
| \rightarrow | darts.report | <pre>darts.user_accountusr_id = darts.reportcreated_by</pre> | report_created_by_fk |
| \rightarrow | darts.report | darts.user_accountusr_id = darts.reportlast_modified_by | report_modified_by_fk |
| \rightarrow | darts.retention_policy_type | darts.user_accountusr_id = darts.retention_policy_typecreated_by | retention_policy_type_created_by_fk |
| \rightarrow | darts.retention_policy_type | <pre>darts.user_accountusr_id = darts.retention_policy_typelast_modifie d_by</pre> | retention_policy_type_last_modified_by_fk |
| \rightarrow | darts.security_group | darts.user_accountusr_id = darts.security_groupcreated_by | security_group_created_by_fk |
| \rightarrow | darts.security_group | darts.user_accountusr_id = darts.security_grouplast_modified_by | security_group_modified_by_fk |
| \rightarrow | darts.security_group_user_account_ ae | darts.user_accountusr_id = darts.security_group_user_account_ae usr_id | security_group_user_account_ae_user_fk |
| \rightarrow | darts.transcription | darts.user_accountusr_id = darts.transcriptionlast_modified_by | transcription_last_modified_by_fk |
| \rightarrow | darts.transcription | darts.user_accountusr_id = darts.transcriptioncreated_by | transcription_created_by_fk |
| \rightarrow | darts.transcription_comment | darts.user_accountusr_id = darts.transcription_commentauthor | transcription_comment_author_fk |
| → | darts.transcription_comment | darts.user_accountusr_id = darts.transcription_commentcreated_b y | transcription_comment_created_by_fk |

| | Table | Join | Title / Name / Description |
|---------------|----------------------------------|--|--|
| \rightarrow | darts.transcription_comment | <pre>darts.user_accountusr_id = darts.transcription_commentlast_modif ied_by</pre> | transcription_comment_modified_by_fk |
| \rightarrow | darts.transcription_workflow | darts.user_accountusr_id = darts.transcription_workflowworkflow_actor | transcription_workflow_workflow_actor_fk |
| \rightarrow | darts.transient_object_directory | darts.user_accountusr_id = darts.transient_object_directorylast_m odified_by | tod_modified_by_fk |
| \rightarrow | darts.transient_object_directory | darts.user_accountusr_id = darts.transient_object_directorycreated _by | transient_object_directory_created_by_fk |

| | Columns | Name / Description |
|---|---------|--------------------|
| 9 | usr_id | user_account_pk |

6.2. Functions

6.2.1. Function: darts.tra_trw_sync_fnc

Input/Output

| | Name | Data type | Description |
|-------------|---------|-----------|-------------|
| *@ › | Returns | trigger | |