CGI UK

postgres_app_v73_1_sec_v25_ret_v32_osr_v14@localhost

Data Dictionary

03/11/2025

Table of contents

postgres@localhost 9

1. darts courtroom_omitted 10
2. dart_security 11
3. darts_retention 12
4. darts_annotation 13
5. darts_court_case 14
6. darts_courthouse 15
7. darts_media 16
8. darts_transcription 17
9. darts_tables_only 18
10. darts_obj_state_record 19
11. darts_arm_rpo 20
12. darts_retention_migration_and_assurance 21
13. Other 22

13.1. Tables 22

13.1.1. Table: darts.annotation 22
13.1.2. Table: darts.annotation_document 24
13.1.3. Table: darts.arm_automated_task 26
13.1.4. Table: darts.arm_rpo_execution_detail 27
13.1.5. Table: darts.arm_rpo_state 28
13.1.6. Table: darts.arm_rpo_status 29
13.1.7. Table: darts.audit 30
13.1.8. Table: darts.audit_activity 31
13.1.9. Table: darts.audit_heritage 32
13.1.10. Table: darts.automated_task 34
13.1.11. Table: darts.case_document 35
13.1.12. Table: darts.case_judge_ae 36
13.1.13. Table: darts.case_management_retention 37
13.1.14. Table: darts.case_overflow 38
13.1.15. Table: darts.case_retention 40
13.1.16. Table: darts.case_retention_audit_heritage 41
13.1.17. Table: darts.case_transcription_ae 43
13.1.18. Table: darts.cc_dets 44
13.1.19. Table: darts.cmr_dets 47
13.1.20. Table: darts.court_case 48
13.1.21. Table: darts.courthouse 51
13.1.22. Table: darts.courthouse_region_ae 52
13.1.23. Table: darts.courtroom 53
13.1.24. Table: darts.cr_dets 54
13.1.25. Table: darts.daily_list 55
13.1.26. Table: darts.data_anonymisation 57
13.1.27. Table: darts.defence 58
13.1.28. Table: darts.defendant 59
13.1.29. Table: darts.event 60
13.1.30. Table: darts.event_handler 62

13.1.31. Table: darts.event_linked_case 63
13.1.32. Table: darts.external_location_type 64
13.1.33. Table: darts.external_object_directory 65
13.1.34. Table: darts.external_service_auth_token 67
13.1.35. Table: darts.extobjdir_process_detail 68
13.1.36. Table: darts.hearing 69
13.1.37. Table: darts.hearing_annotation_ae 71
13.1.38. Table: darts.hearing_event_ae 72
13.1.39. Table: darts.hearing_judge_ae 73
13.1.40. Table: darts.hearing_media_ae 74
13.1.41. Table: darts.hearing_transcription_ae 75
13.1.42. Table: darts.judge 76
13.1.43. Table: darts.media 77
13.1.44. Table: darts.media_linked_case 79
13.1.45. Table: darts.media_request 80
13.1.46. Table: darts.node_register 81
13.1.47. Table: darts.notification 82
13.1.48. Table: darts.object_admin_action 83
13.1.49. Table: darts.object_hidden_reason 84
13.1.50. Table: darts.object_record_status 85
13.1.51. Table: darts.object_retrieval_queue 86
13.1.52. Table: darts.object_state_record 87
13.1.53. Table: darts.prosecutor 89
13.1.54. Table: darts.region 90
13.1.55. Table: darts.report 91
13.1.56. Table: darts.retention_confidence_category_mapper 92
13.1.57. Table: darts.retention_policy_type 93
13.1.58. Table: darts.retention_policy_type_heritage_mapping 94
13.1.59. Table: darts.retention_process_log 95
13.1.60. Table: darts.revinfo 96
13.1.61. Table: darts.rps_retainer 97
13.1.62. Table: darts.security_group 99
13.1.63. Table: darts.security_group_courthouse_ae 100
13.1.64. Table: darts.security_group_user_account_ae 101
13.1.65. Table: darts.security_permission 102
13.1.66. Table: darts.security_role 103
13.1.67. Table: darts.security_role_permission_ae 104
13.1.68. Table: darts.transcription 105
13.1.69. Table: darts.transcription_comment 107
13.1.70. Table: darts.transcription_document 108
13.1.71. Table: darts.transcription_linked_case 110
13.1.72. Table: darts.transcription_status 111
13.1.73. Table: darts.transcription_type 112
13.1.74. Table: darts.transcription_urgency 113
13.1.75. Table: darts.transcription_workflow 114
13.1.76. Table: darts.transformed_media 115

13.1.77. Table: darts.transient_object_directory ... 116
13.1.78. Table: darts.user_account ... 117
13.1.79. Table: darts.wk_case_activity_data ... 123
13.1.80. Table: darts.wk_case_best_values_p1 ... 124
13.1.81. Table: darts.wk_case_best_values_post_p1 ... 125
13.1.82. Table: darts.wk_case_confidence_level ... 126
13.1.83. Table: darts.wk_case_correction ... 127
13.1.84. Table: darts.wk_cr_dets_aligned ... 128
13.1.85. Table: darts.wk_crah_is_current_by_creation ... 129
13.1.86. Table: darts.wk_crah_is_current_by_logic ... 130
13.1.87. Table: darts.wk_rr_is_current_by_creation ... 131
13.1.88. Table: darts.wk_rr_is_current_by_logic ... 132
13.2. Procedures ... 133
13.2.1. Procedure: dbms_metadata.set_transform_param ... 133
13.2.2. Procedure: public.sum_n_product ... 134
13.3. Functions ... 135
13.3.1. Function: darts.gin_extract_query_trgm ... 135
13.3.2. Function: darts.gin_extract_value_trgm ... 136
13.3.3. Function: darts.gin_trgm_consistent ... 137
13.3.4. Function: darts.gin_trgm_triconsistent ... 138
13.3.5. Function: darts.gtrgm_compress ... 139
13.3.6. Function: darts.gtrgm_consistent ... 140
13.3.7. Function: darts.gtrgm_decompress ... 141
13.3.8. Function: darts.gtrgm_distance ... 142
13.3.9. Function: darts.gtrgm_in ... 143
13.3.10. Function: darts.gtrgm_options ... 144
13.3.11. Function: darts.gtrgm_out ... 145
13.3.12. Function: darts.gtrgm_penalty ... 146
13.3.13. Function: darts.gtrgm_picksplit ... 147
13.3.14. Function: darts.gtrgm_same ... 148
13.3.15. Function: darts.gtrgm_union ... 149
13.3.16. Function: darts.set_limit ... 150
13.3.17. Function: darts.show_limit ... 151
13.3.18. Function: darts.show_trgm ... 152
13.3.19. Function: darts.similarity ... 153
13.3.20. Function: darts.similarity_dist ... 154
13.3.21. Function: darts.similarity_op ... 155
13.3.22. Function: darts.strict_word_similarity ... 156
13.3.23. Function: darts.strict_word_similarity_commutator_op ... 157
13.3.24. Function: darts.strict_word_similarity_dist_commutator_op ... 158
13.3.25. Function: darts.strict_word_similarity_dist_op ... 159
13.3.26. Function: darts.strict_word_similarity_op ... 160
13.3.27. Function: darts.tra_trw_sync_fnc ... 161
13.3.28. Function: darts.word_similarity ... 162
13.3.29. Function: darts.word_similarity_commutator_op ... 163
13.3.30. Function: darts.word_similarity_dist_commutator_op ... 164

13.3.31. Function: darts.word_similarity_dist_op 165
13.3.32. Function: darts.word_similarity_op 166
13.3.33. Function: dbms_metadata.get_check_constraint_ddl 167
13.3.34. Function: dbms_metadata.get_constraint_ddl 168
13.3.35. Function: dbms_metadata.get_constraints_ddl_of_table 169
13.3.36. Function: dbms_metadata.get_ddl 170
13.3.37. Function: dbms_metadata.get_dependent_ddl 171
13.3.38. Function: dbms_metadata.get_granted_ddl 172
13.3.39. Function: dbms_metadata.get_granted_roles_ddl 173
13.3.40. Function: dbms_metadata.get_index_ddl 174
13.3.41. Function: dbms_metadata.get_indexes_ddl_of_table 175
13.3.42. Function: dbms_metadata.get_object_oid 176
13.3.43. Function: dbms_metadata.get_ref_constraint_ddl 177
13.3.44. Function: dbms_metadata.get_ref_constraints_ddl_of_table 178
13.3.45. Function: dbms_metadata.get_routine_ddl 179
13.3.46. Function: dbms_metadata.get_schema_oid 180
13.3.47. Function: dbms_metadata.get_sequence_ddl 181
13.3.48. Function: dbms_metadata.get_sequence_ddl_of_table 182
13.3.49. Function: dbms_metadata.get_table_ddl 183
13.3.50. Function: dbms_metadata.get_trigger_ddl 184
13.3.51. Function: dbms_metadata.get_triggers_ddl_of_table 185
13.3.52. Function: dbms_metadata.get_type_ddl 186
13.3.53. Function: dbms_metadata.get_view_ddl 187
13.3.54. Function: dbms_metadata.init_transform_params 188
13.3.55. Function: dbms_metadata.set_default_transform_params 189

Legend

- Primary key
- Primary key disabled
- User-defined primary key
- Unique key
- Unique key disabled
- User-defined unique key
- Active trigger
- Disabled trigger
- Many to one relation
- User-defined many to one relation
- One to many relation
- User-defined one to many relation
- Many to many relation
- User-defined many to many relation
- One to one relation
- User-defined one to one relation
- Input
- Output
- Input/Output
- Uses dependency
- User-defined uses dependency
- Used by dependency
- User-defined used by dependency

postgres@localhost

1. darts courtroom_omitted

2. dart_security

3. darts_retention

4. darts_annotation

5. darts_court_case

6. darts_courthouse

7. darts_media

8. darts_transcription

9. darts_tables_only

10. darts_obj_state_record

darts.object_state_record

- osr_uuid
- eod_id
- arm_eod_id
- dal_id
- parent_object_id
- content_object_id
- id_clip
- dets_location
- flag_file_transfer_to_dets
- date_file_transfer_to_dets
- md5_doc_transfer_to_dets
- file_size_bytes_centera
- file_size_bytes_dets
- flag_file_av_scan_pass
- date_file_av_scan_pass
- flag_file_transf_toarml
- date_file_transf_toarml
- md5_file_transf_arml
- file_size_bytes_arml
- flag_file_mfst_created
- date_file_mfst_created
- id_manifest_file
- flag_mfst_transf_to_arml
- date_mfst_transf_to_arml
- flag_rspn_recvd_from_arml
- date_rspn_recvd_from_arml
- flag_file_ingest_status
- date_file_ingest_to_arm
- md5_file_ingest_to_arm
- file_size_ingest_to_arm
- id_response_file
- id_response_cr_file
- id_response_uf_file
- flag_file_dets_cleanup_status
- date_file_dets_cleanup
- object_status
- storage_id
- data_ticket

darts.revinfo

- rev
- revtstmp
- audit_user

11. darts_arm_rpo

12. darts_retention_migration_and_assurance

darts.case_overflow
- cof_id
- cas_id
- rpt_id
- case_object_id
- case_total_sentence
- retention_event_ts
- case_retention_fixed
- retention_applies_from_ts
- end_of_sentence_date_ts
- manual_retention_override
- retain_until_ts
- c_closed_pre_live
- c_case_closed_date_pre_live
- case_created_ts
- audio_folder_object_id
- case_last_modified_ts
- audio_last_modified_ts
- c_case_id
- c_courthouse
- c_type
- c_upload_priority
- c_reporting_restrictions
- case_object_name
- r_folder_path
- c_interpreter_used
- created_ts
- last_modified_ts

darts.case_retention_audit_heritage
- rah_id
- cas_id
- rpt_id
- case_retention_audit_object_id
- is_current
- i_partition
- c_case_id
- c_date_retention_amended
- c_comments
- c_date_previous_retention
- c_username
- c_status
- c_courthouse
- c_policy_type
- c_case_closed_date
- object_name
- r_creator_name
- r_creation_date
- r_modifier
- r_modify_date
- owner_name

darts.rps_retainer
- rpr_id
- rpt_id
- rps_retainer_object_id
- case_object_id
- audio_folder_object_id
- is_current
- dm_retainer_root_id
- dm_retention_rule_type
- dm_retention_date
- dmc_current_phase_id
- dmc_entry_date
- dmc_parent_ancestor_id
- dmc_phase_name
- dmc_qualification_date
- dmc_retention_base_date
- dmc_retention_policy_id
- dmc_ultimate_ancestor_id
- dmc_vdm_retention_rule
- dmc_is_superseded
- dmc_superseded_date
- dmc_superseded_phase_id
- dmc_snapshot_retention_rule
- dmc_approval_required
- dmc_approval_status
- dmc_approved_date
- dmc_projected_disposition_date
- dmc_is_qualification_suspended
- dmc_suspension_lift_date
- dmc_base_date_override
- dms_object_name
- dms_i_chronicle_id
- dms_r_policy_id
- dms_r_resume_state
- dms_r_current_state
- created_ts
- created_by
- last_modified_ts
- last_modified_by

darts.wk_rr_is_current_by_creation
- cas_id
- rpr_id
- rpt_id
- case_object_id
- dm_retainer_root_id
- dms_object_name
- created_ts
- last_modified_ts
- rps_retainer_object_id
- dm_retention_date
- is_current

darts.cc_dets
- cas_id
- case_object_id
- c_courthouse
- c_case_id
- c_closed_pre_live
- c_case_closed_date_pre_live
- c_case_closed_date_crah
- case_created_ts
- case_total_sentence
- retention_applies_from_ts
- end_of_sentence_date_ts
- manual_retention_override
- retain_until_ts
- audio_folder_object_id
- case_closed_event_event_ts_by_pr
- case_closed_event_event_ts_eve_i
- case_closed_event_created_ts_by_
- case_closed_event_created_ts_eve
- case_closed_event_event_ts_by_au
- case_closed_event_event_ts_eve_i
- case_closed_event_created_ts_by_
- case_closed_event_created_ts_eve
- case_closed_event_event_ts_case_
- case_closed_event_event_ts_eve_i
- case_closed_event_created_ts_cas
- case_closed_event_created_ts_eve
- latest_event_by_event_ts_eve_id
- latest_event_by_created_ts
- latest_event_by_created_ts_eve_id
- latest_hearing_ended_event_by_ev
- latest_hearing_ended_event_by_ev
- latest_hearing_ended_event_by_cre
- latest_hearing_ended_event_by_cre
- latest_log_event_by_event_ts
- latest_log_event_by_event_ts_eve_
- latest_log_event_by_created_ts
- latest_log_event_by_created_ts_eve
- latest_sentencing_event_by_event_
- latest_sentencing_event_by_event_
- latest_sentencing_event_by_create
- latest_sentencing_event_by_create
- latest_sentencing_271_event_by_e
- latest_sentencing_271_event_by_e
- latest_sentencing_271_event_by_c
- latest_sentencing_271_event_by_c
- latest_media_by_created_ts
- latest_media_by_created_ts_eve_id
- latest_media_by_start_ts
- latest_media_by_start_ts_eve_id
- latest_media_by_end_ts
- latest_media_by_end_ts_eve_id
- latest_warrant_event_by_event_ts
- latest_warrant_event_by_event_ts_
- latest_warrant_event_by_created_ts
- latest_warrant_event_by_created_ts
- ret_conf_score
- ret_conf_reason
- ret_conf_updated_ts
- category_type
- latest_activity_period

darts.retention_policy_type_heritage_mapping
- rhm_id
- heritage_policy_name
- heritage_table
- modernised_rpt_id

darts.wk_rr_is_current_by_logic
- cas_id
- rpr_id
- rpt_id
- case_object_id
- dm_retainer_root_id
- dms_object_name
- created_ts
- rps_retainer_object_id
- dm_retention_date
- is_current

darts.wk_case_best_values_p1
- cas_id
- eve_id
- evh_id
- closed_date_ts
- closed_date_type

darts.wk_case_correction
- cas_id
- category_type
- case_closed_date_corr
- case_closed_corr
- retain_until_ts_corr
- new_case_closed
- new_closed_date_ts
- case_old_closed_date_ts
- case_audit_old_closed_date_ts
- closed_date_type
- eve_id
- cmr_eve_id
- current_logic_rpt_id
- current_creation_rpt_id
- case_total_sentence
- new_retain_until_ts
- retain_until_applied_on_ts
- current_state
- old_state
- retention_object_id
- latest_activity_period
- best_closed_date_period
- adjusted_closed_date_ts
- adjusted_closed_date_type
- adjusted_eve_id
- has_warrant
- warrant_before_sentencing
- case_closed_before_sentencing

darts.wk_crah_is_current_by_logic
- cas_id
- rah_id
- rpt_id
- c_policy_type
- c_courthouse
- c_case_id
- r_creation_date
- c_status
- c_username
- case_retention_audit_object_id
- ready_retain_until_date
- is_current

darts.cr_dets
- crd_id
- cas_id
- rpt_id
- cmd_id
- total_sentence
- retain_until_ts
- retain_until_applied_on_ts
- current_state
- comments
- confidence_category
- retention_object_id
- submitted_by
- created_ts
- created_by
- last_modified_ts
- last_modified_by

darts.wk_case_confidence_level
- cas_id
- confidence_level

darts.wk_case_best_values_post_p1
- cas_id
- eve_id
- evh_id
- closed_date_ts
- closed_date_type

darts.wk_crah_is_current_by_creation
- cas_id
- rah_id
- rpt_id
- c_policy_type
- c_courthouse
- c_case_id
- r_creation_date
- r_modify_date
- c_status
- c_username
- case_retention_audit_object_id
- ready_retain_until_date
- is_current

darts.wk_cr_dets_aligned
- wcda_id
- car_id
- cas_id
- rpt_id
- cmd_id
- total_sentence
- retain_until_ts
- retain_until_applied_on_ts
- current_state
- comments
- confidence_category
- retention_object_id
- submitted_by
- created_ts
- created_by
- last_modified_ts
- last_modified_by

darts.retention_process_log
- cas_id
- cr_row_count
- cmr_row_count
- processed_ts
- status
- message

darts.wk_case_activity_data
- cas_id
- eve_id
- evh_id
- closed_date_ts
- closed_date_type

darts.cmr_dets
- cmd_id
- cmr_id
- cas_id
- rpt_id
- eve_id
- total_sentence

13. Other

13.1. Tables

13.1.1. Table: darts.annotation

Columns

		Name	Data type	Description / Attributes
		ann_id	integer	primary key of annotation
		annotation_text	character varying	directly sourced from moj_annotation_s.c_text Nullable
		annotation_ts	timestamp with time zone	directly sourced from moj_annotation_s Nullable
		annotation_object_id	character varying(16)	internal Documentum primary key from moj_annotation_s Nullable
		version_label	character varying(32)	inherited from dm_sysobject_r, for r_object_type of moj_annotation Nullable
		current_owner	integer	References: darts.user_account
		is_deleted	boolean	Default: false
		deleted_by	integer	Nullable References: darts.user_account
		deleted_ts	timestamp with time zone	Nullable
		created_ts	timestamp with time zone	
		created_by	integer	References: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	References: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.user_account	darts.annotationcurrent_owner = darts.user_accountusr_id	annotation_current_owner_fk
	darts.user_account	darts.annotationcreated_by = darts.user_accountusr_id	annotation_created_by_fk
	darts.user_account	darts.annotationlast_modified_by = darts.user_accountusr_id	annotation_modified_by_fk
	darts.user_account	darts.annotationdeleted_by = darts.user_accountusr_id	annotation_deleted_by_fk

Linked from

	Table	Join	Title / Name / Description
	darts.annotation_document	darts.annotationann_id = darts.annotation_documentann_id	annotation_document_annotation_fk
	darts.hearing_annotation_ae	darts.annotationann_id = darts.hearing_annotation_aeann_id	hearing_annotation_ae_annotation_fk

Unique keys

	Columns	Name / Description
	ann_id	annotation_pk

13.1.2. Table: darts.annotation_document

Columns

		Name	Data type	Description / Attributes
		ado_id	bigint	primary key of annotation_document
		ann_id	integer	foreign key from annotation **References**: darts.annotation
		content_object_id	character varying(16)	**Nullable**
		subcontent_object_id	character varying(16)	**Nullable**
		subcontent_position	integer	**Nullable**
		clip_id	character varying(54)	**Nullable**
		storage_id	character varying(16)	**Nullable**
		data_ticket	integer	**Nullable**
		file_name	character varying	
		file_type	character varying	
		file_size	integer	
		checksum	character varying	**Nullable**
		is_deleted	boolean	**Default**: false
		deleted_by	integer	**Nullable** **References**: darts.user_account
		deleted_ts	timestamp with time zone	**Nullable**
		is_hidden	boolean	**Default**: false
		retain_until_ts	timestamp with time zone	**Nullable**
		ret_conf_score	integer	**Nullable**
		ret_conf_reason	character varying	**Nullable**
		uploaded_by	integer	**References**: darts.user_account
		uploaded_ts	timestamp with time zone	
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	**References**: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.annotation	**darts.annotation_document**ann_id = darts.annotationann_id	annotation_document_annotation_fk
	darts.user_account	**darts.annotation_document**deleted_by = darts.user_accountusr_id	annotation_document_deleted_by_fk
	darts.user_account	**darts.annotation_document**uploaded_by = darts.user_accountusr_id	annotation_document_uploaded_by_fk
	darts.user_account	**darts.annotation_document**last_modified_by = darts.user_accountusr_id	annotation_document_last_modified_by_fk

Linked from

	Table	Join	Title / Name / Description
	darts.external_object_directory	**darts.annotation_document**ado_id = darts.external_object_directoryado_id	eod_annotation_document_fk
	darts.object_admin_action	**darts.annotation_document**ado_id = darts.object_admin_actionado_id	oaa_annotation_document_fk

Unique keys

	Columns	Name / Description
	ado_id	annotation_document_pk

13.1.3. Table: darts.arm_automated_task

Columns

		Name	Data type	Description / Attributes
		aat_id	integer	primary key of arm_automated_task
		aut_id	integer	foreign key to automated_task References: darts.automated_task
		rpo_csv_start_hour	integer	Nullable
		rpo_csv_end_hour	integer	Nullable
		arm_replay_start_ts	timestamp with time zone	Nullable
		arm_replay_end_ts	timestamp with time zone	Nullable
		arm_attribute_type	character varying	Nullable

Links to

	Table	Join	Title / Name / Description
	darts.automated_task	darts.arm_automated_taskaut_id = darts.automated_taskaut_id	arm_automated_task_automated_task_fk

Unique keys

	Columns	Name / Description
	aat_id	arm_automated_task_pk

13.1.4. Table: darts.arm_rpo_execution_detail

Columns

		Name	Data type	Description / Attributes
		ard_id	integer	primary key of arm_rpo_execution_detail
		are_id	integer	foreign key to arm_rpo_state Nullable References: darts.arm_rpo_state
		aru_id	integer	foreign key to arm_rpo_status Nullable References: darts.arm_rpo_status
		matter_id	character varying	Nullable
		index_id	character varying	Nullable
		entitlement_id	character varying	Nullable
		storage_account_id	character varying	Nullable
		search_id	character varying	Nullable
		production_id	character varying	Nullable
		sorting_field	character varying	Nullable
		search_item_count	integer	Nullable
		polling_created_ts	timestamp with time zone	Nullable
		production_name	character varying	Nullable
		created_ts	timestamp with time zone	
		created_by	integer	References: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	References: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.arm_rpo_state	darts.arm_rpo_execution_detailare_id = darts.arm_rpo_stateare_id	arm_rpo_execution_detail_arm_state_fk
	darts.arm_rpo_status	darts.arm_rpo_execution_detailaru_id = darts.arm_rpo_statusaru_id	arm_rpo_execution_detail_arm_status_fk
	darts.user_account	darts.arm_rpo_execution_detailcreated_by = darts.user_accountusr_id	arm_rpo_execution_detail_created_by_fk
	darts.user_account	darts.arm_rpo_execution_detaillast_modified_by = darts.user_accountusr_id	arm_rpo_execution_detail_last_modified_by_fk

Unique keys

	Columns	Name / Description
	ard_id	arm_rpo_execution_detail_pk

13.1.5. Table: darts.arm_rpo_state

Columns

		Name	Data type	Description / Attributes
		are_id	integer	primary key of arm_rpo_state
		are_description	character varying	

Linked from

	Table	Join	Title / Name / Description
	darts.arm_rpo_execution_detail	darts.arm_rpo_stateare_id = darts.arm_rpo_execution_detailare_id	arm_rpo_execution_detail_arm_state_fk

Unique keys

	Columns	Name / Description
	are_id	arm_rpo_state_pk

13.1.6. Table: darts.arm_rpo_status

Columns

		Name	Data type	Description / Attributes
		aru_id	integer	primary key of arm_rpo_status
		aru_description	character varying	

Linked from

	Table	Join	Title / Name / Description
	darts.arm_rpo_execution_detail	darts.arm_rpo_statusaru_id = darts.arm_rpo_execution_detailaru_id	arm_rpo_execution_detail_arm_status_fk

Unique keys

	Columns	Name / Description
	aru_id	arm_rpo_status_pk

13.1.7. Table: darts.audit

Columns

		Name	Data type	Description / Attributes
		aud_id	bigint	primary key of audit
		cas_id	integer	foreign key from case **Nullable** **References**: darts.court_case
		aua_id	integer	primary key of audit_activity **References**: darts.audit_activity
		usr_id	integer	foreign key from user_account **References**: darts.user_account
		additional_data	character varying	**Nullable**
		created_ts	timestamp with time zone	
		created_by	integer	**References**: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	**References**: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.audit_activity	**darts.audit**aua_id = darts.audit_activityaua_id	audit_audit_activity_fk
	darts.court_case	**darts.audit**cas_id = darts.court_casecas_id	audit_case_fk
	darts.user_account	**darts.audit**usr_id = darts.user_accountusr_id	audit_user_account_fk
	darts.user_account	**darts.audit**created_by = darts.user_accountusr_id	audit_created_by_fk
	darts.user_account	**darts.audit**last_modified_by = darts.user_accountusr_id	audit_modified_by_fk

Unique keys

	Columns	Name / Description
	aud_id	audit_pk

13.1.8. Table: darts.audit_activity

Columns

		Name	Data type	Description / Attributes
		aua_id	integer	
		activity_name	character varying	
		activity_description	character varying	
		created_ts	timestamp with time zone	
		created_by	integer	**References**: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	**References**: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.user_account	**darts.audit_activity**created_by = darts.user_accountusr_id	audit_activity_created_by_fk
	darts.user_account	**darts.audit_activity**last_modified_by = darts.user_accountusr_id	audit_activity_modified_by_fk

Linked from

	Table	Join	Title / Name / Description
	darts.audit	**darts.audit_activity**aua_id = darts.auditaua_id	audit_audit_activity_fk

Unique keys

	Columns	Name / Description
	aua_id	audit_activity_pk

13.1.9. Table: darts.audit_heritage

Columns

		Name	Data type	Description / Attributes
		r_object_id	character varying	Nullable
		event_name	character varying	Nullable
		event_source	character varying	Nullable
		r_gen_source	integer	Nullable
		user_name	character varying	Nullable
		audited_obj_id	character varying	Nullable
		time_stamp	timestamp with time zone	Nullable
		string_1	character varying	Nullable
		string_2	character varying	Nullable
		string_3	character varying	Nullable
		string_4	character varying	Nullable
		string_5	character varying	Nullable
		id_1	character varying	Nullable
		id_2	character varying	Nullable
		id_3	character varying	Nullable
		id_4	character varying	Nullable
		id_5	character varying	Nullable
		chronicle_id	character varying	Nullable
		object_name	character varying	Nullable
		version_label	character varying	Nullable
		object_type	character varying	Nullable
		event_description	character varying	Nullable
		policy_id	character varying	Nullable
		current_state	character varying	Nullable
		workflow_id	character varying	Nullable
		session_id	character varying	Nullable
		user_id	character varying	Nullable
		owner_name	character varying	Nullable
		acl_name	character varying	Nullable
		acl_domain	character varying	Nullable
		application_code	character varying	Nullable
		controlling_app	character varying	Nullable
		attribute_list	character varying	Nullable
		attribute_list_id	character varying	Nullable
		audit_signature	character varying	Nullable

		Name	Data type	Description / Attributes
		audit_version	integer	Nullable
		host_name	character varying	Nullable
		time_stamp_utc	timestamp with time zone	Nullable
		i_audited_obj_class	integer	Nullable
		registry_id	character varying	Nullable
		i_is_archived	integer	Nullable
		audited_obj_vstamp	integer	Nullable
		attribute_list_old	character varying	Nullable
		i_is_replica	integer	Nullable
		i_vstamp	integer	Nullable
		attribute_list_aspect_id	character varying	Nullable
		r_object_sequence	integer	Nullable

13.1.10. Table: darts.automated_task

Columns

		Name	Data type	Description / Attributes
		aut_id	integer	primary key of automated_task
		task_name	character varying	
		task_description	character varying	
		cron_expression	character varying	
		cron_editable	boolean	
		task_enabled	boolean	**Default**: true
		batch_size	integer	**Nullable**
		created_ts	timestamp with time zone	
		created_by	integer	**References**: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	**References**: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.user_account	**darts.automated_task**created_by = darts.user_accountusr_id	automated_task_created_by_fk
	darts.user_account	**darts.automated_task**last_modified_by = darts.user_accountusr_id	automated_task_modified_by_fk

Linked from

	Table	Join	Title / Name / Description
	darts.arm_automated_task	**darts.automated_task**aut_id = darts.arm_automated_taskaut_id	arm_automated_task_automated_task_fk

Unique keys

	Columns	Name / Description
	aut_id	automated_task_pk

13.1.11. Table: darts.case_document

Columns

		Name	Data type	Description / Attributes
		cad_id	bigint	
		cas_id	integer	**References**: darts.court_case
		file_name	character varying	
		file_type	character varying	
		file_size	integer	
		checksum	character varying	**Nullable**
		is_deleted	boolean	**Default**: false
		deleted_by	integer	**Nullable** **References**: darts.user_account
		deleted_ts	timestamp with time zone	**Nullable**
		is_hidden	boolean	**Default**: false
		retain_until_ts	timestamp with time zone	**Nullable**
		ret_conf_score	integer	**Nullable**
		ret_conf_reason	character varying	**Nullable**
		created_by	integer	**References**: darts.user_account
		created_ts	timestamp with time zone	
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	**References**: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.court_case	**darts.case_document**cas_id = darts.court_casecas_id	case_document_case_fk
	darts.user_account	**darts.case_document**created_by = darts.user_accountusr_id	case_document_created_by_fk
	darts.user_account	**darts.case_document**last_modified_by = darts.user_accountusr_id	case_document_last_modified_by_fk
	darts.user_account	**darts.case_document**deleted_by = darts.user_accountusr_id	case_document_deleted_by_fk

Linked from

	Table	Join	Title / Name / Description
	darts.external_object_directory	**darts.case_document**cad_id = darts.external_object_directorycad_id	eod_case_document_fk
	darts.object_admin_action	**darts.case_document**cad_id = darts.object_admin_actioncad_id	oaa_case_document_fk

Unique keys

	Columns	Name / Description
	cad_id	case_document_pk

13.1.12. Table: darts.case_judge_ae

Columns

Name	Data type	Description / Attributes
cas_id	integer	foreign key from case, part of composite natural key and PK **References**: darts.court_case
jud_id	integer	foreign key from judge, part of composite natural key and PK **References**: darts.judge

Links to

Table	Join	Title / Name / Description
darts.court_case	**darts.case_judge_ae**cas_id = darts.court_casecas_id	case_judge_ae_case_fk
darts.judge	**darts.case_judge_ae**jud_id = darts.judgejud_id	case_judge_ae_judge_fk

Unique keys

Columns	Name / Description
cas_id, jud_id	case_judge_ae_pk

13.1.13. Table: darts.case_management_retention

Columns

		Name	Data type	Description / Attributes
		cmr_id	integer	
		cas_id	integer	**References**: darts.court_case
		rpt_id	integer	**References**: darts.retention_policy_type
		eve_id	bigint	**References**: darts.event
		total_sentence	character varying	**Nullable**

Links to

	Table	Join	Title / Name / Description
	darts.court_case	**darts.case_management_retention**cas_id = darts.court_casecas_id	case_management_retention_court_case_fk
	darts.event	**darts.case_management_retention**eve_id = darts.eventeve_id	case_management_retention_event_fk
	darts.retention_policy_type	**darts.case_management_retention**rpt_id = darts.retention_policy_typerpt_id	case_management_retention_retention_policy_type_fk

Linked from

	Table	Join	Title / Name / Description
	darts.case_retention	**darts.case_management_retention**cmr_id = darts.case_retentioncmr_id	case_retention_case_management_retention_fk

Unique keys

	Columns	Name / Description
	cmr_id	case_management_retention_pk

13.1.14. Table: darts.case_overflow

Columns

		Name	Data type	Description / Attributes
		cof_id	integer	
		cas_id	integer	Nullable References: darts.court_case
		rpt_id	integer	Nullable References: darts.retention_policy_type
		case_object_id	character varying	Nullable
		case_total_sentence	character varying	Nullable
		retention_event_ts	timestamp with time zone	Nullable
		case_retention_fixed	character varying	Nullable
		retention_applies_from_ts	timestamp with time zone	Nullable
		end_of_sentence_date_ts	timestamp with time zone	Nullable
		manual_retention_override	integer	Nullable
		retain_until_ts	timestamp with time zone	Nullable
		c_closed_pre_live	integer	Nullable
		c_case_closed_date_pre_live	timestamp with time zone	Nullable
		case_created_ts	timestamp with time zone	Nullable
		audio_folder_object_id	character varying(16)	Nullable
		case_last_modified_ts	timestamp with time zone	Nullable
		audio_last_modified_ts	timestamp with time zone	Nullable
		c_case_id	character varying(32)	Nullable
		c_courthouse	character varying(64)	Nullable
		c_type	character varying(32)	Nullable
		c_upload_priority	integer	Nullable
		c_reporting_restrictions	character varying(128)	Nullable
		case_object_name	character varying(255)	Nullable
		r_folder_path	character varying(740)	Nullable
		c_interpreter_used	integer	Nullable
		created_ts	timestamp with time zone	Default: CURRENT_TIMESTAMP
		last_modified_ts	timestamp with time zone	

Links to

	Table	Join	Title / Name / Description
	darts.court_case	darts.case_overflowcas_id = darts.court_casecas_id	case_overflow_court_case_fk
	darts.retention_policy_type	darts.case_overflowrpt_id = darts.retention_policy_typerpt_id	case_overflow_retention_policy_type_fk

Unique keys

	Columns	Name / Description
	cof_id	case_overflow_pk

13.1.15. Table: darts.case_retention

Columns

		Name	Data type	Description / Attributes
		car_id	integer	primary key of case_retention
		cas_id	integer	foreign key from court_case References: darts.court_case
		rpt_id	integer	References: darts.retention_policy_type
		cmr_id	integer	Nullable References: darts.case_management_retention
		total_sentence	character varying	Nullable
		retain_until_ts	timestamp with time zone	
		retain_until_applied_on_ts	timestamp with time zone	Nullable
		current_state	character varying	
		comments	character varying	Nullable
		confidence_category	integer	Nullable
		retention_object_id	character varying	Nullable
		submitted_by	integer	References: darts.user_account
		created_ts	timestamp with time zone	
		created_by	integer	References: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	References: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.case_management_retention	darts.case_retentioncmr_id = darts.case_management_retentioncmr_id	case_retention_case_management_retention_fk
	darts.court_case	darts.case_retentioncas_id = darts.court_casecas_id	case_retention_court_case_fk
	darts.retention_policy_type	darts.case_retentionrpt_id = darts.retention_policy_typerpt_id	case_retention_retention_policy_type_fk
	darts.user_account	darts.case_retentioncreated_by = darts.user_accountusr_id	case_retention_created_by_fk
	darts.user_account	darts.case_retentionlast_modified_by = darts.user_accountusr_id	case_retention_last_modified_by_fk
	darts.user_account	darts.case_retentionsubmitted_by = darts.user_accountusr_id	case_retention_submitted_by_fk

Unique keys

	Columns	Name / Description
	car_id	case_retention_pk

13.1.16. Table: darts.case_retention_audit_heritage

Columns

		Name	Data type	Description / Attributes
		rah_id	integer	
		cas_id	integer	Nullable References: darts.court_case
		rpt_id	integer	Nullable References: darts.retention_policy_type
		case_retention_audit_object_id	character varying(16)	
		is_current	boolean	Nullable
		i_partition	integer	Nullable
		c_case_id	character varying(32)	Nullable
		c_date_retention_amended	timestamp with time zone	Nullable
		c_comments	character varying	Nullable
		c_date_previous_retention	timestamp with time zone	Nullable
		c_username	integer	Nullable References: darts.user_account
		c_status	character varying(32)	Nullable
		c_courthouse	character varying(64)	Nullable
		c_policy_type	character varying(20)	Nullable
		c_case_closed_date	timestamp with time zone	Nullable
		object_name	character varying(255)	Nullable
		r_creator_name	integer	Nullable References: darts.user_account
		r_creation_date	timestamp with time zone	Nullable
		r_modifier	integer	Nullable References: darts.user_account
		r_modify_date	timestamp with time zone	Nullable
		owner_name	integer	Nullable References: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.court_case	darts.case_retention_audit_heritagecas_id = darts.court_casecas_id	case_retention_audit_heritage_court_case_fk
	darts.retention_policy_type	darts.case_retention_audit_heritagerpt_id = darts.retention_policy_typerpt_id	case_retention_audit_heritage_retention_policy_type_fk
	darts.user_account	darts.case_retention_audit_heritagec_username = darts.user_accountusr_id	case_retention_audit_heritage_c_username_fk
	darts.user_account	darts.case_retention_audit_heritager_creator_name = darts.user_accountusr_id	case_retention_audit_heritage_r_creator_name_fk
	darts.user_account	darts.case_retention_audit_heritager_modifier = darts.user_accountusr_id	case_retention_audit_heritage_r_modifier_fk

	Table	Join	Title / Name / Description
⊢	darts.user_account	darts.case_retention_audit_heritageowner_name = darts.user_accountusr_id	case_retention_audit_heritage_owner_name_fk

Unique keys

	Columns	Name / Description
🔑	rah_id	case_retention_audit_heritage_pk

13.1.17. Table: darts.case_transcription_ae

Columns

		Name	Data type	Description / Attributes
		cas_id	integer	foreign key from case, part of composite natural key and PK **References**: darts.court_case
		tra_id	bigint	foreign key from transcription, part of composite natural key and PK **References**: darts.transcription

Links to

	Table	Join	Title / Name / Description
	darts.court_case	**darts.case_transcription_ae**cas_id = darts.court_casecas_id	case_transcription_ae_case_fk
	darts.transcription	**darts.case_transcription_ae**tra_id = darts.transcriptiontra_id	case_transcription_ae_transcription_fk

Unique keys

	Columns	Name / Description
	cas_id, tra_id	case_transcription_ae_pk

13.1.18. Table: darts.cc_dets

Columns

		Name	Data type	Description / Attributes
		cas_id	integer	
		case_object_id	character varying(16)	Nullable
		c_courthouse	character varying(64)	Nullable
		c_case_id	character varying(32)	Nullable
		c_closed_pre_live	integer	Nullable
		c_case_closed_date_pre_live	timestamp with time zone	Nullable
		c_case_closed_date_crah	timestamp with time zone	Nullable
		case_created_ts	timestamp with time zone	Nullable
		case_retention_fixed	character varying(16)	Nullable
		case_total_sentence	character varying(16)	Nullable
		retention_applies_from_ts	timestamp with time zone	Nullable
		end_of_sentence_date_ts	timestamp with time zone	Nullable
		manual_retention_override	integer	Nullable
		retain_until_ts	timestamp with time zone	Nullable
		audio_folder_object_id	character varying(16)	Nullable
		case_closed_event_event_ts_by_pre_live_closed_date	timestamp with time zone	Nullable
		case_closed_event_event_ts_eve_id_by_pre_live_closed_date	integer	Nullable
		case_closed_event_created_ts_by_pre_live_closed_date	timestamp with time zone	Nullable
		case_closed_event_created_ts_eve_id_by_pre_live_closed_date	integer	Nullable
		case_closed_event_event_ts_by_audit_closed_date	timestamp with time zone	Nullable
		case_closed_event_event_ts_eve_id_by_audit_closed_date	integer	Nullable
		case_closed_event_created_ts_by_audit_closed_date	timestamp with time zone	Nullable
		case_closed_event_created_ts_eve_id_by_audit_closed_date	integer	Nullable
		case_closed_event_event_ts_case_closed_event_latest	timestamp with time zone	Nullable
		case_closed_event_event_ts_eve_id_case_closed_event_latest	integer	Nullable
		case_closed_event_created_ts_case_closed_event_latest	timestamp with time zone	Nullable
		case_closed_event_created_ts_eve_id_case_closed_event_latest	integer	Nullable
		latest_event_by_event_ts	timestamp with time zone	Nullable
		latest_event_by_event_ts_eve_id	integer	Nullable

		Name	Data type	Description / Attributes
		latest_event_by_created_ts	timestamp with time zone	Nullable
		latest_event_by_created_ts_eve_id	integer	Nullable
		latest_hearing_ended_event_by_event_ts	timestamp with time zone	Nullable
		latest_hearing_ended_event_by_event_ts_eve_id	integer	Nullable
		latest_hearing_ended_event_by_created_ts	timestamp with time zone	Nullable
		latest_hearing_ended_event_by_created_ts_eve_id	integer	Nullable
		latest_log_event_by_event_ts	timestamp with time zone	Nullable
		latest_log_event_by_event_ts_eve_id	integer	Nullable
		latest_log_event_by_created_ts	timestamp with time zone	Nullable
		latest_log_event_by_created_ts_eve_id	integer	Nullable
		latest_sentencing_event_by_event_ts	timestamp with time zone	Nullable
		latest_sentencing_event_by_event_ts_eve_id	integer	Nullable
		latest_sentencing_event_by_created_ts	timestamp with time zone	Nullable
		latest_sentencing_event_by_created_ts_eve_id	integer	Nullable
		latest_sentencing_271_event_by_event_ts	timestamp with time zone	Nullable
		latest_sentencing_271_event_by_event_ts_eve_id	integer	Nullable
		latest_sentencing_271_event_by_created_ts	timestamp with time zone	Nullable
		latest_sentencing_271_event_by_created_ts_eve_id	integer	Nullable
		latest_media_by_created_ts	timestamp with time zone	Nullable
		latest_media_by_created_ts_eve_id	integer	Nullable
		latest_media_by_start_ts	timestamp with time zone	Nullable
		latest_media_by_start_ts_eve_id	integer	Nullable
		latest_media_by_end_ts	timestamp with time zone	Nullable
		latest_media_by_end_ts_eve_id	integer	Nullable
		latest_warrant_event_by_event_ts	timestamp with time zone	Nullable
		latest_warrant_event_by_event_ts_eve_id	integer	Nullable
		latest_warrant_event_by_created_ts	timestamp with time zone	Nullable
		latest_warrant_event_by_created_ts_eve_id	integer	Nullable
		ret_conf_score	integer	Nullable
		ret_conf_reason	character varying(64)	Nullable

		Name	Data type	Description / Attributes
		ret_conf_updated_ts	timestamp with time zone	Nullable
		category_type	character varying(32)	Nullable
		latest_activity_period	character varying(5)	Nullable

Unique keys

	Columns	Name / Description
	cas_id	cc_dets_pk

13.1.19. Table: darts.cmr_dets

Columns

		Name	Data type	Description / Attributes
		cmd_id	integer	**Default**: nextval('darts.cmr_dets_cmd_id_seq'::regclass)
		cmr_id	integer	**Nullable**
		cas_id	integer	**Nullable**
		rpt_id	integer	**Nullable**
		eve_id	bigint	**Nullable**
		total_sentence	character varying(32)	**Nullable**

Unique keys

	Columns	Name / Description
	cmd_id	cmr_dets_pk

13.1.20. Table: darts.court_case

Columns

		Name	Data type	Description / Attributes
		cas_id	integer	primary key of court_case
		cth_id	integer	foreign key to courthouse References: darts.courthouse
		evh_id	integer	Nullable References: darts.event_handler
		case_object_id	character varying(16)	internal Documentum primary key from moj_case_s Nullable
		case_object_name	character varying(255)	Nullable
		folder_path	character varying	Nullable
		case_number	character varying	directly sourced from moj_case_s.c_case_id
		case_type	character varying	Nullable
		upload_priority	integer	Nullable
		case_closed	boolean	migrated from moj_case_s, converted from numeric to boolean
		interpreter_used	boolean	migrated from moj_case_s, converted from numeric to boolean
		case_closed_ts	timestamp with time zone	directly sourced from moj_case_s.c_case_closed_date Nullable
		is_retention_updated	boolean	Default: false
		retention_retries	integer	Nullable
		is_data_anonymised	boolean	Default: false
		data_anonymised_by	integer	Nullable References: darts.user_account
		data_anonymised_ts	timestamp with time zone	Nullable
		ret_conf_score	integer	Nullable
		ret_conf_reason	character varying	Nullable
		ret_conf_updated_ts	timestamp with time zone	Nullable
		is_deleted	boolean	Default: false
		deleted_by	integer	Nullable References: darts.user_account
		deleted_ts	timestamp with time zone	Nullable
		created_ts	timestamp with time zone	
		created_by	integer	References: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	References: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.courthouse	darts.court_casecth_id = darts.courthousecth_id	court_case_courthouse_fk

	Table	Join	Title / Name / Description
⊢	darts.event_handler	darts.court_caseevh_id = darts.event_handlerevh_id	court_case_event_handler_fk
⊢	darts.user_account	darts.court_casecreated_by = darts.user_accountusr_id	court_case_created_by_fk
⊢	darts.user_account	darts.court_caselast_modified_by = darts.user_accountusr_id	court_case_modified_by_fk
⊢	darts.user_account	darts.court_casedeleted_by = darts.user_accountusr_id	court_case_deleted_by_fk
⊢	darts.user_account	darts.court_casedata_anonymised_by = darts.user_accountusr_id	court_case_data_anonymised_by_fk

Linked from

	Table	Join	Title / Name / Description
⊣	darts.audit	darts.court_casecas_id = darts.auditcas_id	audit_case_fk
⊣	darts.case_document	darts.court_casecas_id = darts.case_documentcas_id	case_document_case_fk
⊣	darts.case_judge_ae	darts.court_casecas_id = darts.case_judge_aecas_id	case_judge_ae_case_fk
⊣	darts.case_management_retention	darts.court_casecas_id = darts.case_management_retentioncas_id	case_management_retention_court_case_fk
⊣	darts.case_overflow	darts.court_casecas_id = darts.case_overflowcas_id	case_overflow_court_case_fk
⊣	darts.case_retention	darts.court_casecas_id = darts.case_retentioncas_id	case_retention_court_case_fk
⊣	darts.case_retention_audit_heritage	darts.court_casecas_id = darts.case_retention_audit_heritagecas_id	case_retention_audit_heritage_court_case_fk
⊣	darts.case_transcription_ae	darts.court_casecas_id = darts.case_transcription_aecas_id	case_transcription_ae_case_fk
⊣	darts.defence	darts.court_casecas_id = darts.defencecas_id	defence_court_case_fk
⊣	darts.defendant	darts.court_casecas_id = darts.defendantcas_id	defendant_court_case_fk
⊣	darts.event_linked_case	darts.court_casecas_id = darts.event_linked_casecas_id	event_linked_case_court_case_fk
⊣	darts.hearing	darts.court_casecas_id = darts.hearingcas_id	hearing_case_fk
⊣	darts.media_linked_case	darts.court_casecas_id = darts.media_linked_casecas_id	media_linked_case_court_case_fk
⊣	darts.notification	darts.court_casecas_id = darts.notificationcas_id	notification_case_fk
⊣	darts.prosecutor	darts.court_casecas_id = darts.prosecutorcas_id	prosecutor_court_case_fk
⊣	darts.transcription_linked_case	darts.court_casecas_id = darts.transcription_linked_casecas_id	transcription_linked_case_court_case_fk

Unique keys

	Columns	Name / Description
	cas_id	court_case_pk
	case_number, cth_id	cas_case_number_cth_id_unq

13.1.21. Table: darts.courthouse

Columns

		Name	Data type	Description / Attributes
		cth_id	integer	primary key of courthouse
		courthouse_object_id	character varying(16)	Nullable
		folder_path	character varying	Nullable
		courthouse_code	integer	corresponds to the c_crown_court_code found in daily lists Nullable
		courthouse_name	character varying	directly sourced from moj_courthouse_s.c_id
		display_name	character varying	
		created_ts	timestamp with time zone	
		created_by	integer	References: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	References: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.user_account	darts.courthousecreated_by = darts.user_accountusr_id	courthouse_created_by_fk
	darts.user_account	darts.courthouselast_modified_by = darts.user_accountusr_id	courthouse_modified_by_fk

Linked from

	Table	Join	Title / Name / Description
	darts.court_case	darts.courthousecth_id = darts.court_casecth_id	court_case_courthouse_fk
	darts.courthouse_region_ae	darts.courthousecth_id = darts.courthouse_region_aecth_id	courthouse_region_courthouse_fk
	darts.courtroom	darts.courthousecth_id = darts.courtroomcth_id	courtroom_courthouse_fk
	darts.security_group_courthouse_ae	darts.courthousecth_id = darts.security_group_courthouse_aecth_id	security_group_courthouse_courthouse_fk

Unique keys

Columns		Name / Description
	cth_id	courthouse_pk
	courthouse_name	courthouse_courthouse_name_key

13.1.22. Table: darts.courthouse_region_ae

Columns

		Name	Data type	Description / Attributes
		cth_id	integer	**References**: darts.courthouse
		reg_id	integer	**References**: darts.region

Links to

	Table	Join	Title / Name / Description
	darts.courthouse	**darts.courthouse_region_ae**cth_id = darts.courthousecth_id	courthouse_region_courthouse_fk
	darts.region	**darts.courthouse_region_ae**reg_id = darts.regionreg_id	courthouse_region_region_fk

Unique keys

	Columns	Name / Description
	cth_id, reg_id	courthouse_region_ae_pk

13.1.23. Table: darts.courtroom

Columns

		Name	Data type	Description / Attributes
		ctr_id	integer	primary key of courtroom
		cth_id	integer	foreign key to courthouse **References**: darts.courthouse
		courtroom_name	character varying	
		created_ts	timestamp with time zone	
		created_by	integer	**References**: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.courthouse	**darts.courtroom**cth_id = darts.courthousecth_id	courtroom_courthouse_fk
	darts.user_account	**darts.courtroom**created_by = darts.user_accountusr_id	courtroom_created_by_fk

Linked from

	Table	Join	Title / Name / Description
	darts.event	**darts.courtroom**ctr_id = darts.eventctr_id	event_courtroom_fk
	darts.hearing	**darts.courtroom**ctr_id = darts.hearingctr_id	hearing_courtroom_fk
	darts.media	**darts.courtroom**ctr_id = darts.mediactr_id	media_courtroom_fk
	darts.node_register	**darts.courtroom**ctr_id = darts.node_registerctr_id	node_register_courtroom_fk
	darts.transcription	**darts.courtroom**ctr_id = darts.transcriptionctr_id	transcription_courtroom_fk

Unique keys

	Columns	Name / Description
	ctr_id	courtroom_pk
	cth_id, courtroom_name	ctr_chr_crn_unq

13.1.24. Table: darts.cr_dets

Columns

		Name	Data type	Description / Attributes
		crd_id	integer	**Default**: nextval('darts.cr_dets_crd_id_seq'::regclass)
		cas_id	integer	**Nullable**
		rpt_id	integer	**Nullable**
		cmd_id	integer	**Nullable**
		total_sentence	character varying(32)	**Nullable**
		retain_until_ts	timestamp with time zone	**Nullable**
		retain_until_applied_on_ts	timestamp with time zone	**Nullable**
		current_state	character varying(32)	**Nullable**
		comments	character varying(150)	**Nullable**
		confidence_category	integer	**Nullable**
		retention_object_id	character varying(16)	**Nullable**
		submitted_by	integer	**Nullable**
		created_ts	timestamp with time zone	**Nullable**
		created_by	integer	**Nullable**
		last_modified_ts	timestamp with time zone	**Nullable**
		last_modified_by	integer	**Nullable**

Unique keys

	Columns	Name / Description
	crd_id	cr_dets_pk

13.1.25. Table: darts.daily_list

Columns

		Name	Data type	Description / Attributes
		dal_id	integer	primary key of daily_list
		courthouse_code	integer	Nullable
		listing_courthouse	character varying	
		daily_list_object_id	character varying(16)	internal Documentum primary key from moj_daily_list_s Nullable
		unique_id	character varying	directly sourced from moj_daily_list_s, received as part of the XML, used to find duplicate daily lists Nullable
		job_status	character varying	directly sourced from moj_daily_list_s
		published_ts	timestamp with time zone	directly sourced from moj_daily_list_s.c_timestamp Nullable
		start_dt	date	directly sourced from moj_daily_list_s.c_start_date Nullable
		end_dt	date	directly sourced from moj_daily_list_s.c_end_date Nullable
		daily_list_id_s	character varying	directly sourced from moj_daily_list_s Nullable
		daily_list_source	character varying	directly sourced from moj_daily_list_s Nullable
		daily_list_content_json	character varying	Nullable
		daily_list_content_xml	character varying	Nullable
		message_id	character varying	Nullable
		content_object_id	character varying(16)	Nullable
		subcontent_object_id	character varying(16)	Nullable
		subcontent_position	integer	Nullable
		clip_id	character varying	Nullable
		storage_id	character varying(16)	Nullable
		data_ticket	integer	Nullable
		external_location	character varying	Nullable
		elt_id	integer	Nullable References: darts.external_location_type
		osr_uuid	bigint	Nullable
		created_ts	timestamp with time zone	
		created_by	integer	References: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	References: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.external_location_type	**darts.daily_list**elt_id = darts.external_location_typeelt_id	daily_list_external_location_type_fk
	darts.user_account	**darts.daily_list**created_by = darts.user_accountusr_id	daily_list_created_by_fk
	darts.user_account	**darts.daily_list**last_modified_by = darts.user_accountusr_id	daily_list_modified_by_fk

Unique keys

	Columns	Name / Description
	dal_id	daily_list_pk

13.1.26. Table: darts.data_anonymisation

Columns

		Name	Data type	Description / Attributes
		dan_id	integer	primary key of data_anonymisation
		eve_id	bigint	foreign key to event, unenforced to support deletion of event without reference to this table Nullable References: darts.event
		trc_id	integer	foreign key of transcription_comment, unenforce to support deletion of transcription_comment without reference to this table Nullable References: darts.transcription_comment
		is_manual_request	boolean	Nullable
		requested_by	integer	References: darts.user_account
		requested_ts	timestamp with time zone	
		approved_by	integer	Nullable References: darts.user_account
		approved_ts	timestamp with time zone	Nullable

Links to

	Table	Join	Title / Name / Description
	darts.event	darts.data_anonymisationeve_id = darts.eventeve_id	data_anonymisation_event_fk
	darts.transcription_comment	darts.data_anonymisationtrc_id = darts.transcription_commenttrc_id	data_anonymisation_transcription_comment_fk
	darts.user_account	darts.data_anonymisationrequested_by = darts.user_accountusr_id	data_anonymisation_requested_by_fk
	darts.user_account	darts.data_anonymisationapproved_by = darts.user_accountusr_id	data_anonymisation_approved_by_fk

Unique keys

	Columns	Name / Description
	dan_id	data_anonymisation_pk

13.1.27. Table: darts.defence

Columns

Name	Data type	Description / Attributes
dfc_id	integer	primary key of defence_name
cas_id	integer	foreign key from court_case **References**: darts.court_case
defence_name	character varying	
created_ts	timestamp with time zone	
created_by	integer	**References**: darts.user_account
last_modified_ts	timestamp with time zone	
last_modified_by	integer	**References**: darts.user_account

Links to

Table	Join	Title / Name / Description
darts.court_case	**darts.defence**cas_id = darts.court_casecas_id	defence_court_case_fk
darts.user_account	**darts.defence**created_by = darts.user_accountusr_id	defence_created_by_fk
darts.user_account	**darts.defence**last_modified_by = darts.user_accountusr_id	defence_modified_by_fk

Unique keys

Columns	Name / Description
dfc_id	defence_pk
cas_id, defence_name	dfc_cas_id_defence_name_unq

13.1.28. Table: darts.defendant

Columns

		Name	Data type	Description / Attributes
		dfd_id	integer	primary key of defendant_name
		cas_id	integer	foreign key from court_case **References**: darts.court_case
		defendant_name	character varying	
		created_ts	timestamp with time zone	
		created_by	integer	**References**: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	**References**: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.court_case	**darts.defendant**cas_id = darts.court_casecas_id	defendant_court_case_fk
	darts.user_account	**darts.defendant**created_by = darts.user_accountusr_id	defendant_created_by_fk
	darts.user_account	**darts.defendant**last_modified_by = darts.user_accountusr_id	defendant_modified_by_fk

Unique keys

Columns	Name / Description
dfd_id	defendant_pk
cas_id, defendant_name	dfd_cas_id_defendant_name_unq

13.1.29. Table: darts.event

Columns

		Name	Data type	Description / Attributes
		eve_id	bigint	primary key of moj_event
		ctr_id	integer	foreign key from moj_courtroom **References**: darts.courtroom
		evh_id	integer	foreign key for the moj_event_handler table **References**: darts.event_handler
		event_object_id	character varying(16)	internal Documentum primary key from moj_event_s **Nullable**
		event_id	integer	directly sourced from moj_event_s **Nullable**
		event_text	character varying	inherited from moj_annotation_s.c_text **Nullable**
		event_ts	timestamp with time zone	inherited from moj_annotation_s
		message_id	character varying	no migration element, records the id of the message that gave rise to this event **Nullable**
		is_log_entry	boolean	
		event_status	integer	**Nullable**
		is_current	boolean	**Default**: true
		is_data_anonymised	boolean	**Default**: false
		version_label	character varying(32)	inherited from dm_sysobject_r, for r_object_type of moj_event **Nullable**
		chronicle_id	character varying(16)	**Nullable**
		antecedent_id	character varying(16)	**Nullable**
		created_ts	timestamp with time zone	
		created_by	integer	**References**: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	**References**: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.courtroom	**darts.event**ctr_id = darts.courtroomctr_id	event_courtroom_fk
	darts.event_handler	**darts.event**evh_id = darts.event_handlerevh_id	event_event_handler_fk
	darts.user_account	**darts.event**created_by = darts.user_accountusr_id	event_created_by_fk
	darts.user_account	**darts.event**last_modified_by = darts.user_accountusr_id	event_modified_by_fk

Linked from

	Table	Join	Title / Name / Description
	darts.case_management_retention	**darts.event**eve_id = darts.case_management_retentioneve_id	case_management_retention_event_fk
	darts.data_anonymisation	**darts.event**eve_id = darts.data_anonymisationeve_id	data_anonymisation_event_fk
	darts.event_linked_case	**darts.event**eve_id = darts.event_linked_caseeve_id	event_linked_case_event_fk
	darts.hearing_event_ae	**darts.event**eve_id = darts.hearing_event_aeeve_id	hearing_event_ae_event_fk

Unique keys

Columns		Name / Description
	eve_id	event_pk

13.1.30. Table: darts.event_handler

content will be derived from TBL_MOJ_DOC_HANDLER in the legacy database, but currently has no primary key and 6 fully duplicated rows

Columns

		Name	Data type	Description / Attributes
		evh_id	integer	primary key of moj_event_type
		event_type	character varying	directly sourced from doc_type
		event_sub_type	character varying	directly sourced from doc_sub_type Nullable
		event_name	character varying	directly sourced from event_name
		handler	character varying	directly sourced from doc_handler Nullable
		active	boolean	
		is_reporting_restriction	boolean	
		created_ts	timestamp with time zone	
		created_by	integer	References: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.user_account	darts.event_handlercreated_by = darts.user_accountusr_id	event_handler_created_by_fk

Linked from

	Table	Join	Title / Name / Description
	darts.court_case	darts.event_handlerevh_id = darts.court_caseevh_id	court_case_event_handler_fk
	darts.event	darts.event_handlerevh_id = darts.eventevh_id	event_event_handler_fk

Unique keys

	Columns	Name / Description
	evh_id	event_handler_pk

13.1.31. Table: darts.event_linked_case

content is to be populated via migration

Columns

		Name	Data type	Description / Attributes
		elc_id	bigint	
		eve_id	bigint	**References**: darts.event
		cas_id	integer	**Nullable** **References**: darts.court_case
		courthouse_name	character varying	**Nullable**
		case_number	character varying	**Nullable**

Links to

	Table	Join	Title / Name / Description
	darts.court_case	**darts.event_linked_case**cas_id = darts.court_casecas_id	event_linked_case_court_case_fk
	darts.event	**darts.event_linked_case**eve_id = darts.eventeve_id	event_linked_case_event_fk

Unique keys

	Columns	Name / Description
	elc_id	event_linked_case_pk

13.1.32. Table: darts.external_location_type

used to record acceptable external locations, found in external_object_directory

Columns

		Name	Data type	Description / Attributes
		elt_id	integer	
		elt_description	character varying	Nullable

Linked from

	Table	Join	Title / Name / Description
	darts.daily_list	darts.external_location_typeelt_id = darts.daily_listelt_id	daily_list_external_location_type_fk
	darts.external_object_directory	darts.external_location_typeelt_id = darts.external_object_directoryelt_id	eod_external_location_type_fk

Unique keys

	Columns	Name / Description
	elt_id	external_location_type_pk

13.1.33. Table: darts.external_object_directory

Columns

		Name	Data type	Description / Attributes
		eod_id	bigint	primary key of external_object_directory
		ado_id	bigint	foreign key from annotation_document Nullable References: darts.annotation_document
		cad_id	bigint	Nullable References: darts.case_document
		med_id	bigint	foreign key from moj_media Nullable References: darts.media
		trd_id	bigint	foreign key from transcription_document Nullable References: darts.transcription_document
		ors_id	integer	References: darts.object_record_status
		elt_id	integer	foreign key from external_location_type References: darts.external_location_type
		osr_uuid	bigint	Nullable
		external_location	character varying	Nullable
		external_file_id	character varying	Nullable
		external_record_id	character varying	Nullable
		checksum	character varying	Nullable
		transfer_attempts	integer	Nullable
		manifest_file	character varying	Nullable
		event_date_ts	timestamp with time zone	Nullable
		data_ingestion_ts	timestamp with time zone	Nullable
		verification_attempts	integer	Nullable
		error_code	character varying	Nullable
		is_response_cleaned	boolean	Default: false
		update_retention	boolean	
		input_upload_processed_ts	timestamp with time zone	Nullable
		force_response_cleanup	boolean	Nullable
		is_dets	boolean	Default: false
		created_ts	timestamp with time zone	
		created_by	integer	References: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	References: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.annotation_document	darts.external_object_directoryado_id = darts.annotation_documentado_id	eod_annotation_document_fk

	Table	Join	Title / Name / Description
	darts.case_document	**darts.external_object_directory**cad_id = darts.case_documentcad_id	eod_case_document_fk
	darts.external_location_type	**darts.external_object_directory**elt_id = darts.external_location_typeelt_id	eod_external_location_type_fk
	darts.media	**darts.external_object_directory**med_id = darts.mediamed_id	eod_media_fk
	darts.object_record_status	**darts.external_object_directory**ors_id = darts.object_record_statusors_id	eod_object_record_status_fk
	darts.transcription_document	**darts.external_object_directory**trd_id = darts.transcription_documenttrd_id	eod_transcription_document_fk
	darts.user_account	**darts.external_object_directory**last_modified_by = darts.user_accountusr_id	eod_modified_by_fk
	darts.user_account	**darts.external_object_directory**created_by = darts.user_accountusr_id	external_object_directory_created_by_fk

Linked from

	Table	Join	Title / Name / Description
	darts.extobjdir_process_detail	**darts.external_object_directory**eod_id = darts.extobjdir_process_detaileod_id	epd_external_object_directory_fk

Unique keys

	Columns	Name / Description
	eod_id	external_object_directory_pk

13.1.34. Table: darts.external_service_auth_token

Columns

		Name	Data type	Description / Attributes
		esa_id	integer	primary key of external_service_auth_token
		external_service_userid	character varying	userId used by external services OR requestId user by Audio Request
		token_type	integer	1=soap token, 2=email link token
		token	character varying	Encrypted Token
		expiry_ts	timestamp with time zone	Expiry Date & Time of the Token **Nullable**
		created_ts	timestamp with time zone	
		created_by	integer	**References**: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	**References**: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.user_account	**darts.external_service_auth_token**created_by = darts.user_accountusr_id	external_service_auth_token_created_by_fk
	darts.user_account	**darts.external_service_auth_token**last_modified_by = darts.user_accountusr_id	external_service_auth_token_modified_by_fk

Unique keys

	Columns	Name / Description
	esa_id	external_service_auth_token_pk

13.1.35. Table: darts.extobjdir_process_detail

This table is an extension of external_object_directory.

Columns

		Name	Data type	Description / Attributes
		epd_id	bigint	primary key of extobjdir_process_detail, needed to support Hibernate. Logically eod_id is the PK
		eod_id	bigint	foreign key from external_object_directory **References**: darts.external_object_directory
		event_date_ts	timestamp with time zone	**Nullable**
		update_retention	boolean	
		input_upload_filename	character varying	**Nullable**
		create_record_filename	character varying	**Nullable**
		create_record_processed_ts	timestamp with time zone	**Nullable**
		upload_file_filename	character varying	**Nullable**
		upload_file_processed_ts	timestamp with time zone	**Nullable**
		create_rec_inv_filename	character varying	**Nullable**
		create_rec_inv_processed_ts	timestamp with time zone	**Nullable**
		upload_file_inv_filename	character varying	**Nullable**
		upload_file_inv_processed_ts	timestamp with time zone	**Nullable**
		created_ts	timestamp with time zone	
		created_by	integer	**References**: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	**References**: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.external_object_directory	**darts.extobjdir_process_detail**eod_id = darts.external_object_directoryeod_id	epd_external_object_directory_fk
	darts.user_account	**darts.extobjdir_process_detail**created_by = darts.user_accountusr_id	epd_created_by_fk
	darts.user_account	**darts.extobjdir_process_detail**last_modified_by = darts.user_accountusr_id	epd_last_modified_by_fk

Unique keys

Columns	Name / Description
epd_id	extobjdir_process_detail_pk
eod_id	extobjdir_process_detail_eod_id_key

13.1.36. Table: darts.hearing

Columns

		Name	Data type	Description / Attributes
		hea_id	integer	primary key of hearing
		cas_id	integer	foreign key from case References: darts.court_case
		ctr_id	integer	foreign key from courtroom References: darts.courtroom
		hearing_date	date	directly sourced from moj_case_r
		scheduled_start_time	time without time zone	Nullable
		hearing_is_actual	boolean	
		created_ts	timestamp with time zone	
		created_by	integer	References: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	References: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.court_case	darts.hearingcas_id = darts.court_casecas_id	hearing_case_fk
	darts.courtroom	darts.hearingctr_id = darts.courtroomctr_id	hearing_courtroom_fk
	darts.user_account	darts.hearingcreated_by = darts.user_accountusr_id	hearing_created_by_fk
	darts.user_account	darts.hearinglast_modified_by = darts.user_accountusr_id	hearing_modified_by_fk

Linked from

	Table	Join	Title / Name / Description
	darts.hearing_annotation_ae	darts.hearinghea_id = darts.hearing_annotation_aehea_id	hearing_annotation_ae_hearing_fk
	darts.hearing_event_ae	darts.hearinghea_id = darts.hearing_event_aehea_id	hearing_event_ae_hearing_fk
	darts.hearing_judge_ae	darts.hearinghea_id = darts.hearing_judge_aehea_id	hearing_judge_ae_hearing_fk
	darts.hearing_media_ae	darts.hearinghea_id = darts.hearing_media_aehea_id	hearing_media_ae_hearing_fk
	darts.hearing_transcription_ae	darts.hearinghea_id = darts.hearing_transcription_aehea_id	hearing_transcription_ae_hearing_fk
	darts.media_request	darts.hearinghea_id = darts.media_requesthea_id	media_request_hearing_fk

Unique keys

	Columns	Name / Description
	hea_id	hearing_pk

	Columns	Name / Description
	cas_id, ctr_id, hearing_date	hea_cas_ctr_hd_unq

13.1.37. Table: darts.hearing_annotation_ae

Columns

		Name	Data type	Description / Attributes
		hea_id	integer	foreign key from hearing, part of composite natural key and PK **References**: darts.hearing
		ann_id	integer	foreign key from annotation, part of composite natural key and PK **References**: darts.annotation

Links to

	Table	Join	Title / Name / Description
	darts.annotation	**darts.hearing_annotation_ae**ann_id = darts.annotationann_id	hearing_annotation_ae_annotation_fk
	darts.hearing	**darts.hearing_annotation_ae**hea_id = darts.hearinghea_id	hearing_annotation_ae_hearing_fk

Unique keys

	Columns	Name / Description
	hea_id, ann_id	hearing_annotation_ae_pk

13.1.38. Table: darts.hearing_event_ae

Columns

		Name	Data type	Description / Attributes
		hea_id	integer	foreign key from hearing, part of composite natural key **References**: darts.hearing
		eve_id	bigint	foreign key from event, part of composite natural key **References**: darts.event

Links to

	Table	Join	Title / Name / Description
	darts.event	**darts.hearing_event_ae**eve_id = darts.eventeve_id	hearing_event_ae_event_fk
	darts.hearing	**darts.hearing_event_ae**hea_id = darts.hearinghea_id	hearing_event_ae_hearing_fk

Unique keys

	Columns	Name / Description
	hea_id, eve_id	hearing_event_ae_pk

13.1.39. Table: darts.hearing_judge_ae

Columns

		Name	Data type	Description / Attributes
		hea_id	integer	foreign key from case, part of composite natural key and PK **References**: darts.hearing
		jud_id	integer	foreign key from judge, part of composite natural key and PK **References**: darts.judge

Links to

	Table	Join	Title / Name / Description
	darts.hearing	**darts.hearing_judge_ae**hea_id = darts.hearinghea_id	hearing_judge_ae_hearing_fk
	darts.judge	**darts.hearing_judge_ae**jud_id = darts.judgejud_id	hearing_judge_ae_judge_fk

Unique keys

	Columns	Name / Description
	hea_id, jud_id	hearing_judge_ae_pk

13.1.40. Table: darts.hearing_media_ae

Columns

		Name	Data type	Description / Attributes
		hea_id	integer	foreign key from case, part of composite natural key **References**: darts.hearing
		med_id	bigint	foreign key from media, part of composite natural key **References**: darts.media

Links to

	Table	Join	Title / Name / Description
	darts.hearing	**darts.hearing_media_ae**hea_id = darts.hearinghea_id	hearing_media_ae_hearing_fk
	darts.media	**darts.hearing_media_ae**med_id = darts.mediamed_id	hearing_media_ae_media_fk

Unique keys

	Columns	Name / Description
	hea_id, med_id	hearing_media_ae_pk

13.1.41. Table: darts.hearing_transcription_ae

Columns

		Name	Data type	Description / Attributes
		hea_id	integer	foreign key from hearing, part of composite natural key and PK **References**: darts.hearing
		tra_id	bigint	foreign key from transcription, part of composite natural key and PK **References**: darts.transcription

Links to

	Table	Join	Title / Name / Description
	darts.hearing	**darts.hearing_transcription_ae**hea_id = darts.hearinghea_id	hearing_transcription_ae_hearing_fk
	darts.transcription	**darts.hearing_transcription_ae**tra_id = darts.transcriptiontra_id	hearing_transcription_ae_transcription_fk

Unique keys

	Columns	Name / Description
	hea_id, tra_id	hearing_transcription_ae_pk

13.1.42. Table: darts.judge

Columns

		Name	Data type	Description / Attributes
		jud_id	integer	primary key of judge_name
		judge_name	character varying	
		created_ts	timestamp with time zone	
		created_by	integer	**References**: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	**References**: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.user_account	**darts.judge**created_by = darts.user_accountusr_id	judge_created_by_fk
	darts.user_account	**darts.judge**last_modified_by = darts.user_accountusr_id	judge_modified_by_fk

Linked from

	Table	Join	Title / Name / Description
	darts.case_judge_ae	**darts.judge**jud_id = darts.case_judge_aejud_id	case_judge_ae_judge_fk
	darts.hearing_judge_ae	**darts.judge**jud_id = darts.hearing_judge_aejud_id	hearing_judge_ae_judge_fk

Unique keys

	Columns	Name / Description
	jud_id	judge_pk
	judge_name	judge_judge_name_key

13.1.43. Table: darts.media

Columns

		Name	Data type	Description / Attributes
		med_id	bigint	primary key of media
		ctr_id	integer	foreign key from courtroom References: darts.courtroom
		media_object_id	character varying(16)	internal Documentum primary key from moj_media_s Nullable
		content_object_id	character varying(16)	Nullable
		subcontent_object_id	character varying(16)	Nullable
		subcontent_position	integer	Nullable
		clip_id	character varying(54)	Nullable
		storage_id	character varying(16)	Nullable
		data_ticket	integer	Nullable
		channel	integer	directly sourced from moj_media_s
		total_channels	integer	directly sourced from moj_media_s
		start_ts	timestamp with time zone	inherited from moj_case_document_s
		end_ts	timestamp with time zone	inherited from moj_case_document_s
		media_file	character varying	
		media_format	character varying	
		media_type	character(1)	Default: 'A'::bpchar
		file_size	bigint	
		checksum	character varying	Nullable
		is_hidden	boolean	Default: false
		is_deleted	boolean	Default: false
		is_current	boolean	Nullable
		deleted_by	integer	Nullable References: darts.user_account
		deleted_ts	timestamp with time zone	Nullable
		media_status	character varying	Nullable
		version_label	character varying(32)	inherited from dm_sysobject_r, for r_object_type of moj_media Nullable
		chronicle_id	character varying(16)	Nullable
		antecedent_id	character varying(16)	Nullable
		retain_until_ts	timestamp with time zone	Nullable
		ret_conf_score	integer	Nullable
		ret_conf_reason	character varying	Nullable
		created_ts	timestamp with time zone	
		created_by	integer	References: darts.user_account
		last_modified_ts	timestamp with time zone	

		Name	Data type	Description / Attributes
		last_modified_by	integer	**References**: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.courtroom	**darts.media**ctr_id = darts.courtroomctr_id	media_courtroom_fk
	darts.user_account	**darts.media**created_by = darts.user_accountusr_id	media_created_by_fk
	darts.user_account	**darts.media**last_modified_by = darts.user_accountusr_id	media_modified_by_fk
	darts.user_account	**darts.media**deleted_by = darts.user_accountusr_id	media_deleted_by_fk

Linked from

	Table	Join	Title / Name / Description
	darts.external_object_directory	**darts.media**med_id = darts.external_object_directorymed_id	eod_media_fk
	darts.hearing_media_ae	**darts.media**med_id = darts.hearing_media_aemed_id	hearing_media_ae_media_fk
	darts.media_linked_case	**darts.media**med_id = darts.media_linked_casemed_id	media_linked_case_media_fk
	darts.object_admin_action	**darts.media**med_id = darts.object_admin_actionmed_id	oaa_media_fk
	darts.object_retrieval_queue	**darts.media**med_id = darts.object_retrieval_queuemed_id	object_retrieval_queue_media_fk

Unique keys

	Columns	Name / Description
	med_id	media_pk

13.1.44. Table: darts.media_linked_case

content is to be populated via migration

Columns

		Name	Data type	Description / Attributes
		mlc_id	bigint	
		med_id	bigint	**References**: darts.media
		cas_id	integer	**Nullable** **References**: darts.court_case
		courthouse_name	character varying	**Nullable**
		case_number	character varying	**Nullable**
		source	integer	**Nullable** **Default**: 0
		created_ts	timestamp with time zone	**Nullable**
		created_by	integer	**Nullable** **References**: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.court_case	**darts.media_linked_case**cas_id = darts.court_casecas_id	media_linked_case_court_case_fk
	darts.media	**darts.media_linked_case**med_id = darts.mediamed_id	media_linked_case_media_fk
	darts.user_account	**darts.media_linked_case**created_by = darts.user_accountusr_id	media_linked_case_created_by_fk

Unique keys

	Columns	Name / Description
	mlc_id	media_linked_case_pk

13.1.45. Table: darts.media_request

Columns

		Name	Data type	Description / Attributes
		mer_id	integer	primary key of media_request
		hea_id	integer	foreign key of hearing References: darts.hearing
		requestor	integer	requestor of the media request, possibly migrated from moj_transformation_request_s References: darts.user_account
		current_owner	integer	References: darts.user_account
		request_status	character varying	status of the migration request
		request_type	character varying	
		req_proc_attempts	integer	number of attempts by ATS to process the request Nullable
		start_ts	timestamp with time zone	start time in the search criteria for request, possibly migrated from moj_cached_media_s or moj_transformation_request_s
		end_ts	timestamp with time zone	end time in the search criteria for request, possibly migrated from moj_cached_media_s or moj_transformation_request_s
		created_ts	timestamp with time zone	
		created_by	integer	References: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	References: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.hearing	**darts.media_request**hea_id = darts.hearinghea_id	media_request_hearing_fk
	darts.user_account	**darts.media_request**created_by = darts.user_accountusr_id	media_request_created_by_fk
	darts.user_account	**darts.media_request**last_modified_by = darts.user_accountusr_id	media_request_modified_by_fk
	darts.user_account	**darts.media_request**requestor = darts.user_accountusr_id	media_request_requestor_fk
	darts.user_account	**darts.media_request**current_owner = darts.user_accountusr_id	media_request_current_owner_fk

Linked from

	Table	Join	Title / Name / Description
	darts.transformed_media	**darts.media_request**mer_id = darts.transformed_mediamer_id	trm_media_request_fk

Unique keys

	Columns	Name / Description
	mer_id	media_request_pk

13.1.46. Table: darts.node_register

corresponds to tbl_moj_node from legacy

Columns

		Name	Data type	Description / Attributes
		node_id	integer	primary key of node_register
		ctr_id	integer	foreign key from moj_courtroom, legacy stored courthouse and courtroon un-normalised **References**: darts.courtroom
		node_type	character varying	**Default**: 'DAR'::character varying
		hostname	character varying	
		ip_address	character varying	
		mac_address	character varying	
		created_ts	timestamp with time zone	
		created_by	integer	**References**: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.courtroom	**darts.node_register**ctr_id = darts.courtroomctr_id	node_register_courtroom_fk
	darts.user_account	**darts.node_register**created_by = darts.user_accountusr_id	node_register_created_by_fk

Unique keys

	Columns	Name / Description
	node_id	node_register_pk

13.1.47. Table: darts.notification

Columns

		Name	Data type	Description / Attributes
		not_id	bigint	primary key of notification
		cas_id	integer	foreign key to case References: darts.court_case
		notification_event	character varying	event giving rise to the need for outgoing notification
		notification_status	character varying	status of the notification, expected to be one of [O]pen, [P]rocessing, [S]end, [F]ailed
		email_address	character varying	recipient of the notification
		send_attempts	integer	number of outgoing requests to gov.uk Nullable
		template_values	character varying	any extra fields not already covered or inferred from the case, in JSON format Nullable
		created_ts	timestamp with time zone	
		created_by	integer	References: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	References: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.court_case	darts.notificationcas_id = darts.court_casecas_id	notification_case_fk
	darts.user_account	darts.notificationcreated_by = darts.user_accountusr_id	notification_created_by_fk
	darts.user_account	darts.notificationlast_modified_by = darts.user_accountusr_id	notification_modified_by_fk

Unique keys

	Columns	Name / Description
	not_id	notification_pk

13.1.48. Table: darts.object_admin_action

Columns

		Name	Data type	Description / Attributes
		oaa_id	integer	
		ado_id	bigint	Nullable References: darts.annotation_document
		cad_id	bigint	Nullable References: darts.case_document
		med_id	bigint	Nullable References: darts.media
		trd_id	bigint	Nullable References: darts.transcription_document
		ohr_id	integer	Nullable References: darts.object_hidden_reason
		hidden_by	integer	Nullable References: darts.user_account
		hidden_ts	timestamp with time zone	Nullable
		marked_for_manual_deletion	boolean	Default: false
		marked_for_manual_del_by	integer	Nullable References: darts.user_account
		marked_for_manual_del_ts	timestamp with time zone	Nullable
		ticket_reference	character varying	Nullable
		comments	character varying	Nullable

Links to

	Table	Join	Title / Name / Description
	darts.annotation_document	darts.object_admin_actionado_id = darts.annotation_documentado_id	oaa_annotation_document_fk
	darts.case_document	darts.object_admin_actioncad_id = darts.case_documentcad_id	oaa_case_document_fk
	darts.media	darts.object_admin_actionmed_id = darts.mediamed_id	oaa_media_fk
	darts.object_hidden_reason	darts.object_admin_actionohr_id = darts.object_hidden_reasonohr_id	object_admin_action_ohr_id_fk
	darts.transcription_document	darts.object_admin_actiontrd_id = darts.transcription_documenttrd_id	oaa_transcription_document_fk
	darts.user_account	darts.object_admin_actionhidden_by = darts.user_accountusr_id	object_admin_action_hidden_by_fk
	darts.user_account	darts.object_admin_actionmarked_for_manual_del_by = darts.user_accountusr_id	object_admin_action_marked_for_manual_del_by_fk

Unique keys

Columns	Name / Description
oaa_id	object_admin_action_pk

13.1.49. Table: darts.object_hidden_reason

used to record acceptable reasons for data to be hidden in tables ADO,CAD, MED, TRD

Columns

		Name	Data type	Description / Attributes
		ohr_id	integer	
		ohr_reason	character varying	
		display_name	character varying	
		display_state	boolean	**Default**: true
		display_order	integer	
		marked_for_deletion	boolean	**Default**: false

Linked from

	Table	Join	Title / Name / Description
	darts.object_admin_action	**darts.object_hidden_reason**ohr_id = darts.object_admin_actionohr_id	object_admin_action_ohr_id_fk

Unique keys

	Columns	Name / Description
	ohr_id	object_hidden_reason_pk

13.1.50. Table: darts.object_record_status

used to record acceptable statuses found in [external/transient]_object_directory

Columns

		Name	Data type	Description / Attributes
		ors_id	integer	
		ors_description	character varying	Nullable

Linked from

	Table	Join	Title / Name / Description
	darts.external_object_directory	darts.object_record_statusors_id = darts.external_object_directoryors_id	eod_object_record_status_fk
	darts.transient_object_directory	darts.object_record_statusors_id = darts.transient_object_directoryors_id	tod_object_record_status_fk

Unique keys

	Columns	Name / Description
	ors_id	object_record_status_pk

13.1.51. Table: darts.object_retrieval_queue

Columns

		Name	Data type	Description / Attributes
		orq_id	integer	
		med_id	bigint	Nullable References: darts.media
		trd_id	bigint	Nullable References: darts.transcription_document
		parent_object_id	character varying	Nullable
		content_object_id	character varying	Nullable
		storage_id	character varying(16)	Nullable
		clip_id	character varying	Nullable
		data_ticket	integer	Nullable
		acknowledged_ts	timestamp with time zone	Nullable
		migrated_ts	timestamp with time zone	Nullable
		status	character varying	Nullable
		created_ts	timestamp with time zone	
		created_by	integer	References: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	References: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.media	darts.object_retrieval_queuemed_id = darts.mediamed_id	object_retrieval_queue_media_fk
	darts.transcription_document	darts.object_retrieval_queuetrd_id = darts.transcription_documenttrd_id	object_retrieval_queue_transcription_document_fk
	darts.user_account	darts.object_retrieval_queuecreated_by = darts.user_accountusr_id	object_retrieval_queue_created_by_fk
	darts.user_account	darts.object_retrieval_queuelast_modified_by = darts.user_accountusr_id	object_retrieval_queue_last_modified_by_fk

Unique keys

	Columns	Name / Description
	orq_id	object_retrieval_queue_pk

13.1.52. Table: darts.object_state_record

Columns

		Name	Data type	Description / Attributes
		osr_uuid	bigint	
		eod_id	bigint	Nullable
		arm_eod_id	bigint	Nullable
		dal_id	integer	Nullable
		parent_object_id	character varying	Nullable
		content_object_id	character varying	Nullable
		id_clip	character varying	Nullable
		dets_location	character varying	Nullable
		flag_file_transfer_to_dets	boolean	Nullable
		date_file_transfer_to_dets	timestamp with time zone	Nullable
		md5_doc_transfer_to_dets	character varying	Nullable
		file_size_bytes_centera	bigint	Nullable
		file_size_bytes_dets	bigint	Nullable
		flag_file_av_scan_pass	boolean	Nullable
		date_file_av_scan_pass	timestamp with time zone	Nullable
		flag_file_transf_toarml	boolean	Nullable
		date_file_transf_toarml	timestamp with time zone	Nullable
		md5_file_transf_arml	character varying	Nullable
		file_size_bytes_arml	bigint	Nullable
		flag_file_mfst_created	boolean	Nullable
		date_file_mfst_created	timestamp with time zone	Nullable
		id_manifest_file	character varying	Nullable
		flag_mfst_transf_to_arml	boolean	Nullable
		date_mfst_transf_to_arml	timestamp with time zone	Nullable
		flag_rspn_recvd_from_arml	boolean	Nullable
		date_rspn_recvd_from_arml	timestamp with time zone	Nullable
		flag_file_ingest_status	boolean	Nullable
		date_file_ingest_to_arm	timestamp with time zone	Nullable
		md5_file_ingest_to_arm	character varying	Nullable
		file_size_ingest_to_arm	bigint	Nullable
		id_response_file	character varying	Nullable
		id_response_cr_file	character varying	Nullable
		id_response_uf_file	character varying	Nullable
		flag_file_dets_cleanup_status	boolean	Nullable
		date_file_dets_cleanup	timestamp with time zone	Nullable

		Name	Data type	Description / Attributes
		object_status	character varying	Nullable
		storage_id	character varying	Nullable
		data_ticket	integer	Nullable

Unique keys

Columns		Name / Description
	osr_uuid	object_state_record_pk

13.1.53. Table: darts.prosecutor

Columns

		Name	Data type	Description / Attributes
		prn_id	integer	primary key of prosecutor_name
		cas_id	integer	foreign key from court_case **References**: darts.court_case
		prosecutor_name	character varying	
		created_ts	timestamp with time zone	
		created_by	integer	**References**: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	**References**: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.court_case	**darts.prosecutor**cas_id = darts.court_casecas_id	prosecutor_court_case_fk
	darts.user_account	**darts.prosecutor**created_by = darts.user_accountusr_id	prosecutor_created_by_fk
	darts.user_account	**darts.prosecutor**last_modified_by = darts.user_accountusr_id	prosecutor_modified_by_fk

Unique keys

	Columns	Name / Description
	prn_id	prosecutor_pk
	cas_id, prosecutor_name	prn_cas_id_prosecutor_name_unq

13.1.54. Table: darts.region

Columns

		Name	Data type	Description / Attributes
		reg_id	integer	
		region_name	character varying	

Linked from

Table	Join	Title / Name / Description
darts.courthouse_region_ae	**darts.region**reg_id = darts.courthouse_region_aereg_id	courthouse_region_region_fk

Unique keys

Columns	Name / Description
reg_id	region_pk

13.1.55. Table: darts.report

Columns

		Name	Data type	Description / Attributes
		rep_id	integer	primary key of report
		report_object_id	character varying(16)	internal Documentum primary key from moj_report_s **Nullable**
		name	character varying	directly sourced from moj_report_s **Nullable**
		subject	character varying	directly sourced from moj_report_s **Nullable**
		report_text	character varying	directly sourced from moj_report_s **Nullable**
		query	character varying	directly sourced from moj_report_s **Nullable**
		recipients	character varying	directly sourced from moj_report_s **Nullable**
		created_ts	timestamp with time zone	
		created_by	integer	**References**: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	**References**: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.user_account	**darts.report**created_by = darts.user_accountusr_id	report_created_by_fk
	darts.user_account	**darts.report**last_modified_by = darts.user_accountusr_id	report_modified_by_fk

Unique keys

	Columns	Name / Description
	rep_id	report_pk

13.1.56. Table: darts.retention_confidence_category_mapper

Columns

		Name	Data type	Description / Attributes
		rcc_id	integer	
		ret_conf_score	integer	Nullable
		ret_conf_reason	character varying	Nullable
		confidence_category	integer	Nullable
		description	character varying	Nullable
		created_ts	timestamp with time zone	
		created_by	integer	References: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	References: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.user_account	darts.retention_confidence_category_mappercreated_by = darts.user_accountusr_id	retention_confidence_category_mapper_created_by_fk
	darts.user_account	darts.retention_confidence_category_mapperlast_modified_by = darts.user_accountusr_id	retention_confidence_category_mapper_last_modified_by_fk

Unique keys

Columns		Name / Description
	rcc_id	retention_confidence_category_mapper_pk

13.1.57. Table: darts.retention_policy_type

Columns

		Name	Data type	Description / Attributes
		rpt_id	integer	
		fixed_policy_key	character varying	
		policy_name	character varying	
		display_name	character varying	
		duration	character varying	
		policy_start_ts	timestamp with time zone	
		policy_end_ts	timestamp with time zone	Nullable
		description	character varying	
		retention_policy_object_id	character varying	Nullable
		created_ts	timestamp with time zone	
		created_by	integer	References: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	References: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.user_account	darts.retention_policy_typecreated_by = darts.user_accountusr_id	retention_policy_type_created_by_fk
	darts.user_account	darts.retention_policy_typelast_modified_by = darts.user_accountusr_id	retention_policy_type_last_modified_by_fk

Linked from

	Table	Join	Title / Name / Description
	darts.case_management_retention	darts.retention_policy_typerpt_id = darts.case_management_retentionrpt_id	case_management_retention_retention_policy_type_fk
	darts.case_overflow	darts.retention_policy_typerpt_id = darts.case_overflowrpt_id	case_overflow_retention_policy_type_fk
	darts.case_retention	darts.retention_policy_typerpt_id = darts.case_retentionrpt_id	case_retention_retention_policy_type_fk
	darts.case_retention_audit_heritage	darts.retention_policy_typerpt_id = darts.case_retention_audit_heritagerpt_id	case_retention_audit_heritage_retention_policy_type_fk
	darts.rps_retainer	darts.retention_policy_typerpt_id = darts.rps_retainerrpt_id	rps_retainer_retention_policy_type_fk

Unique keys

	Columns	Name / Description
	rpt_id	retention_policy_type_pk

13.1.58. Table: darts.retention_policy_type_heritage_mapping

Columns

		Name	Data type	Description / Attributes
		rhm_id	integer	
		heritage_policy_name	character varying	
		heritage_table	character varying	
		modernised_rpt_id	integer	

Unique keys

	Columns	Name / Description
	rhm_id	retention_policy_type_heritage_mapping_pk

13.1.59. Table: darts.retention_process_log

Columns

		Name	Data type	Description / Attributes
		cas_id	integer	
		cr_row_count	integer	Nullable
		cmr_row_count	integer	Nullable
		processed_ts	timestamp with time zone	Nullable
		status	character varying(10)	Nullable
		message	character varying	Nullable

Unique keys

	Columns	Name / Description
	cas_id	retention_process_log_pk

13.1.60. Table: darts.revinfo

Columns

		Name	Data type	Description / Attributes
		rev	integer	
		revtstmp	bigint	Nullable
		audit_user	integer	Nullable References: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.user_account	darts.revinfoaudit_user = darts.user_accountusr_id	revinfo_audit_user_fk

Unique keys

	Columns	Name / Description
	rev	revinfo_pkey

13.1.61. Table: darts.rps_retainer

is essentially a legacy table, based on the component tables necessary to derive the dmc_rps_retainer object

Columns

		Name	Data type	Description / Attributes
		rpr_id	integer	primary key of case_rps_retainer
		rpt_id	integer	References: darts.retention_policy_type
		rps_retainer_object_id	character varying	
		case_object_id	character varying	Nullable
		audio_folder_object_id	character varying	Nullable
		is_current	boolean	Nullable
		dm_retainer_root_id	character varying	Nullable
		dm_retention_rule_type	integer	Nullable
		dm_retention_date	timestamp with time zone	Nullable
		dmc_current_phase_id	character varying	Nullable
		dmc_entry_date	timestamp with time zone	Nullable
		dmc_parent_ancestor_id	character varying	Nullable
		dmc_phase_name	character varying	Nullable
		dmc_qualification_date	timestamp with time zone	Nullable
		dmc_retention_base_date	timestamp with time zone	Nullable
		dmc_retention_policy_id	character varying	Nullable
		dmc_ultimate_ancestor_id	character varying	Nullable
		dmc_vdm_retention_rule	integer	Nullable
		dmc_is_superseded	integer	Nullable
		dmc_superseded_date	timestamp with time zone	Nullable
		dmc_superseded_phase_id	character varying	Nullable
		dmc_snapshot_retention_rule	integer	Nullable
		dmc_approval_required	integer	Nullable
		dmc_approval_status	character varying	Nullable
		dmc_approved_date	timestamp with time zone	Nullable
		dmc_projected_disposition_date	timestamp with time zone	Nullable
		dmc_is_qualification_suspended	integer	Nullable
		dmc_suspension_lift_date	timestamp with time zone	Nullable
		dmc_base_date_override	timestamp with time zone	Nullable
		dms_object_name	character varying	Nullable
		dms_i_chronicle_id	character varying	Nullable
		dms_r_policy_id	character varying	Nullable
		dms_r_resume_state	integer	Nullable
		dms_r_current_state	integer	Nullable
		created_ts	timestamp with time zone	

		Name	Data type	Description / Attributes
		created_by	integer	**References**: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	**References**: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.retention_policy_type	**darts.rps_retainer**rpt_id = darts.retention_policy_typerpt_id	rps_retainer_retention_policy_type_fk
	darts.user_account	**darts.rps_retainer**created_by = darts.user_accountusr_id	rps_retainer_created_by_fk
	darts.user_account	**darts.rps_retainer**last_modified_by = darts.user_accountusr_id	rps_retainer_last_modified_by_fk

Unique keys

	Columns	Name / Description
	rpr_id	rps_retainer_pk

13.1.62. Table: darts.security_group

migration columns all sourced directly from dm_group_s, additional attributes may be required from dm_user_s, but data only where dm_user_s.r_is_group=1

Columns

		Name	Data type	Description / Attributes
		grp_id	integer	primary key of security_group
		rol_id	integer	References: darts.security_role
		global_access	boolean	Default: false
		display_state	boolean	
		display_name	character varying	for purpose of providing a display_name for modernised solution
		dm_group_s_object_id	character varying(16)	internal Documentum primary key from dm_group_s Nullable
		group_name	character varying	
		group_display_name	character varying	derived directly from dm_group_s.group_display_name Nullable
		is_private	boolean	Nullable
		description	character varying	Nullable
		group_global_unique_id	character varying	Nullable
		use_interpreter	boolean	Default: false
		created_ts	timestamp with time zone	
		created_by	integer	References: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	References: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.security_role	darts.security_grouprol_id = darts.security_rolerol_id	security_group_role_fk
	darts.user_account	darts.security_groupcreated_by = darts.user_accountusr_id	security_group_created_by_fk
	darts.user_account	darts.security_grouplast_modified_by = darts.user_accountusr_id	security_group_last_modified_by_fk

Linked from

	Table	Join	Title / Name / Description
	darts.security_group_courthouse_ae	darts.security_groupgrp_id = darts.security_group_courthouse_aegrp_id	security_group_courthouse_group_fk
	darts.security_group_user_account_ae	darts.security_groupgrp_id = darts.security_group_user_account_aegrp_id	security_group_user_account_ae_group_fk

Unique keys

	Columns	Name / Description
	grp_id	security_group_pk

13.1.63. Table: darts.security_group_courthouse_ae

Columns

		Name	Data type	Description / Attributes
		grp_id	integer	**References**: darts.security_group
		cth_id	integer	**References**: darts.courthouse

Links to

	Table	Join	Title / Name / Description
	darts.courthouse	**darts.security_group_courthouse_ae**cth_id = darts.courthousecth_id	security_group_courthouse_courthouse_fk
	darts.security_group	**darts.security_group_courthouse_ae**grp_id = darts.security_groupgrp_id	security_group_courthouse_group_fk

Unique keys

	Columns	Name / Description
	grp_id, cth_id	security_group_courthouse_ae_pk

13.1.64. Table: darts.security_group_user_account_ae

is the associative entity mapping users to groups, content will be defined by dm_group_r

Columns

		Name	Data type	Description / Attributes
		usr_id	integer	foreign key from user_account **References**: darts.user_account
		grp_id	integer	foreign key from security_group **References**: darts.security_group

Links to

	Table	Join	Title / Name / Description
	darts.security_group	**darts.security_group_user_account_ae** grp_id = darts.security_groupgrp_id	security_group_user_account_ae_group_fk
	darts.user_account	**darts.security_group_user_account_ae** usr_id = darts.user_accountusr_id	security_group_user_account_ae_user_fk

Unique keys

	Columns	Name / Description
	usr_id, grp_id	security_group_user_account_ae_pk

13.1.65. Table: darts.security_permission

Columns

		Name	Data type	Description / Attributes
		per_id	integer	
		permission_name	character varying	

Linked from

	Table	Join	Title / Name / Description
	darts.security_role_permission_ae	**darts.security_permission**per_id = darts.security_role_permission_aeper_id	security_role_permission_permission_fk

Unique keys

	Columns	Name / Description
	per_id	security_permission_pk

13.1.66. Table: darts.security_role

Columns

		Name	Data type	Description / Attributes
		rol_id	integer	
		role_name	character varying	
		display_name	character varying	
		display_state	boolean	

Linked from

	Table	Join	Title / Name / Description
	darts.security_group	**darts.security_role**rol_id = darts.security_grouprol_id	security_group_role_fk
	darts.security_role_permission_ae	**darts.security_role**rol_id = darts.security_role_permission_aerol_id	security_role_permission_ae_role_fk

Unique keys

	Columns	Name / Description
	rol_id	security_role_pk

13.1.67. Table: darts.security_role_permission_ae

Columns

		Name	Data type	Description / Attributes
		rol_id	integer	**References**: darts.security_role
		per_id	integer	**References**: darts.security_permission

Links to

	Table	Join	Title / Name / Description
	darts.security_permission	**darts.security_role_permission_ae**per_id = darts.security_permissionper_id	security_role_permission_permission_fk
	darts.security_role	**darts.security_role_permission_ae**rol_id = darts.security_rolerol_id	security_role_permission_ae_role_fk

Unique keys

	Columns	Name / Description
	rol_id, per_id	security_role_permission_ae_pk

13.1.68. Table: darts.transcription

Columns

		Name	Data type	Description / Attributes
		tra_id	bigint	primary key of transcription
		trt_id	integer	foreign key to transcription_type, sourced from moj_transcription_s.c_type References: darts.transcription_type
		ctr_id	integer	foreign key from courtroom Nullable References: darts.courtroom
		tru_id	integer	foreign key from transcription_urgency Nullable References: darts.transcription_urgency
		trs_id	integer	Nullable References: darts.transcription_status
		transcription_object_id	character varying(16)	internal Documentum primary key from moj_transcription_s Nullable
		transcription_object_name	character varying(255)	Nullable
		requested_by	integer	foreign key from user_account, corresponding to moj_transcription_s.c_requestor Nullable References: darts.user_account
		hearing_date	date	directly sourced from moj_transcription_s Nullable
		start_ts	timestamp with time zone	inherited from moj_case_document_s Nullable
		end_ts	timestamp with time zone	inherited from moj_case_document_s Nullable
		is_manual_transcription	boolean	
		is_current	boolean	Nullable
		hide_request_from_requestor	boolean	
		is_deleted	boolean	Default: false
		deleted_by	integer	Nullable References: darts.user_account
		deleted_ts	timestamp with time zone	Nullable
		version_label	character varying(32)	inherited from dm_sysobject_r, for r_object_type of moj_transcription Nullable
		chronicle_id	character varying(16)	Nullable
		antecedent_id	character varying(16)	Nullable
		c_current_state	character varying	Nullable
		r_current_state	integer	Nullable
		created_ts	timestamp with time zone	
		created_by	integer	References: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	References: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.courtroom	**darts.transcription**ctr_id = darts.courtroomctr_id	transcription_courtroom_fk
	darts.transcription_status	**darts.transcription**trs_id = darts.transcription_statustrs_id	transcription_transcription_status_fk
	darts.transcription_type	**darts.transcription**trt_id = darts.transcription_typetrt_id	transcription_transcription_type_fk
	darts.transcription_urgency	**darts.transcription**tru_id = darts.transcription_urgencytru_id	transcription_urgency_fk
	darts.user_account	**darts.transcription**last_modified_by = darts.user_accountusr_id	transcription_last_modified_by_fk
	darts.user_account	**darts.transcription**requested_by = darts.user_accountusr_id	transcription_requested_by_fk
	darts.user_account	**darts.transcription**created_by = darts.user_accountusr_id	transcription_created_by_fk
	darts.user_account	**darts.transcription**deleted_by = darts.user_accountusr_id	transcription_deleted_by_fk

Linked from

	Table	Join	Title / Name / Description
	darts.case_transcription_ae	**darts.transcription**tra_id = darts.case_transcription_aetra_id	case_transcription_ae_transcription_fk
	darts.hearing_transcription_ae	**darts.transcription**tra_id = darts.hearing_transcription_aetra_id	hearing_transcription_ae_transcription_fk
	darts.transcription_comment	**darts.transcription**tra_id = darts.transcription_commenttra_id	transcription_comment_transcription_fk
	darts.transcription_document	**darts.transcription**tra_id = darts.transcription_documenttra_id	transcription_document_transcription_fk
	darts.transcription_linked_case	**darts.transcription**tra_id = darts.transcription_linked_casetra_id	transcription_linked_case_transcription_fk
	darts.transcription_workflow	**darts.transcription**tra_id = darts.transcription_workflowtra_id	transcription_workflow_transcription_fk

Unique keys

	Columns	Name / Description
	tra_id	transcription_pk

13.1.69. Table: darts.transcription_comment

Columns

		Name	Data type	Description / Attributes
		trc_id	integer	primary key of transcription_comment
		tra_id	bigint	foreign key from transcription **References**: darts.transcription
		trw_id	integer	foreign key from transcription_workflow **Nullable** **References**: darts.transcription_workflow
		transcription_object_id	character varying(16)	internal Documentum id from moj_transcription_s acting as foreign key **Nullable**
		transcription_comment	character varying	directly sourced from moj_transcription_r **Nullable**
		comment_ts	timestamp with time zone	**Nullable**
		author	integer	**Nullable** **References**: darts.user_account
		is_migrated	boolean	**Default**: false
		is_data_anonymised	boolean	**Default**: false
		created_ts	timestamp with time zone	
		created_by	integer	**References**: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	**References**: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.transcription	**darts.transcription_comment**tra_id = darts.transcriptiontra_id	transcription_comment_transcription_fk
	darts.transcription_workflow	**darts.transcription_comment**trw_id = darts.transcription_workflowtrw_id	transcription_comment_transcription_workflow_fk
	darts.user_account	**darts.transcription_comment**author = darts.user_accountusr_id	transcription_comment_author_fk
	darts.user_account	**darts.transcription_comment**created_by = darts.user_accountusr_id	transcription_comment_created_by_fk
	darts.user_account	**darts.transcription_comment**last_modified_by = darts.user_accountusr_id	transcription_comment_modified_by_fk

Linked from

	Table	Join	Title / Name / Description
	darts.data_anonymisation	**darts.transcription_comment**trc_id = darts.data_anonymisationtrc_id	data_anonymisation_transcription_comment_fk

Unique keys

	Columns	Name / Description
	trc_id	transcription_comment_pk

13.1.70. Table: darts.transcription_document

Columns

		Name	Data type	Description / Attributes
		trd_id	bigint	primary key of transcription_document
		tra_id	bigint	foreign key from transcription **References**: darts.transcription
		content_object_id	character varying(16)	**Nullable**
		subcontent_object_id	character varying(16)	**Nullable**
		subcontent_position	integer	**Nullable**
		clip_id	character varying(54)	**Nullable**
		storage_id	character varying(16)	**Nullable**
		data_ticket	integer	**Nullable**
		file_name	character varying	
		file_type	character varying	
		file_size	integer	
		checksum	character varying	**Nullable**
		is_deleted	boolean	**Default**: false
		deleted_by	integer	**Nullable** **References**: darts.user_account
		deleted_ts	timestamp with time zone	**Nullable**
		is_hidden	boolean	**Default**: false
		retain_until_ts	timestamp with time zone	**Nullable**
		ret_conf_score	integer	**Nullable**
		ret_conf_reason	character varying	**Nullable**
		uploaded_by	integer	**References**: darts.user_account
		uploaded_ts	timestamp with time zone	
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	**References**: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.transcription	**darts.transcription_document**tra_id = darts.transcriptiontra_id	transcription_document_transcription_fk
	darts.user_account	**darts.transcription_document**deleted_by = darts.user_accountusr_id	transcription_document_deleted_by_fk
	darts.user_account	**darts.transcription_document**uploaded_by = darts.user_accountusr_id	transcription_document_uploaded_by_fk
	darts.user_account	**darts.transcription_document**last_modified_by = darts.user_accountusr_id	transcription_document_last_modified_by_fk

Linked from

	Table	Join	Title / Name / Description
	darts.external_object_directory	darts.transcription_documenttrd_id = darts.external_object_directorytrd_id	eod_transcription_document_fk
	darts.object_admin_action	darts.transcription_documenttrd_id = darts.object_admin_actiontrd_id	oaa_transcription_document_fk
	darts.object_retrieval_queue	darts.transcription_documenttrd_id = darts.object_retrieval_queuetrd_id	object_retrieval_queue_transcription_document_fk

Unique keys

	Columns	Name / Description
	trd_id	transcription_document_pk

13.1.71. Table: darts.transcription_linked_case

Columns

		Name	Data type	Description / Attributes
		tlc_id	integer	primary key of transcription_linked_case
		tra_id	bigint	foreign key from transcription **References**: darts.transcription
		cas_id	integer	foreign key from court_case, mandatory if either courthouse_name or case_number are null **Nullable** **References**: darts.court_case
		courthouse_name	character varying	mandatory if cas_id is null **Nullable**
		case_number	character varying	mandatory if cas_id is null **Nullable**

Links to

	Table	Join	Title / Name / Description
	darts.court_case	**darts.transcription_linked_case**cas_id = darts.court_casecas_id	transcription_linked_case_court_case_fk
	darts.transcription	**darts.transcription_linked_case**tra_id = darts.transcriptiontra_id	transcription_linked_case_transcription_fk

Unique keys

	Columns	Name / Description
	tlc_id	transcription_linked_case_pk

13.1.72. Table: darts.transcription_status

standing data table

Columns

		Name	Data type	Description / Attributes
		trs_id	integer	primary key of transcription_status
		status_type	character varying	
		display_name	character varying	

Linked from

	Table	Join	Title / Name / Description
	darts.transcription	**darts.transcription_status**trs_id = darts.transcriptiontrs_id	transcription_transcription_status_fk
	darts.transcription_workflow	**darts.transcription_status**trs_id = darts.transcription_workflowtrs_id	transcription_workflow_transcription_status_fk

Unique keys

	Columns	Name / Description
	trs_id	transcription_status_pk

13.1.73. Table: darts.transcription_type

standing data table, migrated from tbl_moj_transcription_type

Columns

		Name	Data type	Description / Attributes
		trt_id	integer	primary key, but not sequence generated
		description	character varying	
		display_state	boolean	

Linked from

Table	Join	Title / Name / Description
darts.transcription	**darts.transcription_type**trt_id = darts.transcriptiontrt_id	transcription_transcription_type_fk

Unique keys

Columns	Name / Description
trt_id	transcription_type_pk

13.1.74. Table: darts.transcription_urgency

will be migrated from tbl_moj_urgency

Columns

		Name	Data type	Description / Attributes
		tru_id	integer	inherited from tbl_moj_urgency.urgency_id
		description	character varying	inherited from tbl_moj_urgency.description
		display_state	boolean	
		priority_order	integer	

Linked from

	Table	Join	Title / Name / Description
	darts.transcription	darts.transcription_urgencytru_id = darts.transcriptiontru_id	transcription_urgency_fk

Unique keys

	Columns	Name / Description
	tru_id	transcription_urgency_pk

13.1.75. Table: darts.transcription_workflow

Columns

		Name	Data type	Description / Attributes
		trw_id	integer	
		tra_id	bigint	References: darts.transcription
		trs_id	integer	References: darts.transcription_status
		workflow_actor	integer	References: darts.user_account
		workflow_ts	timestamp with time zone	

Links to

	Table	Join	Title / Name / Description
	darts.transcription	darts.transcription_workflowtra_id = darts.transcriptiontra_id	transcription_workflow_transcription_fk
	darts.transcription_status	darts.transcription_workflowtrs_id = darts.transcription_statustrs_id	transcription_workflow_transcription_status_fk
	darts.user_account	darts.transcription_workflowworkflow_actor = darts.user_accountusr_id	transcription_workflow_workflow_actor_fk

Linked from

	Table	Join	Title / Name / Description
	darts.transcription_comment	darts.transcription_workflowtrw_id = darts.transcription_commenttrw_id	transcription_comment_transcription_workflow_fk

Unique keys

	Columns	Name / Description
	trw_id	transcription_workflow_pk

Triggers

	Name	When	Description
	trw_ar_trg	After Insert	

13.1.76. Table: darts.transformed_media

to accommodate the possibility that a single media_request may be fulfilled as more than one resulting piece of media

Columns

		Name	Data type	Description / Attributes
		trm_id	integer	
		mer_id	integer	References: darts.media_request
		start_ts	timestamp with time zone	
		end_ts	timestamp with time zone	
		last_accessed_ts	timestamp with time zone	Nullable
		expiry_ts	timestamp with time zone	Nullable
		output_filename	character varying	filename of the requested media object, possibly migrated from moj_transformation_request_s Nullable
		output_filesize	integer	Nullable
		output_format	character varying	format of the requested media object, possibly migrated from moj_transformation_s Nullable
		checksum	character varying	Nullable
		created_ts	timestamp with time zone	
		created_by	integer	References: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	References: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.media_request	darts.transformed_mediamer_id = darts.media_requestmer_id	trm_media_request_fk
	darts.user_account	darts.transformed_mediacreated_by = darts.user_accountusr_id	transformed_media_created_by_fk
	darts.user_account	darts.transformed_medialast_modified_by = darts.user_accountusr_id	transformed_media_last_modified_by_fk

Linked from

	Table	Join	Title / Name / Description
	darts.transient_object_directory	darts.transformed_mediatrm_id = darts.transient_object_directorytrm_id	tod_transformed_media_fk

Unique keys

	Columns	Name / Description
	trm_id	transformed_media_pk

13.1.77. Table: darts.transient_object_directory

Columns

		Name	Data type	Description / Attributes
		tod_id	bigint	
		trm_id	integer	References: darts.transformed_media
		ors_id	integer	References: darts.object_record_status
		external_location	character varying	
		checksum	character varying	Nullable
		transfer_attempts	integer	Nullable
		created_ts	timestamp with time zone	
		created_by	integer	References: darts.user_account
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	References: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.object_record_status	darts.transient_object_directoryors_id = darts.object_record_statusors_id	tod_object_record_status_fk
	darts.transformed_media	darts.transient_object_directorytrm_id = darts.transformed_mediatrm_id	tod_transformed_media_fk
	darts.user_account	darts.transient_object_directorylast_modified_by = darts.user_accountusr_id	tod_modified_by_fk
	darts.user_account	darts.transient_object_directorycreated_by = darts.user_accountusr_id	transient_object_directory_created_by_fk

Unique keys

Columns		Name / Description
	tod_id	transient_object_directory_pk

13.1.78. Table: darts.user_account

migration columns all sourced directly from dm_user_s, but only for rows where r_is_group = 0

Columns

		Name	Data type	Description / Attributes
		usr_id	integer	primary key of user_account
		dm_user_s_object_id	character varying(16)	internal Documentum primary key from dm_user_s Nullable
		user_name	character varying	Nullable
		user_os_name	character varying	Nullable
		user_full_name	character varying	directly migrated from dm_user_s.user_name
		user_email_address	character varying	Nullable
		user_ldap_dn	character varying	Nullable
		user_global_unique_id	character varying	Nullable
		user_login_name	character varying	Nullable
		user_login_domain	character varying	Nullable
		user_state	smallint	Nullable
		description	character varying	Nullable
		is_active	boolean	
		last_login_ts	timestamp with time zone	Nullable
		is_system_user	boolean	Default: false
		account_guid	character varying	Nullable
		created_ts	timestamp with time zone	
		created_by	integer	
		last_modified_ts	timestamp with time zone	
		last_modified_by	integer	

Linked from

	Table	Join	Title / Name / Description
	darts.annotation	darts.user_accountusr_id = darts.annotationcurrent_owner	annotation_current_owner_fk
	darts.annotation	darts.user_accountusr_id = darts.annotationcreated_by	annotation_created_by_fk
	darts.annotation	darts.user_accountusr_id = darts.annotationlast_modified_by	annotation_modified_by_fk
	darts.annotation	darts.user_accountusr_id = darts.annotationdeleted_by	annotation_deleted_by_fk
	darts.annotation_document	darts.user_accountusr_id = darts.annotation_documentdeleted_by	annotation_document_deleted_by_fk
	darts.annotation_document	darts.user_accountusr_id = darts.annotation_documentuploaded_by	annotation_document_uploaded_by_fk
	darts.annotation_document	darts.user_accountusr_id = darts.annotation_documentlast_modified_by	annotation_document_last_modified_by_fk

	Table	Join	Title / Name / Description
⊣∈	darts.arm_rpo_execution_detail	**darts.user_account**usr_id = darts.arm_rpo_execution_detailcreated_by	arm_rpo_execution_detail_created_by_fk
⊣∈	darts.arm_rpo_execution_detail	**darts.user_account**usr_id = darts.arm_rpo_execution_detaillast_modified_by	arm_rpo_execution_detail_last_modified_by_fk
⊣∈	darts.audit	**darts.user_account**usr_id = darts.auditusr_id	audit_user_account_fk
⊣∈	darts.audit	**darts.user_account**usr_id = darts.auditcreated_by	audit_created_by_fk
⊣∈	darts.audit	**darts.user_account**usr_id = darts.auditlast_modified_by	audit_modified_by_fk
⊣∈	darts.audit_activity	**darts.user_account**usr_id = darts.audit_activitycreated_by	audit_activity_created_by_fk
⊣∈	darts.audit_activity	**darts.user_account**usr_id = darts.audit_activitylast_modified_by	audit_activity_modified_by_fk
⊣∈	darts.automated_task	**darts.user_account**usr_id = darts.automated_taskcreated_by	automated_task_created_by_fk
⊣∈	darts.automated_task	**darts.user_account**usr_id = darts.automated_tasklast_modified_by	automated_task_modified_by_fk
⊣∈	darts.case_document	**darts.user_account**usr_id = darts.case_documentcreated_by	case_document_created_by_fk
⊣∈	darts.case_document	**darts.user_account**usr_id = darts.case_documentlast_modified_by	case_document_last_modified_by_fk
⊣∈	darts.case_document	**darts.user_account**usr_id = darts.case_documentdeleted_by	case_document_deleted_by_fk
⊣∈	darts.case_retention	**darts.user_account**usr_id = darts.case_retentioncreated_by	case_retention_created_by_fk
⊣∈	darts.case_retention	**darts.user_account**usr_id = darts.case_retentionlast_modified_by	case_retention_last_modified_by_fk
⊣∈	darts.case_retention	**darts.user_account**usr_id = darts.case_retentionsubmitted_by	case_retention_submitted_by_fk
⊣∈	darts.case_retention_audit_heritage	**darts.user_account**usr_id = darts.case_retention_audit_heritagec_username	case_retention_audit_heritage_c_username_fk
⊣∈	darts.case_retention_audit_heritage	**darts.user_account**usr_id = darts.case_retention_audit_heritager_creator_name	case_retention_audit_heritage_r_creator_name_fk
⊣∈	darts.case_retention_audit_heritage	**darts.user_account**usr_id = darts.case_retention_audit_heritager_modifier	case_retention_audit_heritage_r_modifier_fk
⊣∈	darts.case_retention_audit_heritage	**darts.user_account**usr_id = darts.case_retention_audit_heritageowner_name	case_retention_audit_heritage_owner_name_fk
⊣∈	darts.court_case	**darts.user_account**usr_id = darts.court_casecreated_by	court_case_created_by_fk
⊣∈	darts.court_case	**darts.user_account**usr_id = darts.court_caselast_modified_by	court_case_modified_by_fk
⊣∈	darts.court_case	**darts.user_account**usr_id = darts.court_casedeleted_by	court_case_deleted_by_fk

	Table	Join	Title / Name / Description
⊸	darts.court_case	darts.user_accountusr_id = darts.court_casedata_anonymised_by	court_case_data_anonymised_by_fk
⊸	darts.courthouse	darts.user_accountusr_id = darts.courthousecreated_by	courthouse_created_by_fk
⊸	darts.courthouse	darts.user_accountusr_id = darts.courthouselast_modified_by	courthouse_modified_by_fk
⊸	darts.courtroom	darts.user_accountusr_id = darts.courtroomcreated_by	courtroom_created_by_fk
⊸	darts.daily_list	darts.user_accountusr_id = darts.daily_listcreated_by	daily_list_created_by_fk
⊸	darts.daily_list	darts.user_accountusr_id = darts.daily_listlast_modified_by	daily_list_modified_by_fk
⊸	darts.data_anonymisation	darts.user_accountusr_id = darts.data_anonymisationrequested_by	data_anonymisation_requested_by_fk
⊸	darts.data_anonymisation	darts.user_accountusr_id = darts.data_anonymisationapproved_by	data_anonymisation_approved_by_fk
⊸	darts.defence	darts.user_accountusr_id = darts.defencecreated_by	defence_created_by_fk
⊸	darts.defence	darts.user_accountusr_id = darts.defencelast_modified_by	defence_modified_by_fk
⊸	darts.defendant	darts.user_accountusr_id = darts.defendantcreated_by	defendant_created_by_fk
⊸	darts.defendant	darts.user_accountusr_id = darts.defendantlast_modified_by	defendant_modified_by_fk
⊸	darts.event	darts.user_accountusr_id = darts.eventcreated_by	event_created_by_fk
⊸	darts.event	darts.user_accountusr_id = darts.eventlast_modified_by	event_modified_by_fk
⊸	darts.event_handler	darts.user_accountusr_id = darts.event_handlercreated_by	event_handler_created_by_fk
⊸	darts.external_object_directory	darts.user_accountusr_id = darts.external_object_directorylast_modified_by	eod_modified_by_fk
⊸	darts.external_object_directory	darts.user_accountusr_id = darts.external_object_directorycreated_by	external_object_directory_created_by_fk
⊸	darts.external_service_auth_token	darts.user_accountusr_id = darts.external_service_auth_tokencreated_by	external_service_auth_token_created_by_fk
⊸	darts.external_service_auth_token	darts.user_accountusr_id = darts.external_service_auth_tokenlast_modified_by	external_service_auth_token_modified_by_fk
⊸	darts.extobjdir_process_detail	darts.user_accountusr_id = darts.extobjdir_process_detailcreated_by	epd_created_by_fk
⊸	darts.extobjdir_process_detail	darts.user_accountusr_id = darts.extobjdir_process_detaillast_modified_by	epd_last_modified_by_fk
⊸	darts.hearing	darts.user_accountusr_id = darts.hearingcreated_by	hearing_created_by_fk

	Table	Join	Title / Name / Description
⊣	darts.hearing	darts.user_accountusr_id = darts.hearinglast_modified_by	hearing_modified_by_fk
⊣	darts.judge	darts.user_accountusr_id = darts.judgecreated_by	judge_created_by_fk
⊣	darts.judge	darts.user_accountusr_id = darts.judgelast_modified_by	judge_modified_by_fk
⊣	darts.media	darts.user_accountusr_id = darts.mediacreated_by	media_created_by_fk
⊣	darts.media	darts.user_accountusr_id = darts.medialast_modified_by	media_modified_by_fk
⊣	darts.media	darts.user_accountusr_id = darts.mediadeleted_by	media_deleted_by_fk
⊣	darts.media_linked_case	darts.user_accountusr_id = darts.media_linked_casecreated_by	media_linked_case_created_by_fk
⊣	darts.media_request	darts.user_accountusr_id = darts.media_requestcreated_by	media_request_created_by_fk
⊣	darts.media_request	darts.user_accountusr_id = darts.media_requestlast_modified_by	media_request_modified_by_fk
⊣	darts.media_request	darts.user_accountusr_id = darts.media_requestrequestor	media_request_requestor_fk
⊣	darts.media_request	darts.user_accountusr_id = darts.media_requestcurrent_owner	media_request_current_owner_fk
⊣	darts.node_register	darts.user_accountusr_id = darts.node_registercreated_by	node_register_created_by_fk
⊣	darts.notification	darts.user_accountusr_id = darts.notificationcreated_by	notification_created_by_fk
⊣	darts.notification	darts.user_accountusr_id = darts.notificationlast_modified_by	notification_modified_by_fk
⊣	darts.object_admin_action	darts.user_accountusr_id = darts.object_admin_actionhidden_by	object_admin_action_hidden_by_fk
⊣	darts.object_admin_action	darts.user_accountusr_id = darts.object_admin_actionmarked_for_manual_del_by	object_admin_action_marked_for_manual_del_by_fk
⊣	darts.object_retrieval_queue	darts.user_accountusr_id = darts.object_retrieval_queuecreated_by	object_retrieval_queue_created_by_fk
⊣	darts.object_retrieval_queue	darts.user_accountusr_id = darts.object_retrieval_queuelast_modified_by	object_retrieval_queue_last_modified_by_fk
⊣	darts.prosecutor	darts.user_accountusr_id = darts.prosecutorcreated_by	prosecutor_created_by_fk
⊣	darts.prosecutor	darts.user_accountusr_id = darts.prosecutorlast_modified_by	prosecutor_modified_by_fk
⊣	darts.report	darts.user_accountusr_id = darts.reportcreated_by	report_created_by_fk
⊣	darts.report	darts.user_accountusr_id = darts.reportlast_modified_by	report_modified_by_fk
⊣	darts.retention_confidence_category_mapper	darts.user_accountusr_id = darts.retention_confidence_category_mappercreated_by	retention_confidence_category_mapper_created_by_fk

	Table	Join	Title / Name / Description
⊣∈	darts.retention_confidence_category_mapper	**darts.user_account**usr_id = darts.retention_confidence_category_mapperlast_modified_by	retention_confidence_category_mapper_last_modified_by_fk
⊣∈	darts.retention_policy_type	**darts.user_account**usr_id = darts.retention_policy_typecreated_by	retention_policy_type_created_by_fk
⊣∈	darts.retention_policy_type	**darts.user_account**usr_id = darts.retention_policy_typelast_modified_by	retention_policy_type_last_modified_by_fk
⊣∈	darts.revinfo	**darts.user_account**usr_id = darts.revinfoaudit_user	revinfo_audit_user_fk
⊣∈	darts.rps_retainer	**darts.user_account**usr_id = darts.rps_retainercreated_by	rps_retainer_created_by_fk
⊣∈	darts.rps_retainer	**darts.user_account**usr_id = darts.rps_retainerlast_modified_by	rps_retainer_last_modified_by_fk
⊣∈	darts.security_group	**darts.user_account**usr_id = darts.security_groupcreated_by	security_group_created_by_fk
⊣∈	darts.security_group	**darts.user_account**usr_id = darts.security_grouplast_modified_by	security_group_last_modified_by_fk
⊣∈	darts.security_group_user_account_ae	**darts.user_account**usr_id = darts.security_group_user_account_aeusr_id	security_group_user_account_ae_user_fk
⊣∈	darts.transcription	**darts.user_account**usr_id = darts.transcriptionlast_modified_by	transcription_last_modified_by_fk
⊣∈	darts.transcription	**darts.user_account**usr_id = darts.transcriptionrequested_by	transcription_requested_by_fk
⊣∈	darts.transcription	**darts.user_account**usr_id = darts.transcriptioncreated_by	transcription_created_by_fk
⊣∈	darts.transcription	**darts.user_account**usr_id = darts.transcriptiondeleted_by	transcription_deleted_by_fk
⊣∈	darts.transcription_comment	**darts.user_account**usr_id = darts.transcription_commentauthor	transcription_comment_author_fk
⊣∈	darts.transcription_comment	**darts.user_account**usr_id = darts.transcription_commentcreated_by	transcription_comment_created_by_fk
⊣∈	darts.transcription_comment	**darts.user_account**usr_id = darts.transcription_commentlast_modified_by	transcription_comment_modified_by_fk
⊣∈	darts.transcription_document	**darts.user_account**usr_id = darts.transcription_documentdeleted_by	transcription_document_deleted_by_fk
⊣∈	darts.transcription_document	**darts.user_account**usr_id = darts.transcription_documentuploaded_by	transcription_document_uploaded_by_fk
⊣∈	darts.transcription_document	**darts.user_account**usr_id = darts.transcription_documentlast_modified_by	transcription_document_last_modified_by_fk
⊣∈	darts.transcription_workflow	**darts.user_account**usr_id = darts.transcription_workflowworkflow_actor	transcription_workflow_workflow_actor_fk
⊣∈	darts.transformed_media	**darts.user_account**usr_id = darts.transformed_mediacreated_by	transformed_media_created_by_fk

	Table	Join	Title / Name / Description
	darts.transformed_media	**darts.user_account**usr_id = darts.transformed_medialast_modified_by	transformed_media_last_modified_by_fk
	darts.transient_object_directory	**darts.user_account**usr_id = darts.transient_object_directorylast_modified_by	tod_modified_by_fk
	darts.transient_object_directory	**darts.user_account**usr_id = darts.transient_object_directorycreated_by	transient_object_directory_created_by_fk

Unique keys

	Columns	Name / Description
	usr_id	user_account_pk

13.1.79. Table: darts.wk_case_activity_data

Columns

		Name	Data type	Description / Attributes
		cas_id	integer	
		eve_id	bigint	Nullable
		evh_id	integer	Nullable
		closed_date_ts	timestamp with time zone	Nullable
		closed_date_type	character varying(100)	

Unique keys

	Columns	Name / Description
	cas_id, closed_date_type	wk_case_activity_data_pk

13.1.80. Table: darts.wk_case_best_values_p1

Columns

		Name	Data type	Description / Attributes
		cas_id	integer	
		eve_id	bigint	Nullable
		evh_id	integer	Nullable
		closed_date_ts	timestamp with time zone	Nullable
		closed_date_type	character varying(50)	Nullable
		subtype	character varying(30)	Nullable

Unique keys

	Columns	Name / Description
	cas_id	wk_case_best_values_p1_pk

13.1.81. Table: darts.wk_case_best_values_post_p1

Columns

		Name	Data type	Description / Attributes
		cas_id	integer	
		eve_id	bigint	Nullable
		evh_id	integer	Nullable
		closed_date_ts	timestamp with time zone	Nullable
		closed_date_type	character varying(50)	Nullable
		subtype	character varying(30)	Nullable

Unique keys

	Columns	Name / Description
	cas_id	wk_case_best_values_post_p1_pk

13.1.82. Table: darts.wk_case_confidence_level

Columns

		Name	Data type	Description / Attributes
		cas_id	integer	
		confidence_level	integer	Nullable

Unique keys

Columns		Name / Description
	cas_id	wk_case_confidence_level_pk

13.1.83. Table: darts.wk_case_correction

Columns

		Name	Data type	Description / Attributes
		cas_id	integer	
		category_type	character varying(32)	Nullable
		case_closed_date_corr	boolean	Nullable
		case_closed_corr	boolean	Nullable
		retain_until_ts_corr	boolean	Nullable
		new_case_closed	boolean	Nullable
		new_closed_date_ts	timestamp with time zone	Nullable
		case_old_closed_date_ts	timestamp with time zone	Nullable
		case_audit_old_closed_date_ts	timestamp with time zone	Nullable
		closed_date_type	character varying(50)	Nullable
		closed_date_subtype	character varying(30)	Nullable
		eve_id	bigint	Nullable
		cmr_eve_id	bigint	Nullable
		current_logic_rpt_id	integer	Nullable
		current_creation_rpt_id	integer	Nullable
		case_total_sentence	character varying(16)	Nullable
		new_retain_until_ts	timestamp with time zone	Nullable
		retain_until_applied_on_ts	timestamp with time zone	Nullable
		current_state	character varying(16)	Nullable
		old_state	character varying(16)	Nullable
		retention_object_id	character varying(16)	Nullable
		latest_activity_period	character varying(5)	Nullable
		best_closed_date_period	character varying(5)	Nullable
		adjusted_closed_date_ts	timestamp with time zone	Nullable
		adjusted_closed_date_type	character varying(50)	Nullable
		adjusted_eve_id	bigint	Nullable
		has_warrant	boolean	Nullable
		warrant_before_sentencing	boolean	Nullable
		case_closed_before_sentencing	boolean	Nullable

Unique keys

	Columns	Name / Description
	cas_id	wk_case_correction_pk

13.1.84. Table: darts.wk_cr_dets_aligned

Columns

		Name	Data type	Description / Attributes
		wcda_id	integer	
		car_id	integer	Nullable
		cas_id	integer	Nullable
		rpt_id	integer	Nullable
		cmd_id	integer	Nullable
		total_sentence	character varying(32)	Nullable
		retain_until_ts	timestamp with time zone	Nullable
		retain_until_applied_on_ts	timestamp with time zone	Nullable
		current_state	character varying(32)	Nullable
		comments	character varying(150)	Nullable
		confidence_category	integer	Nullable
		retention_object_id	character varying(16)	Nullable
		submitted_by	integer	Nullable
		created_ts	timestamp with time zone	Nullable
		created_by	integer	Nullable
		last_modified_ts	timestamp with time zone	Nullable
		last_modified_by	integer	Nullable

Unique keys

	Columns	Name / Description
	wcda_id	wk_cr_dets_aligned_pk

13.1.85. Table: darts.wk_crah_is_current_by_creation

Columns

		Name	Data type	Description / Attributes
		cas_id	integer	
		rah_id	integer	Nullable
		rpt_id	integer	Nullable
		c_policy_type	character varying(20)	Nullable
		c_courthouse	character varying(64)	Nullable
		c_case_id	character varying(32)	Nullable
		r_creation_date	timestamp with time zone	Nullable
		r_modify_date	timestamp with time zone	Nullable
		c_status	character varying(32)	Nullable
		c_username	integer	Nullable
		case_retention_audit_object_id	character varying(16)	Nullable
		ready_retain_until_date	timestamp with time zone	Nullable
		is_current	boolean	Nullable

Unique keys

	Columns	Name / Description
	cas_id	wk_crah_is_current_by_creation_pk

13.1.86. Table: darts.wk_crah_is_current_by_logic

Columns

		Name	Data type	Description / Attributes
		cas_id	integer	
		rah_id	integer	Nullable
		rpt_id	integer	Nullable
		c_policy_type	character varying(20)	Nullable
		c_courthouse	character varying(64)	Nullable
		c_case_id	character varying(32)	Nullable
		r_creation_date	timestamp with time zone	Nullable
		c_status	character varying(32)	Nullable
		c_username	integer	Nullable
		case_retention_audit_object_id	character varying(16)	Nullable
		ready_retain_until_date	timestamp with time zone	Nullable
		is_current	boolean	Nullable

Unique keys

	Columns	Name / Description
	cas_id	wk_crah_is_current_by_logic_pk

13.1.87. Table: darts.wk_rr_is_current_by_creation

Columns

		Name	Data type	Description / Attributes
		cas_id	integer	
		rpr_id	integer	Nullable
		rpt_id	integer	Nullable
		case_object_id	character varying(16)	Nullable
		dm_retainer_root_id	character varying(16)	Nullable
		dms_object_name	character varying(64)	Nullable
		created_ts	timestamp with time zone	Nullable
		last_modified_ts	timestamp with time zone	Nullable
		rps_retainer_object_id	character varying(16)	Nullable
		dm_retention_date	timestamp with time zone	Nullable
		is_current	boolean	Nullable

Unique keys

	Columns	Name / Description
	cas_id	wk_rr_is_current_by_creation_pk

13.1.88. Table: darts.wk_rr_is_current_by_logic

Columns

		Name	Data type	Description / Attributes
		cas_id	integer	
		rpr_id	integer	Nullable
		rpt_id	integer	Nullable
		case_object_id	character varying(16)	Nullable
		dm_retainer_root_id	character varying(16)	Nullable
		dms_object_name	character varying(64)	Nullable
		created_ts	timestamp with time zone	Nullable
		rps_retainer_object_id	character varying(16)	Nullable
		dm_retention_date	timestamp with time zone	Nullable
		is_current	boolean	Nullable

Unique keys

	Columns	Name / Description
	cas_id	wk_rr_is_current_by_logic_pk

13.2. Procedures

13.2.1. Procedure: dbms_metadata.set_transform_param

Used to customize DDL through configuring session-level transform params.

Input/Output

	Name	Data type	Description
→@	name	text	
→@	value	boolean	

13.2.2. Procedure: public.sum_n_product

Input/Output

	Name	Data type	Description
	x	integer	
	y	integer	
	sum	integer	
	prod	integer	

13.3. Functions

13.3.1. Function: darts.gin_extract_query_trgm

Input/Output

	Name	Data type	Description
@	Returns	internal	
@	$1	text	
@	$2	internal	
@	$3	smallint	
@	$4	internal	
@	$5	internal	
@	$6	internal	
@	$7	internal	

13.3.2. Function: darts.gin_extract_value_trgm

Input/Output

	Name	Data type	Description
→@←	Returns	internal	
→@	$1	text	
→@	$2	internal	

13.3.3. Function: darts.gin_trgm_consistent

Input/Output

	Name	Data type	Description
→@←	Returns	boolean	
→@	$1	internal	
→@	$2	smallint	
→@	$3	text	
→@	$4	integer	
→@	$5	internal	
→@	$6	internal	
→@	$7	internal	
→@	$8	internal	

13.3.4. Function: darts.gin_trgm_triconsistent

Input/Output

	Name	Data type	Description
→@←	Returns	"char"	
→@	$1	internal	
→@	$2	smallint	
→@	$3	text	
→@	$4	integer	
→@	$5	internal	
→@	$6	internal	
→@	$7	internal	

13.3.5. Function: darts.gtrgm_compress

Input/Output

	Name	Data type	Description
→@←	Returns	internal	
→@	$1	internal	

13.3.6. Function: darts.gtrgm_consistent

Input/Output

	Name	Data type	Description
→@	Returns	boolean	
→@	$1	internal	
→@	$2	text	
→@	$3	smallint	
→@	$4	oid	
→@	$5	internal	

13.3.7. Function: darts.gtrgm_decompress

Input/Output

	Name	Data type	Description
→@←	Returns	internal	
→@	$1	internal	

13.3.8. Function: darts.gtrgm_distance

Input/Output

	Name	Data type	Description
→@	Returns	double precision	
→@	$1	internal	
→@	$2	text	
→@	$3	smallint	
→@	$4	oid	
→@	$5	internal	

13.3.9. Function: darts.gtrgm_in

Input/Output

	Name	Data type	Description
→@←	Returns	gtrgm	
→@	$1	cstring	

13.3.10. Function: darts.gtrgm_options

Input/Output

	Name	Data type	Description
→@←	Returns	void	
→@	$1	internal	

13.3.11. Function: darts.gtrgm_out

Input/Output

	Name	Data type	Description
→@←	Returns	cstring	
→@	$1	gtrgm	

13.3.12. Function: darts.gtrgm_penalty

Input/Output

	Name	Data type	Description
→@←	Returns	internal	
→@	$1	internal	
→@	$2	internal	
→@	$3	internal	

13.3.13. Function: darts.gtrgm_picksplit

Input/Output

	Name	Data type	Description
→@←	Returns	internal	
→@	$1	internal	
→@	$2	internal	

13.3.14. Function: darts.gtrgm_same

Input/Output

	Name	Data type	Description
→@←	Returns	internal	
→@	$1	gtrgm	
→@	$2	gtrgm	
→@	$3	internal	

13.3.15. Function: darts.gtrgm_union

Input/Output

	Name	Data type	Description
→@←	Returns	gtrgm	
→@	$1	internal	
→@	$2	internal	

13.3.16. Function: darts.set_limit

Input/Output

	Name	Data type	Description
→@←	Returns	real	
→@	$1	real	

13.3.17. Function: darts.show_limit

Input/Output

	Name	Data type	Description
	Returns	real	

13.3.18. Function: darts.show_trgm

Input/Output

	Name	Data type	Description
→@←	Returns	ARRAY	
→@	$1	text	

13.3.19. Function: darts.similarity

Input/Output

	Name	Data type	Description
→@←	Returns	real	
→@	$1	text	
→@	$2	text	

13.3.20. Function: darts.similarity_dist

Input/Output

	Name	Data type	Description
→@	Returns	real	
→@	$1	text	
→@	$2	text	

13.3.21. Function: darts.similarity_op

Input/Output

	Name	Data type	Description
→@	Returns	boolean	
→@	$1	text	
→@	$2	text	

13.3.22. Function: darts.strict_word_similarity

Input/Output

	Name	Data type	Description
→@←	Returns	real	
→@	$1	text	
→@	$2	text	

13.3.23. Function: darts.strict_word_similarity_commutator_op

Input/Output

	Name	Data type	Description
→@←	Returns	boolean	
→@	$1	text	
→@	$2	text	

13.3.24. Function: darts.strict_word_similarity_dist_commutator_op

Input/Output

	Name	Data type	Description
→@←	Returns	real	
→@	$1	text	
→@	$2	text	

13.3.25. Function: darts.strict_word_similarity_dist_op

Input/Output

	Name	Data type	Description
	Returns	real	
	$1	text	
	$2	text	

13.3.26. Function: darts.strict_word_similarity_op

Input/Output

	Name	Data type	Description
→@←	Returns	boolean	
→@	$1	text	
→@	$2	text	

13.3.27. Function: darts.tra_trw_sync_fnc

Input/Output

	Name	Data type	Description
	Returns	trigger	

13.3.28. Function: darts.word_similarity

Input/Output

	Name	Data type	Description
→@←	Returns	real	
→@	$1	text	
→@	$2	text	

13.3.29. Function: darts.word_similarity_commutator_op

Input/Output

	Name	Data type	Description
→@←	Returns	boolean	
→@	$1	text	
→@	$2	text	

13.3.30. Function: darts.word_similarity_dist_commutator_op

Input/Output

	Name	Data type	Description
→@←	Returns	real	
→@	$1	text	
→@	$2	text	

13.3.31. Function: darts.word_similarity_dist_op

Input/Output

	Name	Data type	Description
→@←	Returns	real	
→@	$1	text	
→@	$2	text	

13.3.32. Function: darts.word_similarity_op

Input/Output

	Name	Data type	Description
→@←	Returns	boolean	
→@	$1	text	
→@	$2	text	

13.3.33. Function: dbms_metadata.get_check_constraint_ddl

This function retrieves DDL of a check constraint

Input/Output

	Name	Data type	Description
@	Returns	text	
@	schema_name	text	
@	constraint_name	text	

13.3.34. Function: dbms_metadata.get_constraint_ddl

This function retrieves DDL of a constraint

Input/Output

	Name	Data type	Description
→@←	Returns	text	
→@	schema_name	text	
→@	constraint_name	text	

13.3.35. Function: dbms_metadata.get_constraints_ddl_of_table

This function retrieves DDL of all constraints of provided table

Input/Output

	Name	Data type	Description
	Returns	text	
	p_schema	text	
	p_table	text	

13.3.36. Function: dbms_metadata.get_ddl

Retrieves DDL of database objects. Supported object types are TABLE, VIEW, SEQUENCE, PROCEDURE, FUNCTION.

Input/Output

	Name	Data type	Description
@	Returns	text	
@	object_type	text	
@	name	text	
@	schema	text	

13.3.37. Function: dbms_metadata.get_dependent_ddl

Retrieves DDL of dependent objects on provided base object. Supported dependent object types are SEQUENCE, CONSTRAINT, INDEX.

Input/Output

	Name	Data type	Description
@	Returns	text	
@	object_type	text	
@	base_object_name	text	
@	base_object_schema	text	

13.3.38. Function: dbms_metadata.get_granted_ddl

Retrieves the SQL statements to recreate granted privileges and roles for a specified grantee.

Input/Output

	Name	Data type	Description
@	Returns	text	
@	object_type	text	
@	grantee	text	

13.3.39. Function: dbms_metadata.get_granted_roles_ddl

This function extracts the SQL statements to recreate roles granted to a specified grantee

Input/Output

	Name	Data type	Description
	Returns	text	
	p_grantee	text	

13.3.40. Function: dbms_metadata.get_index_ddl

This function retrieves DDL of an index

Input/Output

	Name	Data type	Description
→@←	Returns	text	
→@	schema_name	text	
→@	index_name	text	

13.3.41. Function: dbms_metadata.get_indexes_ddl_of_table

This function retrieves DDL of all indexes of provided table

Input/Output

	Name	Data type	Description
	Returns	text	
	p_schema	text	
	p_table	text	

13.3.42. Function: dbms_metadata.get_object_oid

This function returns oid of given object

Input/Output

	Name	Data type	Description
	Returns	oid	
	p_object_type	text	
	p_schema	text	
	p_object_name	text	

13.3.43. Function: dbms_metadata.get_ref_constraint_ddl

This function retrieves DDL of a referential constraint

Input/Output

	Name	Data type	Description
@	Returns	text	
@	schema_name	text	
@	constraint_name	text	

13.3.44. Function: dbms_metadata.get_ref_constraints_ddl_of_table

This function retrieves DDL of all constraints of provided table

Input/Output

	Name	Data type	Description
	Returns	text	
	p_schema	text	
	p_table	text	

13.3.45. Function: dbms_metadata.get_routine_ddl

This function retrieves DDL of a procedure/function

Input/Output

	Name	Data type	Description
→@←	Returns	text	
→@	schema_name	text	
→@	routine_name	text	
→@	routine_type	text	

13.3.46. Function: dbms_metadata.get_schema_oid

This function returns oid of given schema

Input/Output

	Name	Data type	Description
	Returns	oid	
	p_schema	text	

13.3.47. Function: dbms_metadata.get_sequence_ddl

This function retrieves DDL of a sequence

Input/Output

	Name	Data type	Description
	Returns	text	
	p_schema	text	
	p_sequence	text	

13.3.48. Function: dbms_metadata.get_sequence_ddl_of_table

This function retrieves DDL of all dependent sequences on provided table

Input/Output

	Name	Data type	Description
	Returns	text	
	p_schema	text	
	p_table	text	

13.3.49. Function: dbms_metadata.get_table_ddl

This function retrieves a basic table DDL without constraints and indexes. DDL will include list of columns of the table, along with datatypes, DEFAULT values and NOT NULL constraints, in the order of the attnum. DDL will also include comments on table and columns if any.

Input/Output

	Name	Data type	Description
	Returns	text	
	p_schema	text	
	p_table	text	

13.3.50. Function: dbms_metadata.get_trigger_ddl

This function retrieves DDL of a trigger

Input/Output

	Name	Data type	Description
→@←	Returns	text	
→@	schema_name	text	
→@	trigger_name	text	

13.3.51. Function: dbms_metadata.get_triggers_ddl_of_table

This function retrieves DDL of all triggers of provided table

Input/Output

	Name	Data type	Description
@	Returns	text	
@	schema_name	text	
@	table_name	text	

13.3.52. Function: dbms_metadata.get_type_ddl

This function retrieves DDL of a user defined type

Input/Output

	Name	Data type	Description
	Returns	text	
	p_schema_name	text	
	p_type_name	text	

13.3.53. Function: dbms_metadata.get_view_ddl

This function retrieves DDL of a view

Input/Output

	Name	Data type	Description
→@←	Returns	text	
→@	view_schema	text	
→@	view_name	text	

13.3.54. Function: dbms_metadata.init_transform_params

Input/Output

	Name	Data type	Description
	Returns	void	

13.3.55. Function: dbms_metadata.set_default_transform_params

Used to set default values to all transform params.

Input/Output

	Name	Data type	Description
	Returns	void	