

CGI UK

postgres_app_v72_6_sec_v24_ret_v20_osr_v1
0@localhost

Data Dictionary

12/03/2025

Table of contents
























postgres@localhost	9
1. darts_courtroom_omitted	10
2. dart_security	11
3. darts_retention	12
4. darts_annotation	14
5. darts_court_case	15
6. darts_courthouse	16
7. darts_media	17
8. darts_transcription	18
9. darts_tables_only	19
10. darts_obj_state_record	20
11. darts_arm_rpo	21
12. Other	22
12.1. Tables	22
12.1.1. Table: darts.annotation	22
12.1.2. Table: darts.annotation_document	24
12.1.3. Table: darts.arm_automated_task	26
12.1.4. Table: darts.arm_rpo_execution_detail	27
12.1.5. Table: darts.arm_rpo_state	28
12.1.6. Table: darts.arm_rpo_status	29
12.1.7. Table: darts.audit	30
12.1.8. Table: darts.audit_activity	31
12.1.9. Table: darts.audit_heritage	32
12.1.10. Table: darts.automated_task	34
12.1.11. Table: darts.case_document	35
12.1.12. Table: darts.case_judge_ae	36
12.1.13. Table: darts.case_management_retention	37
12.1.14. Table: darts.case_overflow	38
12.1.15. Table: darts.case_retention	40
12.1.16. Table: darts.case_retention_audit_heritage	41
12.1.17. Table: darts.case_retention_extra	43
12.1.18. Table: darts.case_transcription_ae	45
12.1.19. Table: darts.court_case	46
12.1.20. Table: darts.courthouse	49
12.1.21. Table: darts.courthouse_region_ae	50
12.1.22. Table: darts.courtroom	51
12.1.23. Table: darts.daily_list	52
12.1.24. Table: darts.data_anonymisation	54
12.1.25. Table: darts.defence	55
12.1.26. Table: darts.defendant	56
12.1.27. Table: darts.event	57
12.1.28. Table: darts.event_handler	59
12.1.29. Table: darts.event_linked_case	60
12.1.30. Table: darts.external_location_type	61
12.1.31. Table: darts.external_object_directory	62

12.1.32.	Table: darts.external_service_auth_token	64
12.1.33.	Table: darts.extobjdir_process_detail	65
12.1.34.	Table: darts.hearing	66
12.1.35.	Table: darts.hearing_annotation_ae	68
12.1.36.	Table: darts.hearing_event_ae	69
12.1.37.	Table: darts.hearing_judge_ae	70
12.1.38.	Table: darts.hearing_media_ae	71
12.1.39.	Table: darts.hearing_transcription_ae	72
12.1.40.	Table: darts.judge	73
12.1.41.	Table: darts.media	74
12.1.42.	Table: darts.media_linked_case	76
12.1.43.	Table: darts.media_request	77
12.1.44.	Table: darts.node_register	78
12.1.45.	Table: darts.notification	79
12.1.46.	Table: darts.object_admin_action	80
12.1.47.	Table: darts.object_hidden_reason	81
12.1.48.	Table: darts.object_record_status	82
12.1.49.	Table: darts.object_retrieval_queue	83
12.1.50.	Table: darts.object_state_record	84
12.1.51.	Table: darts.prosecutor	86
12.1.52.	Table: darts.region	87
12.1.53.	Table: darts.report	88
12.1.54.	Table: darts.retention_confidence_category_mapper	89
12.1.55.	Table: darts.retention_policy_type	90
12.1.56.	Table: darts.retention_policy_type_heritage_mapping	91
12.1.57.	Table: darts.revinfo	92
12.1.58.	Table: darts.rps_retainer	93
12.1.59.	Table: darts.security_group	95
12.1.60.	Table: darts.security_group_courthouse_ae	96
12.1.61.	Table: darts.security_group_user_account_ae	97
12.1.62.	Table: darts.security_permission	98
12.1.63.	Table: darts.security_role	99
12.1.64.	Table: darts.security_role_permission_ae	100
12.1.65.	Table: darts.transcription	101
12.1.66.	Table: darts.transcription_comment	103
12.1.67.	Table: darts.transcription_document	104
12.1.68.	Table: darts.transcription_linked_case	106
12.1.69.	Table: darts.transcription_status	107
12.1.70.	Table: darts.transcription_type	108
12.1.71.	Table: darts.transcription_urgency	109
12.1.72.	Table: darts.transcription_workflow	110
12.1.73.	Table: darts.transformed_media	111
12.1.74.	Table: darts.transient_object_directory	112
12.1.75.	Table: darts.user_account	113
12.2.	Procedures	119
12.2.1.	Procedure: dbms_metadata.set_transform_param	119

12.2.2. Procedure: public.sum_n_product	120
12.3. Functions	121
12.3.1. Function: darts.gin_extract_query_trgm	121
12.3.2. Function: darts.gin_extract_value_trgm	122
12.3.3. Function: darts.gin_trgm_consistent	123
12.3.4. Function: darts.gin_trgm_trconsistent	124
12.3.5. Function: darts.gtrgm_compress	125
12.3.6. Function: darts.gtrgm_consistent	126
12.3.7. Function: darts.gtrgm_decompress	127
12.3.8. Function: darts.gtrgm_distance	128
12.3.9. Function: darts.gtrgm_in	129
12.3.10. Function: darts.gtrgm_options	130
12.3.11. Function: darts.gtrgm_out	131
12.3.12. Function: darts.gtrgm_penalty	132
12.3.13. Function: darts.gtrgm_picksplit	133
12.3.14. Function: darts.gtrgm_same	134
12.3.15. Function: darts.gtrgm_union	135
12.3.16. Function: darts.set_limit	136
12.3.17. Function: darts.show_limit	137
12.3.18. Function: darts.show_trgm	138
12.3.19. Function: darts.similarity	139
12.3.20. Function: darts.similarity_dist	140
12.3.21. Function: darts.similarity_op	141
12.3.22. Function: darts.strict_word_similarity	142
12.3.23. Function: darts.strict_word_similarity_commutator_op	143
12.3.24. Function: darts.strict_word_similarity_dist_commutator_op	144
12.3.25. Function: darts.strict_word_similarity_dist_op	145
12.3.26. Function: darts.strict_word_similarity_op	146
12.3.27. Function: darts.tra_trw_sync_fnc	147
12.3.28. Function: darts.word_similarity	148
12.3.29. Function: darts.word_similarity_commutator_op	149
12.3.30. Function: darts.word_similarity_dist_commutator_op	150
12.3.31. Function: darts.word_similarity_dist_op	151
12.3.32. Function: darts.word_similarity_op	152
12.3.33. Function: dbms_metadata.get_check_constraint_ddl	153
12.3.34. Function: dbms_metadata.get_constraint_ddl	154
12.3.35. Function: dbms_metadata.get_constraints_ddl_of_table	155
12.3.36. Function: dbms_metadata.get_ddl	156
12.3.37. Function: dbms_metadata.get_dependent_ddl	157
12.3.38. Function: dbms_metadata.get_granted_ddl	158
12.3.39. Function: dbms_metadata.get_granted_roles_ddl	159
12.3.40. Function: dbms_metadata.get_index_ddl	160
12.3.41. Function: dbms_metadata.get_indexes_ddl_of_table	161
12.3.42. Function: dbms_metadata.get_object_oid	162
12.3.43. Function: dbms_metadata.get_ref_constraint_ddl	163
12.3.44. Function: dbms_metadata.get_ref_constraints_ddl_of_table	164


12.3.45.	Function: dbms_metadata.get_routine_ddl	165
12.3.46.	Function: dbms_metadata.get_schema_oid	166
12.3.47.	Function: dbms_metadata.get_sequence_ddl	167
12.3.48.	Function: dbms_metadata.get_sequence_ddl_of_table	168
12.3.49.	Function: dbms_metadata.get_table_ddl	169
12.3.50.	Function: dbms_metadata.get_trigger_ddl	170
12.3.51.	Function: dbms_metadata.get_triggers_ddl_of_table	171
12.3.52.	Function: dbms_metadata.get_type_ddl	172
12.3.53.	Function: dbms_metadata.get_view_ddl	173
12.3.54.	Function: dbms_metadata.init_transform_params	174
12.3.55.	Function: dbms_metadata.set_default_transform_params	175

Legend


-  Primary key
-  Primary key disabled
-  User-defined primary key
-  Unique key
-  Unique key disabled
-  User-defined unique key
-  Active trigger
-  Disabled trigger
-  Many to one relation
-  User-defined many to one relation
-  One to many relation
-  User-defined one to many relation
-  Many to many relation
-  User-defined many to many relation
-  One to one relation
-  User-defined one to one relation
-  Input
-  Output
-  Input/Output
-  Uses dependency
-  User-defined uses dependency
-  Used by dependency
-  User-defined used by dependency

postgres@localhost


1. darts courtroom_omitted




2. dart_security




3. darts_retention




4. darts_annotation




5. darts_court_case




6. darts_courthouse




7. darts_media



8. darts_transcription



9. darts_tables_only



10. darts_obj_state_record


■ darts.object_state_record

🔑 osr_uuid
eod_id
arm_eod_id
dal_id
parent_object_id
content_object_id
id_clip
dets_location
flag_file_transfer_to_dets
date_file_transfer_to_dets
md5_doc_transfer_to_dets
file_size_bytes_centera
file_size_bytes_dets
flag_file_av_scan_pass
date_file_av_scan_pass
flag_file_transf_toarml
date_file_transf_toarml
md5_file_transf_arml
file_size_bytes_arml
flag_file_mfst_created
date_file_mfst_created
id_manifest_file
flag_mfst_transf_to_arml
date_mfst_transf_to_arml
flag_rspn_recvd_from_arml
date_rspn_recvd_from_arml
flag_file_ingest_status
date_file_ingest_to_arm
md5_file_ingest_to_arm
file_size_ingest_to_arm
id_response_file
id_response_cr_file
id_response_uf_file
flag_file_dets_cleanup_status
date_file_dets_cleanup
object_status
storage_id
data_ticket

■ darts.revinfo

🔑 rev
revstmp
↩ audit_user

11. darts_arm_rpo













12. Other





12.1. Tables

12.1.1. Table: darts.annotation



Columns

Name		Data type	Description / Attributes
 	ann_id	integer	primary key of annotation
	annotation_text	character varying	directly sourced from moj_annotation_s.c_text Nullable
	annotation_ts	timestamp with time zone	directly sourced from moj_annotation_s Nullable
	annotation_object_id	character varying(16)	internal Documentum primary key from moj_annotation_s Nullable
	version_label	character varying(32)	inherited from dm_sysobject_r, for r_object_type of moj_annotation Nullable
	current_owner	integer	References: darts.user_account
	is_deleted	boolean	Default: false
	deleted_by	integer	Nullable References: darts.user_account
	deleted_ts	timestamp with time zone	Nullable
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account

Links to

Table	Join	Title / Name / Description
 darts.user_account	darts.annotation current_owner = darts.user_accountusr_id	annotation_current_owner_fk
 darts.user_account	darts.annotation created_by = darts.user_accountusr_id	annotation_created_by_fk
 darts.user_account	darts.annotation last_modified_by = darts.user_accountusr_id	annotation_modified_by_fk
 darts.user_account	darts.annotation deleted_by = darts.user_accountusr_id	annotation_deleted_by_fk

Linked from
























Table	Join	Title / Name / Description
 darts.annotation_document	darts.annotation ann_id = darts.annotation_documentann_id	annotation_document_annotation_fk
 darts.hearing_annotation_ae	darts.annotation ann_id = darts.hearing_annotation_aeann_id	hearing_annotation_ae_annotation_fk

Unique keys





Columns		Name / Description
	ann_id	annotation_pk

12.1.2. Table: darts.annotation_document

Columns

	Name	Data type	Description / Attributes
	ado_id	integer	primary key of annotation_document
	ann_id	integer	foreign key from annotation References: darts.annotation
	content_object_id	character varying(16)	Nullable
	subcontent_object_id	character varying(16)	Nullable
	subcontent_position	integer	Nullable
	clip_id	character varying(54)	Nullable
	storage_id	character varying(16)	Nullable
	data_ticket	integer	Nullable
	file_name	character varying	
	file_type	character varying	
	file_size	integer	
	checksum	character varying	Nullable
	is_deleted	boolean	Default: false
	deleted_by	integer	Nullable References: darts.user_account
	deleted_ts	timestamp with time zone	Nullable
	is_hidden	boolean	Default: false
	retain_until_ts	timestamp with time zone	Nullable
	ret_conf_score	integer	Nullable
	ret_conf_reason	character varying	Nullable
	uploaded_by	integer	References: darts.user_account
	uploaded_ts	timestamp with time zone	
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account

Links to

Table	Join	Title / Name / Description
 darts.annotation	darts.annotation_document ann_id = darts.annotationann_id	annotation_document_annotation_fk
 darts.user_account	darts.annotation_document deleted_by = darts.user_accountusr_id	annotation_document_deleted_by_fk
 darts.user_account	darts.annotation_document uploaded_by = darts.user_accountusr_id	annotation_document_uploaded_by_fk
 darts.user_account	darts.annotation_document last_modified_by = darts.user_accountusr_id	annotation_document_last_modified_by_fk

Linked from









Table		Join	Title / Name / Description
↗	darts.external_object_directory	darts.annotation_document ado_id = darts.external_object_directoryado_id	eod_annotation_document_fk
↗	darts.object_admin_action	darts.annotation_document ado_id = darts.object_admin_actionado_id	oaa_annotation_document_fk

Unique keys


Columns		Name / Description
🔑	ado_id	annotation_document_pk

12.1.3. Table: darts.arm_automated_task


Columns

Name		Data type	Description / Attributes
	 aat_id	integer	primary key of arm_automated_task
	aut_id	integer	foreign key to automated_task References: darts.automated_task
	rpo_csv_start_hour	integer	Nullable
	rpo_csv_end_hour	integer	Nullable
	arm_replay_start_ts	timestamp with time zone	Nullable
	arm_replay_end_ts	timestamp with time zone	Nullable
	arm_attribute_type	character varying	Nullable

Links to

Table	Join	Title / Name / Description
 darts.automated_task	darts.arm_automated_task aut_id = darts.automated_taskaut_id	arm_automated_task_automated_task_fk

Unique keys

Columns	Name / Description
 aat_id	arm_automated_task_pk

12.1.4. Table: darts.arm_rpo_execution_detail


Columns

	Name	Data type	Description / Attributes
	ard_id	integer	primary key of arm_rpo_execution_detail
	are_id	integer	foreign key to arm_rpo_state Nullable References: darts.arm_rpo_state
	aru_id	integer	foreign key to arm_rpo_status Nullable References: darts.arm_rpo_status
	matter_id	character varying	Nullable
	index_id	character varying	Nullable
	entitlement_id	character varying	Nullable
	storage_account_id	character varying	Nullable
	search_id	character varying	Nullable
	production_id	character varying	Nullable
	sorting_field	character varying	Nullable
	search_item_count	integer	Nullable
	polling_created_ts	timestamp with time zone	Nullable
	production_name	character varying	Nullable
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account

Links to




	Table	Join	Title / Name / Description
➤	darts.arm_rpo_state	darts.arm_rpo_execution_detail are_id = darts.arm_rpo_stateare_id	arm_rpo_execution_detail_arm_state_fk
➤	darts.arm_rpo_status	darts.arm_rpo_execution_detail aru_id = darts.arm_rpo_statusaru_id	arm_rpo_execution_detail_arm_status_fk
➤	darts.user_account	darts.arm_rpo_execution_detail created_by = darts.user_accountusr_id	arm_rpo_execution_detail_created_by_fk
➤	darts.user_account	darts.arm_rpo_execution_detail last_modified_by = darts.user_accountusr_id	arm_rpo_execution_detail_last_modified_by_fk

Unique keys


	Columns	Name / Description
	ard_id	arm_rpo_execution_detail_pk

12.1.5. Table: darts.arm_rpo_state


Columns

		Name	Data type	Description / Attributes
		are_id	integer	primary key of arm_rpo_state
		are_description	character varying	

Linked from




		Table	Join	Title / Name / Description
		darts.arm_rpo_execution_detail	darts.arm_rpo_state are_id = darts.arm_rpo_execution_detailare_id	arm_rpo_execution_detail_arm_state_fk

Unique keys

		Columns	Name / Description
		are_id	arm_rpo_state_pk

12.1.6. Table: darts.arm_rpo_status


Columns

		Name	Data type	Description / Attributes
		aru_id	integer	primary key of arm_rpo_status
		aru_description	character varying	

Linked from










		Table	Join	Title / Name / Description
		darts.arm_rpo_execution_detail	darts.arm_rpo_status aru_id = darts.arm_rpo_execution_detailaru_id	arm_rpo_execution_detail_arm_status_fk

Unique keys

		Columns	Name / Description
		aru_id	arm_rpo_status_pk

12.1.7. Table: darts.audit


Columns

	Name	Data type	Description / Attributes
	aud_id	integer	primary key of audit
	cas_id	integer	foreign key from case Nullable References: darts.court_case
	aua_id	integer	primary key of audit_activity References: darts.audit_activity
	usr_id	integer	foreign key from user_account References: darts.user_account
	additional_data	character varying	Nullable
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account

Links to








	Table	Join	Title / Name / Description
➤	darts.audit_activity	darts.audit aua_id = darts.audit_activity aua_id	audit_audit_activity_fk
➤	darts.court_case	darts.audit cas_id = darts.court_case cas_id	audit_case_fk
➤	darts.user_account	darts.audit usr_id = darts.user_account usr_id	audit_user_account_fk
➤	darts.user_account	darts.audit created_by = darts.user_account usr_id	audit_created_by_fk
➤	darts.user_account	darts.audit last_modified_by = darts.user_account usr_id	audit_modified_by_fk

Unique keys



Columns	Name / Description
 aud_id	audit_pk

12.1.8. Table: darts.audit_activity


Columns

	Name	Data type	Description / Attributes
	aud_id	integer	
	activity_name	character varying	
	activity_description	character varying	
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account


Links to

	Table	Join	Title / Name / Description
	darts.user_account	darts.audit_activity created_by = darts.user_accountusr_id	audit_activity_created_by_fk
	darts.user_account	darts.audit_activity last_modified_by = darts.user_accountusr_id	audit_activity_modified_by_fk

Linked from

	Table	Join	Title / Name / Description
	darts.audit	darts.audit_activity aud_id = darts.auditaua_id	audit_audit_activity_fk













Unique keys

	Columns	Name / Description
	aud_id	audit_activity_pk

12.1.9. Table: darts.audit_heritage













Columns

	Name	Data type	Description / Attributes
	r_object_id	character varying	Nullable
	event_name	character varying	Nullable
	event_source	character varying	Nullable
	r_gen_source	integer	Nullable
	user_name	character varying	Nullable
	audited_obj_id	character varying	Nullable
	time_stamp	timestamp with time zone	Nullable
	string_1	character varying	Nullable
	string_2	character varying	Nullable
	string_3	character varying	Nullable
	string_4	character varying	Nullable
	string_5	character varying	Nullable
	id_1	character varying	Nullable
	id_2	character varying	Nullable
	id_3	character varying	Nullable
	id_4	character varying	Nullable
	id_5	character varying	Nullable
	chronicle_id	character varying	Nullable
	object_name	character varying	Nullable
	version_label	character varying	Nullable
	object_type	character varying	Nullable
	event_description	character varying	Nullable
	policy_id	character varying	Nullable
	current_state	character varying	Nullable
	workflow_id	character varying	Nullable
	session_id	character varying	Nullable
	user_id	character varying	Nullable
	owner_name	character varying	Nullable
	acl_name	character varying	Nullable
	acl_domain	character varying	Nullable
	application_code	character varying	Nullable
	controlling_app	character varying	Nullable
	attribute_list	character varying	Nullable
	attribute_list_id	character varying	Nullable
	audit_signature	character varying	Nullable



Name		Data type	Description / Attributes
	audit_version	integer	Nullable
	host_name	character varying	Nullable
	time_stamp_utc	timestamp with time zone	Nullable
	i_audited_obj_class	integer	Nullable
	registry_id	character varying	Nullable
	i_is_archived	integer	Nullable
	audited_obj_vstamp	integer	Nullable
	attribute_list_old	character varying	Nullable
	i_is_replica	integer	Nullable
	i_vstamp	integer	Nullable
	attribute_list_aspect_id	character varying	Nullable
	r_object_sequence	integer	Nullable

12.1.10. Table: darts.automated_task


Columns

	Name	Data type	Description / Attributes
 	aut_id	integer	primary key of automated_task
	task_name	character varying	
	task_description	character varying	
	cron_expression	character varying	
	cron_editable	boolean	
	task_enabled	boolean	Default: true
	batch_size	integer	Nullable
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account


Links to

	Table	Join	Title / Name / Description
	darts.user_account	darts.automated_task created_by = darts.user_accountusr_id	automated_task_created_by_fk
	darts.user_account	darts.automated_task last_modified_by = darts.user_accountusr_id	automated_task_modified_by_fk

Linked from

	Table	Join	Title / Name / Description
	darts.arm_automated_task	darts.automated_task aut_id = darts.arm_automated_taskaut_id	arm_automated_task_automated_task_fk

Unique keys





	Columns	Name / Description
	aut_id	automated_task_pk

12.1.11. Table: darts.case_document



Columns

	Name	Data type	Description / Attributes
	cad_id	integer	
	cas_id	integer	References: darts.court_case
	file_name	character varying	
	file_type	character varying	
	file_size	integer	
	checksum	character varying	Nullable
	is_deleted	boolean	Default: false
	deleted_by	integer	Nullable References: darts.user_account
	deleted_ts	timestamp with time zone	Nullable
	is_hidden	boolean	Default: false
	retain_until_ts	timestamp with time zone	Nullable
	ret_conf_score	integer	Nullable
	ret_conf_reason	character varying	Nullable
	created_by	integer	References: darts.user_account
	created_ts	timestamp with time zone	
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account


Links to

Table	Join	Title / Name / Description
 darts.court_case	darts.case_document cas_id = darts.court_casecas_id	case_document_case_fk
 darts.user_account	darts.case_document created_by = darts.user_accountusr_id	case_document_created_by_fk
 darts.user_account	darts.case_document last_modified_by = darts.user_accountusr_id	case_document_last_modified_by_fk
 darts.user_account	darts.case_document deleted_by = darts.user_accountusr_id	case_document_deleted_by_fk

Linked from





Table	Join	Title / Name / Description
 darts.external_object_directory	darts.case_document cad_id = darts.external_object_directorycad_id	eod_case_document_fk
 darts.object_admin_action	darts.case_document cad_id = darts.object_admin_actioncad_id	oaa_case_document_fk

Unique keys



Columns	Name / Description
 cad_id	case_document_pk

12.1.12. Table: darts.case_judge_ae


Columns

Name		Data type	Description / Attributes
	 cas_id	integer	foreign key from case, part of composite natural key and PK References: darts.court_case
	 jud_id	integer	foreign key from judge, part of composite natural key and PK References: darts.judge

Links to







Table	Join	Title / Name / Description
 darts.court_case	darts.case_judge_ae cas_id = darts.court_casecas_id	case_judge_ae_case_fk
 darts.judge	darts.case_judge_ae jud_id = darts.judgejud_id	case_judge_ae_judge_fk

Unique keys

Columns	Name / Description
 cas_id, jud_id	case_judge_ae_pk

12.1.13. Table: darts.case_management_retention

Columns

	Name	Data type	Description / Attributes
 	cmr_id	integer	
	cas_id	integer	References: darts.court_case
	rpt_id	integer	References: darts.retention_policy_type
	eve_id	integer	References: darts.event
	total_sentence	character varying	Nullable


Links to

	Table	Join	Title / Name / Description
➤	darts.court_case	darts.case_management_retention cas_id = darts.court_casecas_id	case_management_retention_court_case_fk
➤	darts.event	darts.case_management_retention eve_id = darts.eventeve_id	case_management_retention_event_fk
➤	darts.retention_policy_type	darts.case_management_retention rpt_id = darts.retention_policy_typerpt_id	case_management_retention_retention_policy_type_fk

Linked from



























	Table	Join	Title / Name / Description
➤	darts.case_retention	darts.case_management_retention cmr_id = darts.case_retentioncmr_id	case_retention_case_management_retention_fk

Unique keys



	Columns	Name / Description
	cmr_id	case_management_retention_pk

12.1.14. Table: darts.case_overflow

Columns

	Name	Data type	Description / Attributes
	cof_id	integer	
	cas_id	integer	Nullable References: darts.court_case
	rpt_id	integer	Nullable References: darts.retention_policy_type
	case_object_id	character varying	Nullable
	case_total_sentence	character varying	Nullable
	retention_event_ts	timestamp with time zone	Nullable
	case_retention_fixed	character varying	Nullable
	retention_applies_from_ts	timestamp with time zone	Nullable
	end_of_sentence_date_ts	timestamp with time zone	Nullable
	manual_retention_override	integer	Nullable
	retain_until_ts	timestamp with time zone	Nullable
	c_closed_pre_live	integer	Nullable
	c_case_closed_date_pre_live	timestamp with time zone	Nullable
	case_created_ts	timestamp with time zone	Nullable
	audio_folder_object_id	character varying(16)	Nullable
	case_last_modified_ts	timestamp with time zone	Nullable
	audio_last_modified_ts	timestamp with time zone	Nullable
	c_case_id	character varying(32)	Nullable
	c_courthouse	character varying(64)	Nullable
	c_type	character varying(32)	Nullable
	c_upload_priority	integer	Nullable
	c_reporting_restrictions	character varying(128)	Nullable
	case_object_name	character varying(255)	Nullable
	r_folder_path	character varying(740)	Nullable
	c_interpreter_used	integer	Nullable
	created_ts	timestamp with time zone	Default: CURRENT_TIMESTAMP
	last_modified_ts	timestamp with time zone	

Links to

















Table	Join	Title / Name / Description
 darts.court_case	darts.case_overflow cas_id = darts.court_case cas_id	case_overflow_court_case_fk
 darts.retention_policy_type	darts.case_overflow rpt_id = darts.retention_policy_type rpt_id	case_overflow_retention_policy_type_fk

Unique keys

Columns		Name / Description
	cof_id	case_overflow_pk

12.1.15. Table: darts.case_retention


Columns

	Name	Data type	Description / Attributes
	car_id	integer	primary key of case_retention
	cas_id	integer	foreign key from court_case References: darts.court_case
	rpt_id	integer	References: darts.retention_policy_type
	cmr_id	integer	Nullable References: darts.case_management_retention
	total_sentence	character varying	Nullable
	retain_until_ts	timestamp with time zone	
	retain_until_applied_on_ts	timestamp with time zone	Nullable
	current_state	character varying	
	comments	character varying	Nullable
	confidence_category	integer	Nullable
	retention_object_id	character varying	Nullable
	submitted_by	integer	References: darts.user_account
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account

Links to

	Table	Join	Title / Name / Description
➤	darts.case_management_retention	darts.case_retention cmr_id = darts.case_management_retentioncmr_id	case_retention_case_management_retention_fk
➤	darts.court_case	darts.case_retention cas_id = darts.court_casecas_id	case_retention_court_case_fk
➤	darts.retention_policy_type	darts.case_retention rpt_id = darts.retention_policy_typerpt_id	case_retention_retention_policy_type_fk
➤	darts.user_account	darts.case_retention created_by = darts.user_accountusr_id	case_retention_created_by_fk
➤	darts.user_account	darts.case_retention last_modified_by = darts.user_accountusr_id	case_retention_last_modified_by_fk
➤	darts.user_account	darts.case_retention submitted_by = darts.user_accountusr_id	case_retention_submitted_by_fk

Unique keys

Columns	Name / Description
 car_id	case_retention_pk

12.1.16. Table: darts.case_retention_audit_heritage

Columns

	Name	Data type	Description / Attributes
	rah_id	integer	
	cas_id	integer	Nullable References: darts.court_case
	rpt_id	integer	Nullable References: darts.retention_policy_type
	case_retention_audit_object_id	character varying(16)	
	is_current	boolean	Nullable
	i_partition	integer	Nullable
	c_case_id	character varying(32)	Nullable
	c_date_retention_amended	timestamp with time zone	Nullable
	c_comments	character varying	Nullable
	c_date_previous_retention	timestamp with time zone	Nullable
	c_username	integer	Nullable References: darts.user_account
	c_status	character varying(32)	Nullable
	c_courthouse	character varying(64)	Nullable
	c_policy_type	character varying(20)	Nullable
	c_case_closed_date	timestamp with time zone	Nullable
	object_name	character varying(255)	Nullable
	r_creator_name	integer	Nullable References: darts.user_account
	r_creation_date	timestamp with time zone	Nullable
	r_modifier	integer	Nullable References: darts.user_account
	r_modify_date	timestamp with time zone	Nullable
	owner_name	integer	Nullable References: darts.user_account

Links to

	Table	Join	Title / Name / Description
➤	darts.court_case	darts.case_retention_audit_heritage cas_id = darts.court_case.cas_id	case_retention_audit_heritage_court_case_fk
➤	darts.retention_policy_type	darts.case_retention_audit_heritage rpt_id = darts.retention_policy_type.rpt_id	case_retention_audit_heritage_retention_policy_type_fk
➤	darts.user_account	darts.case_retention_audit_heritage c_username = darts.user_account.usr_id	case_retention_audit_heritage_c_username_fk
➤	darts.user_account	darts.case_retention_audit_heritage r_creator_name = darts.user_account.usr_id	case_retention_audit_heritage_r_creator_name_fk
➤	darts.user_account	darts.case_retention_audit_heritage r_modifier = darts.user_account.usr_id	case_retention_audit_heritage_r_modifier_fk

Table		Join	Title / Name / Description
➤	darts.user_account	darts.case_retention_audit_heritage owner_name = darts.user_accountusr_id	case_retention_audit_heritage_owner_name_fk







Unique keys

Columns		Name / Description
🔑	rah_id	case_retention_audit_heritage_pk


12.1.17. Table: darts.case_retention_extra

Columns

	Name	Data type	Description / Attributes
	cas_id	integer	References: darts.court_case
	current_rah_id	integer	Nullable
	current_rah_rpt_id	integer	Nullable
	current_rpr_id	integer	Nullable
	current_rpr_rpt_id	integer	Nullable
	retention_fixed_rpt_id	integer	Nullable
	case_total_sentence	character varying	Nullable
	case_retention_fixed	character varying	Nullable
	end_of_sentence_date_ts	timestamp with time zone	Nullable
	manual_retention_override	integer	Nullable
	actual_case_closed_flag	integer	Nullable
	actual_case_closed_ts	timestamp with time zone	Nullable
	actual_retain_until_ts	timestamp with time zone	Nullable
	actual_case_created_ts	timestamp with time zone	Nullable
	submitted_by	integer	Nullable
	rps_retainer_object_id	character varying	Nullable
	case_closed_eve_id	integer	Nullable
	case_closed_event_ts	timestamp with time zone	Nullable
	max_event_ts	timestamp with time zone	Nullable
	max_media_ts	timestamp with time zone	Nullable
	closure_method_type	character varying	Nullable
	best_case_closed_ts	timestamp with time zone	Nullable
	best_case_closed_type	character varying	Nullable
	best_retainer_retain_until_ts	timestamp with time zone	Nullable
	best_audit_retain_until_ts	timestamp with time zone	Nullable
	retention_aged_policy_name	character varying	Nullable
	case_closed_diff_in_days	integer	Nullable
	r_retain_until_diff_in_days	integer	Nullable
	a_retain_until_diff_in_days	integer	Nullable
	validation_error_1	character varying	Nullable
	validation_error_2	character varying	Nullable
	validation_error_3	character varying	Nullable
	validation_error_4	character varying	Nullable
	validation_error_5	character varying	Nullable
	ret_conf_score	integer	Nullable

Name		Data type	Description / Attributes
	ret_conf_reason	character varying	Nullable
	ret_conf_updated_ts	timestamp with time zone	Nullable
	validated_ts	timestamp with time zone	Nullable
	created_ts	timestamp with time zone	
	last_modified_ts	timestamp with time zone	
	migrated_ts	timestamp with time zone	Nullable

Links to





Table	Join	Title / Name / Description
 darts.court_case	darts.case_retention_extra cas_id = darts.court_casecas_id	case_retention_extra_court_case_fk

Unique keys



Columns	Name / Description
 cas_id	case_retention_extra_pk

12.1.18. Table: darts.case_transcription_ae


Columns

Name		Data type	Description / Attributes
	 cas_id	integer	foreign key from case, part of composite natural key and PK References: darts.court_case
	 tra_id	integer	foreign key from transcription, part of composite natural key and PK References: darts.transcription

Links to

Table	Join	Title / Name / Description
 darts.court_case	darts.case_transcription_ae cas_id = darts.court_casecas_id	case_transcription_ae_case_fk
 darts.transcription	darts.case_transcription_ae tra_id = darts.transcriptiontra_id	case_transcription_ae_transcription_fk

Unique keys

Columns	Name / Description
 cas_id, tra_id	case_transcription_ae_pk

12.1.19. Table: darts.court_case

Columns

	Name	Data type	Description / Attributes
	cas_id	integer	primary key of court_case
	cth_id	integer	foreign key to courthouse References: darts.courthouse
	evh_id	integer	Nullable References: darts.event_handler
	case_object_id	character varying(16)	internal Documentum primary key from moj_case_s Nullable
	case_object_name	character varying(255)	Nullable
	folder_path	character varying	Nullable
	case_number	character varying	directly sourced from moj_case_s.c_case_id
	case_type	character varying	Nullable
	upload_priority	integer	Nullable
	case_closed	boolean	migrated from moj_case_s, converted from numeric to boolean
	interpreter_used	boolean	migrated from moj_case_s, converted from numeric to boolean
	case_closed_ts	timestamp with time zone	directly sourced from moj_case_s.c_case_closed_date Nullable
	is_retention_updated	boolean	Default: false
	retention_retries	integer	Nullable
	is_data_anonymised	boolean	Default: false
	data_anonymised_by	integer	Nullable References: darts.user_account
	data_anonymised_ts	timestamp with time zone	Nullable
	ret_conf_score	integer	Nullable
	ret_conf_reason	character varying	Nullable
	ret_conf_updated_ts	timestamp with time zone	Nullable
	is_deleted	boolean	Default: false
	deleted_by	integer	Nullable References: darts.user_account
	deleted_ts	timestamp with time zone	Nullable
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account

Links to




Table	Join	Title / Name / Description
 darts.courthouse	darts.court_case cth_id = darts.courthousecth_id	court_case_courthouse_fk

Table		Join	Title / Name / Description
➤	darts.event_handler	darts.court_case evh_id = darts.event_handler ^{evh_id}	court_case_event_handler_fk
➤	darts.user_account	darts.court_case created_by = darts.user_account ^{usr_id}	court_case_created_by_fk
➤	darts.user_account	darts.court_case last_modified_by = darts.user_account ^{usr_id}	court_case_modified_by_fk
➤	darts.user_account	darts.court_case deleted_by = darts.user_account ^{usr_id}	court_case_deleted_by_fk
➤	darts.user_account	darts.court_case data_anonymised_by = darts.user_account ^{usr_id}	court_case_data_anonymised_by_fk

Linked from













Table		Join	Title / Name / Description
➤	darts.audit	darts.court_case cas_id = darts.audit ^{cas_id}	audit_case_fk
➤	darts.case_document	darts.court_case cas_id = darts.case_document ^{cas_id}	case_document_case_fk
➤	darts.case_judge_ae	darts.court_case cas_id = darts.case_judge_ae ^{cas_id}	case_judge_ae_case_fk
➤	darts.case_management_retention	darts.court_case cas_id = darts.case_management_retention ^{cas_id}	case_management_retention_court_case_fk
➤	darts.case_overflow	darts.court_case cas_id = darts.case_overflow ^{cas_id}	case_overflow_court_case_fk
➤	darts.case_retention	darts.court_case cas_id = darts.case_retention ^{cas_id}	case_retention_court_case_fk
➤	darts.case_retention_audit_heritage	darts.court_case cas_id = darts.case_retention_audit_heritage ^{cas_id}	case_retention_audit_heritage_court_case_fk
➤	darts.case_retention_extra	darts.court_case cas_id = darts.case_retention_extra ^{cas_id}	case_retention_extra_court_case_fk
➤	darts.case_transcription_ae	darts.court_case cas_id = darts.case_transcription_ae ^{cas_id}	case_transcription_ae_case_fk
➤	darts.defence	darts.court_case cas_id = darts.defence ^{cas_id}	defence_court_case_fk
➤	darts.defendant	darts.court_case cas_id = darts.defendant ^{cas_id}	defendant_court_case_fk
➤	darts.event_linked_case	darts.court_case cas_id = darts.event_linked_case ^{cas_id}	event_linked_case_court_case_fk
➤	darts.hearing	darts.court_case cas_id = darts.hearing ^{cas_id}	hearing_case_fk
➤	darts.media_linked_case	darts.court_case cas_id = darts.media_linked_case ^{cas_id}	media_linked_case_court_case_fk
➤	darts.notification	darts.court_case cas_id = darts.notification ^{cas_id}	notification_case_fk
➤	darts.prosecutor	darts.court_case cas_id = darts.prosecutor ^{cas_id}	prosecutor_court_case_fk
➤	darts.transcription_linked_case	darts.court_case cas_id = darts.transcription_linked_case ^{cas_id}	transcription_linked_case_court_case_fk

Unique keys



Columns		Name / Description
 cas_id	court_case_pk	
 case_number, cth_id	cas_case_number_cth_id_unq	

12.1.20. Table: darts.courthouse





Columns

Name		Data type	Description / Attributes
	 cth_id	integer	primary key of courthouse
	courthouse_object_id	character varying(16)	Nullable
	folder_path	character varying	Nullable
	courthouse_code	integer	corresponds to the c_crown_court_code found in daily lists Nullable
	 courthouse_name	character varying	directly sourced from moj_courthouse_s.c_id
	display_name	character varying	
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account



Links to

Table	Join	Title / Name / Description
 darts.user_account	darts.courthouse created_by = darts.user_accountusr_id	courthouse_created_by_fk
 darts.user_account	darts.courthouse last_modified_by = darts.user_accountusr_id	courthouse_modified_by_fk

Linked from





Table	Join	Title / Name / Description
 darts.court_case	darts.courthouse cth_id = darts.court_casecth_id	court_case_courthouse_fk
 darts.courthouse_region_ae	darts.courthouse cth_id = darts.courthouse_region_aecth_id	courthouse_region_courthouse_fk
 darts.courtroom	darts.courthouse cth_id = darts.courtroomcth_id	courtroom_courthouse_fk
 darts.security_group_courthouse_ae	darts.courthouse cth_id = darts.security_group_courthouse_aecth_id	security_group_courthouse_courthouse_fk

Unique keys



Columns	Name / Description
 cth_id	courthouse_pk
 courthouse_name	courthouse_courthouse_name_key

12.1.21. Table: darts.courthouse_region_ae


Columns

		Name	Data type	Description / Attributes
		cth_id	integer	References: darts.courthouse
		reg_id	integer	References: darts.region

Links to






	Table	Join	Title / Name / Description
	darts.courthouse	darts.courthouse_region_ae cth_id = darts.courthousecth_id	courthouse_region_courthouse_fk
	darts.region	darts.courthouse_region_ae reg_id = darts.regionreg_id	courthouse_region_region_fk

Unique keys



Columns		Name / Description
	cth_id, reg_id	courthouse_region_ae_pk

12.1.22. Table: darts.courtroom






Columns

Name		Data type	Description / Attributes
	ctr_id	integer	primary key of courtroom
	cth_id	integer	foreign key to courthouse References: darts.courthouse
	courtroom_name	character varying	
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account

Links to

Table	Join	Title / Name / Description
 darts.courthouse	darts.courtroom ctr_id = darts.courthousecth_id	courtroom_courthouse_fk
 darts.user_account	darts.courtroom created_by = darts.user_accountusr_id	courtroom_created_by_fk

Linked from

Table	Join	Title / Name / Description
 darts.event	darts.courtroom ctr_id = darts.eventctr_id	event_courtroom_fk
 darts.hearing	darts.courtroom ctr_id = darts.hearingctr_id	hearing_courtroom_fk
 darts.media	darts.courtroom ctr_id = darts.mediactr_id	media_courtroom_fk
 darts.node_register	darts.courtroom ctr_id = darts.node_registerctr_id	node_register_courtroom_fk
 darts.transcription	darts.courtroom ctr_id = darts.transcriptionctr_id	transcription_courtroom_fk

Unique keys

Columns	Name / Description
 ctr_id	courtroom_pk
 cth_id, courtroom_name	ctr_chr_crn_unq

12.1.23. Table: darts.daily_list

Columns

	Name	Data type	Description / Attributes
 	dal_id	integer	primary key of daily_list
	courthouse_code	integer	Nullable
	listing_courthouse	character varying	
	daily_list_object_id	character varying(16)	internal Documentum primary key from moj_daily_list_s Nullable
	unique_id	character varying	directly sourced from moj_daily_list_s, received as part of the XML, used to find duplicate daily lists Nullable
	job_status	character varying	directly sourced from moj_daily_list_s
	published_ts	timestamp with time zone	directly sourced from moj_daily_list_s.c.timestamp Nullable
	start_dt	date	directly sourced from moj_daily_list_s.c.start_date Nullable
	end_dt	date	directly sourced from moj_daily_list_s.c.end_date Nullable
	daily_list_id_s	character varying	directly sourced from moj_daily_list_s Nullable
	daily_list_source	character varying	directly sourced from moj_daily_list_s Nullable
	daily_list_content_json	character varying	Nullable
	daily_list_content_xml	character varying	Nullable
	message_id	character varying	Nullable
	content_object_id	character varying(16)	Nullable
	subcontent_object_id	character varying(16)	Nullable
	subcontent_position	integer	Nullable
	clip_id	character varying	Nullable
	storage_id	character varying(16)	Nullable
	data_ticket	integer	Nullable
	external_location	character varying	Nullable
	elt_id	integer	Nullable References: darts.external_location_type
	osr_uuid	bigint	Nullable
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account

Links to









Table		Join	Title / Name / Description
➤	darts.external_location_type	darts.daily_list elt_id = darts.external_location_typeelt_id	daily_list_external_location_type_fk
➤	darts.user_account	darts.daily_list created_by = darts.user_accountusr_id	daily_list_created_by_fk
➤	darts.user_account	darts.daily_list last_modified_by = darts.user_accountusr_id	daily_list_modified_by_fk

Unique keys





Columns		Name / Description
🔑	dal_id	daily_list_pk

12.1.24. Table: darts.data_anonymisation


Columns

	Name	Data type	Description / Attributes
	dan_id	integer	primary key of data_anonymisation
	eve_id	integer	foreign key to event, unenforced to support deletion of event without reference to this table Nullable References: darts.event
	trc_id	integer	foreign key of transcription_comment, unenforce to support deletion of transcription_comment without reference to this table Nullable References: darts.transcription_comment
	is_manual_request	boolean	Nullable
	requested_by	integer	References: darts.user_account
	requested_ts	timestamp with time zone	
	approved_by	integer	Nullable References: darts.user_account
	approved_ts	timestamp with time zone	Nullable

Links to








Table	Join	Title / Name / Description
 darts.event	darts.data_anonymisation eve_id = darts.eventeve_id	data_anonymisation_event_fk
 darts.transcription_comment	darts.data_anonymisation trc_id = darts.transcription_commenttrc_id	data_anonymisation_transcription_comment_fk
 darts.user_account	darts.data_anonymisation requested_by = darts.user_accountusr_id	data_anonymisation_requested_by_fk
 darts.user_account	darts.data_anonymisation approved_by = darts.user_accountusr_id	data_anonymisation_approved_by_fk

Unique keys

Columns	Name / Description
 dan_id	data_anonymisation_pk

12.1.25. Table: darts.defence



Columns

	Name	Data type	Description / Attributes
	dfc_id	integer	primary key of defence_name
	cas_id	integer	foreign key from court_case References: darts.court_case
	defence_name	character varying	
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account

Links to








	Table	Join	Title / Name / Description
➤	darts.court_case	darts.defence cas_id = darts.court_casecas_id	defence_court_case_fk
➤	darts.user_account	darts.defence created_by = darts.user_accountusr_id	defence_created_by_fk
➤	darts.user_account	darts.defence last_modified_by = darts.user_accountusr_id	defence_modified_by_fk

Unique keys

	Columns	Name / Description
	dfc_id	defence_pk
	cas_id, defence_name	dfc_cas_id_defence_name_unq

12.1.26. Table: darts.defendant



Columns

	Name	Data type	Description / Attributes
	dfd_id	integer	primary key of defendant_name
	cas_id	integer	foreign key from court_case References: darts.court_case
	defendant_name	character varying	
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account

Links to




	Table	Join	Title / Name / Description
➤	darts.court_case	darts.defendant cas_id = darts.court_casecas_id	defendant_court_case_fk
➤	darts.user_account	darts.defendant created_by = darts.user_accountusr_id	defendant_created_by_fk
➤	darts.user_account	darts.defendant last_modified_by = darts.user_accountusr_id	defendant_modified_by_fk

Unique keys





	Columns	Name / Description
	dfd_id	defendant_pk
	cas_id, defendant_name	dfd_cas_id_defendant_name_unq

12.1.27. Table: darts.event

Columns

	Name	Data type	Description / Attributes
	eve_id	integer	primary key of moj_event
	ctr_id	integer	foreign key from moj_courtroom References: darts.courtroom
	evh_id	integer	foreign key for the moj_event_handler table References: darts.event_handler
	event_object_id	character varying(16)	internal Documentum primary key from moj_event_s Nullable
	event_id	integer	directly sourced from moj_event_s Nullable
	event_text	character varying	inherited from moj_annotation_s.c_text Nullable
	event_ts	timestamp with time zone	inherited from moj_annotation_s
	message_id	character varying	no migration element, records the id of the message that gave rise to this event Nullable
	is_log_entry	boolean	
	event_status	integer	Nullable
	is_current	boolean	Default: true
	is_data_anonymised	boolean	Default: false
	version_label	character varying(32)	inherited from dm_sysobject_r, for r_object_type of moj_event Nullable
	chronicle_id	character varying(16)	Nullable
	antecedent_id	character varying(16)	Nullable
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account

Links to

Table	Join	Title / Name / Description
 darts.courtroom	darts.event ctr_id = darts.courtroomctr_id	event_courtroom_fk
 darts.event_handler	darts.event evh_id = darts.event_handler evh_id	event_event_handler_fk
 darts.user_account	darts.event created_by = darts.user_accountusr_id	event_created_by_fk
 darts.user_account	darts.event last_modified_by = darts.user_accountusr_id	event_modified_by_fk

Linked from

	Table	Join	Title / Name / Description
→	darts.case_management_retention	darts.event eve_id = darts.case_management_retentioneve_id	case_management_retention_event_fk
→	darts.data_anonymisation	darts.event eve_id = darts.data_anonymisationeve_id	data_anonymisation_event_fk
→	darts.event_linked_case	darts.event eve_id = darts.event_linked_caseeve_id	event_linked_case_event_fk
→	darts.hearing_event_ae	darts.event eve_id = darts.hearing_event_aeeve_id	hearing_event_ae_event_fk










Unique keys

	Columns	Name / Description
🔑	eve_id	event_pk


12.1.28. Table: darts.event_handler

content will be derived from TBL_MOJ_DOC_HANDLER in the legacy database, but currently has no primary key and 6 fully duplicated rows



Columns

	Name	Data type	Description / Attributes
	evh_id	integer	primary key of moj_event_type
	event_type	character varying	directly sourced from doc_type
	event_sub_type	character varying	directly sourced from doc_sub_type Nullable
	event_name	character varying	directly sourced from event_name
	handler	character varying	directly sourced from doc_handler Nullable
	active	boolean	
	is_reporting_restriction	boolean	
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account

Links to

Table	Join	Title / Name / Description
 darts.user_account	darts.event_handler created_by = darts.user_accountusr_id	event_handler_created_by_fk

Linked from

Table	Join	Title / Name / Description
 darts.court_case	darts.event_handler evh_id = darts.court_caseevh_id	court_case_event_handler_fk
 darts.event	darts.event_handler evh_id = darts.eventevh_id	event_event_handler_fk






Unique keys

Columns	Name / Description
 evh_id	event_handler_pk



12.1.29. Table: darts.event_linked_case

content is to be populated via migration


Columns

	Name	Data type	Description / Attributes
	elc_id	integer	
	eve_id	integer	References: darts.event
	cas_id	integer	Nullable References: darts.court_case
	courthouse_name	character varying	Nullable
	case_number	character varying	Nullable

Links to

	Table	Join	Title / Name / Description
	darts.court_case	darts.event_linked_case cas_id = darts.court_casecas_id	event_linked_case_court_case_fk
	darts.event	darts.event_linked_case eve_id = darts.eventeve_id	event_linked_case_event_fk




Unique keys

	Columns	Name / Description
	elc_id	event_linked_case_pk



12.1.30. Table: darts.external_location_type

used to record acceptable external locations, found in external_object_directory

Columns

Name		Data type	Description / Attributes
	 elt_id	integer	
	elt_description	character varying	Nullable

Linked from

Table		Join	Title / Name / Description
	darts.daily_list	darts.external_location_type elt_id = darts.daily_listelt_id	daily_list_external_location_type_fk
	darts.external_object_directory	darts.external_location_type elt_id = darts.external_object_directoryelt_id	eod_external_location_type_fk

Unique keys

Columns		Name / Description
	elt_id	external_location_type_pk

12.1.31. Table: darts.external_object_directory

Columns

	Name	Data type	Description / Attributes
	eod_id	integer	primary key of external_object_directory
	ado_id	integer	foreign key from annotation_document Nullable References: darts.annotation_document
	cad_id	integer	Nullable References: darts.case_document
	med_id	integer	foreign key from moj_media Nullable References: darts.media
	trd_id	integer	foreign key from transcription_document Nullable References: darts.transcription_document
	ors_id	integer	References: darts.object_record_status
	elt_id	integer	foreign key from external_location_type References: darts.external_location_type
	osr_uuid	bigint	Nullable
	external_location	character varying	Nullable
	external_file_id	character varying	Nullable
	external_record_id	character varying	Nullable
	checksum	character varying	Nullable
	transfer_attempts	integer	Nullable
	manifest_file	character varying	Nullable
	event_date_ts	timestamp with time zone	Nullable
	data_ingestion_ts	timestamp with time zone	Nullable
	verification_attempts	integer	Nullable
	error_code	character varying	Nullable
	is_response_cleaned	boolean	Default: false
	update_retention	boolean	
	input_upload_processed_ts	timestamp with time zone	Nullable
	force_response_cleanup	boolean	Nullable
	is_dets	boolean	Default: false
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account

Links to


Table	Join	Title / Name / Description
 darts.annotation_document	darts.external_object_directory ado_id = darts.annotation_documentado_id	eod_annotation_document_fk

Table		Join	Title / Name / Description
➤	darts.case_document	darts.external_object_directory cad_id = darts.case_documentcad_id	eod_case_document_fk
➤	darts.external_location_type	darts.external_object_directory elt_id = darts.external_location_typeelt_id	eod_external_location_type_fk
➤	darts.media	darts.external_object_directory med_id = darts.mediamed_id	eod_media_fk
➤	darts.object_record_status	darts.external_object_directory ors_id = darts.object_record_statusors_id	eod_object_record_status_fk
➤	darts.transcription_document	darts.external_object_directory trd_id = darts.transcription_documenttrd_id	eod_transcription_document_fk
➤	darts.user_account	darts.external_object_directory last_modified_by = darts.user_accountusr_id	eod_modified_by_fk
➤	darts.user_account	darts.external_object_directory created_by = darts.user_accountusr_id	external_object_directory_created_by_fk

Linked from










Table		Join	Title / Name / Description
➤	darts.extobjdir_process_detail	darts.external_object_directory eod_id = darts.extobjdir_process_detail_eod_id	epd_external_object_directory_fk

Unique keys



Columns		Name / Description
🔑	eod_id	external_object_directory_pk

12.1.32. Table: darts.external_service_auth_token


Columns

	Name	Data type	Description / Attributes
	esa_id	integer	primary key of external_service_auth_token
	external_service_userid	character varying	userId used by external services OR requestId user by Audio Request
	token_type	integer	1=soap token, 2=email link token
	token	character varying	Encrypted Token
	expiry_ts	timestamp with time zone	Expiry Date & Time of the Token Nullable
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account

Links to

	Table	Join	Title / Name / Description
	darts.user_account	darts.external_service_auth_token created_by = darts.user_accountusr_id	external_service_auth_token_created_by_fk
	darts.user_account	darts.external_service_auth_token last_modified_by = darts.user_accountusr_id	external_service_auth_token_modified_by_fk


















Unique keys

	Columns	Name / Description
	esa_id	external_service_auth_token_pk




12.1.33. Table: darts.extobjdir_process_detail

This table is an extension of external_object_directory.



Columns

	Name	Data type	Description / Attributes
	epd_id	integer	primary key of extobjdir_process_detail, needed to support Hibernate. Logically eod_id is the PK
	eod_id	integer	foreign key from external_object_directory References: darts.external_object_directory
	event_date_ts	timestamp with time zone	Nullable
	update_retention	boolean	
	input_upload_filename	character varying	Nullable
	create_record_filename	character varying	Nullable
	create_record_processed_ts	timestamp with time zone	Nullable
	upload_file_filename	character varying	Nullable
	upload_file_processed_ts	timestamp with time zone	Nullable
	create_rec_inv_filename	character varying	Nullable
	create_rec_inv_processed_ts	timestamp with time zone	Nullable
	upload_file_inv_filename	character varying	Nullable
	upload_file_inv_processed_ts	timestamp with time zone	Nullable
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account

Links to











Table	Join	Title / Name / Description
 darts.external_object_directory	darts.extobjdir_process_detail eod_id = darts.external_object_directoryeod_id	epd_external_object_directory_fk
 darts.user_account	darts.extobjdir_process_detail created_by = darts.user_accountusr_id	epd_created_by_fk
 darts.user_account	darts.extobjdir_process_detail last_modified_by = darts.user_accountusr_id	epd_last_modified_by_fk

Unique keys

Columns	Name / Description
 epd_id	extobjdir_process_detail_pk
 eod_id	extobjdir_process_detail_eod_id_key

12.1.34. Table: darts.hearing

Columns

	Name	Data type	Description / Attributes
	hea_id	integer	primary key of hearing
	cas_id	integer	foreign key from case References: darts.court_case
	ctr_id	integer	foreign key from courtroom References: darts.courtroom
	hearing_date	date	directly sourced from moj_case_r
	scheduled_start_time	time without time zone	Nullable
	hearing_is_actual	boolean	
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account


Links to


	Table	Join	Title / Name / Description
➤	darts.court_case	darts.hearing cas_id = darts.court_casecas_id	hearing_case_fk
➤	darts.courtroom	darts.hearing ctr_id = darts.courtroomctr_id	hearing_courtroom_fk
➤	darts.user_account	darts.hearing created_by = darts.user_accountusr_id	hearing_created_by_fk
➤	darts.user_account	darts.hearing last_modified_by = darts.user_accountusr_id	hearing_modified_by_fk

Linked from

	Table	Join	Title / Name / Description
➤	darts.hearing_annotation_ae	darts.hearing hea_id = darts.hearing_annotation_aehea_id	hearing_annotation_ae_hearing_fk
➤	darts.hearing_event_ae	darts.hearing hea_id = darts.hearing_event_aehea_id	hearing_event_ae_hearing_fk
➤	darts.hearing_judge_ae	darts.hearing hea_id = darts.hearing_judge_aehea_id	hearing_judge_ae_hearing_fk
➤	darts.hearing_media_ae	darts.hearing hea_id = darts.hearing_media_aehea_id	hearing_media_ae_hearing_fk
➤	darts.hearing_transcription_ae	darts.hearing hea_id = darts.hearing_transcription_aehea_id	hearing_transcription_ae_hearing_fk
➤	darts.media_request	darts.hearing hea_id = darts.media_requesthea_id	media_request_hearing_fk





Unique keys

Columns	Name / Description
 hea_id	hearing_pk



Columns		Name / Description
	cas_id, ctr_id, hearing_date	hea_cas_ctr_hd_unq

12.1.35. Table: darts.hearing_annotation_ae


Columns

Name		Data type	Description / Attributes
	 hea_id	integer	foreign key from hearing, part of composite natural key and PK References: darts.hearing
	 ann_id	integer	foreign key from annotation, part of composite natural key and PK References: darts.annotation

Links to





Table	Join	Title / Name / Description
 darts.annotation	darts.hearing_annotation_ae ann_id = darts.annotationann_id	hearing_annotation_ae_annotation_fk
 darts.hearing	darts.hearing_annotation_ae hea_id = darts.hearinghea_id	hearing_annotation_ae_hearing_fk

Unique keys



Columns	Name / Description
 hea_id, ann_id	hearing_annotation_ae_pk

12.1.36. Table: darts.hearing_event_ae


Columns

Name		Data type	Description / Attributes
	 hea_id	integer	foreign key from hearing, part of composite natural key References: darts.hearing
	 eve_id	integer	foreign key from event, part of composite natural key References: darts.event

Links to





Table	Join	Title / Name / Description
 darts.event	darts.hearing_event_ae eve_id = darts.eventeve_id	hearing_event_ae_event_fk
 darts.hearing	darts.hearing_event_ae hea_id = darts.hearinghea_id	hearing_event_ae_hearing_fk

Unique keys



Columns	Name / Description
 hea_id, eve_id	hearing_event_ae_pk

12.1.37. Table: darts.hearing_judge_ae


Columns

Name		Data type	Description / Attributes
	 hea_id	integer	foreign key from case, part of composite natural key and PK References: darts.hearing
	 jud_id	integer	foreign key from judge, part of composite natural key and PK References: darts.judge

Links to





Table	Join	Title / Name / Description
 darts.hearing	darts.hearing_judge_ae hea_id = darts.hearinghea_id	hearing_judge_ae_hearing_fk
 darts.judge	darts.hearing_judge_ae jud_id = darts.judgejud_id	hearing_judge_ae_judge_fk

Unique keys



Columns	Name / Description
 hea_id, jud_id	hearing_judge_ae_pk

12.1.38. Table: darts.hearing_media_ae


Columns

Name		Data type	Description / Attributes
	 hea_id	integer	foreign key from case, part of composite natural key References: darts.hearing
	 med_id	integer	foreign key from media, part of composite natural key References: darts.media

Links to





Table	Join	Title / Name / Description
 darts.hearing	darts.hearing_media_ae hea_id = darts.hearinghea_id	hearing_media_ae_hearing_fk
 darts.media	darts.hearing_media_ae med_id = darts.mediamed_id	hearing_media_ae_media_fk

Unique keys



Columns	Name / Description
 hea_id, med_id	hearing_media_ae_pk

12.1.39. Table: darts.hearing_transcription_ae


Columns

Name		Data type	Description / Attributes
	 hea_id	integer	foreign key from hearing, part of composite natural key and PK References: darts.hearing
	 tra_id	integer	foreign key from transcription, part of composite natural key and PK References: darts.transcription

Links to







Table	Join	Title / Name / Description
 darts.hearing	darts.hearing_transcription_ae hea_id = darts.hearinghea_id	hearing_transcription_ae_hearing_fk
 darts.transcription	darts.hearing_transcription_ae tra_id = darts.transcriptiontra_id	hearing_transcription_ae_transcription_fk

Unique keys



Columns	Name / Description
 hea_id, tra_id	hearing_transcription_ae_pk

12.1.40. Table: darts.judge



Columns

	Name	Data type	Description / Attributes
	jud_id	integer	primary key of judge_name
	judge_name	character varying	
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account



Links to

Table	Join	Title / Name / Description
 darts.user_account	darts.judge created_by = darts.user_accountusr_id	judge_created_by_fk
 darts.user_account	darts.judge last_modified_by = darts.user_accountusr_id	judge_modified_by_fk

Linked from

Table	Join	Title / Name / Description
 darts.case_judge_ae	darts.judge jud_id = darts.case_judge_aejud_id	case_judge_ae_judge_fk
 darts.hearing_judge_ae	darts.judge jud_id = darts.hearing_judge_aejud_id	hearing_judge_ae_judge_fk

Unique keys

Columns	Name / Description
 jud_id	judge_pk
 judge_name	judge_judge_name_key

12.1.41. Table: darts.media

Columns

	Name	Data type	Description / Attributes
	med_id	integer	primary key of media
	ctr_id	integer	foreign key from courtroom References: darts.courtroom
	media_object_id	character varying(16)	internal Documentum primary key from moj_media_s Nullable
	content_object_id	character varying(16)	Nullable
	subcontent_object_id	character varying(16)	Nullable
	subcontent_position	integer	Nullable
	clip_id	character varying(54)	Nullable
	storage_id	character varying(16)	Nullable
	data_ticket	integer	Nullable
	channel	integer	directly sourced from moj_media_s
	total_channels	integer	directly sourced from moj_media_s
	start_ts	timestamp with time zone	inherited from moj_case_document_s
	end_ts	timestamp with time zone	inherited from moj_case_document_s
	media_file	character varying	
	media_format	character varying	
	media_type	character(1)	Default: 'A':bpchar
	file_size	bigint	
	checksum	character varying	Nullable
	is_hidden	boolean	Default: false
	is_deleted	boolean	Default: false
	is_current	boolean	Nullable
	deleted_by	integer	Nullable References: darts.user_account
	deleted_ts	timestamp with time zone	Nullable
	media_status	character varying	Nullable
	version_label	character varying(32)	inherited from dm_sysobject_r, for r_object_type of moj_media Nullable
	chronicle_id	character varying(16)	Nullable
	antecedent_id	character varying(16)	Nullable
	retain_until_ts	timestamp with time zone	Nullable
	ret_conf_score	integer	Nullable
	ret_conf_reason	character varying	Nullable
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	

Name		Data type	Description / Attributes
	last_modified_by	integer	References: darts.user_account


Links to

Table	Join	Title / Name / Description
➤ darts.courtroom	darts.media ctr_id = darts.courtroomctr_id	media_courtroom_fk
➤ darts.user_account	darts.media created_by = darts.user_accountusr_id	media_created_by_fk
➤ darts.user_account	darts.media last_modified_by = darts.user_accountusr_id	media_modified_by_fk
➤ darts.user_account	darts.media deleted_by = darts.user_accountusr_id	media_deleted_by_fk

Linked from

Table	Join	Title / Name / Description
➤ darts.external_object_directory	darts.media med_id = darts.external_object_directorymed_id	eod_media_fk
➤ darts.hearing_media_ae	darts.media med_id = darts.hearing_media_aemed_id	hearing_media_ae_media_fk
➤ darts.media_linked_case	darts.media med_id = darts.media_linked_casemed_id	media_linked_case_media_fk
➤ darts.object_admin_action	darts.media med_id = darts.object_admin_actionmed_id	oaa_media_fk
➤ darts.object_retrieval_queue	darts.media med_id = darts.object_retrieval_queuemed_id	object_retrieval_queue_media_fk









Unique keys

Columns	Name / Description
 med_id	media_pk




12.1.42. Table: darts.media_linked_case

content is to be populated via migration

Columns

	Name	Data type	Description / Attributes
	mlc_id	integer	
	med_id	integer	References: darts.media
	cas_id	integer	Nullable References: darts.court_case
	courthouse_name	character varying	Nullable
	case_number	character varying	Nullable
	source	integer	Nullable Default: 0
	created_ts	timestamp with time zone	Nullable
	created_by	integer	Nullable References: darts.user_account

Links to













	Table	Join	Title / Name / Description
	darts.court_case	darts.media_linked_case cas_id = darts.court_casecas_id	media_linked_case_court_case_fk
	darts.media	darts.media_linked_case med_id = darts.mediamed_id	media_linked_case_media_fk
	darts.user_account	darts.media_linked_case created_by = darts.user_accountusr_id	media_linked_case_created_by_fk

Unique keys




	Columns	Name / Description
	mlc_id	media_linked_case_pk

12.1.43. Table: darts.media_request


Columns

	Name	Data type	Description / Attributes
	mer_id	integer	primary key of media_request
	hea_id	integer	foreign key of hearing References: darts.hearing
	requestor	integer	requestor of the media request, possibly migrated from moj_transformation_request_s References: darts.user_account
	current_owner	integer	References: darts.user_account
	request_status	character varying	status of the migration request
	request_type	character varying	
	req_proc_attempts	integer	number of attempts by ATS to process the request Nullable
	start_ts	timestamp with time zone	start time in the search criteria for request, possibly migrated from moj_cached_media_s or moj_transformation_request_s
	end_ts	timestamp with time zone	end time in the search criteria for request, possibly migrated from moj_cached_media_s or moj_transformation_request_s
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account


Links to

Table	Join	Title / Name / Description
 darts.hearing	darts.media_request hea_id = darts.hearinghea_id	media_request_hearing_fk
 darts.user_account	darts.media_request created_by = darts.user_accountusr_id	media_request_created_by_fk
 darts.user_account	darts.media_request last_modified_by = darts.user_accountusr_id	media_request_modified_by_fk
 darts.user_account	darts.media_request requestor = darts.user_accountusr_id	media_request_requestor_fk
 darts.user_account	darts.media_request current_owner = darts.user_accountusr_id	media_request_current_owner_fk

Linked from

Table	Join	Title / Name / Description
 darts.transformed_media	darts.media_request mer_id = darts.transformed_mediamer_id	trm_media_request_fk









Unique keys

Columns	Name / Description
 mer_id	media_request_pk



12.1.44. Table: darts.node_register

corresponds to tbl_moj_node from legacy


Columns

	Name	Data type	Description / Attributes
	node_id	integer	primary key of node_register
	ctr_id	integer	foreign key from moj_courtroom, legacy stored courthouse and courtroom un-normalised References: darts.courtroom
	node_type	character varying	Default: 'DAR':character varying
	hostname	character varying	
	ip_address	character varying	
	mac_address	character varying	
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account

Links to












	Table	Join	Title / Name / Description
	darts.courtroom	darts.node_register ctr_id = darts.courtroomctr_id	node_register_courtroom_fk
	darts.user_account	darts.node_register created_by = darts.user_accountusr_id	node_register_created_by_fk

Unique keys

	Columns	Name / Description
	node_id	node_register_pk

12.1.45. Table: darts.notification


Columns

	Name	Data type	Description / Attributes
	not_id	integer	primary key of notification
	cas_id	integer	foreign key to case References: darts.court_case
	notification_event	character varying	event giving rise to the need for outgoing notification
	notification_status	character varying	status of the notification, expected to be one of [O]pen, [P]rocessing, [S]end, [F]ailed
	email_address	character varying	recipient of the notification
	send_attempts	integer	number of outgoing requests to gov.uk Nullable
	template_values	character varying	any extra fields not already covered or inferred from the case, in JSON format Nullable
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account

Links to














	Table	Join	Title / Name / Description
➤	darts.court_case	darts.notification cas_id = darts.court_casecas_id	notification_case_fk
➤	darts.user_account	darts.notification created_by = darts.user_accountusr_id	notification_created_by_fk
➤	darts.user_account	darts.notification last_modified_by = darts.user_accountusr_id	notification_modified_by_fk

Unique keys

Columns	Name / Description
 not_id	notification_pk

12.1.46. Table: darts.object_admin_action


Columns

	Name	Data type	Description / Attributes
	oaa_id	integer	
	ado_id	integer	Nullable References: darts.annotation_document
	cad_id	integer	Nullable References: darts.case_document
	med_id	integer	Nullable References: darts.media
	trd_id	integer	Nullable References: darts.transcription_document
	ohr_id	integer	Nullable References: darts.object_hidden_reason
	hidden_by	integer	Nullable References: darts.user_account
	hidden_ts	timestamp with time zone	Nullable
	marked_for_manual_deletion	boolean	Default: false
	marked_for_manual_del_by	integer	Nullable References: darts.user_account
	marked_for_manual_del_ts	timestamp with time zone	Nullable
	ticket_reference	character varying	Nullable
	comments	character varying	Nullable

Links to

	Table	Join	Title / Name / Description
➤	darts.annotation_document	darts.object_admin_action ado_id = darts.annotation_documentado_id	oaa_annotation_document_fk
➤	darts.case_document	darts.object_admin_action cad_id = darts.case_documentcad_id	oaa_case_document_fk
➤	darts.media	darts.object_admin_action med_id = darts.mediamed_id	oaa_media_fk
➤	darts.object_hidden_reason	darts.object_admin_action ohr_id = darts.object_hidden_reasonohr_id	object_admin_action_ohr_id_fk
➤	darts.transcription_document	darts.object_admin_action trd_id = darts.transcription_documenttrd_id	oaa_transcription_document_fk
➤	darts.user_account	darts.object_admin_action hidden_by = darts.user_accountusr_id	object_admin_action_hidden_by_fk
➤	darts.user_account	darts.object_admin_action marked_for_manual_del_by = darts.user_accountusr_id	object_admin_action_marked_for_manual_del_by_fk








Unique keys

Columns	Name / Description
 oaa_id	object_admin_action_pk


12.1.47. Table: darts.object_hidden_reason

used to record acceptable reasons for data to be hidden in tables ADO,CAD, MED, TRD


Columns

Name		Data type	Description / Attributes
	 ohr_id	integer	
	ohr_reason	character varying	
	display_name	character varying	
	display_state	boolean	Default: true
	display_order	integer	
	marked_for_deletion	boolean	Default: false

Linked from

Table	Join	Title / Name / Description
 darts.object_admin_action	darts.object_hidden_reason ohr_id = darts.object_admin_actionohr_id	object_admin_action_ohr_id_fk




Unique keys

Columns	Name / Description
 ohr_id	object_hidden_reason_pk



12.1.48. Table: darts.object_record_status

used to record acceptable statuses found in [external/transient]_object_directory


Columns

Name		Data type	Description / Attributes
	 ors_id	integer	
	ors_description	character varying	Nullable

Linked from
















Table		Join	Title / Name / Description
	darts.external_object_directory	darts.object_record_status ors_id = darts.external_object_directoryors_id	eod_object_record_status_fk
	darts.transient_object_directory	darts.object_record_status ors_id = darts.transient_object_directoryors_id	tod_object_record_status_fk

Unique keys





Columns		Name / Description
	ors_id	object_record_status_pk

12.1.49. Table: darts.object_retrieval_queue


Columns

	Name	Data type	Description / Attributes
	orq_id	integer	
	med_id	integer	Nullable References: darts.media
	trd_id	integer	Nullable References: darts.transcription_document
	parent_object_id	character varying	Nullable
	content_object_id	character varying	Nullable
	storage_id	character varying(16)	Nullable
	clip_id	character varying	Nullable
	data_ticket	integer	Nullable
	acknowledged_ts	timestamp with time zone	Nullable
	migrated_ts	timestamp with time zone	Nullable
	status	character varying	Nullable
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account

Links to

Table	Join	Title / Name / Description
 darts.media	darts.object_retrieval_queue med_id = darts.mediamed_id	object_retrieval_queue_media_fk
 darts.transcription_document	darts.object_retrieval_queue trd_id = darts.transcription_documenttrd_id	object_retrieval_queue_transcription_document_fk
 darts.user_account	darts.object_retrieval_queue created_by = darts.user_accountusr_id	object_retrieval_queue_created_by_fk
 darts.user_account	darts.object_retrieval_queue last_modified_by = darts.user_accountusr_id	object_retrieval_queue_last_modified_by_fk




Unique keys

Columns	Name / Description
 orq_id	object_retrieval_queue_pk


12.1.50. Table: darts.object_state_record

Columns

	Name	Data type	Description / Attributes
 	osr_uuid	bigint	
	eod_id	integer	Nullable
	arm_eod_id	integer	Nullable
	dal_id	integer	Nullable
	parent_object_id	character varying	Nullable
	content_object_id	character varying	Nullable
	id_clip	character varying	Nullable
	dets_location	character varying	Nullable
	flag_file_transfer_to_dets	boolean	Nullable
	date_file_transfer_to_dets	timestamp with time zone	Nullable
	md5_doc_transfer_to_dets	character varying	Nullable
	file_size_bytes_centera	bigint	Nullable
	file_size_bytes_dets	bigint	Nullable
	flag_file_av_scan_pass	boolean	Nullable
	date_file_av_scan_pass	timestamp with time zone	Nullable
	flag_file_transf_toarml	boolean	Nullable
	date_file_transf_toarml	timestamp with time zone	Nullable
	md5_file_transf_arml	character varying	Nullable
	file_size_bytes_arml	bigint	Nullable
	flag_file_mfst_created	boolean	Nullable
	date_file_mfst_created	timestamp with time zone	Nullable
	id_manifest_file	character varying	Nullable
	flag_mfst_transf_to_arml	boolean	Nullable
	date_mfst_transf_to_arml	timestamp with time zone	Nullable
	flag_rspn_recvd_from_arml	boolean	Nullable
	date_rspn_recvd_from_arml	timestamp with time zone	Nullable
	flag_file_ingest_status	boolean	Nullable
	date_file_ingest_to_arm	timestamp with time zone	Nullable
	md5_file_ingest_to_arm	character varying	Nullable
	file_size_ingest_to_arm	bigint	Nullable
	id_response_file	character varying	Nullable
	id_response_cr_file	character varying	Nullable
	id_response_uf_file	character varying	Nullable
	flag_file_dets_cleanup_status	boolean	Nullable
	date_file_dets_cleanup	timestamp with time zone	Nullable








Name		Data type	Description / Attributes
	object_status	character varying	Nullable
	storage_id	character varying	Nullable
	data_ticket	integer	Nullable

Unique keys




Columns		Name / Description
	osr_uuid	object_state_record_pk

12.1.51. Table: darts.prosecutor



Columns

	Name	Data type	Description / Attributes
	prn_id	integer	primary key of prosecutor_name
	cas_id	integer	foreign key from court_case References: darts.court_case
	prosecutor_name	character varying	
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account

Links to




	Table	Join	Title / Name / Description
	darts.court_case	darts.prosecutor cas_id = darts.court_casecas_id	prosecutor_court_case_fk
	darts.user_account	darts.prosecutor created_by = darts.user_accountusr_id	prosecutor_created_by_fk
	darts.user_account	darts.prosecutor last_modified_by = darts.user_accountusr_id	prosecutor_modified_by_fk

Unique keys

	Columns	Name / Description
	prn_id	prosecutor_pk
	cas_id, prosecutor_name	prn_cas_id_prosecutor_name_unq

12.1.52. Table: darts.region


Columns

		Name	Data type	Description / Attributes
		reg_id	integer	
		region_name	character varying	

Linked from












	Table	Join	Title / Name / Description
	darts.courthouse_region_ae	darts.region reg_id = darts.courthouse_region_aereg_id	courthouse_region_region_fk

Unique keys



Columns		Name / Description
	reg_id	region_pk

12.1.53. Table: darts.report


Columns

Name		Data type	Description / Attributes
	rep_id	integer	primary key of report
	report_object_id	character varying(16)	internal Documentum primary key from moj_report_s Nullable
	name	character varying	directly sourced from moj_report_s Nullable
	subject	character varying	directly sourced from moj_report_s Nullable
	report_text	character varying	directly sourced from moj_report_s Nullable
	query	character varying	directly sourced from moj_report_s Nullable
	recipients	character varying	directly sourced from moj_report_s Nullable
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account

Links to










Table	Join	Title / Name / Description
 darts.user_account	darts.report created_by = darts.user_accountusr_id	report_created_by_fk
 darts.user_account	darts.report last_modified_by = darts.user_accountusr_id	report_modified_by_fk

Unique keys

Columns	Name / Description
 rep_id	report_pk

12.1.54. Table: darts.retention_confidence_category_mapper

Columns

	Name	Data type	Description / Attributes
	rcc_id	integer	
	ret_conf_score	integer	Nullable
	ret_conf_reason	character varying	Nullable
	confidence_category	integer	Nullable
	description	character varying	Nullable
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account

Links to















	Table	Join	Title / Name / Description
➤	darts.user_account	darts.retention_confidence_category_mapper created_by = darts.user_accountusr_id	retention_confidence_category_mapper_created_by_fk
➤	darts.user_account	darts.retention_confidence_category_mapper last_modified_by = darts.user_accountusr_id	retention_confidence_category_mapper_last_modified_by_fk

Unique keys



	Columns	Name / Description
	rcc_id	retention_confidence_category_mapper_pk

12.1.55. Table: darts.retention_policy_type






Columns

	Name	Data type	Description / Attributes
 	rpt_id	integer	
	fixed_policy_key	character varying	
	policy_name	character varying	
	display_name	character varying	
	duration	character varying	
	policy_start_ts	timestamp with time zone	
	policy_end_ts	timestamp with time zone	Nullable
	description	character varying	
	retention_policy_object_id	character varying	Nullable
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account


Links to

Table	Join	Title / Name / Description
 darts.user_account	darts.retention_policy_type created_by = darts.user_accountusr_id	retention_policy_type_created_by_fk
 darts.user_account	darts.retention_policy_type last_modified_by = darts.user_accountusr_id	retention_policy_type_last_modified_by_fk

Linked from






Table	Join	Title / Name / Description
 darts.case_management_retention	darts.retention_policy_type rpt_id = darts.case_management_retentionrpt_id	case_management_retention_retention_policy_type_fk
 darts.case_overflow	darts.retention_policy_type rpt_id = darts.case_overflowrpt_id	case_overflow_retention_policy_type_fk
 darts.case_retention	darts.retention_policy_type rpt_id = darts.case_retentionrpt_id	case_retention_retention_policy_type_fk
 darts.case_retention_audit_heritage	darts.retention_policy_type rpt_id = darts.case_retention_audit_heritagerrpt_id	case_retention_audit_heritage_retention_policy_type_fk
 darts.rps_retainer	darts.retention_policy_type rpt_id = darts.rps_retainerrpt_id	rps_retainer_retention_policy_type_fk

Unique keys


Columns	Name / Description
 rpt_id	retention_policy_type_pk

12.1.56. Table: darts.retention_policy_type_heritage_mapping

Columns





		Name	Data type	Description / Attributes
		rhм_id	integer	
		heritage_policy_name	character varying	
		heritage_table	character varying	
		modernised_rpt_id	integer	

Unique keys

Columns		Name / Description
	rhм_id	retention_policy_type_heritage_mapping_pk

12.1.57. Table: darts.revinfo


Columns

		Name	Data type	Description / Attributes
		rev	integer	
		revtstp	bigint	Nullable
		audit_user	integer	Nullable References: darts.user_account

Links to

Table		Join	Title / Name / Description
	darts.user_account	darts.revinfo audit_user = darts.user_accountusr_id	revinfo_audit_user_fk

Unique keys




Columns		Name / Description
	rev	revinfo_pkey

12.1.58. Table: darts.rps_retainer

is essentially a legacy table, based on the component tables necessary to derive the dmc_rps_retainer object

Columns


	Name	Data type	Description / Attributes
	rpr_id	integer	primary key of case_rps_retainer
	rpt_id	integer	References: darts.retention_policy_type
	rps_retainer_object_id	character varying	
	case_object_id	character varying	Nullable
	audio_folder_object_id	character varying	Nullable
	is_current	boolean	Nullable
	dm_retainer_root_id	character varying	Nullable
	dm_retention_rule_type	integer	Nullable
	dm_retention_date	timestamp with time zone	Nullable
	dmc_current_phase_id	character varying	Nullable
	dmc_entry_date	timestamp with time zone	Nullable
	dmc_parent_ancestor_id	character varying	Nullable
	dmc_phase_name	character varying	Nullable
	dmc_qualification_date	timestamp with time zone	Nullable
	dmc_retention_base_date	timestamp with time zone	Nullable
	dmc_retention_policy_id	character varying	Nullable
	dmc_ultimate_ancestor_id	character varying	Nullable
	dmc_vdm_retention_rule	integer	Nullable
	dmc_is_superseded	integer	Nullable
	dmc_superseded_date	timestamp with time zone	Nullable
	dmc_superseded_phase_id	character varying	Nullable
	dmc_snapshot_retention_rule	integer	Nullable
	dmc_approval_required	integer	Nullable
	dmc_approval_status	character varying	Nullable
	dmc_approved_date	timestamp with time zone	Nullable
	dmc_projected_disposition_date	timestamp with time zone	Nullable
	dmc_is_qualification_suspended	integer	Nullable
	dmc_suspension_lift_date	timestamp with time zone	Nullable
	dmc_base_date_override	timestamp with time zone	Nullable
	dms_object_name	character varying	Nullable
	dms_i_chronicle_id	character varying	Nullable
	dms_r_policy_id	character varying	Nullable
	dms_r_resume_state	integer	Nullable
	dms_r_current_state	integer	Nullable
	created_ts	timestamp with time zone	

Name		Data type	Description / Attributes
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account

Links to

Table	Join	Title / Name / Description
➤ darts.retention_policy_type	darts.rps_retainer rpt_id = darts.retention_policy_type rpt_id	rps_retainer_retention_policy_type_fk
➤ darts.user_account	darts.rps_retainer created_by = darts.user_account usr_id	rps_retainer_created_by_fk
➤ darts.user_account	darts.rps_retainer last_modified_by = darts.user_account usr_id	rps_retainer_last_modified_by_fk

Unique keys

Columns	Name / Description
 rpr_id	rps_retainer_pk




12.1.59. Table: darts.security_group

migration columns all sourced directly from dm_group_s, additional attributes may be required from dm_user_s, but data only where dm_user_s.r_is_group=1



Columns

	Name	Data type	Description / Attributes
	grp_id	integer	primary key of security_group
	rol_id	integer	References: darts.security_role
	global_access	boolean	Default: false
	display_state	boolean	
	display_name	character varying	for purpose of providing a display_name for modernised solution
	dm_group_s_object_id	character varying(16)	internal Documentum primary key from dm_group_s Nullable
	group_name	character varying	
	group_display_name	character varying	derived directly from dm_group_s.group_display_name Nullable
	is_private	boolean	Nullable
	description	character varying	Nullable
	group_global_unique_id	character varying	Nullable
	use_interpreter	boolean	Default: false
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account


Links to

Table	Join	Title / Name / Description
 darts.security_role	darts.security_group rol_id = darts.security_rolerol_id	security_group_role_fk
 darts.user_account	darts.security_group created_by = darts.user_accountusr_id	security_group_created_by_fk
 darts.user_account	darts.security_group last_modified_by = darts.user_accountusr_id	security_group_last_modified_by_fk

Linked from





Table	Join	Title / Name / Description
 darts.security_group_courthouse_ae	darts.security_group grp_id = darts.security_group_courthouse_aegr p_id	security_group_courthouse_group_fk
 darts.security_group_user_account_ae	darts.security_group grp_id = darts.security_group_user_account_ae grp_id	security_group_user_account_ae_group_fk

Unique keys



Columns	Name / Description
 grp_id	security_group_pk

12.1.60. Table: darts.security_group_courthouse_ae

Columns

		Name	Data type	Description / Attributes
		grp_id	integer	References: darts.security_group
		cth_id	integer	References: darts.courthouse

Links to

		Table	Join	Title / Name / Description
		darts.courthouse	darts.security_group_courthouse_aect h_id = darts.courthousecth_id	security_group_courthouse_courthouse_fk
		darts.security_group	darts.security_group_courthouse_aegr p_id = darts.security_groupgrp_id	security_group_courthouse_group_fk





Unique keys

		Columns	Name / Description
		grp_id, cth_id	security_group_courthouse_ae_pk



12.1.61. Table: darts.security_group_user_account_ae

is the associative entity mapping users to groups, content will be defined by dm_group_r


Columns

Name		Data type	Description / Attributes
	 usr_id	integer	foreign key from user_account References: darts.user_account
	 grp_id	integer	foreign key from security_group References: darts.security_group

Links to




Table	Join	Title / Name / Description
 darts.security_group	darts.security_group_user_account_ae grp_id = darts.security_groupgrp_id	security_group_user_account_ae_group_fk
 darts.user_account	darts.security_group_user_account_ae usr_id = darts.user_accountusr_id	security_group_user_account_ae_user_fk

Unique keys


Columns	Name / Description
 usr_id, grp_id	security_group_user_account_ae_pk

12.1.62. Table: darts.security_permission


Columns

		Name	Data type	Description / Attributes
		per_id	integer	
		permission_name	character varying	

Linked from






		Table	Join	Title / Name / Description
		darts.security_role_permission_ae	darts.security_permission per_id = darts.security_role_permission_aeper_i d	security_role_permission_permission_fk

Unique keys

		Columns	Name / Description
		per_id	security_permission_pk

12.1.63. Table: darts.security_role

Columns

		Name	Data type	Description / Attributes
		rol_id	integer	
		role_name	character varying	
		display_name	character varying	
		display_state	boolean	

Linked from





		Table	Join	Title / Name / Description
→		darts.security_group	darts.security_role rol_id = darts.security_grouprol_id	security_group_role_fk
→		darts.security_role_permission_ae	darts.security_role rol_id = darts.security_role_permission_aerol_id	security_role_permission_ae_role_fk

Unique keys



		Columns	Name / Description
		rol_id	security_role_pk

12.1.64. Table: darts.security_role_permission_ae


Columns

		Name	Data type	Description / Attributes
		rol_id	integer	References: darts.security_role
		per_id	integer	References: darts.security_permission

Links to


























		Table	Join	Title / Name / Description
		darts.security_permission	darts.security_role_permission_ae per_id = darts.security_permissionper_id	security_role_permission_permission_fk
		darts.security_role	darts.security_role_permission_ae rol_id = darts.security_rolerol_id	security_role_permission_ae_role_fk

Unique keys

		Columns	Name / Description
		rol_id, per_id	security_role_permission_ae_pk

12.1.65. Table: darts.transcription

Columns

	Name	Data type	Description / Attributes
	tra_id	integer	primary key of transcription
	trt_id	integer	foreign key to transcription_type, sourced from moj_transcription_s.c_type References: darts.transcription_type
	ctr_id	integer	foreign key from courtroom Nullable References: darts.courtroom
	tru_id	integer	foreign key from transcription_urgency Nullable References: darts.transcription_urgency
	trs_id	integer	Nullable References: darts.transcription_status
	transcription_object_id	character varying(16)	internal Documentum primary key from moj_transcription_s Nullable
	transcription_object_name	character varying(255)	Nullable
	requested_by	integer	foreign key from user_account, corresponding to moj_transcription_s.c_requestor Nullable References: darts.user_account
	hearing_date	date	directly sourced from moj_transcription_s Nullable
	start_ts	timestamp with time zone	inherited from moj_case_document_s Nullable
	end_ts	timestamp with time zone	inherited from moj_case_document_s Nullable
	is_manual_transcription	boolean	
	is_current	boolean	Nullable
	hide_request_from_requestor	boolean	
	is_deleted	boolean	Default: false
	deleted_by	integer	Nullable References: darts.user_account
	deleted_ts	timestamp with time zone	Nullable
	version_label	character varying(32)	inherited from dm_sysobject_r, for r_object_type of moj_transcription Nullable
	chronicle_id	character varying(16)	Nullable
	antecedent_id	character varying(16)	Nullable
	c_current_state	character varying	Nullable
	r_current_state	integer	Nullable
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account

Links to

	Table	Join	Title / Name / Description
➤	darts.courtroom	darts.transcription ctr_id = darts.courtroomctr_id	transcription_courtroom_fk
➤	darts.transcription_status	darts.transcription trs_id = darts.transcription_statustrs_id	transcription_transcription_status_fk
➤	darts.transcription_type	darts.transcription trt_id = darts.transcription_typetr_id	transcription_transcription_type_fk
➤	darts.transcription_urgency	darts.transcription tru_id = darts.transcription_urgencytru_id	transcription_urgency_fk
➤	darts.user_account	darts.transcription last_modified_by = darts.user_accountusr_id	transcription_last_modified_by_fk
➤	darts.user_account	darts.transcription requested_by = darts.user_accountusr_id	transcription_requested_by_fk
➤	darts.user_account	darts.transcription created_by = darts.user_accountusr_id	transcription_created_by_fk
➤	darts.user_account	darts.transcription deleted_by = darts.user_accountusr_id	transcription_deleted_by_fk

Linked from




	Table	Join	Title / Name / Description
➤	darts.case_transcription_ae	darts.transcription tra_id = darts.case_transcription_aetra_id	case_transcription_ae_transcription_fk
➤	darts.hearing_transcription_ae	darts.transcription tra_id = darts.hearing_transcription_aetra_id	hearing_transcription_ae_transcription_fk
➤	darts.transcription_comment	darts.transcription tra_id = darts.transcription_commenttra_id	transcription_comment_transcription_fk
➤	darts.transcription_document	darts.transcription tra_id = darts.transcription_documenttra_id	transcription_document_transcription_fk
➤	darts.transcription_linked_case	darts.transcription tra_id = darts.transcription_linked_casetra_id	transcription_linked_case_transcription_fk
➤	darts.transcription_workflow	darts.transcription tra_id = darts.transcription_workflowtra_id	transcription_workflow_transcription_fk

Unique keys






	Columns	Name / Description
🔑	tra_id	transcription_pk

12.1.66. Table: darts.transcription_comment


Columns

	Name	Data type	Description / Attributes
	trc_id	integer	primary key of transcription_comment
	tra_id	integer	foreign key from transcription References: darts.transcription
	trw_id	integer	foreign key from transcription_workflow Nullable References: darts.transcription_workflow
	transcription_object_id	character varying(16)	internal Documentum id from moj_transcription_s acting as foreign key Nullable
	transcription_comment	character varying	directly sourced from moj_transcription_r Nullable
	comment_ts	timestamp with time zone	Nullable
	author	integer	Nullable References: darts.user_account
	is_migrated	boolean	Default: false
	is_data_anonymised	boolean	Default: false
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account


Links to

Table	Join	Title / Name / Description
 darts.transcription	darts.transcription_comment tra_id = darts.transcriptiontra_id	transcription_comment_transcription_fk
 darts.transcription_workflow	darts.transcription_comment trw_id = darts.transcription_workflowtrw_id	transcription_comment_transcription_workflow_fk
 darts.user_account	darts.transcription_comment author = darts.user_accountusr_id	transcription_comment_author_fk
 darts.user_account	darts.transcription_comment created_by = darts.user_accountusr_id	transcription_comment_created_by_fk
 darts.user_account	darts.transcription_comment last_modified_by = darts.user_accountusr_id	transcription_comment_modified_by_fk

Linked from






















Table	Join	Title / Name / Description
 darts.data_anonymisation	darts.transcription_comment trc_id = darts.data_anonymisationtrc_id	data_anonymisation_transcription_comment_fk

Unique keys

Columns	Name / Description
 trc_id	transcription_comment_pk

12.1.67. Table: darts.transcription_document

Columns

	Name	Data type	Description / Attributes
	trd_id	integer	primary key of transcription_document
	tra_id	integer	foreign key from transcription References: darts.transcription
	content_object_id	character varying(16)	Nullable
	subcontent_object_id	character varying(16)	Nullable
	subcontent_position	integer	Nullable
	clip_id	character varying(54)	Nullable
	storage_id	character varying(16)	Nullable
	data_ticket	integer	Nullable
	file_name	character varying	
	file_type	character varying	
	file_size	integer	
	checksum	character varying	Nullable
	is_deleted	boolean	Default: false
	deleted_by	integer	Nullable References: darts.user_account
	deleted_ts	timestamp with time zone	Nullable
	is_hidden	boolean	Default: false
	retain_until_ts	timestamp with time zone	Nullable
	ret_conf_score	integer	Nullable
	ret_conf_reason	character varying	Nullable
	uploaded_by	integer	References: darts.user_account
	uploaded_ts	timestamp with time zone	
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account

Links to

	Table	Join	Title / Name / Description
➤	darts.transcription	darts.transcription_document tra_id = darts.transcriptiontra_id	transcription_document_transcription_fk
➤	darts.user_account	darts.transcription_document deleted_by = darts.user_accountusr_id	transcription_document_deleted_by_fk
➤	darts.user_account	darts.transcription_document uploade d_by = darts.user_accountusr_id	transcription_document_uploaded_by_fk
➤	darts.user_account	darts.transcription_document last_modi fied_by = darts.user_accountusr_id	transcription_document_last_modified_by_fk

Linked from






Table		Join	Title / Name / Description
↩	darts.external_object_directory	darts.transcription_document trd_id = darts.external_object_directorytrd_id	eod_transcription_document_fk
↩	darts.object_admin_action	darts.transcription_document trd_id = darts.object_admin_actiontrd_id	oaa_transcription_document_fk
↩	darts.object_retrieval_queue	darts.transcription_document trd_id = darts.object_retrieval_queuetrd_id	object_retrieval_queue_transcription_document_fk

Unique keys



Columns		Name / Description
🔑	trd_id	transcription_document_pk

12.1.68. Table: darts.transcription_linked_case


Columns

	Name	Data type	Description / Attributes
	tlc_id	integer	primary key of transcription_linked_case
	tra_id	integer	foreign key from transcription References: darts.transcription
	cas_id	integer	foreign key from court_case, mandatory if either courthouse_name or case_number are null Nullable References: darts.court_case
	courthouse_name	character varying	mandatory if cas_id is null Nullable
	case_number	character varying	mandatory if cas_id is null Nullable

Links to

	Table	Join	Title / Name / Description
	darts.court_case	darts.transcription_linked_case cas_id = darts.court_casecas_id	transcription_linked_case_court_case_fk
	darts.transcription	darts.transcription_linked_case tra_id = darts.transcriptiontra_id	transcription_linked_case_transcription_fk





Unique keys

	Columns	Name / Description
	tlc_id	transcription_linked_case_pk

12.1.69. Table: darts.transcription_status

standing data table


Columns

Name		Data type	Description / Attributes
	 trs_id	integer	primary key of transcription_status
	status_type	character varying	
	display_name	character varying	

Linked from

Table	Join	Title / Name / Description
↪ darts.transcription	darts.transcription_status trs_id = darts.transcriptiontrs_id	transcription_transcription_status_fk
↪ darts.transcription_workflow	darts.transcription_status trs_id = darts.transcription_workflowtrs_id	transcription_workflow_transcription_status_fk





Unique keys

Columns	Name / Description
 trs_id	transcription_status_pk

12.1.70. Table: darts.transcription_type

standing data table, migrated from tbl_moj_transcription_type


Columns

		Name	Data type	Description / Attributes
		trt_id	integer	primary key, but not sequence generated
		description	character varying	
		display_state	boolean	

Linked from

		Table	Join	Title / Name / Description
←		darts.transcription	darts.transcription_type trt_id = darts.transcriptiontrt_id	transcription_transcription_type_fk






Unique keys

		Columns	Name / Description
		trt_id	transcription_type_pk


12.1.71. Table: darts.transcription_urgency

will be migrated from tbl_moj_urgency


Columns

Name		Data type	Description / Attributes
	 tru_id	integer	inherited from tbl_moj_urgency.urgency_id
	description	character varying	inherited from tbl_moj_urgency.description
	display_state	boolean	
	priority_order	integer	

Linked from







Table	Join	Title / Name / Description
 darts.transcription	darts.transcription_urgency tru_id = darts.transcriptiontru_id	transcription_urgency_fk

Unique keys




Columns	Name / Description
 tru_id	transcription_urgency_pk

12.1.72. Table: darts.transcription_workflow


Columns

	Name	Data type	Description / Attributes
 	trw_id	integer	
	tra_id	integer	References: darts.transcription
	trs_id	integer	References: darts.transcription_status
	workflow_actor	integer	References: darts.user_account
	workflow_ts	timestamp with time zone	


Links to

	Table	Join	Title / Name / Description
	darts.transcription	darts.transcription_workflow tra_id = darts.transcriptiontra_id	transcription_workflow_transcription_fk
	darts.transcription_status	darts.transcription_workflow trs_id = darts.transcription_statustrs_id	transcription_workflow_transcription_status_fk
	darts.user_account	darts.transcription_workflow workflow_actor = darts.user_accountusr_id	transcription_workflow_workflow_actor_fk


Linked from

	Table	Join	Title / Name / Description
	darts.transcription_comment	darts.transcription_workflow trw_id = darts.transcription_commenttrw_id	transcription_comment_transcription_workflow_fk

Unique keys

	Columns	Name / Description
	trw_id	transcription_workflow_pk










Triggers

	Name	When	Description
	trw_ar_trg	After Insert	

12.1.73. Table: darts.transformed_media

to accommodate the possibility that a single media_request may be fulfilled as more than one resulting piece of media

Columns

	Name	Data type	Description / Attributes
	 trm_id	integer	
	mer_id	integer	References: darts.media_request
	start_ts	timestamp with time zone	
	end_ts	timestamp with time zone	
	last_accessed_ts	timestamp with time zone	Nullable
	expiry_ts	timestamp with time zone	Nullable
	output_filename	character varying	filename of the requested media object, possibly migrated from moj_transformation_request_s Nullable
	output_filesize	integer	Nullable
	output_format	character varying	format of the requested media object, possibly migrated from moj_transformation_s Nullable
	checksum	character varying	Nullable
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account


Links to

	Table	Join	Title / Name / Description
➤	darts.media_request	darts.transformed_media mer_id = darts.media_requestmer_id	trm_media_request_fk
➤	darts.user_account	darts.transformed_media created_by = darts.user_accountusr_id	transformed_media_created_by_fk
➤	darts.user_account	darts.transformed_media last_modified_by = darts.user_accountusr_id	transformed_media_last_modified_by_fk

Linked from











	Table	Join	Title / Name / Description
➤	darts.transient_object_directory	darts.transformed_media trm_id = darts.transient_object_directorytrm_id	tod_transformed_media_fk

Unique keys

	Columns	Name / Description
	trm_id	transformed_media_pk

12.1.74. Table: darts.transient_object_directory


Columns

	Name	Data type	Description / Attributes
	tod_id	integer	
	trm_id	integer	References: darts.transformed_media
	ors_id	integer	References: darts.object_record_status
	external_location	character varying	
	checksum	character varying	Nullable
	transfer_attempts	integer	Nullable
	created_ts	timestamp with time zone	
	created_by	integer	References: darts.user_account
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	References: darts.user_account

Links to

	Table	Join	Title / Name / Description
➤	darts.object_record_status	darts.transient_object_directory ors_id = darts.object_record_statusors_id	tod_object_record_status_fk
➤	darts.transformed_media	darts.transient_object_directory trm_id = darts.transformed_mediatr_m_id	tod_transformed_media_fk
➤	darts.user_account	darts.transient_object_directory last_m odified_by = darts.user_accountusr_id	tod_modified_by_fk
➤	darts.user_account	darts.transient_object_directory created _by = darts.user_accountusr_id	transient_object_directory_created_by_fk

Unique keys

	Columns	Name / Description
	tod_id	transient_object_directory_pk

12.1.75. Table: darts.user_account

migration columns all sourced directly from dm_user_s, but only for rows where r_is_group = 0

Columns

	Name	Data type	Description / Attributes
	usr_id	integer	primary key of user_account
	dm_user_s_object_id	character varying(16)	internal Documentum primary key from dm_user_s Nullable
	user_name	character varying	Nullable
	user_os_name	character varying	Nullable
	user_full_name	character varying	directly migrated from dm_user_s.user_name
	user_email_address	character varying	Nullable
	user_ldap_dn	character varying	Nullable
	user_global_unique_id	character varying	Nullable
	user_login_name	character varying	Nullable
	user_login_domain	character varying	Nullable
	user_state	smallint	Nullable
	description	character varying	Nullable
	is_active	boolean	
	last_login_ts	timestamp with time zone	Nullable
	is_system_user	boolean	Default: false
	account_guid	character varying	Nullable
	created_ts	timestamp with time zone	
	created_by	integer	
	last_modified_ts	timestamp with time zone	
	last_modified_by	integer	

Linked from

	Table	Join	Title / Name / Description
→	darts.annotation	darts.user_account usr_id = darts.annotationcurrent_owner	annotation_current_owner_fk
→	darts.annotation	darts.user_account usr_id = darts.annotationcreated_by	annotation_created_by_fk
→	darts.annotation	darts.user_account usr_id = darts.annotationlast_modified_by	annotation_modified_by_fk
→	darts.annotation	darts.user_account usr_id = darts.annotationdeleted_by	annotation_deleted_by_fk
→	darts.annotation_document	darts.user_account usr_id = darts.annotation_documentdeleted_by	annotation_document_deleted_by_fk
→	darts.annotation_document	darts.user_account usr_id = darts.annotation_documentuploaded_by	annotation_document_uploaded_by_fk
→	darts.annotation_document	darts.user_account usr_id = darts.annotation_documentlast_modifi ed_by	annotation_document_last_modified_by_fk

Table		Join	Title / Name / Description
↖	darts.arm_rpo_execution_detail	darts.user_account usr_id = darts.arm_rpo_execution_detailcreated_by	arm_rpo_execution_detail_created_by_fk
↖	darts.arm_rpo_execution_detail	darts.user_account usr_id = darts.arm_rpo_execution_detaillast_modified_by	arm_rpo_execution_detail_last_modified_by_fk
↖	darts.audit	darts.user_account usr_id = darts.auditusr_id	audit_user_account_fk
↖	darts.audit	darts.user_account usr_id = darts.auditcreated_by	audit_created_by_fk
↖	darts.audit	darts.user_account usr_id = darts.auditlast_modified_by	audit_modified_by_fk
↖	darts.audit_activity	darts.user_account usr_id = darts.audit_activitycreated_by	audit_activity_created_by_fk
↖	darts.audit_activity	darts.user_account usr_id = darts.audit_activitylast_modified_by	audit_activity_modified_by_fk
↖	darts.automated_task	darts.user_account usr_id = darts.automated_taskcreated_by	automated_task_created_by_fk
↖	darts.automated_task	darts.user_account usr_id = darts.automated_tasklast_modified_by	automated_task_modified_by_fk
↖	darts.case_document	darts.user_account usr_id = darts.case_documentcreated_by	case_document_created_by_fk
↖	darts.case_document	darts.user_account usr_id = darts.case_documentlast_modified_by	case_document_last_modified_by_fk
↖	darts.case_document	darts.user_account usr_id = darts.case_documentdeleted_by	case_document_deleted_by_fk
↖	darts.case_retention	darts.user_account usr_id = darts.case_retentioncreated_by	case_retention_created_by_fk
↖	darts.case_retention	darts.user_account usr_id = darts.case_retentionlast_modified_by	case_retention_last_modified_by_fk
↖	darts.case_retention	darts.user_account usr_id = darts.case_retentionsubmitted_by	case_retention_submitted_by_fk
↖	darts.case_retention_audit_heritage	darts.user_account usr_id = darts.case_retention_audit_heritagec_username	case_retention_audit_heritage_c_username_fk
↖	darts.case_retention_audit_heritage	darts.user_account usr_id = darts.case_retention_audit_heritager_creator_name	case_retention_audit_heritage_r_creator_name_fk
↖	darts.case_retention_audit_heritage	darts.user_account usr_id = darts.case_retention_audit_heritager_modifier	case_retention_audit_heritage_r_modifier_fk
↖	darts.case_retention_audit_heritage	darts.user_account usr_id = darts.case_retention_audit_heritageowner_name	case_retention_audit_heritage_owner_name_fk
↖	darts.court_case	darts.user_account usr_id = darts.court_cascreated_by	court_case_created_by_fk
↖	darts.court_case	darts.user_account usr_id = darts.court_caselast_modified_by	court_case_modified_by_fk
↖	darts.court_case	darts.user_account usr_id = darts.court_casedeleted_by	court_case_deleted_by_fk

Table		Join	Title / Name / Description
↔	darts.court_case	darts.user_account usr_id = darts.court_casedata_anonymised_by	court_case_data_anonymised_by_fk
↔	darts.courthouse	darts.user_account usr_id = darts.courthousecreated_by	courthouse_created_by_fk
↔	darts.courthouse	darts.user_account usr_id = darts.courthouselast_modified_by	courthouse_modified_by_fk
↔	darts.courtroom	darts.user_account usr_id = darts.courtroomcreated_by	courtroom_created_by_fk
↔	darts.daily_list	darts.user_account usr_id = darts.daily_listcreated_by	daily_list_created_by_fk
↔	darts.daily_list	darts.user_account usr_id = darts.daily_listlast_modified_by	daily_list_modified_by_fk
↔	darts.data_anonymisation	darts.user_account usr_id = darts.data_anonymisationrequested_b y	data_anonymisation_requested_by_fk
↔	darts.data_anonymisation	darts.user_account usr_id = darts.data_anonymisationapproved_by	data_anonymisation_approved_by_fk
↔	darts.defence	darts.user_account usr_id = darts.defencecreated_by	defence_created_by_fk
↔	darts.defence	darts.user_account usr_id = darts.defencelast_modified_by	defence_modified_by_fk
↔	darts.defendant	darts.user_account usr_id = darts.defendantcreated_by	defendant_created_by_fk
↔	darts.defendant	darts.user_account usr_id = darts.defendantlast_modified_by	defendant_modified_by_fk
↔	darts.event	darts.user_account usr_id = darts.eventcreated_by	event_created_by_fk
↔	darts.event	darts.user_account usr_id = darts.eventlast_modified_by	event_modified_by_fk
↔	darts.event_handler	darts.user_account usr_id = darts.event_handlercreated_by	event_handler_created_by_fk
↔	darts.external_object_directory	darts.user_account usr_id = darts.external_object_directorylast_mo dified_by	eod_modified_by_fk
↔	darts.external_object_directory	darts.user_account usr_id = darts.external_object_directorycreated _by	external_object_directory_created_by_fk
↔	darts.external_service_auth_token	darts.user_account usr_id = darts.external_service_auth_tokencreat ed_by	external_service_auth_token_created_by_fk
↔	darts.external_service_auth_token	darts.user_account usr_id = darts.external_service_auth_tokenlast_ modified_by	external_service_auth_token_modified_by_fk
↔	darts.extobjdir_process_detail	darts.user_account usr_id = darts.extobjdir_process_detailcreated_ by	epd_created_by_fk
↔	darts.extobjdir_process_detail	darts.user_account usr_id = darts.extobjdir_process_detaillast_mod ified_by	epd_last_modified_by_fk
↔	darts.hearing	darts.user_account usr_id = darts.hearingcreated_by	hearing_created_by_fk

Table		Join	Title / Name / Description
↔	darts.hearing	darts.user_account usr_id = darts.hearinglast_modified_by	hearing_modified_by_fk
↔	darts.judge	darts.user_account usr_id = darts.judgecreated_by	judge_created_by_fk
↔	darts.judge	darts.user_account usr_id = darts.judgelast_modified_by	judge_modified_by_fk
↔	darts.media	darts.user_account usr_id = darts.mediacreated_by	media_created_by_fk
↔	darts.media	darts.user_account usr_id = darts.medialast_modified_by	media_modified_by_fk
↔	darts.media	darts.user_account usr_id = darts.mediadeleted_by	media_deleted_by_fk
↔	darts.media_linked_case	darts.user_account usr_id = darts.media_linked_casecreated_by	media_linked_case_created_by_fk
↔	darts.media_request	darts.user_account usr_id = darts.media_requestcreated_by	media_request_created_by_fk
↔	darts.media_request	darts.user_account usr_id = darts.media_requestlast_modified_by	media_request_modified_by_fk
↔	darts.media_request	darts.user_account usr_id = darts.media_requestrequestor	media_request_requestor_fk
↔	darts.media_request	darts.user_account usr_id = darts.media_requestcurrent_owner	media_request_current_owner_fk
↔	darts.node_register	darts.user_account usr_id = darts.node_registercreated_by	node_register_created_by_fk
↔	darts.notification	darts.user_account usr_id = darts.notificationcreated_by	notification_created_by_fk
↔	darts.notification	darts.user_account usr_id = darts.notificationlast_modified_by	notification_modified_by_fk
↔	darts.object_admin_action	darts.user_account usr_id = darts.object_admin_actionhidden_by	object_admin_action_hidden_by_fk
↔	darts.object_admin_action	darts.user_account usr_id = darts.object_admin_actionmarked_for_ manual_del_by	object_admin_action_marked_for_manual_del_by_fk
↔	darts.object_retrieval_queue	darts.user_account usr_id = darts.object_retrieval_queuecreated_b y	object_retrieval_queue_created_by_fk
↔	darts.object_retrieval_queue	darts.user_account usr_id = darts.object_retrieval_queueleast_modifi ed_by	object_retrieval_queue_last_modified_by_fk
↔	darts.prosecutor	darts.user_account usr_id = darts.prosecutorcreated_by	prosecutor_created_by_fk
↔	darts.prosecutor	darts.user_account usr_id = darts.prosecutorlast_modified_by	prosecutor_modified_by_fk
↔	darts.report	darts.user_account usr_id = darts.reportcreated_by	report_created_by_fk
↔	darts.report	darts.user_account usr_id = darts.reportlast_modified_by	report_modified_by_fk
↔	darts.retention_confidence_categor y_mapper	darts.user_account usr_id = darts.retention_confidence_category_ mappercreated_by	retention_confidence_category_mapper_created_by_fk

Table		Join	Title / Name / Description
↔	darts.retention_confidence_category_mapper	darts.user_account usr_id = darts.retention_confidence_category_mapperlast_modified_by	retention_confidence_category_mapper_last_modified_by_fk
↔	darts.retention_policy_type	darts.user_account usr_id = darts.retention_policy_typecreated_by	retention_policy_type_created_by_fk
↔	darts.retention_policy_type	darts.user_account usr_id = darts.retention_policy_typelast_modified_by	retention_policy_type_last_modified_by_fk
↔	darts.revinfo	darts.user_account usr_id = darts.revinfoaudit_user	revinfo_audit_user_fk
↔	darts.rps_retainer	darts.user_account usr_id = darts.rps_retainercreated_by	rps_retainer_created_by_fk
↔	darts.rps_retainer	darts.user_account usr_id = darts.rps_retainerlast_modified_by	rps_retainer_last_modified_by_fk
↔	darts.security_group	darts.user_account usr_id = darts.security_groupcreated_by	security_group_created_by_fk
↔	darts.security_group	darts.user_account usr_id = darts.security_grouplast_modified_by	security_group_last_modified_by_fk
↔	darts.security_group_user_account_ae	darts.user_account usr_id = darts.security_group_user_account_aeusr_id	security_group_user_account_ae_user_fk
↔	darts.transcription	darts.user_account usr_id = darts.transcriptionlast_modified_by	transcription_last_modified_by_fk
↔	darts.transcription	darts.user_account usr_id = darts.transcriptionrequested_by	transcription_requested_by_fk
↔	darts.transcription	darts.user_account usr_id = darts.transcriptioncreated_by	transcription_created_by_fk
↔	darts.transcription	darts.user_account usr_id = darts.transcriptiondeleted_by	transcription_deleted_by_fk
↔	darts.transcription_comment	darts.user_account usr_id = darts.transcription_commentauthor	transcription_comment_author_fk
↔	darts.transcription_comment	darts.user_account usr_id = darts.transcription_commentcreated_by	transcription_comment_created_by_fk
↔	darts.transcription_comment	darts.user_account usr_id = darts.transcription_commentlast_modified_by	transcription_comment_modified_by_fk
↔	darts.transcription_document	darts.user_account usr_id = darts.transcription_documentdeleted_by	transcription_document_deleted_by_fk
↔	darts.transcription_document	darts.user_account usr_id = darts.transcription_documentuploaded_by	transcription_document_uploaded_by_fk
↔	darts.transcription_document	darts.user_account usr_id = darts.transcription_documentlast_modified_by	transcription_document_last_modified_by_fk
↔	darts.transcription_workflow	darts.user_account usr_id = darts.transcription_workflowworkflow_actor	transcription_workflow_workflow_actor_fk
↔	darts.transformed_media	darts.user_account usr_id = darts.transformed_mediacreated_by	transformed_media_created_by_fk

Table		Join	Title / Name / Description
↔	darts.transformed_media	darts.user_account usr_id = darts.transformed_medialast_modified_by	transformed_media_last_modified_by_fk
↔	darts.transient_object_directory	darts.user_account usr_id = darts.transient_object_directorylast_modified_by	tod_modified_by_fk
↔	darts.transient_object_directory	darts.user_account usr_id = darts.transient_object_directorycreated_by	transient_object_directory_created_by_fk

Unique keys

Columns		Name / Description
🔑	usr_id	user_account_pk

12.2. Procedures

12.2.1. Procedure: dbms_metadata.set_transform_param

Used to customize DDL through configuring session-level transform params.

Input/Output

Name		Data type	Description
→@	name	text	
→@	value	boolean	

12.2.2. Procedure: public.sum_n_product

Input/Output

	Name	Data type	Description
→@	x	integer	
→@	y	integer	
↔@	sum	integer	
↔@	prod	integer	

12.3. Functions

12.3.1. Function: darts.gin_extract_query_trgm

Input/Output

	Name	Data type	Description
↩@	Returns	internal	
↩@	\$1	text	
↩@	\$2	internal	
↩@	\$3	smallint	
↩@	\$4	internal	
↩@	\$5	internal	
↩@	\$6	internal	
↩@	\$7	internal	

12.3.2. Function: darts.gin_extract_value_trgm

Input/Output

	Name	Data type	Description
↩@	Returns	internal	
→@	\$1	text	
→@	\$2	internal	

12.3.3. Function: darts.gin_trgm_consistent

Input/Output

	Name	Data type	Description
↩@	Returns	boolean	
↩@	\$1	internal	
↩@	\$2	smallint	
↩@	\$3	text	
↩@	\$4	integer	
↩@	\$5	internal	
↩@	\$6	internal	
↩@	\$7	internal	
↩@	\$8	internal	

12.3.4. Function: darts.gin_trgm_triconsistent

Input/Output

	Name	Data type	Description
↩@	Returns	"char"	
↩@	\$1	internal	
↩@	\$2	smallint	
↩@	\$3	text	
↩@	\$4	integer	
↩@	\$5	internal	
↩@	\$6	internal	
↩@	\$7	internal	

12.3.5. Function: darts.gtrgm_compress

Input/Output

	Name	Data type	Description
↩@	Returns	internal	
→@	\$1	internal	

12.3.6. Function: darts.gtrgm_consistent

Input/Output

	Name	Data type	Description
↩@	Returns	boolean	
↩@	\$1	internal	
↩@	\$2	text	
↩@	\$3	smallint	
↩@	\$4	oid	
↩@	\$5	internal	

12.3.7. Function: darts.gtrgm_decompress

Input/Output

	Name	Data type	Description
↩@	Returns	internal	
→@	\$1	internal	

12.3.8. Function: darts.gtrgm_distance

Input/Output

	Name	Data type	Description
↩@	Returns	double precision	
→@	\$1	internal	
→@	\$2	text	
→@	\$3	smallint	
→@	\$4	oid	
→@	\$5	internal	

12.3.9. Function: darts.gtrgm_in

Input/Output

	Name	Data type	Description
↩@	Returns	gtrgm	
→@	\$1	cstring	

12.3.10. Function: darts.gtrgm_options

Input/Output

	Name	Data type	Description
↩@	Returns	void	
→@	\$1	internal	

12.3.11. Function: darts.gtrgm_out

Input/Output

	Name	Data type	Description
↩@	Returns	cstring	
→@	\$1	gtrgm	

12.3.12. Function: darts.gtrgm_penalty

Input/Output

	Name	Data type	Description
↩@	Returns	internal	
→@	\$1	internal	
→@	\$2	internal	
→@	\$3	internal	

12.3.13. Function: darts.gtrgm_picksplit

Input/Output

	Name	Data type	Description
↩@	Returns	internal	
→@	\$1	internal	
→@	\$2	internal	

12.3.14. Function: darts.gtrgm_same

Input/Output

	Name	Data type	Description
↩@	Returns	internal	
→@	\$1	gtrgm	
→@	\$2	gtrgm	
→@	\$3	internal	

12.3.15. Function: darts.gtrgm_union

Input/Output

	Name	Data type	Description
↩@	Returns	gtrgm	
→@	\$1	internal	
→@	\$2	internal	


12.3.16. Function: darts.set_limit

Input/Output

	Name	Data type	Description
↩@	Returns	real	
→@	\$1	real	

12.3.17. Function: darts.show_limit

Input/Output

Name		Data type	Description
	Returns	real	

12.3.18. Function: darts.show_trgm

Input/Output

	Name	Data type	Description
↩@	Returns	ARRAY	
→@	\$1	text	

12.3.19. Function: darts.similarity

Input/Output

	Name	Data type	Description
→@	Returns	real	
→@	\$1	text	
→@	\$2	text	

12.3.20. Function: darts.similarity_dist

Input/Output

	Name	Data type	Description
↩@	Returns	real	
→@	\$1	text	
→@	\$2	text	

12.3.21. Function: darts.similarity_op

Input/Output

	Name	Data type	Description
↩@	Returns	boolean	
→@	\$1	text	
→@	\$2	text	

12.3.22. Function: darts.strict_word_similarity

Input/Output

	Name	Data type	Description
↩@	Returns	real	
→@	\$1	text	
→@	\$2	text	

12.3.23. Function: darts.strict_word_similarity_commutator_op

Input/Output

	Name	Data type	Description
↩@	Returns	boolean	
→@	\$1	text	
→@	\$2	text	

12.3.24. Function: darts.strict_word_similarity_dist_commutator_op

Input/Output

	Name	Data type	Description
↩@	Returns	real	
→@	\$1	text	
→@	\$2	text	

12.3.25. Function: darts.strict_word_similarity_dist_op

Input/Output

	Name	Data type	Description
↩@	Returns	real	
→@	\$1	text	
→@	\$2	text	

12.3.26. Function: darts.strict_word_similarity_op

Input/Output

	Name	Data type	Description
↩@	Returns	boolean	
→@	\$1	text	
→@	\$2	text	

12.3.27. Function: darts.tra_trw_sync_fnc

Input/Output

	Name	Data type	Description
	Returns	trigger	

12.3.28. Function: darts.word_similarity

Input/Output

	Name	Data type	Description
→@	Returns	real	
→@	\$1	text	
→@	\$2	text	

12.3.29. Function: darts.word_similarity_commutator_op

Input/Output

	Name	Data type	Description
↩@	Returns	boolean	
→@	\$1	text	
→@	\$2	text	

12.3.30. Function: darts.word_similarity_dist_commutator_op

Input/Output

	Name	Data type	Description
↩@	Returns	real	
→@	\$1	text	
→@	\$2	text	

12.3.31. Function: darts.word_similarity_dist_op

Input/Output

	Name	Data type	Description
↩@	Returns	real	
→@	\$1	text	
→@	\$2	text	

12.3.32. Function: darts.word_similarity_op

Input/Output

	Name	Data type	Description
↩@	Returns	boolean	
→@	\$1	text	
→@	\$2	text	

12.3.33. Function: `dbms_metadata.get_check_constraint_ddl`

This function retrieves DDL of a check constraint

Input/Output

	Name	Data type	Description
→@	Returns	text	
→@	schema_name	text	
→@	constraint_name	text	

12.3.34. Function: `dbms_metadata.get_constraint_ddl`

This function retrieves DDL of a constraint

Input/Output

	Name	Data type	Description
↗@	Returns	text	
↗@	schema_name	text	
↗@	constraint_name	text	

12.3.35. Function: `dbms_metadata.get_constraints_ddl_of_table`

This function retrieves DDL of all constraints of provided table

Input/Output

	Name	Data type	Description
↗@	Returns	text	
↗@	p_schema	text	
↗@	p_table	text	

12.3.36. Function: `dbms_metadata.get_ddl`

Retrieves DDL of database objects. Supported object types are TABLE, VIEW, SEQUENCE, PROCEDURE, FUNCTION.

Input/Output

	Name	Data type	Description
↗@	Returns	text	
↗@	object_type	text	
↗@	name	text	
↗@	schema	text	

12.3.37. Function: `dbms_metadata.get_dependent_ddl`

Retrieves DDL of dependent objects on provided base object. Supported dependent object types are SEQUENCE, CONSTRAINT, INDEX.

Input/Output

	Name	Data type	Description
↗@	Returns	text	
↗@	object_type	text	
↗@	base_object_name	text	
↗@	base_object_schema	text	

12.3.38. Function: `dbms_metadata.get_granted_ddl`

Retrieves the SQL statements to recreate granted privileges and roles for a specified grantee.

Input/Output

	Name	Data type	Description
→@	Returns	text	
→@	object_type	text	
→@	grantee	text	

12.3.39. Function: `dbms_metadata.get_granted_roles_ddl`

This function extracts the SQL statements to recreate roles granted to a specified grantee

Input/Output

	Name	Data type	Description
↩@	Returns	text	
↩@	p_grantee	text	

12.3.40. Function: `dbms_metadata.get_index_ddl`

This function retrieves DDL of an index

Input/Output

	Name	Data type	Description
→@	Returns	text	
→@	schema_name	text	
→@	index_name	text	

12.3.41. Function: `dbms_metadata.get_indexes_ddl_of_table`

This function retrieves DDL of all indexes of provided table

Input/Output

	Name	Data type	Description
↗@	Returns	text	
↗@	p_schema	text	
↗@	p_table	text	

12.3.42. Function: `dbms_metadata.get_object_oid`

This function returns oid of given object

Input/Output

	Name	Data type	Description
↗@	Returns	oid	
↗@	p_object_type	text	
↗@	p_schema	text	
↗@	p_object_name	text	

12.3.43. Function: `dbms_metadata.get_ref_constraint_ddl`

This function retrieves DDL of a referential constraint

Input/Output

	Name	Data type	Description
↗@	Returns	text	
↗@	schema_name	text	
↗@	constraint_name	text	

12.3.44. Function: `dbms_metadata.get_ref_constraints_ddl_of_table`

This function retrieves DDL of all constraints of provided table

Input/Output

	Name	Data type	Description
↗@	Returns	text	
↗@	p_schema	text	
↗@	p_table	text	

12.3.45. Function: `dbms_metadata.get_routine_ddl`

This function retrieves DDL of a procedure/function

Input/Output

	Name	Data type	Description
↗@	Returns	text	
↗@	schema_name	text	
↗@	routine_name	text	
↗@	routine_type	text	

12.3.46. Function: `dbms_metadata.get_schema_oid`

This function returns oid of given schema

Input/Output

	Name	Data type	Description
↩@	Returns	oid	
→@	p_schema	text	

12.3.47. Function: `dbms_metadata.get_sequence_ddl`

This function retrieves DDL of a sequence

Input/Output

	Name	Data type	Description
↗@	Returns	text	
↗@	p_schema	text	
↗@	p_sequence	text	

12.3.48. Function: `dbms_metadata.get_sequence_ddl_of_table`

This function retrieves DDL of all dependent sequences on provided table

Input/Output

	Name	Data type	Description
↩@	Returns	text	
↩@	p_schema	text	
↩@	p_table	text	

12.3.49. Function: `dbms_metadata.get_table_ddl`

This function retrieves a basic table DDL without constraints and indexes. DDL will include list of columns of the table, along with datatypes, DEFAULT values and NOT NULL constraints, in the order of the attrnum. DDL will also include comments on table and columns if any.

Input/Output

	Name	Data type	Description
↩@	Returns	text	
↩@	p_schema	text	
↩@	p_table	text	

12.3.50. Function: `dbms_metadata.get_trigger_ddl`

This function retrieves DDL of a trigger

Input/Output

	Name	Data type	Description
↗@	Returns	text	
↗@	schema_name	text	
↗@	trigger_name	text	

12.3.51. Function: dbms_metadata.get_triggers_ddl_of_table

This function retrieves DDL of all triggers of provided table

Input/Output

	Name	Data type	Description
↗@	Returns	text	
↗@	schema_name	text	
↗@	table_name	text	

12.3.52. Function: `dbms_metadata.get_type_ddl`

This function retrieves DDL of a user defined type

Input/Output

	Name	Data type	Description
↗@	Returns	text	
↗@	p_schema_name	text	
↗@	p_type_name	text	

12.3.53. Function: `dbms_metadata.get_view_ddl`

This function retrieves DDL of a view

Input/Output

	Name	Data type	Description
↗@	Returns	text	
↗@	view_schema	text	
↗@	view_name	text	

12.3.54. Function: dbms_metadata.init_transform_params


Input/Output

Name		Data type	Description
	Returns	void	

12.3.55. Function: `dbms_metadata.set_default_transform_params`

Used to set default values to all transform params.

Input/Output

Name		Data type	Description
	Returns	void	