# Cucumber Report

| Start : Apr 01, 6:16:39.318 pm | End : Apr 01, 6:17:57.172 pm | Duration : 1 m 17.854 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 11<br>SKIPPED - 0 | PASSED - 3<br>FAILED - 11<br>SKIPPED - 31 |

**Features:** 1

**Scenarios:** 11

**Steps:** 45

Pass % — Features: 0 %

Pass % — Scenarios: 0 %

Pass % — Steps: 6 %

| Feature | | Scenario | | | | Step | | | |
|---|---|---|---|---|---|---|---|---|---|
| **Name** | **Duration** | **T** | **P** | **F** | **S** | **T** | **P** | **F** | **S** |
| *Login feature* | *1 m 17.854 s* | *11* | *0* | *11* | *0* | *45* | *3* | *11* | *31* |

| Tag | Scenario | | | | Feature | | | |
|---|---|---|---|---|---|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @tag1 | 11 | 0 | 11 | 0 | 1 | 0 | 1 | 0 |
| @tag2 | 10 | 0 | 10 | 0 | 1 | 0 | 1 | 0 |
| @UI | 11 | 0 | 11 | 0 | 1 | 0 | 1 | 0 |
| @tag3 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Login feature | 11 | 0 | 11 | 0 | 1 m 17.854 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Login feature | Logging in to the system scenrio two | 4 | 0 | 1 | 3 | 27.628 s |
| 2 | Login feature | Logging in to the system scenrio two | 4 | 0 | 1 | 3 | 33.864 s |
| 3 | Login feature | Logging in to the system scenrio two | 4 | 0 | 1 | 3 | 21.341 s |
| 4 | Login feature | Logging in to the system scenrio two | 4 | 0 | 1 | 3 | 34.094 s |
| 5 | Login feature | Logging in to the system scenrio two | 4 | 0 | 1 | 3 | 33.856 s |
| 6 | Login feature | Logging in to the system scenrio one | 4 | 0 | 1 | 3 | 33.783 s |
| 7 | Login feature | Logging in to the system scenrio two | 4 | 0 | 1 | 3 | 33.850 s |
| 8 | Login feature | Logging in to the system scenrio two | 4 | 0 | 1 | 3 | 34.123 s |
| 9 | Login feature | Logging in to the system scenrio two | 4 | 0 | 1 | 3 | 33.119 s |
| 10 | Login feature | Logging in to the system scenrio two | 4 | 0 | 1 | 3 | 31.939 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 11 | Login feature | Logging in to the system scenrio three | 5 | 3 | 1 | 1 | 56.452 s |

## Login feature

| FAILED | DURATION - 1 m 17.854 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 11 | | Total - 45 | |
| / 6:16:39.318 pm // 6:17:57.172 pm / | | Pass - 0 | 11 | Pass - 3 | 45 |
| | | Fail - 11 | | Fail - 11 | |
| | | Skip - 0 | | Skip - 31 | |

## Logging in to the system scenrio two

| FAILED | DURATION - 27.628 s | | Steps | |
|---|---|---|---|---|
| | | | Total - 4 | |
| / 6:16:39.325 pm // 6:17:06.953 pm / | | | Pass - 0 | 4 |
| Login feature | | | Fail - 1 | |
| @tag1 @tag2 @UI | | | Skip - 3 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login" | FAILED | 6.009 s |
| | org.openqa.selenium.NoSuchElementException: no such element: element not found   (Session info: chrome=123.0.6312.86) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [daaf183d631aa9d650d5e4f8d40c1dbf, executeScript {script=arguments[0].scrollIntoView(true);, args=[{element-6066-11e4-a52e-4f735466cecf=f.459442454A6A1516F2764560A539B779.d.7D72F407F32F84B15755D2C20012FD77.e.5}]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\HAMID_~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57664}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57664/devtoo..., se:cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: daaf183d631aa9d650d5e4f8d40c1dbf<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) <br> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) <br> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) <br> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) <br> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) <br> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) <br> at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:464) <br> at com.app.utils.Utilities.clickToElelement(Utilities.java:139) <br> at com.app.stepDefs.LoginPageStepDef.userIsOnLoginPage(LoginPageStepDef.java:34) <br> at ?.user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"(file:///C:/GitClones/CucuTestNGReportingProProject/NewProject/src/test/resources/features/LoginPage.feature:4) <br> * Not displayable characters are replaced by '?'. | | |
| 2 | Then User logs into the system | SKIPPED | 0.000 s |
| 3 | Then User logs out the system | SKIPPED | 0.000 s |
| 4 | Then user navigates to "https://yahoo.com" | SKIPPED | 0.004 s |
| | AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario) | PASSED | 5.970 s |

## Logging in to the system scenrio two

| FAILED | DURATION - 33.864 s | | Steps | |
|---|---|---|---|---|
| / 6:16:39.330 pm // 6:17:13.194 pm / | | | Total - 4 <br> Pass - 0 <br> Fail - 1 <br> Skip - 3 | 4 |
| Login feature | | | | |
| @tag1 @tag2 @UI | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login" | FAILED | 5.377 s |
| | org.openqa.selenium.NoSuchElementException: no such element: element not found   (Session info: chrome=123.0.6312.86) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java. | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6260879706da48e3a66a819d1528fd43, executeScript {script=arguments[0].scrollIntoView(true);, args=[{element-6066-11e4-a52e-4f735466cecf=f.FEB0F70FE6ABE7D860D9ACA0F35A5B5A.d. BA28A3D2235BF8855860DFB03FB1F43F.e.5}]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\HAMID_~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57615}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57615/devtoo..., se:cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6260879706da48e3a66a819d1528fd43<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)<br>    at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:464)<br>    at com.app.utils.Utilities.clickToElement(Utilities.java:139)<br>    at com.app.stepDefs.LoginPageStepDef.userIsOnLoginPage(LoginPageStepDef.java:34)<br>    at ?.user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"(file:///C:/GitClones/ CucuTestNGReportingProProject/NewProject/src/test/resources/features/LoginPage.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| 2 | Then User logs into the system | SKIPPED | 0.000 s |
| 3 | Then User logs out the system | SKIPPED | 0.000 s |
| 4 | Then user navigates to "https://yahoo.com" | SKIPPED | 0.000 s |
| | AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario)<br> | PASSED | 15.542 s |

**Logging in to the system scenrio two**

| FAILED | DURATION - 21.341 s |
|---|---|

*/ 6:16:39.331 pm // 6:17:00.672 pm /*

*Login feature*

@tag1 @tag2 @UI

**Steps**
Total - 4
Pass - 0
Fail - 1
Skip - 3

4

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login" | FAILED | 3.961 s |
| | org.openqa.selenium.NoSuchElementException: no such element: element not found   (Session info: chrome=123.0.6312.86) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d490c45effe020f263592161a8ea11f8, executeScript {script=arguments[0].scrollIntoView(true);, args=[{element-6066-11e4-a52e-4f735466cecf=f.FEB0F70FE6ABE7D860D9ACA0F35A5B5A.d.BA28A3D2235BF8855860DFB03FB1F43F.e.5}]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\HAMID_~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57640}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57640/devtoo..., se:cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d490c45effe020f263592161a8ea11f8<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)<br>    at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:464)<br>    at com.app.utils.Utilities.clickToElelement(Utilities.java:139)<br>    at com.app.stepDefs.LoginPageStepDef.userIsOnLoginPage(LoginPageStepDef.java:34)<br>    at ?.user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"(file:///C:/GitClones/CucuTestNGReportingProProject/NewProject/src/test/resources/features/LoginPage.feature:4)<br>* Not displayable characters are replaced by '?'. | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 2 | Then User logs into the system | SKIPPED | 0.000 s |
| 3 | Then User logs out the system | SKIPPED | 0.000 s |
| 4 | Then user navigates to "https://yahoo.com" | SKIPPED | 0.001 s |
| | AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario) | PASSED | 2.933 s |

## Logging in to the system scenrio two

| FAILED | DURATION - 34.094 s | Steps |
|---|---|---|
| / 6:16:39.332 pm // 6:17:13.426 pm / | | Total - 4 |
| Login feature | | Pass - 0 |
| | | Fail - 1 |
| @tag1 @tag2 @UI | | Skip - 3 |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login" | FAILED | 4.681 s |
| | org.openqa.selenium.NoSuchElementException: no such element: element not found   (Session info: chrome=123.0.6312.86) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [be7fae68f003cfe861872235d8c8a2bd, executeScript {script=arguments[0].scrollIntoView(true);, args=[{element-6066-11e4-a52e-4f735466cecf=f.7234A6639CAA9301D17F84989491E0A1.d.FBEA2EA313BE7CC874FAFD72A6F06D96.e.2}]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\HAMID_~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57837}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57837/devtoo..., se:cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: be7fae68f003cfe861872235d8c8a2bd       at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)       at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)       at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)       at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)<br>at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:464)<br>at com.app.utils.Utilities.clickToElelement(Utilities.java:139)<br>at com.app.stepDefs.LoginPageStepDef.userIsOnLoginPage(LoginPageStepDef.java:34)<br>at ?.user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"(file:///C:/GitClones/CucuTestNGReportingProProject/NewProject/src/test/resources/features/LoginPage.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| 2 | Then User logs into the system | SKIPPED | 0.000 s |
| 3 | Then User logs out the system | SKIPPED | 0.000 s |
| 4 | Then user navigates to "https://yahoo.com" | SKIPPED | 0.001 s |
| | AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario) | PASSED | 1.733 s |

## Logging in to the system scenrio two

| FAILED | DURATION - 33.856 s | | Steps | |
|---|---|---|---|---|
| / 6:16:39.333 pm // 6:17:13.189 pm / | | | Total - 4 | |
| Login feature | | | Pass - 0 | |
| @tag1 @tag2 @UI | | | Fail - 1<br>Skip - 3 | 4 |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"<br>org.openqa.selenium.NoSuchElementException: no such element: element not found   (Session info: chrome=123.0.6312.86) For | FAILED | 5.862 s |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| | documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [507bc597e7cceecb950bd6b83c7c3f82, executeScript {script=arguments[0].scrollIntoView(true);, args=[{element-6066-11e4-a52e-4f735466cecf=f.5CD1ED425A880EA0D7166023C16BAB38.d. 691B983CDE1A8724C2678060E475AC65.e.2}]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\HAMID_~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57690}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57690/devtoo..., se:cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 507bc597e7cceecb950bd6b83c7c3f82<br><br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)<br>    at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:464)<br>    at com.app.utils.Utilities.clickToElelement(Utilities.java:139)<br>    at com.app.stepDefs.LoginPageStepDef.userIsOnLoginPage(LoginPageStepDef.java:34)<br>    at ?.user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"(file:///C:/GitClones/CucuTestNGReportingProProject/NewProject/src/test/resources/features/LoginPage.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| 2 | Then User logs into the system | SKIPPED | 0.000 s |
| 3 | Then User logs out the system | SKIPPED | 0.000 s |
| 4 | Then user navigates to "https://yahoo.com" | SKIPPED | 0.000 s |
| | AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario)<br><br> | PASSED | 9.416 s |

**Logging in to the system scenrio one**

| FAILED | DURATION - 33.783 s |
| --- | --- |
| / 6:16:39.333 pm // 6:17:13.116 pm / | |
| Login feature | |
| @tag1 @UI | |

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

4

| # | Step / Hook Details | Status | Duration |
| --- | --- | --- | --- |
| 1 | Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login" | FAILED | 7.466 s |
| | org.openqa.selenium.NoSuchElementException: no such element: element not found   (Session info: chrome=123.0.6312.86) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5a965a141c1157b0e63417c4ed9fcd38, executeScript {script=arguments[0].scrollIntoView(true);, args=[{element-6066-11e4-a52e-4f735466cecf=f.18D3915BD3DA35548DE0D811FB43BA9E.d.7B888A5309EA99991FEDFD2393D746E7.e.5}]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\HAMID_~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57748}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57748/devtoo..., se:cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5a965a141c1157b0e63417c4ed9fcd38<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)<br>    at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:464)<br>    at com.app.utils.Utilities.clickToElelement(Utilities.java:139)<br>    at com.app.stepDefs.LoginPageStepDef.userIsOnLoginPage(LoginPageStepDef.java:34)<br>    at ?.user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"(file:///C:/GitClones/CucuTestNGReportingProProject/NewProject/src/test/resources/features/LoginPage.feature:4)<br>* Not displayable characters are replaced by '?'. | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 2 | Then User logs into the system | SKIPPED | 0.000 s |
| 3 | Then User logs out the system | SKIPPED | 0.000 s |
| 4 | Then user navigates to "https://cucumber.io/" | SKIPPED | 0.000 s |
| | AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario) | PASSED | 4.849 s |

## Logging in to the system scenrio two

| FAILED | DURATION - 33.850 s |
|---|---|

| Steps |
|---|
| Total - 4 |
| Pass - 0 |
| Fail - 1 |
| Skip - 3 |

/ 6:16:39.333 pm // 6:17:13.183 pm /

Login feature

@tag1 @tag2 @UI

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login" | FAILED | 6.165 s |
| | org.openqa.selenium.NoSuchElementException: no such element: element not found   (Session info: chrome=123.0.6312.86) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a276c970eadf25b3665d4f967858d970, executeScript {script=arguments[0].scrollIntoView(true);, args=[{element-6066-11e4-a52e-4f735466cecf=f.7234A6639CAA9301D17F84989491E0A1.d.FBEA2EA313BE7CC874FAFD72A6F06D96.e.2}]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\HAMID_~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57775}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57775/devtoo..., se:cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a276c970eadf25b3665d4f967858d970     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)<br>at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:464)<br>at com.app.utils.Utilities.clickToElelement(Utilities.java:139)<br>at com.app.stepDefs.LoginPageStepDef.userIsOnLoginPage(LoginPageStepDef.java:34)<br>at ?.user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"(file:///C:/GitClones/CucuTestNGReportingProProject/NewProject/src/test/resources/features/LoginPage.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| 2 | Then User logs into the system | SKIPPED | 0.001 s |
| 3 | Then User logs out the system | SKIPPED | 0.000 s |
| 4 | Then user navigates to "https://yahoo.com" | SKIPPED | 0.000 s |
| | AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario) | PASSED | 3.735 s |

## Logging in to the system scenrio two

| FAILED | DURATION - 34.123 s | | Steps |
|---|---|---|---|
| / 6:16:39.334 pm // 6:17:13.457 pm / | | | Total - 4 |
| Login feature | | | Pass - 0 |
| @tag1 @tag2 @UI | | | Fail - 1<br>Skip - 3 |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"<br>org.openqa.selenium.NoSuchElementException: no such element: element not found   (Session info: chrome=123.0.6312.86) For | FAILED | 5.681 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [87d7740cc90844f9e3eb457032bb3208, executeScript {script=arguments[0].scrollIntoView(true);, args=[{element-6066-11e4-a52e-4f735466cecf=f.7234A6639CAA9301D17F84989491E0A1.d.FBEA2EA313BE7CC874FAFD72A6F06D96.e.2}]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\HAMID_~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57787}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57787/devtoo..., se:cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 87d7740cc90844f9e3eb457032bb3208<br><br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)<br>  at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:464)<br>  at com.app.utils.Utilities.clickToElelement(Utilities.java:139)<br>  at com.app.stepDefs.LoginPageStepDef.userIsOnLoginPage(LoginPageStepDef.java:34)<br>  at ?.user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"(file:///C:/GitClones/CucuTestNGReportingProProject/NewProject/src/test/resources/features/LoginPage.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| 2 | Then User logs into the system | SKIPPED | 0.000 s |
| 3 | Then User logs out the system | SKIPPED | 0.000 s |
| 4 | Then user navigates to "https://yahoo.com" | SKIPPED | 0.000 s |
| | AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario)<br><br> | PASSED | 2.272 s |

## Logging in to the system scenrio two

| FAILED | DURATION - 33.119 s |
| --- | --- |
| / 6:16:39.334 pm // 6:17:12.453 pm / | |
| Login feature | |
| @tag1 @tag2 @UI | |

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

4

| # | Step / Hook Details | Status | Duration |
| --- | --- | --- | --- |
| 1 | Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login" | FAILED | 4.409 s |
| | org.openqa.selenium.NoSuchElementException: no such element: element not found   (Session info: chrome=123.0.6312.86) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2463624563a9135799cb7dfbd04533c1, executeScript {script=arguments[0].scrollIntoView(true);, args=[{element-6066-11e4-a52e-4f735466cecf=f.7234A6639CAA9301D17F84989491E0A1.d.FBEA2EA313BE7CC874FAFD72A6F06D96.e.2}]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\HAMID_~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57802}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57802/devtoo..., se:cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2463624563a9135799cb7dfbd04533c1<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)<br>    at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:464)<br>    at com.app.utils.Utilities.clickToElelement(Utilities.java:139)<br>    at com.app.stepDefs.LoginPageStepDef.userIsOnLoginPage(LoginPageStepDef.java:34)<br>    at ?.user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"(file:///C:/GitClones/CucuTestNGReportingProProject/NewProject/src/test/resources/features/LoginPage.feature:4)<br>* Not displayable characters are replaced by '?'. | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 2 | Then User logs into the system | SKIPPED | 0.000 s |
| 3 | Then User logs out the system | SKIPPED | 0.000 s |
| 4 | Then user navigates to "https://yahoo.com" | SKIPPED | 0.001 s |
| | AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario) | PASSED | 2.912 s |

### Logging in to the system scenrio two

| FAILED | DURATION - 31.939 s | | Steps |
|---|---|---|---|
| / 6:16:39.339 pm // 6:17:11.278 pm / | | | Total - 4 |
| Login feature | | | Pass - 0 |
| | | | Fail - 1 |
| @tag1 @tag2 @UI | | | Skip - 3 |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login" | FAILED | 7.331 s |
| | org.openqa.selenium.NoSuchElementException: no such element: element not found   (Session info: chrome=123.0.6312.86) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5cd33812f0dc444291b6f610d19668df, executeScript {script=arguments[0].scrollIntoView(true);, args=[{element-6066-11e4-a52e-4f735466cecf=f.18D3915BD3DA35548DE0D811FB43BA9E.d.7B888A5309EA99991FEDFD2393D746E7.e.5}]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\HAMID_~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57746}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57746/devtoo..., se:cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5cd33812f0dc444291b6f610d19668df<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)<br>at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:464)<br>at com.app.utils.Utilities.clickToElelement(Utilities.java:139)<br>at com.app.stepDefs.LoginPageStepDef.userIsOnLoginPage(LoginPageStepDef.java:34)<br>at ?.user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"(file:///C:/GitClones/CucuTestNGReportingProProject/NewProject/src/test/resources/features/LoginPage.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| 2 | Then User logs into the system | SKIPPED | 0.000 s |
| 3 | Then User logs out the system | SKIPPED | 0.000 s |
| 4 | Then user navigates to "https://yahoo.com" | SKIPPED | 0.000 s |
| | AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario) | PASSED | 2.891 s |

## Logging in to the system scenrio three

| FAILED | DURATION - 56.452 s |
|---|---|
| / 6:17:00.720 pm // 6:17:57.172 pm / | |
| Login feature | |
| @tag3 @tag1 @tag2 @UI | |

Steps
Total - 5
Pass - 3
Fail - 1
Skip - 1

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login" | PASSED | 7.320 s |
| 2 | Then user navigates to "https://youtube.com" | PASSED | 5.140 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
|  |  |  |  |
| 3 | Then fetch "% Gain" for company "ONGC" | PASSED | 8.966 s |
|  | Value of <b>% Gain</b> for company <b>ONGC</b> is <b>0.69</b><br> |  |  |
| 4 | Then fetch "High" for company "Nestle" | FAILED | 27.005 s |
|  | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='bsr_table hist_tbl_hm']/table/tbody//h3//a[text()='Nestle']/ancestor::tr/td[2]"}   (Session info: chrome=123.0.6312.86) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [aab4e76b0510bb611a64cc216e207d42, findElement {value=//div[@class='bsr_table hist_tbl_hm']/table/tbody/h3//a[text()='Nestle']/ancestor::tr/td[2], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\HAMID_~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57863}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57863/devtoo..., se:cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: aab4e76b0510bb611a64cc216e207d42<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)<br>    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)<br>    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) |  |  |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at com.app.pages.MoneyCtrlPage.fetchTodayStock(MoneyCtrlPage.java:57)<br>at com.app.stepDefs.MoneyCtrlPageStepDef.userNavigatesToPage(MoneyCtrlPageStepDef.java:23)<br>at ?.fetch "High" for company "Nestle"(file:///C:/GitClones/CucuTestNGReportingProProject/NewProject/src/test/resources/features/LoginPage.feature:72)<br>* Not displayable characters are replaced by '?'. | | |
| 5 | Then fetch "Low" for company "Nestle" | SKIPPED | 0.000 s |
| | AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario)<br> | PASSED | 0.551 s |