Cucumber Report

| Start : Apr 01, 3:22:28.089 pm	End : Apr 01, 3:22:30.575 pm	Duration : 2.486 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 0 FAILED - 0 SKIPPED - 13

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Login feature	*2.486 s*	*3*	*0*	*3*	*0*	*13*	*0*	*0*	*13*

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag1	3	0	3	0	1	0	1	0
@UI	3	0	3	0	1	0	1	0
@tag2	2	0	2	0	1	0	1	0
@tag3	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Login feature	3	0	3	0	2.486 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login feature	Logging in to the system scenrio one	4	0	0	4	2.262 s
2	Login feature	Logging in to the system scenrio two	4	0	0	4	2.480 s
3	Login feature	Logging in to the system scenrio three	5	0	0	5	2.253 s

Login feature

FAILED	DURATION - 2.486 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0	3	Steps Total - 13 Pass - 0 Fail - 0 Skip - 13	13
/ 3:22:28.089 pm // 3:22:30.575 pm /					

Logging in to the system scenrio one

FAILED	DURATION - 2.262 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	4
/ 3:22:28.091 pm // 3:22:30.353 pm /				
Login feature				
@tag1 @UI				

#	Step / Hook Details	Status	Duration
	BEFORE - com.app.Hooks.ApplicationHooks.Before_UI()	FAILED	2.219 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 123.0.6312.86 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'EPINHYDW03C3', ip: '192.168.1.5' Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]}]
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:139)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:95)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:67)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:233)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:162)
	    at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:89)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:73) at com.app.utils.Utilities.getDriver(Utilities.java:48) at com.app.Hooks.ApplicationHooks.Before_UI(ApplicationHooks.java:22)		
1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"	SKIPPED	0.000 s
2	Then User logs into the system	SKIPPED	0.000 s
3	Then User logs out the system	SKIPPED	0.000 s
4	Then user navigates to "https://cucumber.io/"	SKIPPED	0.002 s
	AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshot" is null at com.app.utils.Utilities.ts(Utilities.java:93) at com.app.Hooks.ApplicationHooks.After_UI(ApplicationHooks.java:31)		

Logging in to the system scenrio two

FAILED	*DURATION - 2.480 s*
/ 3:22:28.095 pm // 3:22:30.575 pm /	
Login feature	
@tag1 @tag2 @UI	

Steps
Total - 4
Pass - 0
Fail - 0
Skip - 4

4

#	Step / Hook Details	Status	Duration
	BEFORE - com.app.Hooks.ApplicationHooks.Before_UI()	FAILED	2.469 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 123.0.6312.86 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'EPINHYDW03C3', ip: '192.168.1.5' Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:139) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:95) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:67) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:233) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:162) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:73) at com.app.utils.Utilities.getDriver(Utilities.java:48) at com.app.Hooks.ApplicationHooks.Before_UI(ApplicationHooks.java:22)		
1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"	SKIPPED	0.000 s
2	Then User logs into the system	SKIPPED	0.000 s
3	Then User logs out the system	SKIPPED	0.000 s
4	Then user navigates to "https://yahoo.com"	SKIPPED	0.000 s
	AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario)	FAILED	0.001 s

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshot" is null
	    at com.app.utils.Utilities.ts(Utilities.java:93)
	    at com.app.Hooks.ApplicationHooks.After_UI(ApplicationHooks.java:31)		

Logging in to the system scenrio three

FAILED	DURATION - 2.253 s
/ 3:22:28.100 pm // 3:22:30.353 pm /	
Login feature	
@tag3 @tag1 @tag2 @UI	

Steps
Total - 5
Pass - 0
Fail - 0
Skip - 5

#	Step / Hook Details	Status	Duration
	BEFORE - com.app.Hooks.ApplicationHooks.Before_UI()	FAILED	2.150 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 123.0.6312.86 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'EPINHYDW03C3', ip: '192.168.1.5' Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-		

#	Step / Hook Details	Status	Duration

	allow-origins=*], extensions: []}}]}]
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:139)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:95)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:67)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:233)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:162)
	    at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:89)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:73)
	    at com.app.utils.Utilities.getDriver(Utilities.java:48)
	    at com.app.Hooks.ApplicationHooks.Before_UI(ApplicationHooks.java:22)		

1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"	SKIPPED	0.001 s
2	Then user navigates to "https://youtube.com"	SKIPPED	0.005 s
3	Then fetch "% Gain" for company "ONGC"	SKIPPED	0.002 s
4	Then fetch "High" for company "Nestle"	SKIPPED	0.002 s
5	Then fetch "Low" for company "Nestle"	SKIPPED	0.001 s
	AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario)	FAILED	0.006 s

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshot" is null
	    at com.app.utils.Utilities.ts(Utilities.java:93)
	    at com.app.Hooks.ApplicationHooks.After_UI(ApplicationHooks.java:31)		