Cucumber Report

| Start : Apr 01, 3:12:03.585 pm	End : Apr 01, 3:12:13.979 pm	Duration : 10.394 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 0 FAILED - 0 SKIPPED - 13

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Login feature	*10.394 s*	*3*	*0*	*3*	*0*	*13*	*0*	*0*	*13*

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag1	3	0	3	0	1	0	1	0
@tag2	2	0	2	0	1	0	1	0
@UI	3	0	3	0	1	0	1	0
@tag3	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*Login feature*	3	0	3	0	10.394 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login feature	Logging in to the system scenrio two	4	0	0	4	10.390 s
2	Login feature	Logging in to the system scenrio three	5	0	0	5	9.718 s
3	Login feature	Logging in to the system scenrio one	4	0	0	4	10.379 s

Login feature

FAILED	DURATION - 10.394 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0	3	Steps Total - 13 Pass - 0 Fail - 0 Skip - 13	13
/ 3:12:03.585 pm // 3:12:13.979 pm /					

Logging in to the system scenrio two

FAILED	DURATION - 10.390 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	4
/ 3:12:03.589 pm // 3:12:13.979 pm /				
Login feature				
@tag1 @tag2 @UI				

#	Step / Hook Details	Status	Duration
	BEFORE - com.app.Hooks.ApplicationHooks.Before_UI()	FAILED	10.363 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 123.0.6312.86 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'EPINHYDW03C3', ip: '192.168.1.5', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}}]
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:144)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:102)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:67)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:264)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:179)
	    at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:81) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:70) at com.app.utils.Utilities.getDriver(Utilities.java:48) at com.app.Hooks.ApplicationHooks.Before_UI(ApplicationHooks.java:22)		
1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"	SKIPPED	0.000 s
2	Then User logs into the system	SKIPPED	0.001 s
3	Then User logs out the system	SKIPPED	0.000 s
4	Then user navigates to "https://yahoo.com"	SKIPPED	0.000 s
	AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshot" is null at com.app.utils.Utilities.ts(Utilities.java:93) at com.app.Hooks.ApplicationHooks.After_UI(ApplicationHooks.java:31)		

Logging in to the system scenrio three

FAILED	DURATION - 9.718 s		Steps
/ 3:12:03.597 pm // 3:12:13.315 pm /			Total - 5
Login feature			Pass - 0
			Fail - 0
@tag3 @tag1 @tag2 @UI			Skip - 5

#	Step / Hook Details	Status	Duration
	BEFORE - com.app.Hooks.ApplicationHooks.Before_UI()	FAILED	9.645 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 123.0.6312.86 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'EPINHYDW03C3', ip: '192.168.1.5', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:144) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:102) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:67) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:264) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:179) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:81) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:70) at com.app.utils.Utilities.getDriver(Utilities.java:48) at com.app.Hooks.ApplicationHooks.Before_UI(ApplicationHooks.java:22)		
1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"	SKIPPED	0.001 s
2	Then user navigates to "https://youtube.com"	SKIPPED	0.000 s
3	Then fetch "% Gain" for company "ONGC"	SKIPPED	0.000 s
4	Then fetch "High" for company "Nestle"	SKIPPED	0.001 s
5	Then fetch "Low" for company "Nestle"	SKIPPED	0.000 s
	AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario)	FAILED	0.004 s

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshot" is null
	    at com.app.utils.Utilities.ts(Utilities.java:93)
	    at com.app.Hooks.ApplicationHooks.After_UI(ApplicationHooks.java:31)		

Logging in to the system scenrio one

FAILED	DURATION - 10.379 s		Steps
/ 3:12:03.599 pm // 3:12:13.978 pm /			Total - 4
Login feature			Pass - 0
			Fail - 0
@tag1 @UI			Skip - 4

Graph axis: 0.15 to 0, x-axis 1 2 3 4

Donut chart: 4

#	Step / Hook Details	Status	Duration
	BEFORE - com.app.Hooks.ApplicationHooks.Before_UI()	FAILED	10.362 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 123.0.6312.86 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'EPINHYDW03C3', ip:		

#	Step / Hook Details	Status	Duration

	'192.168.1.5', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}}]
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:144)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:102)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:67)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:264)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:179)
	    at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:81)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:70)
	    at com.app.utils.Utilities.getDriver(Utilities.java:48)
	    at com.app.Hooks.ApplicationHooks.Before_UI(ApplicationHooks.java:22)		

1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"	SKIPPED	0.000 s
2	Then User logs into the system	SKIPPED	0.000 s
3	Then User logs out the system	SKIPPED	0.000 s
4	Then user navigates to "https://cucumber.io/"	SKIPPED	0.000 s
	AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario)	FAILED	0.001 s

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshot" is null
	    at com.app.utils.Utilities.ts(Utilities.java:93)
	    at com.app.Hooks.ApplicationHooks.After_UI(ApplicationHooks.java:31)		