Cucumber Report

| Start : Apr 01, 3:15:23.751 pm	End : Apr 01, 3:15:24.137 pm	Duration : 0.386 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 0 FAILED - 0 SKIPPED - 13

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login feature	0.386 s	3	0	3	0	13	0	0	13

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag3	1	0	1	0	1	0	1	0
@tag1	3	0	3	0	1	0	1	0
@tag2	2	0	2	0	1	0	1	0
@UI	3	0	3	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Login feature	3	0	3	0	0.386 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login feature	Logging in to the system scenrio three	5	0	0	5	0.384 s
2	Login feature	Logging in to the system scenrio one	4	0	0	4	0.381 s
3	Login feature	Logging in to the system scenrio two	4	0	0	4	0.366 s

Login feature

FAILED	DURATION - 0.386 s		Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0	3	Steps Total - 13 Pass - 0 Fail - 0 Skip - 13	13
/ 3:15:23.751 pm // 3:15:24.137 pm /						

Logging in to the system scenrio three

FAILED	DURATION - 0.384 s		Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	5
/ 3:15:23.753 pm // 3:15:24.137 pm /				
Login feature				
@tag3 @tag1 @tag2 @UI				

#	Step / Hook Details	Status	Duration
	BEFORE - com.app.Hooks.ApplicationHooks.Before_UI()	FAILED	0.343 s

	java.lang.IllegalStateException: The path to the driver executable The path to the driver executable must be set by the webdriver.chrome.driver system property; for more information, see https://chromedriver.chromium.org/. The latest version can be downloaded from https://chromedriver.chromium.org/downloads
	    at org.openqa.selenium.internal.Require$StateChecker.nonNull(Require.java:311)
	    at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:135)
	    at org.openqa.selenium.chrome.ChromeDriverService.access$000(ChromeDriverService.java:39)
	    at org.openqa.selenium.chrome.ChromeDriverService$Builder.findDefaultExecutable(ChromeDriverService.java:233)
	    at org.openqa.selenium.remote.service.DriverService$Builder.build(DriverService.java:437)
	    at org.openqa.selenium.chrome.ChromeDriverService.createServiceWithConfig(ChromeDriverService.java:142)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:70)
	    at com.app.utils.Utilities.getDriver(Utilities.java:48)
	    at com.app.Hooks.ApplicationHooks.Before_UI(ApplicationHooks.java:22)		

1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"	SKIPPED	0.001 s
2	Then user navigates to "https://youtube.com"	SKIPPED	0.000 s
3	Then fetch "% Gain" for company "ONGC"	SKIPPED	0.001 s
4	Then fetch "High" for company "Nestle"	SKIPPED	0.001 s

| #	Step / Hook Details	Status	Duration
5	Then fetch "Low" for company "Nestle"	SKIPPED	0.002 s
	AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario)	FAILED	0.001 s

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshot" is null
	    at com.app.utils.Utilities.ts(Utilities.java:93)
	    at com.app.Hooks.ApplicationHooks.After_UI(ApplicationHooks.java:31)		

Logging in to the system scenrio one

FAILED	DURATION - 0.381 s		Steps
/ 3:15:23.756 pm // 3:15:24.137 pm /			Total - 4
Login feature			Pass - 0
			Fail - 0
@tag1 @UI			Skip - 4

#	Step / Hook Details	Status	Duration
	BEFORE - com.app.Hooks.ApplicationHooks.Before_UI()	FAILED	0.345 s

	java.lang.IllegalStateException: The path to the driver executable The path to the driver executable must be set by the webdriver.chrome.driver system property; for more information, see https://chromedriver.chromium.org/. The latest version can be downloaded from https://chromedriver.chromium.org/downloads
	    at org.openqa.selenium.internal.Require$StateChecker.nonNull(Require.java:311)
	    at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:135)
	    at org.openqa.selenium.chrome.ChromeDriverService.access$000(ChromeDriverService.java:39)
	    at org.openqa.selenium.chrome.ChromeDriverService$Builder.findDefaultExecutable(ChromeDriverService.java:233)
	    at org.openqa.selenium.remote.service.DriverService$Builder.build(DriverService.java:437)
	    at org.openqa.selenium.chrome.ChromeDriverService.createServiceWithConfig(ChromeDriverService.java:142)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:70)
	    at com.app.utils.Utilities.getDriver(Utilities.java:48)
	    at com.app.Hooks.ApplicationHooks.Before_UI(ApplicationHooks.java:22)		

1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"	SKIPPED	0.001 s
2	Then User logs into the system	SKIPPED	0.001 s
3	Then User logs out the system	SKIPPED	0.000 s
4	Then user navigates to "https://cucumber.io/"	SKIPPED	0.002 s
	AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshot" is null
	   at com.app.utils.Utilities.ts(Utilities.java:93)
	   at com.app.Hooks.ApplicationHooks.After_UI(ApplicationHooks.java:31)		

Logging in to the system scenrio two

FAILED	*DURATION - 0.366 s*		Steps	
/ 3:15:23.763 pm // 3:15:24.129 pm /			Total - 4	
			Pass - 0	
Login feature			Fail - 0	4
			Skip - 4	
@tag1 @tag2 @UI				

#	Step / Hook Details	Status	Duration
	BEFORE - com.app.Hooks.ApplicationHooks.Before_UI()	FAILED	0.344 s

	java.lang.IllegalStateException: The path to the driver executable The path to the driver executable must be set by the webdriver.chrome.driver system property; for more information, see https://chromedriver.chromium.org/. The latest version can be downloaded from https://chromedriver.chromium.org/downloads
	   at org.openqa.selenium.internal.Require$StateChecker.nonNull(Require.java:311)
	   at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:135)
	   at org.openqa.selenium.chrome.ChromeDriverService.access$000(ChromeDriverService.java:39)
	   at org.openqa.selenium.chrome.ChromeDriverService$Builder.findDefaultExecutable(ChromeDriverService.java:233)
	   at org.openqa.selenium.remote.service.DriverService$Builder.build(DriverService.java:437)
	   at org.openqa.selenium.chrome.ChromeDriverService.createServiceWithConfig(ChromeDriverService.java:142)
	   at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:70)
	   at com.app.utils.Utilities.getDriver(Utilities.java:48)
	   at com.app.Hooks.ApplicationHooks.Before_UI(ApplicationHooks.java:22)		

1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"	SKIPPED	0.002 s
2	Then User logs into the system	SKIPPED	0.001 s
3	Then User logs out the system	SKIPPED	0.001 s
4	Then user navigates to "https://yahoo.com"	SKIPPED	0.000 s
	AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario)	FAILED	0.004 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshot" is null		

#	Step / Hook Details	Status	Duration
	at com.app.utils.Utilities.ts(Utilities.java:93) at com.app.Hooks.ApplicationHooks.After_UI(ApplicationHooks.java:31)		