

Cucumber Report

01-Apr-2024, 5:53:41 pm

Start : Apr 01, 5:53:32.430 pm

End : Apr 01, 5:53:40.012 pm

Duration : 7.582 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 11
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 45




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login feature</u>	7.582 s	11	0	11	0	45	0	0	45


Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@tag1	11	0	11	0	1	0	1	0
@tag2	10	0	10	0	1	0	1	0
@UI	11	0	11	0	1	0	1	0
@tag3	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Login feature	11	0	11	0	7.582 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login feature</u>	<u>Logging in to the system scenrio two</u>	4	0	0	4	6.524 s
2	<u>Login feature</u>	<u>Logging in to the system scenrio two</u>	4	0	0	4	6.629 s
3	<u>Login feature</u>	<u>Logging in to the system scenrio two</u>	4	0	0	4	7.440 s
4	<u>Login feature</u>	<u>Logging in to the system scenrio one</u>	4	0	0	4	4.022 s
5	<u>Login feature</u>	<u>Logging in to the system scenrio two</u>	4	0	0	4	6.217 s
6	<u>Login feature</u>	<u>Logging in to the system scenrio two</u>	4	0	0	4	7.570 s
7	<u>Login feature</u>	<u>Logging in to the system scenrio two</u>	4	0	0	4	5.983 s
8	<u>Login feature</u>	<u>Logging in to the system scenrio two</u>	4	0	0	4	7.539 s
9	<u>Login feature</u>	<u>Logging in to the system scenrio two</u>	4	0	0	4	4.385 s
10	<u>Login feature</u>	<u>Logging in to the system scenrio two</u>	4	0	0	4	7.417 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Login feature	Logging in to the system scenrio three	5	0	0	5	3.384 s

Login feature

FAILED	DURATION - 7.582 s	Scenarios Total - 11 Pass - 0 Fail - 11 Skip - 0		Steps Total - 45 Pass - 0 Fail - 0 Skip - 45	
/ 5:53:32.430 pm // 5:53:40.012 pm /					

Logging in to the system scenrio two

<div>FAILED</div> <div>DURATION - 6.524 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 5:53:32.432 pm // 5:53:38.956 pm /				
Login feature				
@tag1 @tag2 @UI				

#	Step / Hook Details	Status	Duration
	BEFORE - com.app.Hooks.ApplicationHooks.Before_UI() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 123.0.6312.86 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'EPINHYDW03C3', ip: '192.168.1.5' Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:136) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:94) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88)	FAILED	6.507 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:73) at com.app.utils.Utilities.getDriver(Utilities.java:48) at com.app.Hooks.ApplicationHooks.Before_UI(ApplicationHooks.java:22)		
1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"	SKIPPED	0.000 s
2	Then User logs into the system	SKIPPED	0.000 s
3	Then User logs out the system	SKIPPED	0.000 s
4	Then user navigates to "https://yahoo.com"	SKIPPED	0.000 s
	AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshot" is null at com.app.utils.Utilities.ts(Utilities.java:93) at com.app.Hooks.ApplicationHooks.After_UI(ApplicationHooks.java:31)	FAILED	0.002 s

Logging in to the system scenrio two

FAILED DURATION - 6.629 s / 5:53:32.438 pm // 5:53:39.067 pm / Login feature @tag1 @tag2 @UI		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
--	--	--	--

#	Step / Hook Details	Status	Duration
	BEFORE - com.app.Hooks.ApplicationHooks.Before_UI()	FAILED	6.615 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 123.0.6312.86 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'EPINHWDW03C3', ip: '192.168.1.5' Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:136) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:94) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:73) at com.app.utils.Utilities.getDriver(Utilities.java:48) at com.app.Hooks.ApplicationHooks.Before_UI(ApplicationHooks.java:22) </pre>		
1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"	SKIPPED	0.001 s
2	Then User logs into the system	SKIPPED	0.000 s
3	Then User logs out the system	SKIPPED	0.000 s
4	Then user navigates to "https://yahoo.com"	SKIPPED	0.000 s
	AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario) <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshot" is null at com.app.utils.Utilities.ts(Utilities.java:93) at com.app.Hooks.ApplicationHooks.After_UI(ApplicationHooks.java:31) </pre>	FAILED	0.002 s

Logging in to the system scenrio two

FAILED DURATION - 7.440 s / 5:53:32.439 pm // 5:53:39.879 pm / Login feature @tag1 @tag2 @UI		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
--	--	--	--

#	Step / Hook Details	Status	Duration
	BEFORE - com.app.Hooks.ApplicationHooks.Before_UI() <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 123.0.6312.86 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'EPINHYDW03C3', ip: '192.168.1.5' Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote- </pre>	FAILED	7.426 s



#	Step / Hook Details	Status	Duration
	<pre> allow-origins=*, extensions: []]]]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:136) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:94) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:73) at com.app.utils.Utilities.getDriver(Utilities.java:48) at com.app.Hooks.ApplicationHooks.Before_UI(ApplicationHooks.java:22) </pre>		
1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"	SKIPPED	0.000 s
2	Then User logs into the system	SKIPPED	0.000 s
3	Then User logs out the system	SKIPPED	0.000 s
4	Then user navigates to "https://yahoo.com"	SKIPPED	0.001 s
	AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario) <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshot" is null at com.app.utils.Utilities.ts(Utilities.java:93) at com.app.Hooks.ApplicationHooks.After_UI(ApplicationHooks.java:31) </pre>	FAILED	0.002 s

Logging in to the system scenrio one

FAILED DURATION - 4.022 s / 5:53:32.439 pm // 5:53:36.461 pm / Login feature @tag1 @UI		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
--	--	--	--

#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.app.Hooks.ApplicationHooks.Before_UI()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 123.0.6312.86 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'EPINHYDW03C3', ip: '192.168.1.5' Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]]</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:136) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:94) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:73) at com.app.utils.Utilities.getDriver(Utilities.java:48) at com.app.Hooks.ApplicationHooks.Before_UI(ApplicationHooks.java:22)</p>	FAILED	4.001 s
1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"	SKIPPED	0.000 s
2	Then User logs into the system	SKIPPED	0.001 s
3	Then User logs out the system	SKIPPED	0.000 s
4	Then user navigates to "https://cucumber.io/"	SKIPPED	0.000 s
	<p>AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario)</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshot" is null</p> <p>at com.app.utils.Utilities.ts(Utilities.java:93) at com.app.Hooks.ApplicationHooks.After_UI(ApplicationHooks.java:31)</p>	FAILED	0.003 s



Logging in to the system scenrio two

<div>FAILED</div> <div>DURATION - 6.217 s</div>		 <table border="1"><thead><tr><th>Step</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>0</td></tr><tr><td>2</td><td>0</td></tr><tr><td>3</td><td>0</td></tr><tr><td>4</td><td>0</td></tr></tbody></table>	Step	Value	1	0	2	0	3	0	4	0	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
Step	Value													
1	0													
2	0													
3	0													
4	0													
/ 5:53:32.441 pm // 5:53:38.658 pm /														
Login feature														
@tag1 @tag2 @UI														

#	Step / Hook Details	Status	Duration
	BEFORE - com.app.Hooks.ApplicationHooks.Before_UI() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 123.0.6312.86 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'EPINHWDW03C3', ip: '192.168.1.5' Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:136) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:94) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:73) at com.app.utils.Utilities.getDriver(Utilities.java:48) at com.app.Hooks.ApplicationHooks.Before_UI(ApplicationHooks.java:22)	FAILED	6.210 s
1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"	SKIPPED	0.000 s
2	Then User logs into the system	SKIPPED	0.000 s
3	Then User logs out the system	SKIPPED	0.001 s
4	Then user navigates to "https://yahoo.com"	SKIPPED	0.001 s
	AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshot" is null	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at com.app.utils.Utilities.ts(Utilities.java:93) at com.app.Hooks.ApplicationHooks.After_UI(ApplicationHooks.java:31)		

Logging in to the system scenrio two

<div>FAILED</div> <div>DURATION - 7.570 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 5:53:32.442 pm // 5:53:40.012 pm /				
Login feature				
@tag1 @tag2 @UI				

#	Step / Hook Details	Status	Duration
	BEFORE - com.app.Hooks.ApplicationHooks.Before_UI() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 123.0.6312.86 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'EPINHYDW03C3', ip: '192.168.1.5' Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:136) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:94) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:73) at com.app.utils.Utilities.getDriver(Utilities.java:48) at com.app.Hooks.ApplicationHooks.Before_UI(ApplicationHooks.java:22)	FAILED	7.565 s
1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"	SKIPPED	0.001 s
2	Then User logs into the system	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then User logs out the system	SKIPPED	0.000 s
4	Then user navigates to "https://yahoo.com"	SKIPPED	0.001 s
	AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshot" is null at com.app.utils.Utilities.ts(Utilities.java:93) at com.app.Hooks.ApplicationHooks.After_UI(ApplicationHooks.java:31)	FAILED	0.001 s

Logging in to the system scenrio two

FAILED	DURATION - 5.983 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 5:53:32.442 pm // 5:53:38.425 pm /				
Login feature				
@tag1 @tag2 @UI				

#	Step / Hook Details	Status	Duration
	BEFORE - com.app.Hooks.ApplicationHooks.Before_UI() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 123.0.6312.86 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'EPINHYDW03C3', ip: '192.168.1.5' Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:136) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:94) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84)	FAILED	5.974 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:73) at com.app.utils.Utilities.getDriver(Utilities.java:48) at com.app.Hooks.ApplicationHooks.Before_UI(ApplicationHooks.java:22)		
1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"	SKIPPED	0.000 s
2	Then User logs into the system	SKIPPED	0.000 s
3	Then User logs out the system	SKIPPED	0.000 s
4	Then user navigates to "https://yahoo.com"	SKIPPED	0.000 s
	AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshot" is null at com.app.utils.Utilities.ts(Utilities.java:93) at com.app.Hooks.ApplicationHooks.After_UI(ApplicationHooks.java:31)	FAILED	0.002 s

Logging in to the system scenrio two

FAILED DURATION - 7.539 s / 5:53:32.443 pm // 5:53:39.982 pm / Login feature @tag1 @tag2 @UI		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
--	--	--	--

#	Step / Hook Details	Status	Duration
	BEFORE - com.app.Hooks.ApplicationHooks.Before_UI()	FAILED	7.533 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 123.0.6312.86 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'EPINHYDW03C3', ip: '192.168.1.5' Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:136) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:94) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:73) at com.app.utils.Utilities.getDriver(Utilities.java:48) at com.app.Hooks.ApplicationHooks.Before_UI(ApplicationHooks.java:22) </pre>		
1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"	SKIPPED	0.000 s
2	Then User logs into the system	SKIPPED	0.000 s
3	Then User logs out the system	SKIPPED	0.000 s
4	Then user navigates to "https://yahoo.com"	SKIPPED	0.000 s
	AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario) <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshot" is null at com.app.utils.Utilities.ts(Utilities.java:93) at com.app.Hooks.ApplicationHooks.After_UI(ApplicationHooks.java:31) </pre>	FAILED	0.002 s

Logging in to the system scenrio two

FAILED DURATION - 4.385 s / 5:53:32.443 pm // 5:53:36.828 pm / Login feature @tag1 @tag2 @UI		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
--	--	--	--

#	Step / Hook Details	Status	Duration
	BEFORE - com.app.Hooks.ApplicationHooks.Before_UI() <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 123.0.6312.86 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'EPINHYDW03C3', ip: '192.168.1.5' Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote- allow-origins=*], extensions: []}}]] </pre>	FAILED	4.374 s



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:136) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:94) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:73) at com.app.utils.Utilities.getDriver(Utilities.java:48) at com.app.Hooks.ApplicationHooks.Before_UI(ApplicationHooks.java:22) </pre>		
1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"	SKIPPED	0.001 s
2	Then User logs into the system	SKIPPED	0.000 s
3	Then User logs out the system	SKIPPED	0.000 s
4	Then user navigates to "https://yahoo.com"	SKIPPED	0.001 s
	<p>AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario)</p> <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshot" is null at com.app.utils.Utilities.ts(Utilities.java:93) at com.app.Hooks.ApplicationHooks.After_UI(ApplicationHooks.java:31) </pre>	FAILED	0.001 s

Logging in to the system scenrio two

FAILED DURATION - 7.417 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 5:53:32.445 pm // 5:53:39.862 pm /			
Login feature			
@tag1 @tag2 @UI			

#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.app.Hooks.ApplicationHooks.Before_UI()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 123.0.6312.86 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'EPINHYDW03C3', ip: '192.168.1.5' Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]]</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:136) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:94) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:73) at com.app.utils.Utilities.getDriver(Utilities.java:48) at com.app.Hooks.ApplicationHooks.Before_UI(ApplicationHooks.java:22)</p>	FAILED	7.406 s
1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"	SKIPPED	0.000 s
2	Then User logs into the system	SKIPPED	0.000 s
3	Then User logs out the system	SKIPPED	0.000 s
4	Then user navigates to "https://yahoo.com"	SKIPPED	0.000 s
	<p>AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario)</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshot" is null</p> <p>at com.app.utils.Utilities.ts(Utilities.java:93) at com.app.Hooks.ApplicationHooks.After_UI(ApplicationHooks.java:31)</p>	FAILED	0.001 s

Logging in to the system scenrio three

<div>FAILED</div> <div>DURATION - 3.384 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 5:53:36.486 pm // 5:53:39.870 pm /				
Login feature				
@tag3 @tag1 @tag2 @UI				

#	Step / Hook Details	Status	Duration
	BEFORE - com.app.Hooks.ApplicationHooks.Before_UI() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 123.0.6312.86 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'EPINHWDW03C3', ip: '192.168.1.5' Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:136) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:94) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:73) at com.app.utils.Utilities.getDriver(Utilities.java:48) at com.app.Hooks.ApplicationHooks.Before_UI(ApplicationHooks.java:22)	FAILED	3.365 s
1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"	SKIPPED	0.000 s
2	Then user navigates to "https://youtube.com"	SKIPPED	0.000 s
3	Then fetch "% Gain" for company "ONGC"	SKIPPED	0.001 s
4	Then fetch "High" for company "Nestle"	SKIPPED	0.004 s
5	Then fetch "Low" for company "Nestle"	SKIPPED	0.000 s
	AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshot" is null at com.app.utils.Utilities.ts(Utilities.java:93) at com.app.Hooks.ApplicationHooks.After_UI(ApplicationHooks.java:31)		