

Cucumber Report

01-Apr-2024, 6:29:39 pm

Start : Apr 01, 6:28:27.085 pm

End : Apr 01, 6:29:38.413 pm

Duration : 1 m 11.328 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 1
FAILED - 10
SKIPPED - 0

PASSED - 7
FAILED - 10
SKIPPED - 28




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login feature</u>	1 m 11.328 s	11	1	10	0	45	7	10	28


Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@tag1	11	1	10	0	1	0	1	0
@tag2	10	0	10	0	1	0	1	0
@UI	11	1	10	0	1	0	1	0
@tag3	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Login feature	11	1	10	0	1 m 11.328 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login feature</u>	<u>Logging in to the system scenrio two</u>	4	0	1	3	19.306 s
2	<u>Login feature</u>	<u>Logging in to the system scenrio two</u>	4	0	1	3	19.626 s
3	<u>Login feature</u>	<u>Logging in to the system scenrio one</u>	4	4	0	0	28.366 s
4	<u>Login feature</u>	<u>Logging in to the system scenrio two</u>	4	0	1	3	19.925 s
5	<u>Login feature</u>	<u>Logging in to the system scenrio two</u>	4	0	1	3	19.723 s
6	<u>Login feature</u>	<u>Logging in to the system scenrio two</u>	4	0	1	3	19.575 s
7	<u>Login feature</u>	<u>Logging in to the system scenrio two</u>	4	0	1	3	19.619 s
8	<u>Login feature</u>	<u>Logging in to the system scenrio two</u>	4	0	1	3	19.720 s
9	<u>Login feature</u>	<u>Logging in to the system scenrio two</u>	4	0	1	3	19.608 s
10	<u>Login feature</u>	<u>Logging in to the system scenrio two</u>	4	0	1	3	19.422 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Login feature	Logging in to the system scenrio three	5	3	1	1	52.002 s


Login feature

FAILED	DURATION - 1 m 11.328 s	Scenarios Total - 11 Pass - 1 Fail - 10 Skip - 0		Steps Total - 45 Pass - 7 Fail - 10 Skip - 28	
/ 6:28:27.085 pm // 6:29:38.413 pm /					



Logging in to the system scenrio two

FAILED	DURATION - 19.306 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 6:28:27.088 pm // 6:28:46.394 pm /				
Login feature				
@tag1 @tag2 @UI				

#	Step / Hook Details	Status	Duration
1	<p>Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"</p> <p>org.openqa.selenium.NoSuchElementException: no such element: element not found (Session info: chrome=123.0.6312.86) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4e9cca03a47a066eba89bf14a415d29c, executeScript {script=arguments[0].scrollIntoView(true);, args=[{element-6066-11e4-a52e-4f735466cecf=f.6743B0648B96C91CE5A5C01939681E59.d.1BEA026677D69415A3EC93E3BDFC84B5.e.5}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\HAMID_~1\AppData\Local\Temp\123.0.6312.86, chromeOptions: {debuggerAddress: localhost:58759}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:58759/devtools, se.cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4e9cca03a47a066eba89bf14a415d29c</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185)</p>	FAILED	8.339 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:464) at com.app.utils.Utilities.clickToElement(Utilities.java:139) at com.app.stepDefs.LoginPageStepDef.userIsOnLoginPage(LoginPageStepDef.java:34) at ?.user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"(file:///C:/GitClones/CucuTestNGReportingProProject/NewProject/src/test/resources/features/LoginPage.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Then User logs into the system	SKIPPED	0.000 s
3	Then User logs out the system	SKIPPED	0.000 s
4	Then user navigates to "https://yahoo.com"	SKIPPED	0.000 s
	AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario)	PASSED	3.555 s
			



Logging in to the system scenrio two


FAILED	DURATION - 19.626 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 6:28:27.091 pm // 6:28:46.717 pm /				
Login feature				
@tag1 @tag2 @UI				

#	Step / Hook Details	Status	Duration
1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"	FAILED	6.526 s
	<pre> org.openqa.selenium.NoSuchElementException: no such element: element not found (Session info: chrome=123.0.6312.86) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element- exception Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java. </pre>		



#	Step / Hook Details	Status	Duration
	<p>version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7e38a9e3abb3f587ca30a6bf4ac2edd7, executeScript {script=arguments[0].scrollIntoView(true);, args=[[element-6066-11e4-a52e-4f735466cecf=f.31A8B27E8C1947D9FD974197DBA3651B.d.055A56A74E7AFFA131E39C1B0D05A57D.e.2]]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\HAMID_~1\AppData\Local\Temp\chrome-remote-debugging-agent\chrome-remote-debugging-agent.exe}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58846}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58846/devtools, se:cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7e38a9e3abb3f587ca30a6bf4ac2edd7</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:464) at com.app.utils.Utilities.clickToElement(Utilities.java:139) at com.app.stepDefs.LoginPageStepDef.userIsOnLoginPage(LoginPageStepDef.java:34) at ?.user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"(file:///C:/GitClones/CucuTestNGReportingProProject/NewProject/src/test/resources/features/LoginPage.feature:4)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	Then User logs into the system	SKIPPED	0.000 s
3	Then User logs out the system	SKIPPED	0.004 s
4	Then user navigates to "https://yahoo.com"	SKIPPED	0.000 s

Logging in to the system scenrio one

<div>PASSED</div> <div>DURATION - 28.366 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:28:27.092 pm // 6:28:55.458 pm /</div>			
<div>Login feature</div>			
<div>@tag1 @UI</div>			

#	Step / Hook Details	Status	Duration
1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"	PASSED	7.412 s
2	Then User logs into the system	PASSED	0.017 s
	Step in report using ExtentCucumberAdapter.addTestStepLog		
3	Then User logs out the system	PASSED	0.004 s
4	Then user navigates to "https://cucumber.io/"	PASSED	6.445 s
			



Logging in to the system scenrio two


<div>FAILED</div> <div>DURATION - 19.925 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 6:28:27.093 pm // 6:28:47.018 pm /</div>				
<div>Login feature</div>				
<div>@tag1 @tag2 @UI</div>				

#	Step / Hook Details	Status	Duration
1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"	FAILED	6.818 s
	org.openqa.selenium.NoSuchElementException: no such element: element not found (Session info: chrome=123.0.6312.86) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2241ccc0a6bef506ae026c4e7247e927, executeScript		



#	Step / Hook Details	Status	Duration
	<pre>{script=arguments[0].scrollIntoView(true);, args=[{element-6066-11e4-a52e-4f735466cecf=f.31A8B27E8C1947D9FD974197DBA3651B.d.055A56A74E7AFFA131E39C1B0D05A57D.e.2}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\HAMID_~1\AppData\Local\Temp\chrome-remote-debugging\123.0.6312.86\chrome-win\chromedriver.exe}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58861}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58861/devtools, se:cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2241ccc0a6bef506ae026c4e7247e927 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:464) at com.app.utils.Utilities.clickToElement(Utilities.java:139) at com.app.stepDefs.LoginPageStepDef.userIsOnLoginPage(LoginPageStepDef.java:34) at ? user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"(file:///C:/GitClones/CucuTestNGReportingProProject/NewProject/src/test/resources/features/LoginPage.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Then User logs into the system	SKIPPED	0.000 s
3	Then User logs out the system	SKIPPED	0.000 s
4	Then user navigates to "https://yahoo.com"	SKIPPED	0.000 s

Logging in to the system scenrio two


FAILED DURATION - 19.723 s / 6:28:27.093 pm // 6:28:46.816 pm / Login feature @tag1 @tag2 @UI		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------	--------------------------------------------------------	---------------------------------------------------------------------------------------

#	Step / Hook Details	Status	Duration
1	<p>Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"</p> <p>org.openqa.selenium.NoSuchElementException: no such element: element not found (Session info: chrome=123.0.6312.86) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2b9d57d936df9b072b4bde1dbe983fd5, executeScript {script=arguments[0].scrollIntoView(true);, args=[[element-6066-11e4-a52e-4f735466cecf=f.6743B0648B96C91CE5A5C01939681E59.d.1BEA026677D69415A3EC93E3BDFC84B5.e.5]]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\HAMID_~1\AppData\Local\Temp\chrome-profile\default\userDataDir}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58823}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58823/devtools, se:cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2b9d57d936df9b072b4bde1dbe983fd5</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:464) at com.app.utils.Utilities.clickToElement(Utilities.java:139) at com.app.stepDefs.LoginPageStepDef.userIsOnLoginPage(LoginPageStepDef.java:34) at ?.user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"(file:///C:/GitClones/CucuTestNGReportingProProject/NewProject/src/test/resources/features/LoginPage.feature:4) * Not displayable characters are replaced by '?'. </p>	FAILED	7.673 s
2	Then User logs into the system	SKIPPED	0.000 s
3	Then User logs out the system	SKIPPED	0.001 s
4	Then user navigates to "https://yahoo.com"	SKIPPED	0.001 s
	<p>AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario)</p> 	PASSED	3.005 s



Logging in to the system scenrio two

<div><div>FAILED</div><div>DURATION - 19.575 s</div></div>	 <table><caption>Bar Chart Data</caption><thead><tr><th>Category</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>6</td></tr><tr><td>2</td><td>0</td></tr><tr><td>3</td><td>0</td></tr><tr><td>4</td><td>0</td></tr></tbody></table>	Category	Value	1	6	2	0	3	0	4	0	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
Category	Value												
1	6												
2	0												
3	0												
4	0												
<div>/ 6:28:27.094 pm // 6:28:46.669 pm /</div>													
<div>Login feature</div>													
<div>@tag1 @tag2 @UI</div>													


#	Step / Hook Details	Status	Duration
1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"	FAILED	6.395 s
	org.openqa.selenium.NoSuchElementException: no such element: element not found (Session info: chrome=123.0.6312.86) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fe43b75728b0c7442c2f9499fa1ff70c, executeScript {script=arguments[0].scrollIntoView(true);, args=[[{element-6066-11e4-a52e-4f735466cecf=f.31A8B27E8C1947D9FD974197DBA3651B.d.055A56A74E7AFFA131E39C1B0D05A57D.e.2}]]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\HAMID_~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58831}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:58831/devtoo..., se.cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: fe43b75728b0c7442c2f9499fa1ff70c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:464) at com.app.utils.Utilities.clickToElement(Utilities.java:139) at com.app.stepDefs.LoginPageStepDef.userIsOnLoginPage(LoginPageStepDef.java:34) at ?.user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"(file:///C:/GitClones/CucuTestNGReportingProProject/NewProject/src/test/resources/features/LoginPage.feature:4)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. Then User logs into the system		
2	Then User logs into the system	SKIPPED	0.000 s
3	Then User logs out the system	SKIPPED	0.000 s
4	Then user navigates to "https://yahoo.com"	SKIPPED	0.000 s
	AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario)	PASSED	3.814 s
			



Logging in to the system scenrio two


FAILED	DURATION - 19.619 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 6:28:27.094 pm // 6:28:46.713 pm /				
Login feature				
@tag1 @tag2 @UI				


#	Step / Hook Details	Status	Duration
1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login" org.openqa.selenium.NoSuchElementException: no such element: element not found (Session info: chrome=123.0.6312.86) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [581a066dad481c0c8bbfa86819ce7775, executeScript {script=arguments[0].scrollIntoView(true);, args=[{element-6066-11e4-a52e-4f735466cecf=f.6743B0648B96C91CE5A5C01939681E59.d.1BEA026677D69415A3EC93E3BDFC84B5.e.5}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\HAMID_~1\AppData\Local\Temp\123.0.6312.86\chromedriver\chromeOptions: {debuggerAddress: localhost:58761}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:58761/devtools, se.cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 581a066dad481c0c8bbfa86819ce7775 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	FAILED	8.875 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:464) at com.app.utils.Utilities.clickToElement(Utilities.java:139) at com.app.stepDefs.LoginPageStepDef.userIsOnLoginPage(LoginPageStepDef.java:34) at ?.user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"(file:///C:/GitClones/CucuTestNGReportingProProject/NewProject/src/test/resources/features/LoginPage.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Then User logs into the system	SKIPPED	0.002 s
3	Then User logs out the system	SKIPPED	0.001 s
4	Then user navigates to "https://yahoo.com"	SKIPPED	0.001 s
	AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario)	PASSED	4.148 s
			



Logging in to the system scenrio two

<div>FAILED</div> <div>DURATION - 19.720 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 6:28:27.095 pm // 6:28:46.815 pm /</div>				
<div>Login feature</div>				
<div>@tag1 @tag2 @UI</div>				


#	Step / Hook Details	Status	Duration
1	<p>Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"</p> <p>org.openqa.selenium.NoSuchElementException: no such element: element not found (Session info: chrome=123.0.6312.86) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ffd9800db64e967776fef8ee4cf5e6b5, executeScript {script=arguments[0].scrollIntoView(true);, args=[[element-6066-11e4-a52e-4f735466cecf=f.6743B0648B96C91CE5A5C01939681E59.d.1BEA026677D69415A3EC93E3BDFC84B5.e.5]]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\HAMID_~1\AppData\Local\Temp\chrome-remote-debugging-agent\chrome-remote-debugging-agent.exe}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58792}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58792/devtools, se:cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ffd9800db64e967776fef8ee4cf5e6b5</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:464) at com.app.utils.Utilities.clickToElement(Utilities.java:139) at com.app.stepDefs.LoginPageStepDef.userIsOnLoginPage(LoginPageStepDef.java:34) at ?.user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"(file:///C:/GitClones/CucuTestNGReportingProProject/NewProject/src/test/resources/features/LoginPage.feature:4) * Not displayable characters are replaced by '?'. </p>	FAILED	7.044 s
2	Then User logs into the system	SKIPPED	0.001 s
3	Then User logs out the system	SKIPPED	0.000 s
4	Then user navigates to "https://yahoo.com"	SKIPPED	0.000 s
	<p>AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario)</p> 	PASSED	3.924 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. Then User logs into the system		
2	Then User logs into the system	SKIPPED	0.013 s
3	Then User logs out the system	SKIPPED	0.000 s
4	Then user navigates to "https://yahoo.com"	SKIPPED	0.001 s
	AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario)	PASSED	2.853 s
			



Logging in to the system scenrio two



FAILED	DURATION - 19.422 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 6:28:27.098 pm // 6:28:46.520 pm /				
Login feature				
@tag1 @tag2 @UI				


#	Step / Hook Details	Status	Duration
1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login" org.openqa.selenium.NoSuchElementException: no such element: element not found (Session info: chrome=123.0.6312.86) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0edc0105ee1bf5e9449ba8a7d9aa5283, executeScript {script=arguments[0].scrollIntoView(true);, args=[{element-6066-11e4-a52e-4f735466cecf=f.6743B0648B96C91CE5A5C01939681E59.d.1BEA026677D69415A3EC93E3BDFC84B5.e.5}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\HAMID_~1\AppData\Local\Temp\123.0.6312.86\chromedriver\chrome-win32\chrome-win32.exe}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58782}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58782/devtools/page/0edc0105ee1bf5e9449ba8a7d9aa5283, se:cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0edc0105ee1bf5e9449ba8a7d9aa5283 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	FAILED	8.999 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:464) at com.app.utils.Utilities.clickToElement(Utilities.java:139) at com.app.stepDefs.LoginPageStepDef.userIsOnLoginPage(LoginPageStepDef.java:34) at ?.user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"(file:///C:/GitClones/CucuTestNGReportingProProject/NewProject/src/test/resources/features/LoginPage.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Then User logs into the system	SKIPPED	0.000 s
3	Then User logs out the system	SKIPPED	0.000 s
4	Then user navigates to "https://yahoo.com"	SKIPPED	0.000 s
	AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario)	PASSED	3.722 s
			

Logging in to the system scenrio three

<div>FAILED</div> <div>DURATION - 52.002 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 6:28:46.411 pm // 6:29:38.413 pm /				
Login feature				
@tag3 @tag1 @tag2 @UI				

#	Step / Hook Details	Status	Duration
1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"	PASSED	6.598 s
2	Then user navigates to "https://youtube.com"	PASSED	3.450 s
			
3	Then fetch "% Gain" for company "ONGC"	PASSED	8.430 s
	Value of % Gain for company ONGC is 0.69		
			
4	Then fetch "High" for company "Nestle"	FAILED	30.794 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='bsr_table hist_tbl_hm']/table/tbody/h3/a[text()='Nestle']/ancestor::tr/td[2]"} (Session info: chrome=123.0.6312.86) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#no-such-element-exception Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33dd6f4939c8a0ca9579fa7f86d8180c, findElement {using=xpath, value=//div[@class='bsr_table hist_tbl_hm']/table/tbody/h3/a[text()='Nestle']/ancestor::tr/td[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\HAMID_~1\AppData\Local\Temp\chrome-debugger-59048}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59048}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59048/devtools, se:cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33dd6f4939c8a0ca9579fa7f86d8180c</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at com.app.pages.MoneyCtrlPage.fetchTodayStock(MoneyCtrlPage.java:57) at com.app.stepDefs.MoneyCtrlPageStepDef.userNavigatesToPage(MoneyCtrlPageStepDef.java:23) at ?.fetch "High" for company "Nestle"(file:///C:/GitClones/CucuTestNGReportingProProject/NewProject/src/test/resources/features/LoginPage.feature:72) * Not displayable characters are replaced by '?'. </pre>		
5	Then fetch "Low" for company "Nestle"	SKIPPED	0.000 s
	AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario) 	PASSED	0.475 s