

Cucumber Report

Jul 30, 2023, 2:49:41 PM

Start : Jul 30, 2:49:11.481 PM

End : Jul 30, 2:49:40.700 PM

Duration : 29.219 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 0
FAILED - 3
SKIPPED - 10




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login feature</u>	29.219 s	3	0	3	0	13	0	3	10

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@tag1	3	0	3	0	1	0	1	0
@UI	3	0	3	0	1	0	1	0
@tag2	2	0	2	0	1	0	1	0
@tag3	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login feature	3	0	3	0	29.219 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login feature	Logging in to the system scenrio one	4	0	1	3	11.330 s
2	Login feature	Logging in to the system scenrio two	4	0	1	3	7.708 s
3	Login feature	Logging in to the system scenrio three	5	0	1	4	10.144 s

Login feature



FAILED	DURATION - 29.219 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 13 Pass - 0 Fail - 3 Skip - 10	
/ 2:49:11.481 PM // 2:49:40.700 PM /					

Logging in to the system scenrio one

FAILED	DURATION - 11.330 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 2:49:11.485 PM // 2:49:22.815 PM /				
Login feature				
@tag1 @UI				



#	Step / Hook Details	Status	Duration
1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login" java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "com.app. utils.Utilities.js" is null at com.app.utils.Utilities.clickToElelement(Utilities.java:138) at com.app.stepDefs.LoginPageStepDef.userIsOnLoginPage(LoginPageStepDef.java:35) at ?.user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"(file:///C:/GitClones/CucuTestNGReportingProProject/NewProject/src/test/resources/features/LoginPage.feature:4) * Not displayable characters are replaced by '?'.	FAILED	5.588 s
2	Then User logs into the system	SKIPPED	0.000 s
3	Then User logs out the system	SKIPPED	0.001 s
4	Then user navigates to "https://cucumber.io/"	SKIPPED	0.000 s

Logging in to the system scenrio two

FAILED	DURATION - 7.708 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 2:49:22.830 PM // 2:49:30.538 PM /				
Login feature				
@tag1 @tag2 @UI				

#	Step / Hook Details	Status	Duration
1	<p>Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'DESKTOP-3MREL07', ip: '192.168.1.12', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, executeScript {script=arguments[0].scrollIntoView(true);, args=[{ELEMENT=522F13DE841FF867B0D4DFCF7AC07999_element_6, element-6066-11e4-a52e-4f735466cecf=522F13DE841FF867B0D4DFCF7AC07999_element_6}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 115.0.5790.102 (90efd4b0ad6..., userDataDir: C:\Users\HMDRA_~1\AppData\Local\Temp\goog-chromeOptions: {debuggerAddress: localhost:62978}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:62978/devtools, se.cdpVersion: 115.0.5790.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:503) at com.app.utils.Utilities.clickToElement(Utilities.java:138) at com.app.stepDefs.LoginPageStepDef.userIsOnLoginPage(LoginPageStepDef.java:35) at ?.user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"(file:///C:/GitClones/CucuTestNGReportingProProject/NewProject/src/test/resources/features/LoginPage.feature:4) * Not displayable characters are replaced by '?'. </p>	FAILED	5.950 s
2	Then User logs into the system	SKIPPED	0.003 s
3	Then User logs out the system	SKIPPED	0.001 s
4	Then user navigates to "https://yahoo.com"	SKIPPED	0.002 s

Logging in to the system scenrio three

<div>FAILED</div> <div>DURATION - 10.144 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
/ 2:49:30.556 PM // 2:49:40.700 PM /				
Login feature				
@tag3 @tag1 @tag2 @UI				

#	Step / Hook Details	Status	Duration
1	<p>Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'DESKTOP-3MREL07', ip: '192.168.1.12', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, executeScript {script=arguments[0].scrollIntoView(true);, args=[{ELEMENT=CBFEBEB238874AA534B3ED10848B3F08_element_6, element-6066-11e4-a52e-4f735466cecf=CBFEBEB238874AA534B3ED10848B3F08_element_6}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 115.0.5790.102 (90efd4b0ad6..., userDataDir: C:\Users\HMDRA_~1\AppData\Local\Temp\goog-chromeOptions: {debuggerAddress: localhost:63012}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:63012/devtools, se.cdpVersion: 115.0.5790.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:503) at com.app.utils.Utilities.clickToElement(Utilities.java:138) at com.app.stepDefs.LoginPageStepDef.userIsOnLoginPage(LoginPageStepDef.java:35) at ?.user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"(file:///C:/GitClones/CucuTestNGReportingProProject/NewProject/src/test/resources/features/LoginPage.feature:4) * Not displayable characters are replaced by '?'. </p>	FAILED	8.789 s
2	Then user navigates to "https://youtube.com"	SKIPPED	0.000 s
3	Then fetch "% Gain" for company "ONGC"	SKIPPED	0.000 s
4	Then fetch "High" for company "Nestle"	SKIPPED	0.002 s
5	Then fetch "Low" for company "Nestle"	SKIPPED	0.000 s