

You have correctly answered 36 of 50 questions

Question 2 of 50

In the Concurrent Layout assistant, what options are available in the Severity Group/Type section? (Select all that apply)

- ☒ Sign-off State
- ☒ Highlight State
- ☒ Filter State
- ☐ Sign-on State
- ☐ All of the above

Correct

You have correctly answered 36 of 50 questions

Question 3 of 50

In the layout canvas, the Concurrent Layout assistant cannot be docked.

- ☐ True
- ☒ False

Correct

You have correctly answered 36 of 50 questions

Question 4 of 50

A designer is working on another design partition of the same top design concurrently. Updates made by the peer designer are saved to the same design partition view.

- ☒ True
☐ False

Incorrect



You have correctly answered 39 of 50 questions

Question 5 of 50

The design _____ defines the design partition for each designer and merges the respective design partition views back to the top design. Enter the answer in the blank field.

manager



Correct

You entered the correct response. The design manager defines the design partition for each designer and merges the respective design partition views back to the top design.

Continue

cādense

You have correctly answered 36 of 50 questions

Question 6 of 50

You can use the Import _____ Design Partition form to import the changes made in the peer design partitions and view the updated design. Enter the answer in the blank field.

peer

Correct

You have correctly answered 36 of 50 questions

Question 7 of 50

What options can you use to combine the submitted design partitions? (Select all that apply)

- ☒ Merge
- ☒ Merge/Un-Merge
- ☐ Combine
- ☐ Combine/un-Combine
- ☐ All of the above

Correct

You have correctly answered 36 of 50 questions

Question 8 of 50

After the design is initialized for concurrent editing, list the places where the additional options will be available. (Select all that apply)

- ☒ Concurrent menu
- ☒ Define Design Partition form
- ☒ Concurrent Layout assistant
- ☒ Concurrent Layout form
- ☐ All of the above

Incorrect

You have correctly answered 36 of 50 questions

Question 9 of 50

Incremental EIP cannot be done from a read-only top design partition. Therefore, when you EIP from a read-only top design partition or if a subcell cannot be opened for editing, EIP is done only in Regular mode.

- ☒ True
- ☐ False

Correct

You have correctly answered 36 of 50 questions

Question 10 of 50

The default Virtuoso® Layout flow is sequential, in which each task is carried out after the previous task is completed. In the CLE environment, you can create multiple partitions in the design and have designers work in parallel, which helps save time.

- ☒ True
☐ False

Correct

You have correctly answered 36 of 50 questions

Question 11 of 50

Which option can you use to recap the changes inside the incrementally edited hierarchical subcell? (Drag and drop)

Summarize Changes

Recapitulate Changes

Recap Changes

Sum-up Changes

None of the above

Correct

Top cellview (or top design) is the initial layout cellview to be concurrently edited after initialization. After opening in memory, it is called the ____ design. Enter the answer in the blank field.

top

Correct

The commands that are enabled in the Concurrent menu depend on which of the modes in which the design is open? (Select all that apply)

- ☒ Designer mode
- ☐ Design partition mode
- ☒ Single user mode
- ☐ Peer designer mode
- ☒ Manager mode
- ☐ All of the above

Correct

You have correctly answered 36 of 50 questions

Question 14 of 50

You cannot remove the imported information related to the updates made in the peer design partitions from the current design partition.

- ☐ True
- ☒ False

Correct



You have correctly answered 36 of 50 questions

Question 15 of 50

In the Edit Scope section, which option is enabled by default in the Concurrent Layout assistant? (Select all that apply)

- ☐ On
- ☐ Off
- ☐ Only Edit Inside Partition
- ☒ Only Select Inside Partition
- ☐ None of the above

Correct



You have correctly answered 36 of 50 questions

Question 16 of 50

Which form can you use to eliminate the unwanted edits in your design? (Select all that apply)

- ☒ Remove Changes from Design Partition View
- ☐ Abolish Changes from Design Partition View
- ☐ Discard Changes from Design Partition View
- ☐ Delete Changes from Design Partition View
- ☐ None of the above

Correct



You have correctly answered 36 of 50 questions

Question 17 of 50

You can use the Submit for _____ form to submit a hierarchical design partition to merge with the top design. Enter the answer in the blank field.

merge

Correct



You have correctly answered 36 of 50 questions

Question 18 of 50

What options can you use to return to the top partition cellview? (Select all that apply)

- ☒ Return To Level
- ☐ Return to current partition
- ☒ Return To Top
- ☒ Return to top partition
- ☐ All of the above

Correct



You have correctly answered 36 of 50 questions

Question 19 of 50

Edit Scope of a design partition can be changed in _____ mode. Enter the answer in the blank field.

designer

Correct



You have correctly answered 36 of 50 questions

Question 20 of 50

Hierarchical editing in the ____ flow lets multiple designers concurrently Edit In Place (EIP) into hierarchical subcells. Enter the answer in the blank field.

CLE

Correct

You have correctly answered 36 of 50 questions

Question 21 of 50

In the Hierarchical Edit Setup form, what options are available in the Edit Mode section? (Select all that apply)

- ☐ Flat
- ☒ Incremental
- ☒ Regular
- ☐ Hierarchical
- ☐ All of the above

Correct

You have correctly answered 36 of 50 questions

Question 22 of 50

You cannot edit a hierarchical subcell in Regular or Incremental mode after you descend into read mode.

- ☐ True
- ☒ False

Correct



You have correctly answered 36 of 50 questions

Question 23 of 50

You need to generate temporary _____ in the designer mode for space-based routing between design partitions. Enter the answer in the blank field.

pins

Correct



You have correctly answered 36 of 50 questions

Question 24 of 50

The default workspace for the Concurrent Layout is called _____. Enter the answer in the blank field.

Concurrent_Layout

Correct

You have correctly answered 36 of 50 questions

Question 25 of 50

You can preview the changes from your peer designers and preview the design partitions from their top design to check their progress using the Preview button on the Concurrent Layout toolbar in the Concurrent Layout assistant.

- ☒ True
☐ False

Correct

You have correctly answered 36 of 50 questions

Question 26 of 50

Concurrent Layout functionality is available in which of the following Virtuoso® releases?
(Select all that apply)

- ☐ IC6.1.8
- ☒ IC25.1
- ☒ IC23.1
- ☐ ICADV12.3
- ☒ ICADVM20.1
- ☒ ICADVM18.1
- ☐ All of the above

Correct

You have correctly answered 36 of 50 questions

Question 27 of 50

Which assistant displays alerts and other information about the design partition you are updating? (Drag and drop)

Concurrent Layout

Property Editor

Constraint Manager

Annotation Browser

None of the above

Correct

You have correctly answered 36 of 50 questions

Question 28 of 50

You can perform concurrent editing in the VLS-L/XL/EXL/MXL tiers of Virtuoso® software.

- ☐ True
- ☒ False

Correct



You have correctly answered 36 of 50 questions

Question 29 of 50

You can use the Update Top-Bottom layers from Palette button in the Layers field to add/remove the layers in the Define Design Partition form.

- ☒ True
- ☐ False

Correct



You have correctly answered 36 of 50 questions

Question 30 of 50

In designer mode, by default, in area-based design partitions, the area boundary for the selected design partition is highlighted, and the region outside it is grayed out.

- ☒ True
- ☐ False

Correct



You have correctly answered 36 of 50 questions

Question 31 of 50

You can recall a design partition that is submitted for merge using the Recall Submission form.

- ☒ True
- ☐ False

Correct



You have correctly answered 36 of 50 questions

Question 32 of 50

You can use the Select Temporary _____ command to select the temporary pins for deleting or cross-selecting their nets. Enter the answer in the blank field.

pins

Correct



You have correctly answered 36 of 50 questions

Question 33 of 50

When editing in a layer-based design partition, the edit scope is set to the range of layers included in that design partition.

- ☒ True
☐ False

Correct



You have correctly answered 36 of 50 questions

Question 34 of 50

What are the ways can you use to define the design partition types? (Select all that apply)

- ☐ Width-Based Design Partition
- ☐ Length-Based Design Partition
- ☒ Area-Based Design Partition
- ☒ Mixed Design Partition
- ☒ Layer-Based Design Partition
- ☐ All of the above

Correct

You have correctly answered 36 of 50 questions

Question 35 of 50

You can use the _____ Temporary Pins command to create temporary pins in the designer mode for space-based routing between design partitions. Enter the answer in the blank field.

Generate

Correct

You have correctly answered 40 of 50 questions

Question 36 of 50

To verify the updates made in a hierarchical design partition view, you can use the _____ Detailed Changes (EIP) option in the Concurrent Layout assistant to view all the changes made during incremental EIP. Enter the answer in the blank field.

Show



Correct

You entered the correct response. To verify the updates made in a hierarchical design partition view, you can use the Show Detailed Changes (EIP) option in the Concurrent Layout assistant to view all the changes made during incremental EIP.

Continue

cā dence

You have correctly answered 41 of 50 questions

Question 37 of 50

You can click the Sign-off _____ column to remove the warning and sign off the outside area edits alert. Enter the answer in the blank field.

state



Correct

You entered the correct response. You can click the Sign-off State column to remove the warning and sign off the outside area edits alert.

Continue

cā dence

You can review all the changes in detail in the design partitions in the Top Design using the Show Detailed Changes option in the Concurrent Layout assistant.

- ☒ True
- ☐ False

Correct



Who can initialize the design to get it ready for concurrent editing? (Select all that apply)

- ☐ Peer designer
- ☐ Designer
- ☒ Manager
- ☐ None of the above



Correct

You selected the correct response. The manager can initialize the design to get it ready for concurrent editing.

[Continue](#)

What options can you use to submit a hierarchical design partition to merge with the top design? (Select all that apply)

- ☒ Submit for Merge
- ☐ Merge for Update
- ☒ Submit for Merge
- ☐ Submit for Update
- ☐ All of the above



Correct

You selected the correct response. You can use the Submit for Merge / Recall and Submit for Merge options to submit a hierarchical design partition to merge with the top design.

Continue

cādence

You can use the Space-based Router to do automatic _____ in both the area-based and layer-based design partitions. Enter the answer in the blank field.

routing

Correct



You have correctly answered 36 of 50 questions

Question 42 of 50

Generate All From Source (GFS) is disabled after initialization because it can erase concurrent layout data saved in the initial design. Run this command before initialization.

- ☒ True
- ☐ False

Correct

You have correctly answered 36 of 50 questions

Question 43 of 50

You can use _____ to identify the objects in a selected design partition. Enter the answer in the blank field.

colors

Correct

You need to run the _____ command to complete the merge process and save the merged changes into the top design. Enter the answer in the blank field.

Commit



Correct

You entered the correct response. You need to run the Commit command to complete the merge process and save the merged changes into the top design.

Continue

cādence

A design partition divides the design responsibilities among designers. You can create as many partitions as needed in a design, and new design partitions can be created at any time.

- ☒ True
☐ False

Correct



If your task is complete and there is no need for concurrent editing, you can delete the design partitions using the _____ All Design Partitions command. Enter the answer in the blank field.

Clear



Correct

That's right! You entered the correct response. If your task is complete and there is no need for concurrent editing, you can delete the design partitions using the Clear All Design Partitions command.

Continue

What modes can you use for Concurrent Layout Editing? (Select all that apply)

- ☐ Bottom-up
- ☒ Single User
- ☐ Top-down
- ☒ Multiple User
- ☐ All of the above



Correct

You selected the correct response. Concurrent Layout can be used both in the single-user and multiple-user modes.

Continue

What methods can you use to set the Edit Scope for the Design Partition in Designer Mode? (Select all that apply)

- ☐ Annotation Browser assistant
- ☒ Concurrent Layout Options form
- ☐ Define Design Partition assistant
- ☒ Concurrent Layout assistant
- ☐ All of the above



Correct

You selected the correct response. You can use the Concurrent Layout Options form and Concurrent Layout assistant to set the Edit Scope for the Design Partition in Designer Mode.

Continue

What methods can you use to set the Edit Scope for the Design Partition in Designer Mode? (Select all that apply)

- ☐ Annotation Browser assistant
- ☒ Concurrent Layout Options form
- ☐ Define Design Partition assistant
- ☒ Concurrent Layout assistant
- ☐ All of the above



Correct

You selected the correct response. You can use the Concurrent Layout Options form and Concurrent Layout assistant to set the Edit Scope for the Design Partition in Designer Mode.

Continue

You can use the Check _____ Conflicts command to identify even those edit conflicts that were undetected by the assistant alert system, including hierarchical edits. Enter the answer in the blank field.

Edit



Correct

You entered the correct response. You can use the Check Edit Conflicts command to identify even those edit conflicts that were undetected by the assistant alert system, including hierarchical edits.

Continue

In the Edit Scope section, what are the options available in the Concurrent Layout assistant? (Select all that apply)

- ☒ Only Select Inside Partition
- ☒ Off
- ☒ Only Edit Inside Partition
- ☐ On
- ☐ All of the above



Correct

You selected the correct response. In the Edit Scope section, Off, Only Select Inside Partition, and Only Edit Inside Partition options are available in the Concurrent Layout assistant.

Continue