

Cloud Security Analyzer


Security Assessment Report

Scan Name	Security Audit May 10, 2026
Organization	University of Wah
Analyst	Admin User
Cloud Provider	AZURE
Scan Date	2026-05-11 02:58:50 UTC
Status	Completed
Risk Score	16/100

Executive Summary

13 HIGH	9 MEDIUM	1 LOW	25 TOTAL
------------	-------------	----------	-------------

Severity Distribution — Visual Overview



Compliance Framework Coverage

Framework	Findings	Coverage
CIS Azure v2.0 §6.1	5	

CIS Azure v2.0 §3.1	3	
CIS Azure v2.0 §8.1	3	
CIS Azure v2.0 §7.1	2	
CIS Azure v2.0 §4.1	2	
CIS Azure v2.0 §5.1	2	

Detailed Security Findings

#1. Owner Role Assigned: owner-principal-abc123

High

Resource	IAM / assignment/owner-principal-abc123
Compliance	CIS Azure v2.0 §1.1
Description	Principal 'owner-principal-abc123' has Owner role on the subscription. Owner can modify all security controls.
Recommendation	Replace Owner with least-privilege roles (Contributor/Reader).

#2. Storage Public Blob Access Enabled: prodstorageacct

High

Resource	Storage / prodstorageacct
Compliance	CIS Azure v2.0 §3.1
Description	Storage account 'prodstorageacct' allows anonymous public blob access. Sensitive containers may be exposed.
Recommendation	Set allowBlobPublicAccess=false.

#3. Storage HTTP Traffic Allowed: backupstorage

High

Resource	Storage / backupstorage
Compliance	CIS Azure v2.0 §3.1
Description	Storage account 'backupstorage' allows unencrypted HTTP connections.
Recommendation	Enable 'Secure transfer required'.

#4. VM OS Disk Not Encrypted: prod-vm-001

High

Resource	VM / prod-vm-001
Compliance	CIS Azure v2.0 §7.1
Description	VM 'prod-vm-001' OS disk does not have Azure Disk Encryption (ADE). Data at rest is unprotected.
Recommendation	Enable ADE using Azure Key Vault.

#5. NSG Exposes SSH(22) to Internet: mgmt-nsg

High

Resource	NSG / mgmt-nsg
Compliance	CIS Azure v2.0 §6.1
Description	NSG 'mgmt-nsg' allows SSH port 22 from Internet. Brute-force target.
Recommendation	Restrict SSH to known IP ranges or use Azure Bastion.

#6. NSG Exposes RDP(3389) to Internet: mgmt-nsg

High

Resource	NSG / mgmt-nsg
Compliance	CIS Azure v2.0 §6.1
Description	NSG 'mgmt-nsg' allows RDP port 3389 from Internet. Major attack vector.
Recommendation	Close RDP or restrict to known IPs. Use Azure Bastion instead.

#7. Key Vault Soft Delete Disabled: prod-keyvault

High

Resource	KeyVault / prod-keyvault
Compliance	CIS Azure v2.0 §8.1
Description	Key Vault 'prod-keyvault' has no soft delete. Deleted secrets are unrecoverable.

Recommendation	Enable soft delete with 90-day retention.
-----------------------	---

#8. Key Vault Purge Protection Disabled: app-keyvault

High

Resource	KeyVault / app-keyvault
Compliance	CIS Azure v2.0 §8.1
Description	Key Vault 'app-keyvault' can be permanently purged. No recovery possible.
Recommendation	Enable purge protection.

#9. Key Vault All Permissions Granted: secrets-vault

High

Resource	KeyVault / secrets-vault
Compliance	NIST: PR.AC-1 ISO: A.9 PCI: 7.1
Description	Key Vault 'secrets-vault' grants ALL permissions to a service principal.
Recommendation	Restrict access policies to minimum required permissions.

#10. SQL TDE Disabled: user-db

High

Resource	SQL / prod-sql-server/user-db
Compliance	CIS Azure v2.0 §4.1
Description	Azure SQL database 'user-db' has Transparent Data Encryption disabled. Data at rest is unencrypted.
Recommendation	Enable TDE on the database.

#11. SQL Auditing Disabled: prod-sql-server

High

Resource	SQL / prod-sql-server
Compliance	CIS Azure v2.0 §4.3
Description	SQL Server 'prod-sql-server' auditing is disabled. No database activity log.
Recommendation	Enable SQL Server Auditing with 90+ day retention.

#12. SQL Server Public Access Enabled: dev-sql-server

High

Resource	SQL / dev-sql-server
Compliance	CIS Azure v2.0 §4.1
Description	SQL Server 'dev-sql-server' is accessible from public Internet.
Recommendation	Disable public network access. Use Private Endpoint.

#13. No Subscription Diagnostic Settings

High

Resource	Monitor / subscription
Compliance	CIS Azure v2.0 §5.1
Description	No diagnostic settings found. Admin operations not being logged.
Recommendation	Create diagnostic setting to export Activity Logs to Log Analytics.

#14. Too Many Subscription Owners

Medium

Resource	IAM / subscription
Compliance	CIS Azure v2.0 §1.3
Description	5 Owner role assignments found. CIS recommends max 3.

Recommendation	Reduce Owners to 2-3. Use PIM for JIT privileged access.
-----------------------	--

#15. Storage Minimum TLS Not 1.2: logstorage

Medium

Resource	Storage / logstorage
Compliance	CIS Azure v2.0 §3.2
Description	Storage account 'logstorage' minimum TLS is TLS1_0. Deprecated protocol.
Recommendation	Set minimumTlsVersion to TLS1_2.

#16. Storage Soft Delete Disabled: devstorageacct

Medium

Resource	Storage / devstorageacct
Compliance	CIS Azure v2.0 §3.2
Description	Blob soft delete disabled. Accidental deletions are unrecoverable.
Recommendation	Enable soft delete with 7-day retention.

#17. Storage Allows All Network Traffic: appstorageacct

Medium

Resource	Storage / appstorageacct
Compliance	CIS Azure v2.0 §3.1
Description	Network rules default to Allow. All IPs can reach the storage account.
Recommendation	Set defaultAction=Deny and whitelist specific VNets.

#18. VM Uses Unmanaged Disk: dev-vm-002

Medium

Resource	VM / dev-vm-002
Compliance	CIS Azure v2.0 §7.1
Description	VM 'dev-vm-002' uses unmanaged OS disk. Not covered by managed backup.
Recommendation	Migrate to Managed Disks.

#19. NSG Exposes MSSQL(1433) to Internet: db-nsg

Medium

Resource	NSG / db-nsg
Compliance	CIS Azure v2.0 §6.1
Description	NSG 'db-nsg' exposes MSSQL port 1433 to Internet. Database at risk.
Recommendation	Move SQL to private subnet with no internet access.

#20. Key Vault Public Network Access: dev-keyvault

Medium

Resource	KeyVault / dev-keyvault
Compliance	CIS Azure v2.0 §8.1
Description	Key Vault 'dev-keyvault' accessible from all networks. Attack surface exposed.
Recommendation	Restrict to VNet or use Private Endpoint.

#21. SQL Advanced Threat Protection Disabled: prod-sql-server

Medium

Resource	SQL / prod-sql-server
Compliance	MS Cloud Well-Arch: Security
Description	Advanced Threat Protection not enabled. SQL injection attacks go undetected.

Recommendation	Enable Microsoft Defender for SQL.
-----------------------	------------------------------------

#22. No Activity Log Alerts Configured

Medium

Resource	Monitor / subscription
Compliance	CIS Azure v2.0 §5.1
Description	No activity log alerts. Security-critical events trigger no notifications.
Recommendation	Create activity log alerts for NSG changes, policy assignments, etc.

#23. VM Boot Diagnostics Disabled: worker-vm-003

Low

Resource	VM / worker-vm-003
Compliance	MS Cloud Well-Arch: Security
Description	Boot diagnostics disabled. VM startup issues cannot be diagnosed.
Recommendation	Enable boot diagnostics to a storage account.

#24. NSG All Inbound Traffic Open: web-nsg

Critical

Resource	NSG / web-nsg
Compliance	CIS Azure v2.0 §6.1
Description	NSG 'web-nsg' allows ALL inbound TCP from Internet (0.0.0.0/0). Complete attack surface exposed.
Recommendation	Remove all-traffic rule. Specify only required ports.

#25. NSG Exposes Docker-API(2375) to Internet: docker-nsg

Critical

Resource	NSG / docker-nsg
Compliance	CIS Azure v2.0 §6.1
Description	Docker API port 2375 exposed to Internet. Full host compromise possible.
Recommendation	Close port 2375 immediately.