

[CODEBOOK] HHS1_FOOD_FREQUENCY_ANALYSIS: Food Frequency Questionnaire and Nutrient Analysis (nuMoM2b-HHS1)

Nulliparous Pregnancy Outcomes - Heart Health Study 1 (nuMoM2b-HHS1)

Codebook Created: 21SEP22

Data Set Name	DATA.HHS1_FOOD_FREQUENCY_ANALYSIS
Observations	3360
Variables	724
Engine	V9
Created	09/20/2022 19:57:59

PublicID	
LABEL	Public nuMoM2b ID
TYPE	char
LENGTH	6
VARNUM	1

PublicID: Distribution	n	%	n (cum)	% (cum)
6 digit ID, 5 numeric 1 alpha	3360	100.00	3360	100.00

CommercialConsent	
LABEL	Indicator of whether participant consented to allow commercial or for-profit companies to use data. Coding 1/0. See H02A04b for full context.
TYPE	num
LENGTH	8
VARNUM	2

CommercialConsent: Distribution	n	%	n (cum)	% (cum)
No	380	11.31	380	11.31
Yes	2980	88.69	3360	100.00

FFQ_Date_INT	
LABEL	Date Form Completed - Interval
TYPE	num
LENGTH	8
VARNUM	3

FFQ_Date_INT: Distribution	n	%	n (cum)	% (cum)
[data]	3281	100.00	3281	100.00
Missing	79	.	3360	100.00

FFQ_Date_INT: Statistics	Value
N	3281.00
MIN	470.00
MAX	2246.00
MEAN	1137.45
STD	318.46

FFQ_Date_INT: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	704.00	728.00	743.00	906.00	1107.00	1312.00	1593.00	1719.00	2026.00

SEX	
LABEL	Sex
TYPE	num
LENGTH	8
VARNUM	4

SEX: Distribution	n	%	n (cum)	% (cum)
Female	3360	100.00	3360	100.00

PREGNANT	
LABEL	Pregnant or breastfeeding
TYPE	num
LENGTH	8
VARNUM	5

PREGNANT: Distribution	n	%	n (cum)	% (cum)
No	2546	78.95	2546	78.95
Yes	679	21.05	3225	100.00
Missing (M)	135	.	3360	100.00

HEIGHTINCHES	
LABEL	Height in inches
TYPE	num
LENGTH	8
VARNUM	9

HEIGHTINCHES: Distribution	n	%	n (cum)	% (cum)
[data]	3298	100.00	3298	100.00
Form error (E)	1	.	3299	100.00
Missing (M)	61	.	3360	100.00

HEIGHTINCHES: Statistics	Value
N	3298.00
MIN	0.00
MAX	11.00
MEAN	4.91
STD	2.67

HEIGHTINCHES: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	1.00	1.00	3.00	5.00	7.00	9.00	10.00	11.00

DT_KCAL	
LABEL	Food energy, kcals
TYPE	num
LENGTH	8
VARNUM	10

DT_KCAL: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_KCAL: Statistics	Value
N	3360.00
MIN	73.91
MAX	21124.66
MEAN	1678.27
STD	922.42

DT_KCAL: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	488.36	721.01	877.43	1164.24	1513.85	1963.93	2571.00	3084.57	4844.38

DT_PROT	
LABEL	Protein, grams
TYPE	num
LENGTH	8
VARNUM	11

DT_PROT: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_PROT: Statistics	Value
N	3360.00
MIN	3.60
MAX	799.52
MEAN	63.05
STD	35.56

DT_PROT: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	17.44	26.30	31.63	43.01	57.01	74.65	96.86	116.93	189.15

DT_CARB	
LABEL	Carbohydrate, grams
TYPE	num
LENGTH	8
VARNUM	12

DT_CARB: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_CARB: Statistics	Value
N	3360.00
MIN	7.04
MAX	2489.50
MEAN	197.32
STD	115.54

DT_CARB: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	50.21	79.83	98.17	131.59	175.50	233.38	311.85	378.59	608.54

DT_TFAT	
LABEL	Total fat, grams
TYPE	num
LENGTH	8
VARNUM	13

DT_TFAT: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_TFAT: Statistics	Value
N	3360.00
MIN	3.43
MAX	861.25
MEAN	70.65
STD	40.11

DT_TFAT: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	18.66	27.94	34.64	47.10	63.85	84.94	111.05	133.13	204.26

DT_ALCO	
LABEL	Alcohol (ethanol), grams, average daily
TYPE	num
LENGTH	8
VARNUM	14

DT_ALCO: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_ALCO: Statistics	Value
N	3360.00
MIN	0.00
MAX	272.20
MEAN	6.79
STD	13.64

DT_ALCO: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	2.28	8.14	16.52	28.54	62.15

DT_CAFFN	
LABEL	Caffeine, mg, average daily
TYPE	num
LENGTH	8
VARNUM	15

DT_CAFFN: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_CAFFN: Statistics	Value
N	3360.00
MIN	0.00
MAX	743.95
MEAN	107.81
STD	104.04

DT_CAFFN: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.44	1.30	2.45	14.34	88.02	191.04	243.73	297.21	409.64

DT_THEOB	
LABEL	Theobromine, mg, average daily
TYPE	num
LENGTH	8
VARNUM	16

DT_THEOB: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_THEOB: Statistics	Value
N	3360.00
MIN	0.02
MAX	594.48
MEAN	25.33
STD	29.11

DT_THEOB: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	1.77	3.87	5.40	9.41	17.55	31.32	51.77	71.25	130.68

VITD_MCG	
LABEL	Vitamin D, mcg
TYPE	num
LENGTH	8
VARNUM	17

VITD_MCG: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

VITD_MCG: Statistics	Value
N	3360.00
MIN	0.11
MAX	30.60
MEAN	3.33
STD	2.37

VITD_MCG: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.51	0.89	1.14	1.75	2.69	4.24	6.26	8.02	11.76

TOTAL_CHOLINE	
LABEL	Total choline, mg
TYPE	num
LENGTH	8
VARNUM	18

TOTAL_CHOLINE: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

TOTAL_CHOLINE: Statistics	Value
N	3360.00
MIN	13.37
MAX	2740.41
MEAN	266.81
STD	140.49

TOTAL_CHOLINE: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	70.10	108.78	132.87	179.68	245.55	320.78	414.71	494.62	739.29

FOL_DFE	
LABEL	Average daily Dietary Folate Equivalents, mcg
TYPE	num
LENGTH	8
VARNUM	19

FOL_DFE: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

FOL_DFE: Statistics	Value
N	3360.00
MIN	18.01
MAX	3790.58
MEAN	468.95
STD	255.96

FOL_DFE: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	114.73	174.55	220.58	304.03	422.30	562.74	756.76	926.59	1396.42

DT_FOLFD	
LABEL	Food folate, mcg
TYPE	num
LENGTH	8
VARNUM	20

DT_FOLFD: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_FOLFD: Statistics	Value
N	3360.00
MIN	6.28
MAX	1558.79
MEAN	239.73
STD	128.87

DT_FOLFD: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	51.61	83.51	106.96	151.31	214.16	299.34	400.94	480.44	667.37

DT_FOLAC	
LABEL	Folic acid (fortification), mcg
TYPE	num
LENGTH	8
VARNUM	21

DT_FOLAC: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_FOLAC: Statistics	Value
N	3360.00
MIN	2.88
MAX	1312.81
MEAN	134.83
STD	105.15

DT_FOLAC: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	16.04	33.43	44.32	69.14	108.71	163.81	251.44	328.01	529.51

DT_METHI	
LABEL	Methionine (S-containing), grams
TYPE	num
LENGTH	8
VARNUM	22

DT_METHI: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_METHI: Statistics	Value
N	3360.00
MIN	0.07
MAX	16.80
MEAN	1.26
STD	0.75

DT_METHI: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.34	0.50	0.62	0.84	1.13	1.49	1.95	2.34	3.77

GI	
LABEL	Glycemic Index (glucose), average daily
TYPE	num
LENGTH	8
VARNUM	23

GI: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GI: Statistics	Value
N	3360.00
MIN	27.19
MAX	62.73
MEAN	49.43
STD	3.76

GI: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	39.22	43.10	44.76	47.19	49.56	51.87	54.02	55.35	57.98

GL	
LABEL	Glycemic Load (glucose), grams
TYPE	num
LENGTH	8
VARNUM	24

GL: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GL: Statistics	Value
N	3360.00
MIN	3.04
MAX	1144.06

GL: Statistics	Value
MEAN	90.43
STD	56.18

GL: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	20.60	34.54	42.73	57.74	78.94	107.02	147.39	183.69	294.20

DT_SUG_T	
LABEL	Sugars, total, grams
TYPE	num
LENGTH	8
VARNUM	25

DT_SUG_T: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_SUG_T: Statistics	Value
N	3360.00
MIN	2.70
MAX	1361.11
MEAN	92.77
STD	67.53

DT_SUG_T: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	19.05	32.13	39.35	54.69	77.91	109.69	157.97	200.70	351.60

DT_FIBE	
LABEL	Dietary fiber. grams
TYPE	num
LENGTH	8
VARNUM	26

DT_FIBE: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_FIBE: Statistics	Value
N	3360.00
MIN	0.68
MAX	111.73
MEAN	15.53
STD	7.90

DT_FIBE: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	3.37	5.70	7.09	10.00	14.34	19.17	25.40	30.22	40.79

DT_CHOL	
LABEL	Cholesterol, mg
TYPE	num
LENGTH	8
VARNUM	27

DT_CHOL: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_CHOL: Statistics	Value
N	3360.00
MIN	11.99
MAX	2667.68
MEAN	237.15
STD	157.62

DT_CHOL: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	39.74	75.17	96.31	138.08	202.00	294.23	407.54	506.14	772.49

DT_SFAT	
LABEL	Saturated fat, grams
TYPE	num
LENGTH	8
VARNUM	28

DT_SFAT: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_SFAT: Statistics	Value
N	3360.00
MIN	1.19
MAX	298.29
MEAN	22.84
STD	13.60

DT_SFAT: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	5.35	8.48	10.71	14.80	20.32	27.56	36.86	44.01	68.00

DT_MFAT	
LABEL	Monounsaturated fatty acids, grams
TYPE	num
LENGTH	8
VARNUM	29

DT_MFAT: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_MFAT: Statistics	Value
N	3360.00
MIN	1.37
MAX	334.44
MEAN	27.95
STD	15.84

DT_MFAT: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	7.24	10.93	13.36	18.49	25.31	34.04	44.38	52.06	78.42

DT_PFAT	
LABEL	Polyunsaturated fatty acids, grams
TYPE	num
LENGTH	8
VARNUM	30

DT_PFAT: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_PFAT: Statistics	Value
N	3360.00
MIN	0.54
MAX	157.49
MEAN	14.51
STD	8.48

DT_PFAT: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	3.71	5.68	6.89	9.26	12.92	17.61	23.58	28.62	41.23

DT_CALC	
LABEL	Calcium, mg
TYPE	num
LENGTH	8
VARNUM	31

DT_CALC: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_CALC: Statistics	Value
N	3360.00
MIN	43.49
MAX	6825.08
MEAN	750.74
STD	380.93

DT_CALC: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	180.56	297.07	371.64	503.14	680.32	917.82	1213.02	1417.59	1953.70

DT_IRON	
LABEL	Iron, mg
TYPE	num
LENGTH	8
VARNUM	32

DT_IRON: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_IRON: Statistics	Value
N	3360.00
MIN	0.78
MAX	120.10
MEAN	11.67
STD	6.17

DT_IRON: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	3.12	4.85	5.76	7.90	10.69	13.92	18.29	21.57	32.92

DT_MAGN	
LABEL	Magnesium, mg
TYPE	num
LENGTH	8
VARNUM	33

DT_MAGN: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_MAGN: Statistics	Value
N	3360.00
MIN	9.20
MAX	2135.61
MEAN	260.18
STD	124.96

DT_MAGN: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	69.23	108.19	131.60	178.84	241.12	313.89	401.69	480.04	661.60

DT_PHOS	
LABEL	Phosphorus, mg
TYPE	num
LENGTH	8
VARNUM	34

DT_PHOS: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_PHOS: Statistics	Value
N	3360.00
MIN	53.89
MAX	11606.32
MEAN	1080.76
STD	548.45

DT_PHOS: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	297.15	458.82	562.97	753.10	991.22	1291.22	1660.02	1909.03	2967.90

DT_POTA	
LABEL	Potassium, mg
TYPE	num
LENGTH	8
VARNUM	35

DT_POTA: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_POTA: Statistics	Value
N	3360.00
MIN	113.71
MAX	21753.20
MEAN	2218.31
STD	1057.09

DT_POTA: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	600.87	922.39	1134.03	1562.76	2067.51	2691.64	3358.48	3872.46	5633.12

DT_SODI	
LABEL	Sodium, mg
TYPE	num
LENGTH	8
VARNUM	36

DT_SODI: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_SODI: Statistics	Value
N	3360.00
MIN	153.63
MAX	31479.45
MEAN	2722.24
STD	1493.84

DT_SODI: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	771.93	1141.24	1391.89	1844.97	2452.21	3216.90	4225.66	5014.81	7999.98

DT_ZINC	
LABEL	Zinc, mg
TYPE	num
LENGTH	8
VARNUM	37

DT_ZINC: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_ZINC: Statistics	Value
N	3360.00
MIN	0.49
MAX	107.85
MEAN	9.21
STD	5.22

DT_ZINC: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	2.51	3.80	4.62	6.21	8.33	10.89	14.35	17.12	26.47

DT_COPP	
LABEL	Copper, mg
TYPE	num
LENGTH	8
VARNUM	38

DT_COPP: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_COPP: Statistics	Value
N	3360.00
MIN	0.04
MAX	10.30
MEAN	1.18
STD	0.61

DT_COPP: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.36	0.51	0.60	0.80	1.08	1.40	1.83	2.17	3.34

DT_SEL	
LABEL	Selenium, mcg
TYPE	num
LENGTH	8
VARNUM	39

DT_SEL: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_SEL: Statistics	Value
N	3360.00
MIN	4.68
MAX	1026.25
MEAN	82.30
STD	47.65

DT_SEL: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	21.12	33.47	40.56	55.35	74.23	98.12	126.79	153.57	244.84

DT_VARAE	
LABEL	Vitamin A Retinol Activity Equivalents (RAE), mcg
TYPE	num
LENGTH	8
VARNUM	40

DT_VARAE: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_VARAE: Statistics	Value
N	3360.00
MIN	16.49
MAX	5711.44

DT_VARAE: Statistics	Value
MEAN	728.14
STD	420.15

DT_VARAE: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	140.95	265.11	327.25	457.48	643.60	886.98	1212.42	1462.83	2342.47

DT_RET	
LABEL	Retinol, mcg
TYPE	num
LENGTH	8
VARNUM	41

DT_RET: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_RET: Statistics	Value
N	3360.00
MIN	11.55
MAX	3634.47
MEAN	373.14
STD	246.34

DT_RET: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	68.62	132.08	166.28	234.13	323.94	452.26	609.25	736.01	1215.87

DT_ACARO	
LABEL	Alpha-carotene, mcg
TYPE	num
LENGTH	8
VARNUM	42

DT_ACARO: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_ACARO: Statistics	Value
N	3360.00
MIN	5.09
MAX	5519.76
MEAN	476.46
STD	536.60

DT_ACARO: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	27.97	60.47	87.40	159.60	303.17	564.07	1097.32	1514.17	2537.95

DT_BCARO	
LABEL	Beta-carotene, mcg
TYPE	num
LENGTH	8
VARNUM	43

DT_BCARO: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_BCARO: Statistics	Value
N	3360.00
MIN	54.21
MAX	33396.19
MEAN	4120.60
STD	3390.03

DT_BCARO: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	343.99	794.75	1111.98	1882.62	3237.12	5287.62	8232.23	10513.07	16954.91

DT_CRYPT	
LABEL	Cryptoxanthin, mcg
TYPE	num
LENGTH	8
VARNUM	44

DT_CRYPT: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_CRYPT: Statistics	Value
N	3360.00
MIN	4.76
MAX	1136.87
MEAN	137.15
STD	103.82

DT_CRYPT: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	16.50	32.70	42.51	66.25	111.33	176.63	259.24	319.43	543.91

DT_LYCO	
LABEL	Lycopene, mcg
TYPE	num
LENGTH	8
VARNUM	45

DT_LYCO: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_LYCO: Statistics	Value
N	3360.00
MIN	68.29
MAX	49544.42
MEAN	4226.15
STD	3523.70

DT_LYCO: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	592.97	1094.52	1470.36	2277.92	3427.84	5147.03	7478.57	9680.68	17594.70

DT_LUTZE	
LABEL	Lutein-Zeaxanthin, mcg
TYPE	num
LENGTH	8
VARNUM	46

DT_LUTZE: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_LUTZE: Statistics	Value
N	3360.00
MIN	27.25
MAX	26778.55
MEAN	3287.18
STD	3086.36

DT_LUTZE: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	257.18	578.44	790.93	1347.84	2331.67	4201.33	6989.91	9108.93	15585.65

DT_ATOC	
LABEL	Vitamin E as alpha-tocopherol, mg
TYPE	num
LENGTH	8
VARNUM	47

DT_ATOC: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_ATOC: Statistics	Value
N	3360.00
MIN	0.53
MAX	56.29
MEAN	7.55
STD	4.21

DT_ATOC: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	1.77	2.80	3.39	4.74	6.76	9.34	12.45	15.02	21.85

DT_VITC	
LABEL	Vitamin C, mg
TYPE	num
LENGTH	8
VARNUM	48

DT_VITC: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_VITC: Statistics	Value
N	3360.00
MIN	4.30
MAX	964.34
MEAN	97.99
STD	69.68

DT_VITC: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	17.60	28.71	35.62	54.50	83.70	122.99	172.42	215.84	332.16

DT_THIA	
LABEL	Thiamin (Vitamin B1), mg
TYPE	num
LENGTH	8
VARNUM	49

DT_THIA: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_THIA: Statistics	Value
N	3360.00
MIN	0.09
MAX	13.48
MEAN	1.30
STD	0.73

DT_THIA: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.34	0.52	0.64	0.87	1.16	1.54	2.07	2.49	4.00

DT_RIBO	
LABEL	Riboflavin (Vitamin B2), mg
TYPE	num
LENGTH	8
VARNUM	50

DT_RIBO: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_RIBO: Statistics	Value
N	3360.00
MIN	0.09
MAX	17.15
MEAN	1.78
STD	0.88

DT_RIBO: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.45	0.74	0.91	1.23	1.65	2.13	2.76	3.18	4.86

DT_NIAC	
LABEL	Niacin, mg
TYPE	num
LENGTH	8
VARNUM	51

DT_NIAC: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_NIAC: Statistics	Value
N	3360.00
MIN	1.04
MAX	198.63
MEAN	17.88
STD	10.34

DT_NIAC: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	4.66	7.01	8.49	11.69	15.86	21.52	28.45	34.79	56.29

DT_VITB6	
LABEL	Vitamin B6, mg
TYPE	num
LENGTH	8
VARNUM	52

DT_VITB6: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_VITB6: Statistics	Value
N	3360.00
MIN	0.10
MAX	13.88
MEAN	1.62
STD	0.87

DT_VITB6: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.42	0.63	0.78	1.08	1.45	1.95	2.58	3.13	4.80

DT_VB12	
LABEL	Vitamin B-12, mcg
TYPE	num
LENGTH	8
VARNUM	53

DT_VB12: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_VB12: Statistics	Value
N	3360.00
MIN	0.17
MAX	46.76
MEAN	4.04
STD	2.82

DT_VB12: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.86	1.38	1.75	2.43	3.45	4.77	6.63	8.48	15.44

DT_VITK	
LABEL	Vitamin K as phylloquinone, mcg
TYPE	num
LENGTH	8
VARNUM	54

DT_VITK: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_VITK: Statistics	Value
N	3360.00
MIN	2.24
MAX	1259.64
MEAN	183.90
STD	158.89

DT_VITK: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	18.04	36.44	48.41	79.60	135.39	234.84	374.11	502.75	790.88

DT_FA182	
LABEL	Dietary PUFA (~N-6) 18:2, grams
TYPE	num
LENGTH	8
VARNUM	55

DT_FA182: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_FA182: Statistics	Value
N	3360.00
MIN	0.45
MAX	137.41
MEAN	12.16
STD	7.19

DT_FA182: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	3.08	4.69	5.80	7.72	10.72	14.71	19.91	24.05	35.55

DT_FA183	
LABEL	Dietary PUFA (~N-3) 18:3, grams
TYPE	num
LENGTH	8
VARNUM	56

DT_FA183: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_FA183: Statistics	Value
N	3360.00
MIN	0.05
MAX	13.55

DT_FA183: Statistics	Value
MEAN	1.30
STD	0.81

DT_FA183: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.34	0.49	0.59	0.81	1.12	1.57	2.18	2.63	4.20

DT_FA184	
LABEL	Dietary PUFA 18:4, grams
TYPE	num
LENGTH	8
VARNUM	57

DT_FA184: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_FA184: Statistics	Value
N	3360.00
MIN	0.00
MAX	0.28
MEAN	0.01
STD	0.02

DT_FA184: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.03	0.07

DT_FA204	
LABEL	Dietary PUFA (~N-6) 20:4, grams
TYPE	num
LENGTH	8
VARNUM	58

DT_FA204: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_FA204: Statistics	Value
N	3360.00
MIN	0.01
MAX	1.42
MEAN	0.10
STD	0.08

DT_FA204: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.02	0.03	0.04	0.06	0.09	0.13	0.19	0.23	0.37

DT_FA205	
LABEL	Dietary N-3 PUFA 20:5 (EPA), grams
TYPE	num
LENGTH	8
VARNUM	59

DT_FA205: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_FA205: Statistics	Value
N	3360.00
MIN	0.00
MAX	1.14
MEAN	0.05
STD	0.08

DT_FA205: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.01	0.03	0.06	0.11	0.17	0.38

DT_FA225	
LABEL	Dietary N-3 PUFA 22:5 (DPA), grams
TYPE	num
LENGTH	8
VARNUM	60

DT_FA225: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_FA225: Statistics	Value
N	3360.00
MIN	0.00
MAX	0.25
MEAN	0.01
STD	0.02

DT_FA225: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.01	0.01	0.02	0.03	0.04	0.09

DT_FA226	
LABEL	Dietary N-3 PUFA 22:6 (DHA), grams
TYPE	num
LENGTH	8
VARNUM	61

DT_FA226: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_FA226: Statistics	Value
N	3360.00
MIN	0.00
MAX	1.69
MEAN	0.08
STD	0.11

DT_FA226: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.01	0.01	0.03	0.05	0.10	0.18	0.26	0.55

DT_TOTN6	
LABEL	Avg. daily omega-6 FA, grams
TYPE	num
LENGTH	8
VARNUM	62

DT_TOTN6: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_TOTN6: Statistics	Value
N	3360.00
MIN	0.46
MAX	138.83
MEAN	12.22
STD	7.23

DT_TOTN6: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	3.12	4.72	5.82	7.79	10.79	14.78	19.94	24.10	35.88

DT_TOTN3	
LABEL	Avg. daily omega-3 FA, grams
TYPE	num
LENGTH	8
VARNUM	63

DT_TOTN3: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_TOTN3: Statistics	Value
N	3360.00
MIN	0.05
MAX	15.54
MEAN	1.45
STD	0.91

DT_TOTN3: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.37	0.55	0.67	0.91	1.25	1.74	2.39	3.04	4.67

ADD_SUG	
LABEL	Added sugars, teaspoon equivalents
TYPE	num
LENGTH	8
VARNUM	64

ADD_SUG: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

ADD_SUG: Statistics	Value
N	3360.00
MIN	0.18
MAX	217.73
MEAN	11.99
STD	11.74

ADD_SUG: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	1.69	2.86	3.72	5.48	8.70	14.03	23.77	32.47	57.51

A_BEV	
LABEL	Alcohol drink-equiv. (about 13 g EtOH)
TYPE	num
LENGTH	8
VARNUM	65

A_BEV: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

A_BEV: Statistics	Value
N	3360.00
MIN	0.00
MAX	20.71
MEAN	0.55
STD	1.03

A_BEV: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.19	0.70	1.40	2.27	4.67

DFAT_OIL	
LABEL	Discretionary fat, oil, grams
TYPE	num
LENGTH	8
VARNUM	66

DFAT_OIL: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DFAT_OIL: Statistics	Value
N	3360.00
MIN	0.36
MAX	151.27
MEAN	19.16
STD	11.76

DFAT_OIL: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	3.27	5.44	7.04	10.80	16.90	24.72	33.97	40.83	58.02

DFAT_SOL	
LABEL	Discretionary fat, solid, grams
TYPE	num
LENGTH	8
VARNUM	67

DFAT_SOL: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DFAT_SOL: Statistics	Value
N	3360.00
MIN	2.00
MAX	561.10
MEAN	37.94
STD	24.58

DFAT_SOL: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	8.60	13.63	17.02	23.96	33.04	45.47	62.07	76.78	116.51

D_TOT	
LABEL	Total dairy, milk-equivalent servings
TYPE	num
LENGTH	8
VARNUM	68

D_TOT: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

D_TOT: Statistics	Value
N	3360.00
MIN	0.01
MAX	12.82
MEAN	1.31
STD	0.87

D_TOT: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.15	0.33	0.44	0.73	1.11	1.69	2.39	2.99	4.22

D_MILK	
LABEL	Milk, cups
TYPE	num
LENGTH	8
VARNUM	69

D_MILK: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

D_MILK: Statistics	Value
N	3360.00
MIN	0.00
MAX	7.22
MEAN	0.60
STD	0.64

D_MILK: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.04	0.08	0.10	0.19	0.39	0.78	1.34	1.85	3.25

D_YOGURT	
LABEL	Yogurt, cups
TYPE	num
LENGTH	8
VARNUM	70

D_YOGURT: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

D_YOGURT: Statistics	Value
N	3360.00
MIN	0.00
MAX	0.75
MEAN	0.09
STD	0.12

D_YOGURT: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.01	0.05	0.11	0.27	0.33	0.55

D_CHEESE	
LABEL	Cheese, milk-equivalent servings
TYPE	num
LENGTH	8
VARNUM	71

D_CHEESE: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

D_CHEESE: Statistics	Value
N	3360.00
MIN	0.00
MAX	5.09
MEAN	0.61
STD	0.42

D_CHEESE: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.06	0.13	0.18	0.31	0.51	0.79	1.18	1.40	1.93

G_TOT	
LABEL	Total grains, ounce-equivalents
TYPE	num
LENGTH	8
VARNUM	72

G_TOT: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

G_TOT: Statistics	Value
N	3360.00
MIN	0.07
MAX	60.37

G_TOT: Statistics	Value
MEAN	4.75
STD	3.10

G_TOT: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.76	1.35	1.93	2.87	4.15	5.91	8.00	9.53	15.34

G_WHL	
LABEL	Whole grains, ounce-equivalents
TYPE	num
LENGTH	8
VARNUM	73

G_WHL: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

G_WHL: Statistics	Value
N	3360.00
MIN	0.00
MAX	5.89
MEAN	0.96
STD	0.76

G_WHL: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.05	0.13	0.20	0.40	0.77	1.29	1.93	2.42	3.77

G_NWHL	
LABEL	Non-whole grains, ounce-equivalents
TYPE	num
LENGTH	8
VARNUM	74

G_NWHL: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

G_NWHL: Statistics	Value
N	3360.00
MIN	0.07
MAX	56.98
MEAN	3.80
STD	2.77

G_NWHL: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.62	1.08	1.46	2.19	3.21	4.70	6.57	8.06	13.43

V_TOT	
LABEL	Total vegetables, cups
TYPE	num
LENGTH	8
VARNUM	75

V_TOT: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

V_TOT: Statistics	Value
N	3360.00
MIN	0.03
MAX	11.67
MEAN	1.56
STD	1.00

V_TOT: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.25	0.45	0.57	0.88	1.33	1.97	2.86	3.44	4.86

V_DRKGR	
LABEL	Vegetables dark green leafy, cups
TYPE	num
LENGTH	8
VARNUM	76

V_DRKGR: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

V_DRKGR: Statistics	Value
N	3360.00
MIN	0.00
MAX	2.74
MEAN	0.39
STD	0.38

V_DRKGR: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.01	0.04	0.06	0.13	0.26	0.52	0.85	1.21	1.77

V_DPYEL	
LABEL	Vegetables deep yellow orange, cups
TYPE	num
LENGTH	8
VARNUM	77

V_DPYEL: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

V_DPYEL: Statistics	Value
N	3360.00
MIN	0.00
MAX	2.00
MEAN	0.15
STD	0.16

V_DPYEL: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.01	0.02	0.05	0.09	0.18	0.33	0.46	0.79

V_POTATO	
LABEL	Vegetables potatoes, cups
TYPE	num
LENGTH	8
VARNUM	78

V_POTATO: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

V_POTATO: Statistics	Value
N	3360.00
MIN	0.00
MAX	3.33
MEAN	0.20
STD	0.20

V_POTATO: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.02	0.04	0.05	0.09	0.15	0.25	0.41	0.54	0.96

V_STARCHY	
LABEL	Vegetables starchy, cups
TYPE	num
LENGTH	8
VARNUM	79

V_STARCHY: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

V_STARCHY: Statistics	Value
N	3360.00
MIN	0.00
MAX	0.96
MEAN	0.09
STD	0.08

V_STARCHY: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.01	0.02	0.02	0.04	0.06	0.11	0.18	0.22	0.41

V_TOMATO	
LABEL	Vegetables tomatoes, cups
TYPE	num
LENGTH	8
VARNUM	80

V_TOMATO: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

V_TOMATO: Statistics	Value
N	3360.00
MIN	0.01
MAX	2.54
MEAN	0.24
STD	0.18

V_TOMATO: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.03	0.06	0.08	0.13	0.20	0.30	0.43	0.57	0.86

V_OTHER	
LABEL	Vegetables other, cups
TYPE	num
LENGTH	8
VARNUM	81

V_OTHER: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

V_OTHER: Statistics	Value
N	3360.00
MIN	0.01
MAX	3.36
MEAN	0.49
STD	0.39

V_OTHER: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.05	0.11	0.14	0.23	0.39	0.64	0.97	1.23	1.93

F_TOT	
LABEL	Total fruit, cups
TYPE	num
LENGTH	8
VARNUM	82

F_TOT: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

F_TOT: Statistics	Value
N	3360.00
MIN	0.02
MAX	9.21
MEAN	1.21
STD	0.86

F_TOT: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.13	0.25	0.34	0.56	1.02	1.65	2.32	2.71	3.83

F_CITMLB	
LABEL	Citrus melon berries, cups
TYPE	num
LENGTH	8
VARNUM	83

F_CITMLB: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

F_CITMLB: Statistics	Value
N	3360.00
MIN	0.01
MAX	4.80
MEAN	0.43
STD	0.41

F_CITMLB: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.03	0.07	0.10	0.17	0.31	0.54	0.91	1.19	2.01

F_OTHER	
LABEL	Other fruit, cups
TYPE	num
LENGTH	8
VARNUM	84

F_OTHER: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

F_OTHER: Statistics	Value
N	3360.00
MIN	0.01
MAX	4.78
MEAN	0.79
STD	0.58

F_OTHER: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.06	0.14	0.19	0.34	0.63	1.11	1.61	1.90	2.57

F_SOLID	
LABEL	Solid fruit (not juice), cups
TYPE	num
LENGTH	8
VARNUM	85

F_SOLID: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

F_SOLID: Statistics	Value
N	3360.00
MIN	0.00
MAX	4.17
MEAN	0.90
STD	0.68

F_SOLID: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.06	0.16	0.21	0.38	0.70	1.31	1.90	2.28	2.95

F_JUICE	
LABEL	Juices (including in fruit sodas), cups
TYPE	num
LENGTH	8
VARNUM	86

F_JUICE: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

F_JUICE: Statistics	Value
N	3360.00
MIN	0.00
MAX	5.70
MEAN	0.31
STD	0.50

F_JUICE: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.01	0.02	0.04	0.14	0.35	0.84	1.23	2.31

JUICE100	
LABEL	Juices (only 100% juice), cups
TYPE	num
LENGTH	8
VARNUM	87

JUICE100: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

JUICE100: Statistics	Value
N	3360.00
MIN	0.00
MAX	3.80
MEAN	0.27
STD	0.44

JUICE100: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.02	0.03	0.11	0.29	0.78	1.11	2.04

M_MPF	
LABEL	Meat fish poultry, ounces
TYPE	num
LENGTH	8
VARNUM	88

M_MPF: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

M_MPF: Statistics	Value
N	3360.00
MIN	0.04
MAX	53.97

M_MPF: Statistics	Value
MEAN	2.94
STD	2.54

M_MPF: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.21	0.64	0.96	1.55	2.42	3.62	5.19	6.84	12.18

M_MEAT	
LABEL	Beef pork lamb, ounces
TYPE	num
LENGTH	8
VARNUM	89

M_MEAT: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

M_MEAT: Statistics	Value
N	3360.00
MIN	0.02
MAX	32.82
MEAN	1.15
STD	1.24

M_MEAT: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.07	0.21	0.31	0.54	0.86	1.41	2.14	2.97	5.43

M_ORGAN	
LABEL	Organ meats, ounces
TYPE	num
LENGTH	8
VARNUM	90

M_ORGAN: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

M_ORGAN: Statistics	Value
N	3360.00
MIN	0.00
MAX	1.06
MEAN	0.01
STD	0.06

M_ORGAN: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.05	0.24

M_FRANK	
LABEL	Lunch meats, ounces
TYPE	num
LENGTH	8
VARNUM	91

M_FRANK: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

M_FRANK: Statistics	Value
N	3360.00
MIN	0.00
MAX	6.75
MEAN	0.49
STD	0.55

M_FRANK: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.01	0.05	0.09	0.16	0.32	0.62	1.08	1.47	2.84

M_POULT	
LABEL	Poultry, ounces
TYPE	num
LENGTH	8
VARNUM	92

M_POULT: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

M_POULT: Statistics	Value
N	3360.00
MIN	0.00
MAX	11.63
MEAN	0.82
STD	0.85

M_POULT: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.01	0.09	0.15	0.28	0.56	1.08	1.83	2.30	4.14

M_FISH_HI	
LABEL	Fish seafood, high in omega-3, ounces
TYPE	num
LENGTH	8
VARNUM	93

M_FISH_HI: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

M_FISH_HI: Statistics	Value
N	3360.00
MIN	0.00
MAX	3.25
MEAN	0.14
STD	0.22

M_FISH_HI: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.02	0.07	0.16	0.32	0.51	0.96

M_FISH_LO	
LABEL	Fish seafood, low in omega-3, ounces
TYPE	num
LENGTH	8
VARNUM	94

M_FISH_LO: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

M_FISH_LO: Statistics	Value
N	3360.00
MIN	0.00
MAX	9.15
MEAN	0.33
STD	0.52

M_FISH_LO: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.01	0.03	0.08	0.19	0.38	0.69	1.02	2.49

M_EGG	
LABEL	Eggs, lean meat ounce-equivalents
TYPE	num
LENGTH	8
VARNUM	95

M_EGG: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

M_EGG: Statistics	Value
N	3360.00
MIN	0.00
MAX	3.23
MEAN	0.44
STD	0.41

M_EGG: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.03	0.06	0.09	0.17	0.30	0.58	0.90	1.28	1.97

M_NUTSD	
LABEL	Nuts seeds, lean meat ounce-equivalents
TYPE	num
LENGTH	8
VARNUM	96

M_NUTSD: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

M_NUTSD: Statistics	Value
N	3360.00
MIN	0.00
MAX	5.85
MEAN	0.64
STD	0.71

M_NUTSD: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.01	0.05	0.08	0.18	0.39	0.86	1.51	2.01	3.45

M_SOY	
LABEL	Soy foods, cups
TYPE	num
LENGTH	8
VARNUM	97

M_SOY: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

M_SOY: Statistics	Value
N	3360.00
MIN	0.00
MAX	5.43
MEAN	0.13
STD	0.36

M_SOY: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.01	0.01	0.03	0.09	0.28	0.60	2.01

LEGUMES	
LABEL	Dry beans peas, cups
TYPE	num
LENGTH	8
VARNUM	98

LEGUMES: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

LEGUMES: Statistics	Value
N	3360.00
MIN	0.00
MAX	1.59
MEAN	0.09
STD	0.12

LEGUMES: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.01	0.01	0.02	0.05	0.10	0.19	0.29	0.59

PCTFAT	
LABEL	% of kcal from fat
TYPE	num
LENGTH	8
VARNUM	99

PCTFAT: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

PCTFAT: Statistics	Value
N	3360.00
MIN	14.91
MAX	69.43
MEAN	37.88
STD	6.11

PCTFAT: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	23.12	28.39	30.54	33.86	37.75	41.66	45.33	48.13	53.98

PCTPROT	
LABEL	% of kcal from protein
TYPE	num
LENGTH	8
VARNUM	100

PCTPROT: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

PCTPROT: Statistics	Value
N	3360.00
MIN	4.01
MAX	38.52
MEAN	15.18
STD	2.90

PCTPROT: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	8.63	10.73	11.75	13.37	15.02	16.75	18.69	20.11	23.70

PCTCARB	
LABEL	% of kcal from carbohydrate
TYPE	num
LENGTH	8
VARNUM	101

PCTCARB: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

PCTCARB: Statistics	Value
N	3360.00
MIN	13.02
MAX	77.44
MEAN	46.91
STD	7.60

PCTCARB: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	28.60	34.74	37.74	42.18	46.78	51.67	56.30	59.11	66.79

PCTSWEET	
LABEL	% of kcal from sweets, desserts
TYPE	num
LENGTH	8
VARNUM	102

PCTSWEET: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

PCTSWEET: Statistics	Value
N	3360.00
MIN	0.00
MAX	66.75
MEAN	14.60
STD	9.66

PCTSWEET: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	1.16	3.17	4.53	7.59	12.29	19.34	28.04	33.74	45.35

PCTALCH	
LABEL	% of kcal from alcoholic beverages
TYPE	num
LENGTH	8
VARNUM	103

PCTALCH: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

PCTALCH: Statistics	Value
N	3360.00
MIN	0.00
MAX	42.95
MEAN	2.95
STD	4.48

PCTALCH: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	1.07	4.17	8.38	11.46	21.94

BA_PFAT	
LABEL	% fat kcals, alcoholic beverages not in denominator
TYPE	num
LENGTH	8
VARNUM	104

BA_PFAT: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

BA_PFAT: Statistics	Value
N	3360.00
MIN	15.01
MAX	74.18

BA_PFAT: Statistics	Value
MEAN	39.08
STD	6.37

BA_PFAT: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	24.15	29.33	31.37	34.95	38.87	42.90	46.73	49.71	56.06

BA_PPROT	
LABEL	% protein kcals, alc. beverages not in denominator
TYPE	num
LENGTH	8
VARNUM	105

BA_PPROT: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

BA_PPROT: Statistics	Value
N	3360.00
MIN	4.01
MAX	38.68
MEAN	15.65
STD	2.98

BA_PPROT: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	8.99	11.09	12.17	13.82	15.52	17.27	19.26	20.65	24.54

BA_PCARB	
LABEL	% carbohydrate kcals, alc. beverages not in denom.
TYPE	num
LENGTH	8
VARNUM	106

BA_PCARB: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

BA_PCARB: Statistics	Value
N	3360.00
MIN	13.07
MAX	90.47
MEAN	48.35
STD	7.60

BA_PCARB: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	29.71	36.21	39.15	43.63	48.27	53.15	57.61	60.67	68.03

GR_SOLID_TOT_GM	
LABEL	Grams of solid food
TYPE	num
LENGTH	8
VARNUM	107

GR_SOLID_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_SOLID_TOT_GM: Statistics	Value
N	3360.00
MIN	39.28
MAX	8501.69
MEAN	819.02
STD	417.36

GR_SOLID_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	214.12	328.26	402.07	554.33	758.33	999.78	1269.06	1472.39	2203.40

GR_SOLID_COUNT	
LABEL	Number of solid foods reported consumed
TYPE	num
LENGTH	8
VARNUM	108

GR_SOLID_COUNT: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_SOLID_COUNT: Statistics	Value
N	3360.00
MIN	19.00
MAX	102.00
MEAN	75.11
STD	13.11

GR_SOLID_COUNT: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	34.00	50.00	58.00	68.00	77.00	85.00	90.00	93.00	98.00

GR_SOLID_TOT_FREQUENCY	
LABEL	Avg daily frequency of solid foods (not bevgs)
TYPE	num
LENGTH	8
VARNUM	109

GR_SOLID_TOT_FREQUENCY: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_SOLID_TOT_FREQUENCY: Statistics	Value
N	3360.00
MIN	0.50
MAX	53.38
MEAN	8.88
STD	3.65

GR_SOLID_TOT_FREQUENCY: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	2.53	4.01	4.80	6.44	8.53	10.78	13.18	14.65	20.39

GR_BEANFIBER_TOT_FIBE	
LABEL	Dietary fiber from beans
TYPE	num
LENGTH	8
VARNUM	110

GR_BEANFIBER_TOT_FIBE: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_BEANFIBER_TOT_FIBE: Statistics	Value
N	3360.00
MIN	0.00
MAX	26.96
MEAN	2.02
STD	1.97

GR_BEANFIBER_TOT_FIBE: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.07	0.29	0.44	0.82	1.48	2.56	4.21	5.43	9.75

GR_VEGFRUITFIBER_TOT_FIBE	
LABEL	Dietary fiber from vegetables, fruits
TYPE	num
LENGTH	8
VARNUM	111

GR_VEGFRUITFIBER_TOT_FIBE: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_VEGFRUITFIBER_TOT_FIBE: Statistics	Value
N	3360.00
MIN	0.02
MAX	39.80
MEAN	6.75
STD	4.41

GR_VEGFRUITFIBER_TOT_FIBE: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.98	1.73	2.26	3.39	5.80	9.00	12.50	15.05	20.91

GR_GRAINFIBER_TOT_FIBE	
LABEL	Dietary fiber from grains
TYPE	num
LENGTH	8
VARNUM	112

GR_GRAINFIBER_TOT_FIBE: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_GRAINFIBER_TOT_FIBE: Statistics	Value
N	3360.00
MIN	0.09
MAX	55.66
MEAN	6.19
STD	3.95

GR_GRAINFIBER_TOT_FIBE: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.82	1.66	2.34	3.61	5.48	7.83	10.66	13.13	19.73

SUP_VITA	
LABEL	Vit A from supplements
TYPE	num
LENGTH	8
VARNUM	113

SUP_VITA: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

SUP_VITA: Statistics	Value
N	3360.00
MIN	0.00
MAX	6033.00
MEAN	862.18
STD	861.53

SUP_VITA: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	1082.14	1515.00	1515.00	2597.14	3030.00

SUP_VITC	
LABEL	Vit C from supplements
TYPE	num
LENGTH	8
VARNUM	114

SUP_VITC: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

SUP_VITC: Statistics	Value
N	3360.00
MIN	0.00
MAX	3085.00
MEAN	98.46
STD	207.86

SUP_VITC: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	60.00	85.00	184.99	488.93	1060.00

SUP_VITD	
LABEL	Vit D from supplements
TYPE	num
LENGTH	8
VARNUM	115

SUP_VITD: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

SUP_VITD: Statistics	Value
N	3360.00
MIN	0.00
MAX	800.00
MEAN	164.26
STD	176.51

SUP_VITD: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	142.86	200.00	400.00	600.00	742.86

SUP_VITE	
LABEL	Vit E from supplements
TYPE	num
LENGTH	8
VARNUM	116

SUP_VITE: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

SUP_VITE: Statistics	Value
N	3360.00
MIN	0.00
MAX	656.36

SUP_VITE: Statistics	Value
MEAN	7.81
STD	26.71

SUP_VITE: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	3.86	5.00	14.50	20.10	102.86

SUP_IRON	
LABEL	Iron from supplements
TYPE	num
LENGTH	8
VARNUM	117

SUP_IRON: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

SUP_IRON: Statistics	Value
N	3360.00
MIN	0.00
MAX	110.00
MEAN	16.01
STD	20.97

SUP_IRON: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	7.71	27.00	32.14	65.00	92.00

SUP_CA	
LABEL	Calcium from supplements
TYPE	num
LENGTH	8
VARNUM	118

SUP_CA: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

SUP_CA: Statistics	Value
N	3360.00
MIN	0.00
MAX	1280.00
MEAN	116.16
STD	248.08

SUP_CA: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	28.57	99.99	285.71	754.29	1240.00

SUP_ZINC	
LABEL	Zinc from supplements
TYPE	num
LENGTH	8
VARNUM	119

SUP_ZINC: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

SUP_ZINC: Statistics	Value
N	3360.00
MIN	0.00
MAX	76.00
MEAN	6.77
STD	8.52

SUP_ZINC: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	4.29	11.00	15.00	16.10	46.71

SUP_BCAR	
LABEL	Beta-carotene from supplements
TYPE	num
LENGTH	8
VARNUM	120

SUP_BCAR: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

SUP_BCAR: Statistics	Value
N	3360.00
MIN	0.00
MAX	26200.00
MEAN	332.75
STD	1678.53

SUP_BCAR: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	119.98	1200.00	1200.00	2619.63

SUP_B1	
LABEL	B-1 (Thiamin) from supplements
TYPE	num
LENGTH	8
VARNUM	121

SUP_B1: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

SUP_B1: Statistics	Value
N	3360.00
MIN	0.00
MAX	12.90
MEAN	1.17
STD	1.97

SUP_B1: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	1.00	1.40	2.07	2.90	11.50

SUP_B6	
LABEL	B-6 from supplements
TYPE	num
LENGTH	8
VARNUM	122

SUP_B6: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

SUP_B6: Statistics	Value
N	3360.00
MIN	0.00
MAX	8.90
MEAN	1.26
STD	1.43

SUP_B6: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	1.36	1.90	2.10	3.90	7.00

SUP_B12	
LABEL	B-12 from supplements
TYPE	num
LENGTH	8
VARNUM	123

SUP_B12: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

SUP_B12: Statistics	Value
N	3360.00
MIN	0.00
MAX	20.60
MEAN	2.44
STD	3.28

SUP_B12: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	1.86	2.60	6.00	8.60	18.00

SUP_FOL	
LABEL	Folic acid from supplements
TYPE	num
LENGTH	8
VARNUM	124

SUP_FOL: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

SUP_FOL: Statistics	Value
N	3360.00
MIN	0.00
MAX	1800.00
MEAN	337.65
STD	335.04

SUP_FOL: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	285.71	600.00	714.29	1000.00	1400.00

SUP_CU	
LABEL	Copper from supplements
TYPE	num
LENGTH	8
VARNUM	125

SUP_CU: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

SUP_CU: Statistics	Value
N	3360.00
MIN	0.00
MAX	3.00
MEAN	0.61
STD	0.70

SUP_CU: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.30	1.00	1.43	2.00	3.00

SUP_SE	
LABEL	Selenium from supplements
TYPE	num
LENGTH	8
VARNUM	126

SUP_SE: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

SUP_SE: Statistics	Value
N	3360.00
MIN	0.00
MAX	280.00
MEAN	26.89
STD	30.16

SUP_SE: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	17.14	60.00	60.00	60.00	80.00

SUP_B2	
LABEL	Riboflavin from supplements
TYPE	num
LENGTH	8
VARNUM	127

SUP_B2: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

SUP_B2: Statistics	Value
N	3360.00
MIN	0.00
MAX	13.10
MEAN	1.20
STD	1.99

SUP_B2: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	1.00	1.40	2.21	3.10	11.70

SUP_MG	
LABEL	Magnesium from supplements
TYPE	num
LENGTH	8
VARNUM	128

SUP_MG: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

SUP_MG: Statistics	Value
N	3360.00
MIN	0.00
MAX	100.00
MEAN	16.21
STD	33.80

SUP_MG: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	100.00	100.00	100.00

SUP_NIAC	
LABEL	Niacin from supplements
TYPE	num
LENGTH	8
VARNUM	129

SUP_NIAC: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

SUP_NIAC: Statistics	Value
N	3360.00
MIN	0.00
MAX	138.00
MEAN	14.05
STD	20.98

SUP_NIAC: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	12.86	18.00	27.14	38.00	120.00

SUP_OM_3	
LABEL	Omega-3 fatty acids from supplements
TYPE	num
LENGTH	8
VARNUM	130

SUP_OM_3: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

SUP_OM_3: Statistics	Value
N	3360.00
MIN	0.00
MAX	0.50
MEAN	0.05
STD	0.13

SUP_OM_3: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.50	0.50

SUP_OM_6	
LABEL	Omega-6 fatty acids from supplements
TYPE	num
LENGTH	8
VARNUM	131

SUP_OM_6: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

SUP_OM_6: Statistics	Value
N	3360.00
MIN	0.00
MAX	0.10
MEAN	0.01
STD	0.03

SUP_OM_6: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.10	0.10

GR_BREAKSAND_TOT_GM	
LABEL	Breakfast egg sandwich, grams
TYPE	num
LENGTH	8
VARNUM	132

GR_BREAKSAND_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_BREAKSAND_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	233.17
MEAN	11.20
STD	20.13

GR_BREAKSAND_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	2.62	2.62	12.23	24.46	45.43	116.58

GR_OTHEREGGS_TOT_GM	
LABEL	Other eggs, grams
TYPE	num
LENGTH	8
VARNUM	133

GR_OTHEREGGS_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_OTHEREGGS_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	150.00
MEAN	15.60
STD	20.94

GR_OTHEREGGS_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	1.67	7.69	21.66	43.33	64.99	100.00

GR_ENRICHEDEGGS_TOT_GM	
LABEL	Enriched eggs, grams
TYPE	num
LENGTH	8
VARNUM	134

GR_ENRICHEDEGGS_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_ENRICHEDEGGS_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	150.00
MEAN	3.16
STD	12.51

GR_ENRICHEDEGGS_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	7.42	21.66	73.32

GR_SAUSAGE_TOT_GM	
LABEL	Breakfast sausage, grams
TYPE	num
LENGTH	8
VARNUM	135

GR_SAUSAGE_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_SAUSAGE_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	81.00
MEAN	3.17
STD	6.69

GR_SAUSAGE_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.45	0.90	3.86	7.71	15.43	35.09

GR_BACON_TOT_GM	
LABEL	Bacon, grams
TYPE	num
LENGTH	8
VARNUM	136

GR_BACON_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_BACON_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	32.00
MEAN	1.63
STD	2.91

GR_BACON_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.26	0.62	1.85	3.43	6.86	13.86

GR_PANCAKES_TOT_GM	
LABEL	Pancakes, grams
TYPE	num
LENGTH	8
VARNUM	137

GR_PANCAKES_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_PANCAKES_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	126.00
MEAN	7.21
STD	10.65

GR_PANCAKES_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.69	1.38	3.23	6.46	18.00	24.00	54.59

GR_COOKEDCEREAL_TOT_GM	
LABEL	Cooked Cereal, grams
TYPE	num
LENGTH	8
VARNUM	138

GR_COOKEDCEREAL_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_COOKEDCEREAL_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	468.00
MEAN	24.40
STD	41.44

GR_COOKEDCEREAL_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	1.93	7.80	33.43	66.86	101.39	202.77

GR_LCCEREAL_TOT_GM	
LABEL	Cold cereal - Low-carb, grams
TYPE	num
LENGTH	8
VARNUM	139

GR_LCCEREAL_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_LCCEREAL_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	30.00
MEAN	0.18
STD	1.44

GR_LCCEREAL_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.50

GR_CHEERIOS_TOT_GM	
LABEL	Cold cereal - Cheerios, grams
TYPE	num
LENGTH	8
VARNUM	140

GR_CHEERIOS_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_CHEERIOS_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	80.00
MEAN	3.45
STD	7.24

GR_CHEERIOS_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	3.08	11.43	17.33	40.00

GR_TOT_TOT_GM	
LABEL	Cold cereal - Total, grams
TYPE	num
LENGTH	8
VARNUM	141

GR_TOT_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_TOT_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	20.00
MEAN	0.06
STD	0.82

GR_TOT_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67

GR_FIBERONE_TOT_GM	
LABEL	Cold cereal - Fiber, grams
TYPE	num
LENGTH	8
VARNUM	142

GR_FIBERONE_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_FIBERONE_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	45.00
MEAN	0.23
STD	2.14

GR_FIBERONE_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.43

GR_PRODUCT19_TOT_GM	
LABEL	Cold cereal - Product 19, grams
TYPE	num
LENGTH	8
VARNUM	143

GR_PRODUCT19_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_PRODUCT19_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	17.33
MEAN	0.01
STD	0.35

GR_PRODUCT19_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

GR_ALLBRAN_TOT_GM	
LABEL	Cold cereal - Bran, grams
TYPE	num
LENGTH	8
VARNUM	144

GR_ALLBRAN_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_ALLBRAN_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	50.00
MEAN	0.14
STD	1.71

GR_ALLBRAN_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.14

GR_OTHERFIBER_TOT_GM	
LABEL	Cold cereal - Other fiber, grams
TYPE	num
LENGTH	8
VARNUM	145

GR_OTHERFIBER_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_OTHERFIBER_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	80.00
MEAN	1.27
STD	5.01

GR_OTHERFIBER_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	2.15	8.00	28.00

GR_SWEETENED_TOT_GM	
LABEL	Cold cereal - Sweetened, grams
TYPE	num
LENGTH	8
VARNUM	146

GR_SWEETENED_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_SWEETENED_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	80.00
MEAN	2.44
STD	7.06

GR_SWEETENED_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.67	8.67	14.66	34.66

GR_CORNFLAKES_TOT_GM	
LABEL	Cold cereal - Other, grams
TYPE	num
LENGTH	8
VARNUM	147

GR_CORNFLAKES_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_CORNFLAKES_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	60.00
MEAN	1.51
STD	4.23

GR_CORNFLAKES_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.50	4.33	8.57	22.00

GR_YOGURT_TOT_GM	
LABEL	Yogurt, grams
TYPE	num
LENGTH	8
VARNUM	148

GR_YOGURT_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_YOGURT_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	227.00
MEAN	27.88
STD	36.72

GR_YOGURT_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	3.77	16.14	32.43	82.85	98.35	166.44

GR_COTTAGECHEESE_TOT_GM	
LABEL	Cottage cheese, grams
TYPE	num
LENGTH	8
VARNUM	149

GR_COTTAGECHEESE_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_COTTAGECHEESE_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	210.00
MEAN	5.25
STD	14.29

GR_COTTAGECHEESE_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.87	3.50	15.00	30.00	76.99

GR_CHEESE_TOT_GM	
LABEL	Cheese, grams
TYPE	num
LENGTH	8
VARNUM	150

GR_CHEESE_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_CHEESE_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	72.00
MEAN	13.45
STD	15.89

GR_CHEESE_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.20	6.86	20.80	35.19	48.00	72.00

GR_LFCHEESE_TOT_GM	
LABEL	Low-fat Cheese, grams
TYPE	num
LENGTH	8
VARNUM	151

GR_LFCHEESE_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_LFCHEESE_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	72.00
MEAN	2.88
STD	8.00

GR_LFCHEESE_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	10.40	20.80	35.19

GR_BANANA_TOT_GM	
LABEL	Bananas, grams
TYPE	num
LENGTH	8
VARNUM	152

GR_BANANA_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_BANANA_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	118.00
MEAN	21.18
STD	24.22

GR_BANANA_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.98	3.93	11.62	33.71	51.13	83.25	118.00

GR_APPLESPEARS_TOT_GM	
LABEL	Apples, grams
TYPE	num
LENGTH	8
VARNUM	153

GR_APPLESPEARS_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_APPLESPEARS_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	212.00
MEAN	23.09
STD	27.54

GR_APPLESPEARS_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.45	2.13	4.60	10.62	32.82	59.79	78.42	138.00

GR_ORANGES_TOT_GM	
LABEL	Oranges, grams
TYPE	num
LENGTH	8
VARNUM	154

GR_ORANGES_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_ORANGES_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	192.00
MEAN	13.94
STD	19.15

GR_ORANGES_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.77	2.16	7.49	18.71	37.43	56.76	96.05

GR_GRAPEFRUIT_TOT_GM	
LABEL	Grapefruit, grams
TYPE	num
LENGTH	8
VARNUM	155

GR_GRAPEFRUIT_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_GRAPEFRUIT_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	256.00

GR_GRAPEFRUIT_TOT_GM: Statistics	Value
MEAN	3.76
STD	12.40

GR_GRAPEFRUIT_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	2.36	8.53	19.69	55.46

GR_PEACHES_TOT_GM	
LABEL	Peaches, raw, grams
TYPE	num
LENGTH	8
VARNUM	156

GR_PEACHES_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_PEACHES_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	84.92
MEAN	4.77
STD	8.64

GR_PEACHES_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.68	1.62	5.49	11.90	21.02	42.46

GR_CANTALOUPE_TOT_GM	
LABEL	Cantaloupe, in season, grams
TYPE	num
LENGTH	8
VARNUM	157

GR_CANTALOUPE_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_CANTALOUPE_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	128.58
MEAN	3.97
STD	8.05

GR_CANTALOUPE_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	1.40	4.60	10.62	16.48	39.43

GR_STRAWBERRIES_TOT_GM	
LABEL	Strawberries, in season, grams
TYPE	num
LENGTH	8
VARNUM	158

GR_STRAWBERRIES_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_STRAWBERRIES_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	152.00
MEAN	11.89
STD	17.47

GR_STRAWBERRIES_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.36	0.78	2.40	5.54	15.36	31.20	43.43	83.48

GR_WATERMELON_TOT_GM	
LABEL	Watermelon, in season, grams
TYPE	num
LENGTH	8
VARNUM	159

GR_WATERMELON_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_WATERMELON_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	222.90
MEAN	5.11
STD	12.07

GR_WATERMELON_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.63	1.50	5.01	11.69	21.71	53.11

GR_OTHERFRUIT_TOT_GM	
LABEL	Other fresh fruit, grams
TYPE	num
LENGTH	8
VARNUM	160

GR_OTHERFRUIT_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_OTHERFRUIT_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	160.00
MEAN	9.98
STD	15.49

GR_OTHERFRUIT_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.66	1.33	4.53	11.43	22.86	35.32	69.32

GR_CANNEDFRUIT_TOT_GM	
LABEL	Canned fruit, grams
TYPE	num
LENGTH	8
VARNUM	161

GR_CANNEDFRUIT_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_CANNEDFRUIT_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	648.07
MEAN	31.20
STD	57.71

GR_CANNEDFRUIT_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.52	4.22	37.87	103.38	151.82	243.40

GR_BROCCOLI_TOT_GM	
LABEL	Broccoli, grams
TYPE	num
LENGTH	8
VARNUM	162

GR_BROCCOLI_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_BROCCOLI_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	188.00
MEAN	13.15
STD	18.89

GR_BROCCOLI_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.73	2.32	7.23	14.42	29.23	53.65	81.46

GR_CARROTS_TOT_GM	
LABEL	Carrots, grams
TYPE	num
LENGTH	8
VARNUM	163

GR_CARROTS_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_CARROTS_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	146.00
MEAN	9.40
STD	14.45

GR_CARROTS_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.48	1.35	4.33	10.43	21.26	32.34	63.26

GR_CORN_TOT_GM	
LABEL	Corn, grams
TYPE	num
LENGTH	8
VARNUM	164

GR_CORN_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_CORN_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	123.92
MEAN	7.25
STD	10.99

GR_CORN_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.18	0.69	1.40	3.25	8.18	18.20	24.00	50.88

GR_BEANSPEAS_TOT_GM	
LABEL	Green beans, grams
TYPE	num
LENGTH	8
VARNUM	165

GR_BEANSPEAS_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_BEANSPEAS_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	102.65
MEAN	8.57
STD	12.27

GR_BEANSPEAS_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.44	1.31	5.00	10.00	20.00	30.33	60.66

GR_SPINACHCOOKED_TOT_GM	
LABEL	Spinach, grams
TYPE	num
LENGTH	8
VARNUM	166

GR_SPINACHCOOKED_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_SPINACHCOOKED_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	195.00
MEAN	5.53
STD	13.76

GR_SPINACHCOOKED_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	1.31	4.38	14.00	28.00	71.86

GR_GREENS_TOT_GM	
LABEL	Greens, grams
TYPE	num
LENGTH	8
VARNUM	167

GR_GREENS_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_GREENS_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	133.00
MEAN	2.00
STD	7.15

GR_GREENS_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	1.27	4.43	9.34	38.00

GR_SWEETPOTATOES_TOT_GM	
LABEL	Sweet potato, grams
TYPE	num
LENGTH	8
VARNUM	168

GR_SWEETPOTATOES_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_SWEETPOTATOES_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	205.00
MEAN	5.84
STD	12.59

GR_SWEETPOTATOES_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.82	1.65	7.14	14.29	28.57	58.57

GR_FRIES_TOT_GM	
LABEL	French Fries, grams
TYPE	num
LENGTH	8
VARNUM	169

GR_FRIES_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_FRIES_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	194.00
MEAN	11.63
STD	15.99

GR_FRIES_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.82	1.40	2.83	6.54	12.14	24.29	38.29	84.05

GR_POTATOES_TOT_GM	
LABEL	Other potatoes, grams
TYPE	num
LENGTH	8
VARNUM	170

GR_POTATOES_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_POTATOES_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	244.00
MEAN	10.13
STD	13.25

GR_POTATOES_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.99	1.32	2.67	6.15	11.43	22.86	34.86	52.86

GR_STARCHVEG_TOT_GM	
LABEL	Starchy foods (cassava, manioc, plantains), grams
TYPE	num
LENGTH	8
VARNUM	171

GR_STARCHVEG_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_STARCHVEG_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	100.45
MEAN	0.90
STD	4.17

GR_STARCHVEG_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	1.42	4.54	19.57

GR_COLESLAWCABBAGE_TOT_GM	
LABEL	Cole slaw, grams
TYPE	num
LENGTH	8
VARNUM	172

GR_COLESLAWCABBAGE_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_COLESLAWCABBAGE_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	134.91
MEAN	2.50
STD	6.44

GR_COLESLAWCABBAGE_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.76	2.25	6.13	11.04	26.29

GR_GREENSALAD_TOT_GM	
LABEL	Green salad, grams
TYPE	num
LENGTH	8
VARNUM	173

GR_GREENSALAD_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_GREENSALAD_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	274.00
MEAN	43.85
STD	50.50

GR_GREENSALAD_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	1.12	4.52	9.71	21.08	59.36	118.72	137.00	274.00

GR_TOMATOES_TOT_GM	
LABEL	Tomatoes, grams
TYPE	num
LENGTH	8
VARNUM	174

GR_TOMATOES_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_TOMATOES_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	105.00
MEAN	7.16
STD	12.06

GR_TOMATOES_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.37	2.63	8.08	19.71	30.00	56.99

GR_SALADDRESSINGREGULAR_TOT_GM	
LABEL	Salad dressing, regular, grams
TYPE	num
LENGTH	8
VARNUM	175

GR_SALADDRESSINGREGULAR_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_SALADDRESSINGREGULAR_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	62.40
MEAN	5.39
STD	7.88

GR_SALADDRESSIN GREGULAR_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	2.40	8.91	13.52	22.88	34.32

GR_LOCARBDRESS_TOT_GM	
LABEL	Salad dressing, low carb, grams
TYPE	num
LENGTH	8
VARNUM	176

GR_LOCARBDRESS_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_LOCARBDRESS_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	31.20
MEAN	0.29
STD	2.14

GR_LOCARBDRESS_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	13.52

GR_LOFATDRESS_TOT_GM	
LABEL	Salad dressing, low fat, grams
TYPE	num
LENGTH	8
VARNUM	177

GR_LOFATDRESS_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_LOFATDRESS_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	46.80
MEAN	2.23
STD	5.52

GR_LOFATDRESS_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.51	8.91	13.52	22.88

GR_AVOCADO_TOT_GM	
LABEL	Avocado, guacamole, grams
TYPE	num
LENGTH	8
VARNUM	178

GR_AVOCADO_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_AVOCADO_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	57.50
MEAN	4.05
STD	6.29

GR_AVOCADO_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.29	1.61	4.42	12.32	16.43	31.62

GR_WINTERSQUASH_TOT_GM	
LABEL	Winter squash, grams
TYPE	num
LENGTH	8
VARNUM	179

GR_WINTERSQUASH_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_WINTERSQUASH_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	184.75
MEAN	3.47
STD	9.21

GR_WINTERSQUASH_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.71	2.60	9.88	18.36	36.71

GR_COOKEDPEPPERS_TOT_GM	
LABEL	Cooked green peppers, grams
TYPE	num
LENGTH	8
VARNUM	180

GR_COOKEDPEPPERS_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_COOKEDPEPPERS_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	80.69
MEAN	3.28
STD	7.15

GR_COOKEDPEPPERS_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.91	2.71	10.05	15.27	40.29

GR_OTHERVEGGIES_TOT_GM	
LABEL	Other vegetables, grams
TYPE	num
LENGTH	8
VARNUM	181

GR_OTHERVEGGIES_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_OTHERVEGGIES_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	557.56
MEAN	29.08
STD	53.58

GR_OTHERVEGGIES_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.94	5.54	33.42	85.49	132.20	278.37

GR_REFRIEDBEANS_TOT_GM	
LABEL	Refried beans, grams
TYPE	num
LENGTH	8
VARNUM	182

GR_REFRIEDBEANS_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_REFRIEDBEANS_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	185.51
MEAN	6.00
STD	13.45

GR_REFRIEDBEANS_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	2.09	4.85	18.00	19.46	72.29

GR_PINTOBEANS_TOT_GM	
LABEL	Other beans, grams
TYPE	num
LENGTH	8
VARNUM	183

GR_PINTOBEANS_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_PINTOBEANS_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	263.96
MEAN	9.03
STD	16.23

GR_PINTOBEANS_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	1.47	3.46	6.85	25.43	38.56	77.99

GR_VEGGIESTEW_TOT_GM	
LABEL	Vegetable stew, grams
TYPE	num
LENGTH	8
VARNUM	184

GR_VEGGIESTEW_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_VEGGIESTEW_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	494.00
MEAN	6.37
STD	19.91

GR_VEGGIESTEW_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	2.04	4.13	16.46	19.00	107.02

GR_VEGSOUP_TOT_GM	
LABEL	Vegetable soup, grams
TYPE	num
LENGTH	8
VARNUM	185

GR_VEGSOUP_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_VEGSOUP_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	496.00
MEAN	11.25
STD	23.15

GR_VEGSOUP_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	2.98	3.97	8.18	25.86	38.15	104.42

GR_PEASOUP_TOT_GM	
LABEL	Bean soup, grams
TYPE	num
LENGTH	8
VARNUM	186

GR_PEASOUP_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_PEASOUP_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	371.01
MEAN	5.93
STD	18.27

GR_PEASOUP_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	4.09	14.62	27.14	82.32

GR_OTHERSOUP_TOT_GM	
LABEL	Other soup, grams
TYPE	num
LENGTH	8
VARNUM	187

GR_OTHERSOUP_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_OTHERSOUP_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	488.00
MEAN	15.32
STD	28.44

GR_OTHERSOUP_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	2.97	6.00	18.77	34.86	69.71	139.43

GR_PIZZA_TOT_GM	
LABEL	Pizza, grams
TYPE	num
LENGTH	8
VARNUM	188

GR_PIZZA_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_PIZZA_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	340.00
MEAN	20.36
STD	24.03

GR_PIZZA_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	2.80	2.83	5.67	13.08	24.29	36.43	55.45	110.48

GR_SPAGHETTIWMEAT_TOT_GM	
LABEL	Spaghetti with meat sauce, grams
TYPE	num
LENGTH	8
VARNUM	189

GR_SPAGHETTIWMEAT_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_SPAGHETTIWMEAT_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	496.00
MEAN	22.85
STD	30.29

GR_SPAGHETTIWMEAT_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	4.09	16.53	35.43	53.14	70.86	141.71

GR_MEATLESSSPAGHETTI_TOT_GM	
LABEL	Spaghetti, no meat, grams
TYPE	num
LENGTH	8
VARNUM	190

GR_MEATLESSSPAGHETTI_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_MEATLESSSPAGHETTI_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	363.68
MEAN	6.42
STD	20.67

GR_MEATLESSSPAGHETTI_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	19.08	35.43	107.45

GR_MACARONI_TOT_GM	
LABEL	Mac N Cheese, grams
TYPE	num
LENGTH	8
VARNUM	191

GR_MACARONI_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_MACARONI_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	486.00
MEAN	14.45
STD	26.55

GR_MACARONI_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	4.01	8.10	18.69	34.71	52.86	105.28

GR_OTHERNOODLES_TOT_GM	
LABEL	Other noodles, grams
TYPE	num
LENGTH	8
VARNUM	192

GR_OTHERNOODLES_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_OTHERNOODLES_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	138.65
MEAN	7.30
STD	12.67

GR_OTHERNOODLES_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	1.32	2.67	6.15	22.86	24.62	69.32

GR_TOFU_TOT_GM	
LABEL	Tofu, grams
TYPE	num
LENGTH	8
VARNUM	193

GR_TOFU_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_TOFU_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	181.84
MEAN	2.46
STD	10.33

GR_TOFU_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.92	4.13	9.54	53.73

GR_MEATSUBSTITUTE_TOT_GM	
LABEL	Meat substitutes, grams
TYPE	num
LENGTH	8
VARNUM	194

GR_MEATSUBSTITUTE_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_MEATSUBSTITUTE_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	140.00
MEAN	2.54
STD	9.67

GR_MEATSUBSTITUTE_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	1.15	5.38	10.00	51.33

GR_CHEESEBURGER_TOT_GM	
LABEL	Hamburger (cheeseburger), grams
TYPE	num
LENGTH	8
VARNUM	195

GR_CHEESEBURGER_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_CHEESEBURGER_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	177.00
MEAN	7.19
STD	11.07

GR_CHEESEBURGER_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	1.34	4.30	9.92	18.43	23.14	55.89

GR_REGULARHAMBURGER_TOT_GM	
LABEL	Hamburger (no cheese), grams
TYPE	num
LENGTH	8
VARNUM	196

GR_REGULARHAMBURGER_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_REGULARHAMBURGER_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	77.72
MEAN	0.79
STD	3.24

GR_REGULARHAMBURGER_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	1.93	4.46	15.14

GR_HOTDOG_TOT_GM	
LABEL	Hot dogs, grams
TYPE	num
LENGTH	8
VARNUM	197

GR_HOTDOG_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_HOTDOG_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	114.00
MEAN	3.45
STD	7.11

GR_HOTDOG_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	1.88	4.38	8.77	13.15	32.57

GR_LFHOTDOG_TOT_GM	
LABEL	Hot dogs, low fat, grams
TYPE	num
LENGTH	8
VARNUM	198

GR_LFHOTDOG_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_LFHOTDOG_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	48.86
MEAN	0.46
STD	1.91

GR_LFHOTDOG_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.94	1.90	8.77

GR_BOLOGNA_TOT_GM	
LABEL	Lunch Meats, grams
TYPE	num
LENGTH	8
VARNUM	199

GR_BOLOGNA_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_BOLOGNA_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	112.00
MEAN	4.74
STD	9.64

GR_BOLOGNA_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.93	4.31	16.00	24.26	48.53

GR_LFBOLOGNA_TOT_GM	
LABEL	Lunch Meats, low fat, grams
TYPE	num
LENGTH	8
VARNUM	200

GR_LFBOLOGNA_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_LFBOLOGNA_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	82.12
MEAN	2.72
STD	7.83

GR_LFBOLOGNA_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.92	8.00	16.00	41.06

GR_MEATLOAF_TOT_GM	
LABEL	Meat loaf, grams
TYPE	num
LENGTH	8
VARNUM	201

GR_MEATLOAF_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_MEATLOAF_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	56.00
MEAN	2.69
STD	4.22

GR_MEATLOAF_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.92	1.86	3.77	7.53	8.69	17.38

GR_STEAK_TOT_GM	
LABEL	Beef, fat not spec, grams
TYPE	num
LENGTH	8
VARNUM	202

GR_STEAK_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_STEAK_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	175.97
MEAN	2.16
STD	7.68

GR_STEAK_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	6.54	13.08	36.83

GR_BEEFEATFAT_TOT_GM	
LABEL	Beef, fat not trimmed, grams
TYPE	num
LENGTH	8
VARNUM	203

GR_BEEFEATFAT_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_BEEFEATFAT_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	170.00
MEAN	1.03
STD	6.86

GR_BEEFEATFAT_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.85	24.29

GR_BEEFTRIMFAT_TOT_GM	
LABEL	Beef, fat trimmed, grams
TYPE	num
LENGTH	8
VARNUM	204

GR_BEEFTRIMFAT_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_BEEFTRIMFAT_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	170.00
MEAN	4.01
STD	8.71

GR_BEEFTRIMFAT_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	1.40	5.67	12.14	14.29	36.83

GR_TACOS_TOT_GM	
LABEL	Tacos, grams
TYPE	num
LENGTH	8
VARNUM	205

GR_TACOS_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_TACOS_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	284.00
MEAN	14.00
STD	17.81

GR_TACOS_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	1.29	3.26	11.14	15.23	28.29	44.57	85.79

GR_RIBS_TOT_GM	
LABEL	Ribs, grams
TYPE	num
LENGTH	8
VARNUM	206

GR_RIBS_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_RIBS_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	224.37
MEAN	2.57
STD	7.16

GR_RIBS_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	1.48	2.49	5.04	7.43	25.71

GR_PORK_TOT_GM	
LABEL	Pork, fat not spec, grams
TYPE	num
LENGTH	8
VARNUM	207

GR_PORK_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_PORK_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	201.00
MEAN	1.44
STD	5.92

GR_PORK_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	3.92	7.29	24.00

GR_PORKEATFAT_TOT_GM	
LABEL	Pork, fat not trimmed, grams
TYPE	num
LENGTH	8
VARNUM	208

GR_PORKEATFAT_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_PORKEATFAT_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	127.00
MEAN	0.64
STD	4.64

GR_PORKEATFAT_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.80	12.00

GR_PORKTRIMFAT_TOT_GM	
LABEL	Pork, fat trimmed, grams
TYPE	num
LENGTH	8
VARNUM	209

GR_PORKTRIMFAT_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_PORKTRIMFAT_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	61.59
MEAN	2.52
STD	5.11

GR_PORKTRIMFAT_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.84	2.80	6.46	12.00	24.00

GR_VEAL_TOT_GM	
LABEL	Veal, lamb, grams
TYPE	num
LENGTH	8
VARNUM	210

GR_VEAL_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_VEAL_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	230.00
MEAN	1.23
STD	6.51

GR_VEAL_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.86	1.68	3.79	17.69

GR_LIVER_TOT_GM	
LABEL	Liver, grams
TYPE	num
LENGTH	8
VARNUM	211

GR_LIVER_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_LIVER_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	40.33
MEAN	0.34
STD	2.25

GR_LIVER_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.40	7.86

GR_FEET_TOT_GM	
LABEL	Pigs feet, variety meats, grams
TYPE	num
LENGTH	8
VARNUM	212

GR_FEET_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_FEET_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	60.66
MEAN	0.32
STD	2.35

GR_FEET_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.84	1.15	5.38

GR_MENUDO_TOT_GM	
LABEL	Menudo, grams
TYPE	num
LENGTH	8
VARNUM	213

GR_MENUDO_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_MENUDO_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	211.44
MEAN	1.45
STD	8.11

GR_MENUDO_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	2.01	8.04	34.86

GR_MIXEDBEEFPORK_TOT_GM	
LABEL	Other beef dish, grams
TYPE	num
LENGTH	8
VARNUM	214

GR_MIXEDBEEFPORK_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_MIXEDBEEFPORK_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	504.00
MEAN	6.35
STD	17.02

GR_MIXEDBEEFPORK_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	2.08	4.20	18.00	19.38	72.00

GR_FRIEDCHICKEN_TOT_GM	
LABEL	Fried chicken, skin not spec, grams
TYPE	num
LENGTH	8
VARNUM	215

GR_FRIEDCHICKEN_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_FRIEDCHICKEN_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	172.00
MEAN	2.42
STD	7.80

GR_FRIEDCHICKEN_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	1.40	6.54	12.14	36.83

GR_FRYCHIXNOSKIN_TOT_GM	
LABEL	Fried chicken, no skin, grams
TYPE	num
LENGTH	8
VARNUM	216

GR_FRYCHIXNOSKIN_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_FRYCHIXNOSKIN_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	126.12
MEAN	2.51
STD	6.95

GR_FRYCHIXNOSKIN_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	2.83	6.54	12.14	36.83

GR_FRYCHIXSKINON_TOT_GM	
LABEL	Fried chicken, skin eaten, grams
TYPE	num
LENGTH	8
VARNUM	217

GR_FRYCHIXSKINON_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_FRYCHIXSKINON_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	172.00
MEAN	2.96
STD	12.35

GR_FRYCHIXSKINON_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	6.54	13.23	74.52

GR_NOTFRIEDCHICKEN_TOT_GM	
LABEL	Roast chicken, skin not spec grams
TYPE	num
LENGTH	8
VARNUM	218

GR_NOTFRIEDCHICKEN_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_NOTFRIEDCHICKEN_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	135.00
MEAN	3.19
STD	8.85

GR_NOTFRIEDCHICKEN_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	1.63	10.38	21.23	38.57

GR_NOTFRYCHIXNOSKIN_TOT_GM	
LABEL	Roast chicken, no skin, grams
TYPE	num
LENGTH	8
VARNUM	219

GR_NOTFRYCHIXNOSKIN_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_NOTFRYCHIXNOSKIN_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	135.00
MEAN	5.52
STD	13.14

GR_NOTFRYCHIXNOSKIN_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	3.77	19.29	36.83	62.32

GR_NOTFRYCHIXSKINON_TOT_GM	
LABEL	Roast chicken, skin eaten, grams
TYPE	num
LENGTH	8
VARNUM	220

GR_NOTFRYCHIXSKINON_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_NOTFRYCHIXSKINON_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	135.00
MEAN	1.49
STD	6.77

GR_NOTFRYCHIXSKINON_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	2.83	6.54	36.83

GR_MIXEDCHICK_TOT_GM	
LABEL	Other chicken dishes, grams
TYPE	num
LENGTH	8
VARNUM	221

GR_MIXEDCHICK_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_MIXEDCHICK_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	357.82
MEAN	17.95
STD	28.13

GR_MIXEDCHICK_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	3.74	9.31	17.46	37.54	64.86	139.43

GR_OYSTERS_TOT_GM	
LABEL	Oysters, grams
TYPE	num
LENGTH	8
VARNUM	222

GR_OYSTERS_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_OYSTERS_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	47.66
MEAN	0.28
STD	1.40

GR_OYSTERS_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	1.07	1.07	4.37

GR_SHELLFISH_TOT_GM	
LABEL	Shellfish, grams
TYPE	num
LENGTH	8
VARNUM	223

GR_SHELLFISH_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_SHELLFISH_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	240.00
MEAN	3.13
STD	8.72

GR_SHELLFISH_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.99	2.31	8.57	9.23	34.29

GR_TUNA_TOT_GM	
LABEL	Tuna (no Fatty Acids), grams
TYPE	num
LENGTH	8
VARNUM	224

GR_TUNA_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_TUNA_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	152.51
MEAN	4.28
STD	9.52

GR_TUNA_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	1.71	4.00	8.00	14.86	45.06

GR_FRIEDFISH_TOT_GM	
LABEL	Fried fish (no Fatty Acids), grams
TYPE	num
LENGTH	8
VARNUM	225

GR_FRIEDFISH_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_FRIEDFISH_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	167.18
MEAN	2.80
STD	8.39

GR_FRIEDFISH_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.94	1.90	7.60	8.77	32.57

GR_NOTFRIEDFISH_TOT_GM	
LABEL	Other fish (no Fatty Acids), grams
TYPE	num
LENGTH	8
VARNUM	226

GR_NOTFRIEDFISH_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_NOTFRIEDFISH_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	149.58
MEAN	5.95
STD	11.44

GR_NOTFRIEDFISH_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	1.68	7.85	14.57	29.14	58.29

GR_FRIEDFISH2_TOT_GM	
LABEL	Fried fish (for Fatty Acids), grams
TYPE	num
LENGTH	8
VARNUM	227

GR_FRIEDFISH2_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_FRIEDFISH2_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	167.18
MEAN	3.04
STD	8.67

GR_FRIEDFISH2_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.94	1.90	7.60	8.77	32.57

GR_TUNA2_TOT_GM	
LABEL	Tuna (for Fatty Acids), grams
TYPE	num
LENGTH	8
VARNUM	228

GR_TUNA2_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_TUNA2_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	152.51
MEAN	4.39
STD	9.26

GR_TUNA2_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	1.71	4.00	8.00	14.86	45.06

GR_SALMON_TOT_GM	
LABEL	Salmon (for Fatty Acids), grams
TYPE	num
LENGTH	8
VARNUM	229

GR_SALMON_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_SALMON_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	152.51
MEAN	4.77
STD	9.65

GR_SALMON_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	1.71	6.93	14.86	16.00	45.06

GR_HALIBUT_TOT_GM	
LABEL	Halibut (for Fatty Acids), grams
TYPE	num
LENGTH	8
VARNUM	230

GR_HALIBUT_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_HALIBUT_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	44.19
MEAN	0.87
STD	2.39

GR_HALIBUT_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.94	1.68	3.40	8.14

GR_TROUT_TOT_GM	
LABEL	Trout (for Fatty Acids), grams
TYPE	num
LENGTH	8
VARNUM	231

GR_TROUT_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_TROUT_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	90.12
MEAN	0.50
STD	2.49

GR_TROUT_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	1.71	1.73	7.43

GR_MACKEREL_TOT_GM	
LABEL	Mackerel (for Fatty Acids), grams
TYPE	num
LENGTH	8
VARNUM	232

GR_MACKEREL_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_MACKEREL_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	90.12
MEAN	0.20
STD	2.10

GR_MACKEREL_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.86	3.47

GR_HERRING_TOT_GM	
LABEL	Herring (for Fatty Acids), grams
TYPE	num
LENGTH	8
VARNUM	233

GR_HERRING_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_HERRING_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	59.43
MEAN	0.15
STD	1.41

GR_HERRING_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.86	3.47

GR_SARDINES_TOT_GM	
LABEL	Sardines (for Fatty Acids), grams
TYPE	num
LENGTH	8
VARNUM	234

GR_SARDINES_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_SARDINES_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	76.26
MEAN	0.38
STD	2.65

GR_SARDINES_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.86	1.71	8.00

GR_OTHERWHITEFISH_TOT_GM	
LABEL	Other white fish (for Fatty Acids), grams
TYPE	num
LENGTH	8
VARNUM	235

GR_OTHERWHITEFISH_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_OTHERWHITEFISH_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	204.00
MEAN	3.04
STD	8.11

GR_OTHERWHITEFISH_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.94	3.36	7.85	14.57	29.14

GR_BISCUITS_TOT_GM	
LABEL	Biscuits, grams
TYPE	num
LENGTH	8
VARNUM	236

GR_BISCUITS_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_BISCUITS_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	102.00
MEAN	4.53
STD	8.46

GR_BISCUITS_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.50	1.00	2.03	4.69	8.71	17.43	44.73

GR_BUNS_TOT_GM	
LABEL	Burger rolls, grams
TYPE	num
LENGTH	8
VARNUM	237

GR_BUNS_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_BUNS_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	86.00
MEAN	4.74
STD	7.10

GR_BUNS_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.71	1.42	3.31	6.14	12.29	18.63	37.26

GR_BAGEL_TOT_GM	
LABEL	Bagels, English muffins, grams
TYPE	num
LENGTH	8
VARNUM	238

GR_BAGEL_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_BAGEL_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	100.00
MEAN	10.79
STD	15.14

GR_BAGEL_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.82	1.67	7.69	14.29	28.57	43.33	73.32

GR_TORTILLASFLOUR_TOT_GM	
LABEL	Tortillas (flour), grams
TYPE	num
LENGTH	8
VARNUM	239

GR_TORTILLASFLOUR_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_TORTILLASFLOUR_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	130.00
MEAN	3.87
STD	8.69

GR_TORTILLASFLOUR_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.82	3.85	8.85	14.29	43.33

GR_CORNTORTILLAS_TOT_GM	
LABEL	Tortillas (corn), grams
TYPE	num
LENGTH	8
VARNUM	240

GR_CORNTORTILLAS_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_CORNTORTILLAS_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	114.00
MEAN	2.03
STD	7.26

GR_CORNTORTILLAS_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.87	4.00	7.43	33.80

GR_CORNBREAD_TOT_GM	
LABEL	Corn bread, grams
TYPE	num
LENGTH	8
VARNUM	241

GR_CORNBREAD_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_CORNBREAD_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	96.79
MEAN	1.67
STD	3.85

GR_CORNBREAD_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.99	2.00	4.40	4.62	17.14

GR_OTHERBREAD_TOT_GM	
LABEL	White bread, grams
TYPE	num
LENGTH	8
VARNUM	242

GR_OTHERBREAD_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_OTHERBREAD_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	104.00
MEAN	4.88
STD	11.61

GR_OTHERBREAD_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	3.86	19.06	26.00	52.00

GR_WHELEWHEATBREAD_TOT_GM	
LABEL	Whole wheat bread, grams
TYPE	num
LENGTH	8
VARNUM	243

GR_WHELEWHEATBREAD_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_WHELEWHEATBREAD_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	104.00
MEAN	10.64
STD	15.10

GR_WHELEWHEATBREAD_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	4.00	14.86	26.00	38.13	57.19

GR_LOCARBBREAD_TOT_GM	
LABEL	Low-carb bread, grams
TYPE	num
LENGTH	8
VARNUM	244

GR_LOCARBBREAD_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_LOCARBBREAD_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	78.00
MEAN	0.24
STD	2.83

GR_LOCARBBREAD_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.00

GR_RICE_TOT_GM	
LABEL	Rice, grams
TYPE	num
LENGTH	8
VARNUM	245

GR_RICE_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_RICE_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	326.00
MEAN	26.26
STD	35.51

GR_RICE_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	1.35	2.73	6.31	12.54	35.53	70.62	82.00	163.00

GR_MARGARINE_TOT_GM	
LABEL	Margarine on bread or veggies, grams
TYPE	num
LENGTH	8
VARNUM	246

GR_MARGARINE_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_MARGARINE_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	18.90
MEAN	0.84
STD	2.02

GR_MARGARINE_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.08	0.67	2.71	4.12	9.50

GR_BUTTER_TOT_GM	
LABEL	Butter on bread or veggies, grams
TYPE	num
LENGTH	8
VARNUM	247

GR_BUTTER_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_BUTTER_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	18.90
MEAN	1.81
STD	2.60

GR_BUTTER_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.16	0.73	2.71	4.70	6.97	10.41

GR_POWERBARS_TOT_GM	
LABEL	Power bars, regular, grams
TYPE	num
LENGTH	8
VARNUM	248

GR_BREAKFASTBARS_TOT_GM	
LABEL	Breakfast bars, regular, grams
TYPE	num
LENGTH	8
VARNUM	251

GR_BREAKFASTBARS_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_BREAKFASTBARS_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	74.00
MEAN	3.39
STD	7.26

GR_BREAKFASTBARS_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.61	2.85	10.57	16.03	37.00

GR_LOCARBBREAKFASTBARS_TOT_GM	
LABEL	Breakfast bars, low carb, grams
TYPE	num
LENGTH	8
VARNUM	252

GR_LOCARBBREAKFASTBARS_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_LOCARBBREAKFASTBARS_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	74.00
MEAN	0.43
STD	3.09

GR_LOCARBBREAKFASTBARS_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.61	10.57

GR_LOFATBREAKFASTBARS_TOT_GM	
LABEL	Breakfast bars, low fat, grams
TYPE	num
LENGTH	8
VARNUM	253

GR_LOFATBREAKFASTBARS_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_LOFATBREAKFASTBARS_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	74.00
MEAN	0.58
STD	3.21

GR_LOFATBREAKFASTBARS_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.85	16.03

GR_NUTS_TOT_GM	
LABEL	Nuts, grams
TYPE	num
LENGTH	8
VARNUM	254

GR_NUTS_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_NUTS_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	70.00
MEAN	4.20
STD	6.90

GR_NUTS_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.30	1.38	5.14	13.20	18.00	35.00

GR_PEANUTBUTTER_TOT_GM	
LABEL	Peanut butter, grams
TYPE	num
LENGTH	8
VARNUM	255

GR_PEANUTBUTTER_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_PEANUTBUTTER_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	48.00
MEAN	4.29
STD	6.62

GR_PEANUTBUTTER_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.53	2.29	4.57	13.71	16.00	32.00

GR_SALTYSNACKS_TOT_GM	
LABEL	Chips, grams
TYPE	num
LENGTH	8
VARNUM	256

GR_SALTYSNACKS_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_SALTYSNACKS_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	78.00
MEAN	5.86
STD	9.43

GR_SALTYSNACKS_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.43	2.00	7.43	18.53	22.29	44.00

GR_CRACKER_TOT_GM	
LABEL	Crackers, grams
TYPE	num
LENGTH	8
VARNUM	257

GR_CRACKER_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_CRACKER_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	50.00
MEAN	2.00
STD	4.15

GR_CRACKER_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.40	1.85	6.86	10.40	21.66

GR_JELLY_TOT_GM	
LABEL	Jelly, regular, grams
TYPE	num
LENGTH	8
VARNUM	258

GR_JELLY_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_JELLY_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	38.00
MEAN	1.86
STD	3.60

GR_JELLY_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.63	1.46	5.43	8.23	16.46

GR_LOCARBJELLY_TOT_GM	
LABEL	Jelly, low carb, grams
TYPE	num
LENGTH	8
VARNUM	259

GR_LOCARBJELLY_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_LOCARBJELLY_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	27.86
MEAN	0.26
STD	1.26

GR_LOCARBJELLY_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.31	1.46	5.43

GR_MAYO_TOT_GM	
LABEL	Mayonnaise, grams
TYPE	num
LENGTH	8
VARNUM	260

GR_MAYO_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_MAYO_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	27.60
MEAN	1.79
STD	2.95

GR_MAYO_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.23	0.53	1.97	5.06	7.89	13.80

GR_SALSA_TOT_GM	
LABEL	Catsup, grams
TYPE	num
LENGTH	8
VARNUM	261

GR_SALSA_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_SALSA_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	45.00
MEAN	3.64
STD	5.44

GR_SALSA_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.50	2.14	4.29	8.57	13.00	30.00

GR_MUSTARD_TOT_GM	
LABEL	Mustard, grams
TYPE	num
LENGTH	8
VARNUM	262

GR_MUSTARD_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_MUSTARD_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	45.00
MEAN	3.16
STD	4.55

GR_MUSTARD_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.09	0.50	1.57	4.29	8.57	13.00	22.00

GR_DONUT_TOT_GM	
LABEL	Donuts, grams
TYPE	num
LENGTH	8
VARNUM	263

GR_DONUT_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_DONUT_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	108.00
MEAN	2.93
STD	6.47

GR_DONUT_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.78	1.19	2.40	6.71	10.29	31.20

GR_CAKE_TOT_GM	
LABEL	Cake, regular, grams
TYPE	num
LENGTH	8
VARNUM	264

GR_CAKE_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_CAKE_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	180.00
MEAN	4.33
STD	11.20

GR_CAKE_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.66	1.33	4.62	9.23	17.14	51.99

GR_LOCARBCAKE_TOT_GM	
LABEL	Cake, low carb, grams
TYPE	num
LENGTH	8
VARNUM	265

GR_LOCARBCAKE_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_LOCARBCAKE_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	5.71
MEAN	0.02
STD	0.24

GR_LOCARBCAKE_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

GR_LOFATCAKE_TOT_GM	
LABEL	Cake, low fat, grams
TYPE	num
LENGTH	8
VARNUM	266

GR_LOFATCAKE_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_LOFATCAKE_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	29.33
MEAN	0.04
STD	0.79

GR_LOFATCAKE_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

GR_COOKIES_TOT_GM	
LABEL	Cookies, regular, grams
TYPE	num
LENGTH	8
VARNUM	267

GR_COOKIES_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_COOKIES_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	75.00
MEAN	3.78
STD	6.36

GR_COOKIES_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.25	0.58	1.83	4.29	10.00	15.16	32.50

GR_LOCARBCOOKIES_TOT_GM	
LABEL	Cookies, low carb, grams
TYPE	num
LENGTH	8
VARNUM	268

GR_LOCARBCOOKIES_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_LOCARBCOOKIES_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	6.50
MEAN	0.03
STD	0.30

GR_LOCARBCOOKIES_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.50

GR_LOFATCOOKIES_TOT_GM	
LABEL	Cookies, low fat, grams
TYPE	num
LENGTH	8
VARNUM	269

GR_LOFATCOOKIES_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_LOFATCOOKIES_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	32.50
MEAN	0.04
STD	0.74

GR_LOFATCOOKIES_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.50

GR_PUDDING_TOT_GM	
LABEL	Pudding, flan, grams
TYPE	num
LENGTH	8
VARNUM	270

GR_PUDDING_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_PUDDING_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	530.00
MEAN	2.96
STD	12.59

GR_PUDDING_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	1.09	2.18	5.10	10.19	37.86

GR_ICECREAM_TOT_GM	
LABEL	Ice cream, regular, grams
TYPE	num
LENGTH	8
VARNUM	271

GR_CHOCOLATESYRUP_TOT_GM	
LABEL	Chocolate syrup, grams
TYPE	num
LENGTH	8
VARNUM	274

GR_CHOCOLATESYRUP_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_CHOCOLATESYRUP_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	38.00
MEAN	1.36
STD	3.62

GR_CHOCOLATESYRUP_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.63	0.63	2.92	5.43	16.46

GR_PUMPKINPIE_TOT_GM	
LABEL	Pumpkin Pie, grams
TYPE	num
LENGTH	8
VARNUM	275

GR_PUMPKINPIE_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_PUMPKINPIE_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	308.00
MEAN	2.71
STD	9.69

GR_PUMPKINPIE_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	2.54	2.54	5.08	5.13	22.00

GR_OTHERPIE_TOT_GM	
LABEL	Other pie, grams
TYPE	num
LENGTH	8
VARNUM	276

GR_OTHERPIE_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_OTHERPIE_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	300.00
MEAN	3.13
STD	10.76

GR_OTHERPIE_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	2.47	2.47	5.00	11.54	42.86

GR_CHOCOLATECANDY_TOT_GM	
LABEL	Chocolate candy, regular, grams
TYPE	num
LENGTH	8
VARNUM	277

GR_CHOCOLATECANDY_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_CHOCOLATECANDY_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	104.00
MEAN	4.63
STD	8.86

GR_CHOCOLATECANDY_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.23	0.47	2.15	4.00	12.13	19.50	45.00

GR_LOCARBCHOCCANDY_TOT_GM	
LABEL	Chocolate candy, low carb, grams
TYPE	num
LENGTH	8
VARNUM	278

GR_LOCARBCHOCCANDY_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_LOCARBCHOCCANDY_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	12.13
MEAN	0.03
STD	0.47

GR_LOCARBCHOCCANDY_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

GR_LOFATCHOCCANDY_TOT_GM	
LABEL	Chocolate candy, low fat, grams
TYPE	num
LENGTH	8
VARNUM	279

GR_LOFATCHOCCANDY_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_LOFATCHOCCANDY_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	12.13
MEAN	0.02
STD	0.27

GR_LOFATCHOCCANDY_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

GR_CANDY_TOT_GM	
LABEL	Other candy, grams
TYPE	num
LENGTH	8
VARNUM	280

GR_CANDY_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_CANDY_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	61.50
MEAN	3.23
STD	6.68

GR_CANDY_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.25	1.03	2.38	8.79	15.00	31.00

GR_MILK2PCT_TOT_GM	
LABEL	Milk (default 2%), grams
TYPE	num
LENGTH	8
VARNUM	281

GR_MILK2PCT_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_MILK2PCT_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	874.00
MEAN	36.51
STD	96.11

GR_MILK2PCT_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	20.56	122.00	228.87	506.97

GR_WHOLEMILK_TOT_GM	
LABEL	Whole milk, grams
TYPE	num
LENGTH	8
VARNUM	282

GR_WHOLEMILK_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_WHOLEMILK_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	912.66
MEAN	23.22
STD	81.26

GR_WHOLEMILK_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	60.03	147.29	392.67

GR_MILK1PCT_TOT_GM	
LABEL	Low-fat milk (1%), grams
TYPE	num
LENGTH	8
VARNUM	283

GR_MILK1PCT_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_MILK1PCT_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	854.00
MEAN	30.91
STD	93.24

GR_MILK1PCT_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	107.73	218.06	540.86

GR_NONFATMILK_TOT_GM	
LABEL	Nonfat milk (skim), grams
TYPE	num
LENGTH	8
VARNUM	284

GR_NONFATMILK_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_NONFATMILK_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	894.00
MEAN	17.43
STD	72.07

GR_NONFATMILK_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	25.80	115.27	366.00

GR_SOYMILK_TOT_GM	
LABEL	Soy milk, grams
TYPE	num
LENGTH	8
VARNUM	285

GR_SOYMILK_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_SOYMILK_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	816.07
MEAN	5.10
STD	36.64

GR_SOYMILK_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.05	158.58

GR_RICEMILK_TOT_GM	
LABEL	Rice milk, grams
TYPE	num
LENGTH	8
VARNUM	286

GR_RICEMILK_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_RICEMILK_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	784.86
MEAN	1.53
STD	21.64

GR_RICEMILK_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	17.43

GR_DIETSHAKES_TOT_GM	
LABEL	Slimfast, regular, grams
TYPE	num
LENGTH	8
VARNUM	287

GR_DIETSHAKES_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_DIETSHAKES_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	496.00
MEAN	3.85
STD	24.02

GR_DIETSHAKES_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.27	107.45

GR_LCDIETSHAKES_TOT_GM	
LABEL	Slimfast, low carb, grams
TYPE	num
LENGTH	8
VARNUM	288

GR_LCDIETSHAKES_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_LCDIETSHAKES_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	496.00
MEAN	1.12
STD	16.59

GR_LCDIETSHAKES_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.27

GR_TOMATOJUICE_TOT_GM	
LABEL	Tomato juice, grams
TYPE	num
LENGTH	8
VARNUM	289

GR_TOMATOJUICE_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_TOMATOJUICE_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	467.00
MEAN	3.62
STD	20.87

GR_TOMATOJUICE_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	3.00	4.01	8.10	69.43

GR_ORANGEJUICE_TOT_GM	
LABEL	Real orange juice, grams
TYPE	num
LENGTH	8
VARNUM	290

GR_ORANGEJUICE_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_ORANGEJUICE_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	467.00
MEAN	12.35
STD	41.17

GR_ORANGEJUICE_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	4.10	35.57	71.14	249.00

GR_CALCIUMORANGEJUICE_TOT_GM	
LABEL	Calcium-fortified orange juice, grams
TYPE	num
LENGTH	8
VARNUM	291

GR_CALCIUMORANGEJUICE_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_CALCIUMORANGEJUICE_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	467.00
MEAN	20.88
STD	51.34

GR_CALCIUMORANGEJUICE_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	19.15	71.14	107.88	249.00

GR_REALJUICE_TOT_GM	
LABEL	Other real juice, grams
TYPE	num
LENGTH	8
VARNUM	292

GR_REALJUICE_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_REALJUICE_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	496.00
MEAN	36.60
STD	67.95

GR_REALJUICE_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	4.09	8.27	35.43	107.45	181.84	363.68

GR_HIC_TOT_GM	
LABEL	Hi C, grams
TYPE	num
LENGTH	8
VARNUM	293

GR_HIC_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_HIC_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	759.00
MEAN	17.66
STD	63.09

GR_HIC_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	6.17	36.14	108.43	253.00

GR_SOMEJUICE_TOT_GM	
LABEL	Drinks with some juice, grams
TYPE	num
LENGTH	8
VARNUM	294

GR_SOMEJUICE_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_SOMEJUICE_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	753.00
MEAN	8.56
STD	45.10

GR_SOMEJUICE_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	3.10	8.37	35.86	217.50

GR_ICEDTEAHOMESUGAR_TOT_GM	
LABEL	Ice tea, home, sugar, grams
TYPE	num
LENGTH	8
VARNUM	295

GR_ICEDTEAHOMESUGAR_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_ICEDTEAHOMESUGAR_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	947.00
MEAN	27.29
STD	101.18

GR_ICEDTEAHOMESUGAR_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	48.57	147.31	520.59

GR_ICEDTEAHOMENOSUGAR_TOT_GM	
LABEL	Ice tea, home, no sugar, grams
TYPE	num
LENGTH	8
VARNUM	296

GR_ICEDTEAHOMENOSUGAR_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_ICEDTEAHOMENOSUGAR_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	947.00
MEAN	15.98
STD	75.27

GR_ICEDTEAHOMENOSUGAR_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	11.33	67.57	410.31

GR_ICEDTEABOTTLEDNOSUGAR_TOT_GM	
LABEL	Ice tea, bottled, no sugar, grams
TYPE	num
LENGTH	8
VARNUM	297

GR_ICEDTEABOTTLEDNOSUGAR_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_ICEDTEABOTTLEDNOSUGAR_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	1360.00
MEAN	9.20
STD	76.48

GR_ICEDTEABOTTL EDNOSUGAR_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	15.72	205.37

GR_ICEDTEABOTTLEDSUGAR_TOT_GM	
LABEL	Ice tea, bottled, sugar, grams
TYPE	num
LENGTH	8
VARNUM	298

GR_ICEDTEABOTTLEDSUGAR_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_ICEDTEABOTTLEDSUGAR_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	1360.00
MEAN	27.63
STD	124.42

GR_ICEDTEABOTTL EDSUGAR_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	36.54	135.71	696.57

GR_KOOLAIID_TOT_GM	
LABEL	Kool aid, grams
TYPE	num
LENGTH	8
VARNUM	299

GR_KOOLAIID_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_KOOLAIID_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	1240.00
MEAN	57.51
STD	147.75

GR_KOOLAIID_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	10.22	47.69	161.18	311.96	720.00

GR_SOFTDRINKS_TOT_GM	
LABEL	Sodas, not diet, grams
TYPE	num
LENGTH	8
VARNUM	300

GR_SOFTDRINKS_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_SOFTDRINKS_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	1116.00
MEAN	96.45
STD	209.59

GR_SOFTDRINKS_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	6.13	88.57	322.35	620.00	1116.00

GR_DIETSOFTDRINKS_TOT_GM	
LABEL	Sodas, diet, grams
TYPE	num
LENGTH	8
VARNUM	301

GR_DIETSOFTDRINKS_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_DIETSOFTDRINKS_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	1116.00
MEAN	66.76
STD	196.51

GR_DIETSOFTDRINKS_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	6.13	177.14	545.52	1116.00

GR_BEER_TOT_GM	
LABEL	Beer, regular, grams
TYPE	num
LENGTH	8
VARNUM	302

GR_BEER_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_BEER_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	1800.00
MEAN	29.58
STD	89.19

GR_BEER_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	12.00	102.86	155.98	360.00

GR_LIGHTBEER_TOT_GM	
LABEL	Beer, light, grams
TYPE	num
LENGTH	8
VARNUM	303

GR_LIGHTBEER_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_LIGHTBEER_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	1800.00
MEAN	11.98
STD	60.95

GR_LIGHTBEER_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	20.77	55.38	205.71

GR_LOWCARBBEER_TOT_GM	
LABEL	Beer, low carb, grams
TYPE	num
LENGTH	8
VARNUM	304

GR_LOWCARBBEER_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_LOWCARBBEER_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	1260.00
MEAN	0.74
STD	23.66

GR_LOWCARBBEER_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

GR_NONALCBEER_TOT_GM	
LABEL	Beer, non-alcohol, grams
TYPE	num
LENGTH	8
VARNUM	305

GR_NONALCBEER_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_NONALCBEER_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	102.86
MEAN	0.10
STD	2.40

GR_NONALCBEER_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

GR_WINE_TOT_GM	
LABEL	Wine, grams
TYPE	num
LENGTH	8
VARNUM	306

GR_WINE_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_WINE_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	531.00
MEAN	24.20
STD	47.28

GR_WINE_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	5.84	25.43	76.69	101.14	259.56

GR_LIQUOR_TOT_GM	
LABEL	Liquor, grams
TYPE	num
LENGTH	8
VARNUM	307

GR_LIQUOR_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_LIQUOR_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	844.00
MEAN	16.88
STD	46.34

GR_LIQUOR_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	3.48	14.06	32.46	60.29	182.84

GR_WATER_TOT_GM	
LABEL	Water, grams
TYPE	num
LENGTH	8
VARNUM	308

GR_WATER_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_WATER_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	1200.00
MEAN	843.44
STD	382.43

GR_WATER_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	68.57	207.97	480.00	840.00	1200.00	1200.00	1200.00	1200.00

GR_COFFEE_TOT_GM	
LABEL	Coffee, grams
TYPE	num
LENGTH	8
VARNUM	309

GR_COFFEE_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_COFFEE_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	948.00
MEAN	187.00
STD	233.75

GR_COFFEE_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	67.71	347.55	474.00	711.00	948.00

GR_HOTTEA_TOT_GM	
LABEL	Hot tea, grams
TYPE	num
LENGTH	8
VARNUM	310

GR_HOTTEA_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_HOTTEA_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	948.00
MEAN	54.51
STD	123.77

GR_HOTTEA_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	3.91	33.86	173.78	308.06	695.10

GR_CREAMINCOFFEETEA_TOT_GM	
LABEL	Cream in coffee or tea, grams
TYPE	num
LENGTH	8
VARNUM	311

GR_CREAMINCOFFEETEA_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_CREAMINCOFFEETEA_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	91.43
MEAN	7.22
STD	15.18

GR_CREAMINCOFFEETEA_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	2.86	40.00	40.00	60.00

GR_NONDAIRYCREAMER_TOT_GM	
LABEL	Nondairy creamer in coffee or tea, grams
TYPE	num
LENGTH	8
VARNUM	312

GR_NONDAIRYCREAMER_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_NONDAIRYCREAMER_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	80.00
MEAN	2.05
STD	8.98

GR_NONDAIRYCREAMER_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	17.33	40.67

GR_SUGHONEYCOFFTEA_TOT_GM	
LABEL	Sugar or honey in coffee or tea, grams
TYPE	num
LENGTH	8
VARNUM	313

GR_SUGHONEYCOFFTEA_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_SUGHONEYCOFFTEA_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	116.47
MEAN	3.92
STD	8.04

GR_SUGHONEYCOFFTEA_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.07	4.32	12.60	17.89	37.52

GR_COOKFATBUTTER_TOT_GM	
LABEL	Cooking Fat - Butter, grams
TYPE	num
LENGTH	8
VARNUM	314

GR_COOKFATBUTTER_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_COOKFATBUTTER_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	42.60
MEAN	2.75
STD	4.83

GR_COOKFATBUTTER_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	3.32	7.10	14.20	21.30

GR_COOKFATHALF_TOT_GM	
LABEL	Cooking Fat - Butter/marg. Blend, grams
TYPE	num
LENGTH	8
VARNUM	315

GR_COOKFATHALF_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_COOKFATHALF_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	42.60
MEAN	0.30
STD	1.92

GR_COOKFATHALF_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.48	7.10

GR_COOKFATSTICKMARG_TOT_GM	
LABEL	Cooking Fat - Stick margarine, grams
TYPE	num
LENGTH	8
VARNUM	316

GR_COOKFATSTICKMARG_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_COOKFATSTICKMARG_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	42.60
MEAN	0.19
STD	1.54

GR_COOKFATSTICKMARG_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.63

GR_COOKFATSOFTMARG_TOT_GM	
LABEL	Cooking Fat - Soft tub margarine, grams
TYPE	num
LENGTH	8
VARNUM	317

GR_COOKFATSOFTMARG_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_COOKFATSOFTMARG_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	42.60
MEAN	0.26
STD	1.62

GR_COOKFATSOFTMARG_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.72	7.10

GR_COOKFATDIET_TOT_GM	
LABEL	Cooking Fat - Lowfat margarine, grams
TYPE	num
LENGTH	8
VARNUM	318

GR_COOKFATDIET_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_COOKFATDIET_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	14.50
MEAN	0.04
STD	0.55

GR_COOKFATDIET_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.49

GR_COOKFATVEGGIE_TOT_GM	
LABEL	Cooking Fat - Corn oil, grams
TYPE	num
LENGTH	8
VARNUM	319

GR_COOKFATVEGGIE_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_COOKFATVEGGIE_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	40.80
MEAN	1.20
STD	3.71

GR_COOKFATVEGGIE_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	3.18	6.80	20.40

GR_COOKFATOLIVE_TOT_GM	
LABEL	Cooking Fat - Olive oil, grams
TYPE	num
LENGTH	8
VARNUM	320

GR_COOKFATOLIVE_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_COOKFATOLIVE_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	40.50
MEAN	4.58
STD	5.87

GR_COOKFATOLIVE_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	2.78	6.75	13.50	13.50	27.00

GR_COOKFATLARD_TOT_GM	
LABEL	Cooking Fat - Lard, grams
TYPE	num
LENGTH	8
VARNUM	321

GR_COOKFATLARD_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_COOKFATLARD_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	19.20
MEAN	0.04
STD	0.67

GR_COOKFATLARD_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

GR_COOKFATCRISCO_TOT_GM	
LABEL	Cooking Fat - Crisco, grams
TYPE	num
LENGTH	8
VARNUM	322

GR_COOKFATCRISCO_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_COOKFATCRISCO_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	38.40
MEAN	0.07
STD	1.15

GR_COOKFATCRISCO_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

GR_CRACKER_LF_TOT_GM	
LABEL	Lowfat crackers, grams
TYPE	num
LENGTH	8
VARNUM	323

GR_CRACKER_LF_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_CRACKER_LF_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	23.00
MEAN	0.24
STD	1.31

GR_CRACKER_LF_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.85	6.57

GR_CRACKER_LS_TOT_GM	
LABEL	Low sodium crackers, grams
TYPE	num
LENGTH	8
VARNUM	324

GR_CRACKER_LS_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_CRACKER_LS_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	36.66
MEAN	0.27
STD	1.38

GR_CRACKER_LS_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.40	1.71	6.86

GR_PRETZEL_FF_TOT_GM	
LABEL	Full fat pretzels, grams
TYPE	num
LENGTH	8
VARNUM	325

GR_PRETZEL_FF_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_PRETZEL_FF_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	50.00
MEAN	2.77
STD	4.88

GR_PRETZEL_FF_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.20	0.82	3.43	6.86	10.40	24.00

GR_SALTYSNACKS_LF_TOT_GM	
LABEL	Lowfat salty snacks, grams
TYPE	num
LENGTH	8
VARNUM	326

GR_SALTYSNACKS_LF_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_SALTYSNACKS_LF_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	46.19
MEAN	0.35
STD	1.98

GR_SALTYSNACKS_LF_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.62	9.10

GR_SALTYSNACKS_LS_TOT_GM	
LABEL	Low sodium salty snacks, grams
TYPE	num
LENGTH	8
VARNUM	327

GR_SALTYSNACKS_LS_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_SALTYSNACKS_LS_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	32.26
MEAN	0.33
STD	1.71

GR_ SALTYSNACKS_ LS_TOT_GM: Percentiles									
	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.38	7.43

BREAKSANDFREQ	
LABEL	Breakfast egg sandwich, frequency
TYPE	num
LENGTH	8
VARNUM	328

BREAKSANDFREQ: Distribution	n	%	n (cum)	% (cum)
Never	603	18.08	603	18.08
Once Per 3 Months	1174	35.20	1777	53.28
Once Per Month	492	14.75	2269	68.04
2-3 Times Per Month	570	17.09	2839	85.13
Once Per Week	189	5.67	3028	90.79
2 Times Per Week	177	5.31	3205	96.10
3-4 Times Per Week	102	3.06	3307	99.16
5-6 Times Per Week	23	0.69	3330	99.85
Everyday	5	0.15	3335	100.00
Form error (E)	3	.	3338	100.00
Missing (M)	22	.	3360	100.00

BREAKSANDQUAN	
LABEL	Breakfast egg sandwich, quantity
TYPE	num
LENGTH	8
VARNUM	329

BREAKSANDQUAN: Distribution	n	%	n (cum)	% (cum)
1 Sandwich	3250	96.73	3250	96.73
2 Sandwiches	110	3.27	3360	100.00

OTHEREGGSFREQ	
LABEL	Other eggs, frequency
TYPE	num
LENGTH	8
VARNUM	330

OTHEREGGSFREQ: Distribution	n	%	n (cum)	% (cum)
Never	156	4.67	156	4.67
Once Per 3 Months	233	6.97	389	11.64
Once Per Month	359	10.75	748	22.39
2-3 Times Per Month	817	24.45	1565	46.84
Once Per Week	613	18.35	2178	65.19
2 Times Per Week	542	16.22	2720	81.41
3-4 Times Per Week	405	12.12	3125	93.53
5-6 Times Per Week	146	4.37	3271	97.90
Everyday	70	2.10	3341	100.00
Form error (E)	1	.	3342	100.00
Missing (M)	18	.	3360	100.00

OTHEREGGSQUAN	
LABEL	Other eggs, quantity
TYPE	num
LENGTH	8
VARNUM	331

OTHEREGGSQUAN: Distribution	n	%	n (cum)	% (cum)
1 Egg	1040	30.95	1040	30.95
2 Eggs	2040	60.71	3080	91.67
3 Eggs	280	8.33	3360	100.00

SAUSAGEFREQ				
LABEL	Breakfast sausage, frequency			
TYPE	num			
LENGTH	8			
VARNUM	332			

SAUSAGEFREQ: Distribution	n	%	n (cum)	% (cum)
Never	730	21.94	730	21.94
Once Per 3 Months	929	27.92	1659	49.86
Once Per Month	525	15.78	2184	65.64
2-3 Times Per Month	651	19.57	2835	85.21
Once Per Week	229	6.88	3064	92.09
2 Times Per Week	150	4.51	3214	96.60
3-4 Times Per Week	82	2.46	3296	99.07
5-6 Times Per Week	22	0.66	3318	99.73
Everyday	9	0.27	3327	100.00
Form error (E)	2	.	3329	100.00
Missing (M)	31	.	3360	100.00

SAUSAGEQUAN				
LABEL	Breakfast sausage, quantity			
TYPE	num			
LENGTH	8			
VARNUM	333			

SAUSAGEQUAN: Distribution	n	%	n (cum)	% (cum)
1 piece	1894	56.37	1894	56.37
2 pieces	1177	35.03	3071	91.40
3 pieces	289	8.60	3360	100.00

BACONFREQ				
LABEL	Bacon, frequency			
TYPE	num			
LENGTH	8			
VARNUM	334			

BACONFREQ: Distribution	n	%	n (cum)	% (cum)
Never	411	12.33	411	12.33
Once Per 3 Months	742	22.26	1153	34.58
Once Per Month	686	20.58	1839	55.16
2-3 Times Per Month	881	26.42	2720	81.58
Once Per Week	317	9.51	3037	91.09
2 Times Per Week	171	5.13	3208	96.22
3-4 Times Per Week	89	2.67	3297	98.89
5-6 Times Per Week	25	0.75	3322	99.64
Everyday	12	0.36	3334	100.00
Form error (E)	2	.	3336	100.00
Missing (M)	24	.	3360	100.00

BACONQUAN				
LABEL	Bacon, quantity			
TYPE	num			
LENGTH	8			
VARNUM	335			

BACONQUAN: Distribution	n	%	n (cum)	% (cum)
1 piece	835	24.85	835	24.85
2 pieces	1358	40.42	2193	65.27
3 pieces	810	24.11	3003	89.38
4 pieces	357	10.63	3360	100.00

PANCAKESFREQ	
LABEL	Pancakes, frequency
TYPE	num
LENGTH	8
VARNUM	336

PANCAKESFREQ: Distribution	n	%	n (cum)	% (cum)
Never	195	5.86	195	5.86
Once Per 3 Months	693	20.81	888	26.67
Once Per Month	730	21.92	1618	48.59
2-3 Times Per Month	939	28.20	2557	76.79
Once Per Week	451	13.54	3008	90.33
2 Times Per Week	197	5.92	3205	96.25
3-4 Times Per Week	87	2.61	3292	98.86
5-6 Times Per Week	26	0.78	3318	99.64
Everyday	12	0.36	3330	100.00
Form error (E)	2	.	3332	100.00
Missing (M)	28	.	3360	100.00

PANCAKESQUAN	
LABEL	Pancakes, quantity
TYPE	num
LENGTH	8
VARNUM	337

PANCAKESQUAN: Distribution	n	%	n (cum)	% (cum)
1 piece	981	29.20	981	29.20
2 pieces	1972	58.69	2953	87.89
3 pieces	407	12.11	3360	100.00

COOKEDCEREALFREQ	
LABEL	Cooked Cereal, frequency
TYPE	num
LENGTH	8
VARNUM	338

COOKEDCEREALFREQ: Distribution	n	%	n (cum)	% (cum)
Never	505	15.14	505	15.14
Once Per 3 Months	691	20.72	1196	35.86
Once Per Month	471	14.12	1667	49.99
2-3 Times Per Month	617	18.50	2284	68.49
Once Per Week	375	11.24	2659	79.73
2 Times Per Week	311	9.33	2970	89.06
3-4 Times Per Week	226	6.78	3196	95.83
5-6 Times Per Week	95	2.85	3291	98.68
Everyday	44	1.32	3335	100.00
Form error (E)	2	.	3337	100.00
Missing (M)	23	.	3360	100.00

COOKEDCEREALQUAN	
LABEL	Cooked Cereal, quantity
TYPE	num
LENGTH	8
VARNUM	339

COOKEDCEREALQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 cup	1308	38.93	1308	38.93
1 cup	1988	59.17	3296	98.10
2 cups	64	1.90	3360	100.00

COLDCEREALFREQ	
LABEL	Cold cereal, frequency
TYPE	num
LENGTH	8
VARNUM	340

COLDCEREALFREQ: Distribution	n	%	n (cum)	% (cum)
Never	319	9.49	319	9.49
Once Per 3 Months	455	13.54	774	23.04
Once Per Month	312	9.29	1086	32.32
2-3 Times Per Month	594	17.68	1680	50.00
Once Per Week	447	13.30	2127	63.30
2 Times Per Week	453	13.48	2580	76.79
3-4 Times Per Week	458	13.63	3038	90.42
5-6 Times Per Week	195	5.80	3233	96.22
Everyday	127	3.78	3360	100.00

COLDCEREALQUAN	
LABEL	Cold cereal, quantity
TYPE	num
LENGTH	8
VARNUM	341

COLDCEREALQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 cup	780	23.21	780	23.21
1 cup	2188	65.12	2968	88.33
2 cups	392	11.67	3360	100.00

MILKONCEREALFREQ	
LABEL	Milk on cereal, frequency
TYPE	num
LENGTH	8
VARNUM	342

MILKONCEREALFREQ: Distribution	n	%	n (cum)	% (cum)
Never	321	9.76	321	9.76
Once Per 3 Months	367	11.16	688	20.92
Once Per Month	276	8.39	964	29.32
2-3 Times Per Month	515	15.66	1479	44.98
Once Per Week	395	12.01	1874	57.00
2 Times Per Week	415	12.62	2289	69.62
3-4 Times Per Week	477	14.51	2766	84.12
5-6 Times Per Week	231	7.03	2997	91.15
Everyday	291	8.85	3288	100.00
Form error (E)	4	.	3292	100.00
Missing (M)	68	.	3360	100.00

MILKONCEREALQUAN	
LABEL	Milk on cereal, quantity
TYPE	num
LENGTH	8
VARNUM	343

MILKONCEREALQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 cup	3360	100.00	3360	100.00

YOGURTFREQ	
LABEL	Yogurt, frequency
TYPE	num
LENGTH	8
VARNUM	344

YOGURTFREQ: Distribution	n	%	n (cum)	% (cum)
Never	325	9.76	325	9.76
Once Per 3 Months	402	12.07	727	21.83
Once Per Month	353	10.60	1080	32.43
2-3 Times Per Month	622	18.68	1702	51.11
Once Per Week	404	12.13	2106	63.24
2 Times Per Week	477	14.32	2583	77.57
3-4 Times Per Week	434	13.03	3017	90.60
5-6 Times Per Week	201	6.04	3218	96.64
Everyday	112	3.36	3330	100.00
Form error (E)	1	.	3331	100.00
Missing (M)	29	.	3360	100.00

YOGURTQUAN	
LABEL	Yogurt, quantity
TYPE	num
LENGTH	8
VARNUM	345

YOGURTQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 cup	2607	77.59	2607	77.59
1 cup	753	22.41	3360	100.00

COTTAGECHEESEFREQ	
LABEL	Cottage cheese, frequency
TYPE	num
LENGTH	8
VARNUM	346

COTTAGECHEESEFREQ: Distribution	n	%	n (cum)	% (cum)
Never	1091	32.70	1091	32.70
Once Per 3 Months	1013	30.37	2104	63.07
Once Per Month	442	13.25	2546	76.32
2-3 Times Per Month	415	12.44	2961	88.76
Once Per Week	159	4.77	3120	93.53
2 Times Per Week	114	3.42	3234	96.94
3-4 Times Per Week	65	1.95	3299	98.89
5-6 Times Per Week	28	0.84	3327	99.73
Everyday	9	0.27	3336	100.00
Form error (E)	1	.	3337	100.00
Missing (M)	23	.	3360	100.00

COTTAGECHEESEQUAN	
LABEL	Cottage cheese, quantity
TYPE	num
LENGTH	8
VARNUM	347

COTTAGECHEESEQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	1145	34.08	1145	34.08
1/2 cup	2092	62.26	3237	96.34
1 cup	120	3.57	3357	99.91
2 cups	3	0.09	3360	100.00

CHEESEFREQ	
LABEL	Cheese, frequency
TYPE	num
LENGTH	8
VARNUM	348

CHEESEFREQ: Distribution	n	%	n (cum)	% (cum)
Never	98	2.94	98	2.94
Once Per 3 Months	91	2.73	189	5.68
Once Per Month	134	4.02	323	9.70
2-3 Times Per Month	357	10.72	680	20.42
Once Per Week	353	10.60	1033	31.02
2 Times Per Week	568	17.06	1601	48.08
3-4 Times Per Week	836	25.11	2437	73.18
5-6 Times Per Week	531	15.95	2968	89.13
Everyday	362	10.87	3330	100.00
Form error (E)	2	.	3332	100.00
Missing (M)	28	.	3360	100.00

CHEESEQUAN	
LABEL	Cheese, quantity
TYPE	num
LENGTH	8
VARNUM	349

CHEESEQUAN: Distribution	n	%	n (cum)	% (cum)
1 Slice	1684	50.12	1684	50.12
2 Slices	1426	42.44	3110	92.56
3 Slices	250	7.44	3360	100.00

BANANAFREQ	
LABEL	Bananas, frequency
TYPE	num
LENGTH	8
VARNUM	350

BANANAFREQ: Distribution	n	%	n (cum)	% (cum)
Never	227	6.79	227	6.79
Once Per 3 Months	262	7.84	489	14.63
Once Per Month	260	7.78	749	22.41
2-3 Times Per Month	574	17.18	1323	39.59
Once Per Week	460	13.76	1783	53.35
2 Times Per Week	622	18.61	2405	71.96
3-4 Times Per Week	523	15.65	2928	87.61
5-6 Times Per Week	260	7.78	3188	95.39
Everyday	154	4.61	3342	100.00
Missing (M)	18	.	3360	100.00

BANANAQUAN	
LABEL	Bananas, quantity
TYPE	num
LENGTH	8
VARNUM	351

BANANAQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 of Fruit	463	13.78	463	13.78
1 Whole Fruit	2897	86.22	3360	100.00

APPLESPEARSFREQ	
LABEL	Apples or pears frequency
TYPE	num
LENGTH	8
VARNUM	352

APPLESPEARSFREQ: Distribution	n	%	n (cum)	% (cum)
Never	140	4.19	140	4.19
Once Per 3 Months	276	8.27	416	12.46
Once Per Month	306	9.17	722	21.63
2-3 Times Per Month	669	20.04	1391	41.67

APPLESPEARSFREQ: Distribution	n	%	n (cum)	% (cum)
Once Per Week	551	16.51	1942	58.18
2 Times Per Week	602	18.03	2544	76.21
3-4 Times Per Week	504	15.10	3048	91.31
5-6 Times Per Week	190	5.69	3238	97.00
Everyday	100	3.00	3338	100.00
Form error (E)	2	.	3340	100.00
Missing (M)	20	.	3360	100.00

APPLESPEARSQUAN	
LABEL	Apples or pears, quantity
TYPE	num
LENGTH	8
VARNUM	353

APPLESPEARSQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 of Fruit	445	13.24	445	13.24
1 Whole Fruit	2836	84.40	3281	97.65
2 Whole Fruits	79	2.35	3360	100.00

ORANGESFREQ	
LABEL	Oranges, tangerines frequency
TYPE	num
LENGTH	8
VARNUM	354

ORANGESFREQ: Distribution	n	%	n (cum)	% (cum)
Never	258	7.74	258	7.74
Once Per 3 Months	500	15.00	758	22.74
Once Per Month	457	13.71	1215	36.44
2-3 Times Per Month	793	23.79	2008	60.23
Once Per Week	477	14.31	2485	74.54
2 Times Per Week	453	13.59	2938	88.12
3-4 Times Per Week	292	8.76	3230	96.88
5-6 Times Per Week	70	2.10	3300	98.98
Everyday	34	1.02	3334	100.00
Form error (E)	3	.	3337	100.00
Missing (M)	23	.	3360	100.00

ORANGESQUAN	
LABEL	Oranges, tangerines quantity
TYPE	num
LENGTH	8
VARNUM	355

ORANGESQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 of Fruit	371	11.04	371	11.04
1 Whole Fruit	2754	81.96	3125	93.01
2 Whole Fruits	235	6.99	3360	100.00

GRAPEFRUITFREQ	
LABEL	Grapefruit frequency
TYPE	num
LENGTH	8
VARNUM	356

GRAPEFRUITFREQ: Distribution	n	%	n (cum)	% (cum)
Never	1833	55.01	1833	55.01
Once Per 3 Months	820	24.61	2653	79.62
Once Per Month	248	7.44	2901	87.06
2-3 Times Per Month	189	5.67	3090	92.74
Once Per Week	101	3.03	3191	95.77
2 Times Per Week	71	2.13	3262	97.90

GRAPEFRUITFREQ: Distribution	n	%	n (cum)	% (cum)
3-4 Times Per Week	45	1.35	3307	99.25
5-6 Times Per Week	18	0.54	3325	99.79
Everyday	7	0.21	3332	100.00
Form error (E)	4	.	3336	100.00
Missing (M)	24	.	3360	100.00

GRAPEFRUITQUAN	
LABEL	Grapefruit quantity
TYPE	num
LENGTH	8
VARNUM	357

GRAPEFRUITQUAN: Distribution	n	%	n (cum)	% (cum)
A little	273	8.13	273	8.13
1/2 Grapefruit	2483	73.90	2756	82.02
1 Grapefruit	604	17.98	3360	100.00

PEACHESFREQ	
LABEL	Peaches or nectarines, frequency
TYPE	num
LENGTH	8
VARNUM	358

PEACHESFREQ: Distribution	n	%	n (cum)	% (cum)
Never	662	19.85	662	19.85
Once Per 3 Months	1084	32.50	1746	52.35
Once Per Month	461	13.82	2207	66.18
2-3 Times Per Month	589	17.66	2796	83.84
Once Per Week	223	6.69	3019	90.52
2 Times Per Week	180	5.40	3199	95.92
3-4 Times Per Week	98	2.94	3297	98.86
5-6 Times Per Week	27	0.81	3324	99.67
Everyday	11	0.33	3335	100.00
Form error (E)	1	.	3336	100.00
Missing (M)	24	.	3360	100.00

PEACHESQUAN	
LABEL	Peaches or nectarines, quantity
TYPE	num
LENGTH	8
VARNUM	359

PEACHESQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 of Fruit	301	8.96	301	8.96
1 Whole Fruit	2913	86.70	3214	95.65
2 Whole Fruits	146	4.35	3360	100.00

CANTALOUPEFREQ	
LABEL	Cantaloupe, Frequency
TYPE	num
LENGTH	8
VARNUM	360

CANTALOUPEFREQ: Distribution	n	%	n (cum)	% (cum)
Never	886	26.64	886	26.64
Once Per 3 Months	1092	32.83	1978	59.47
Once Per Month	527	15.84	2505	75.32
2-3 Times Per Month	445	13.38	2950	88.70
Once Per Week	176	5.29	3126	93.99
2 Times Per Week	116	3.49	3242	97.47
3-4 Times Per Week	57	1.71	3299	99.19
5-6 Times Per Week	17	0.51	3316	99.70

CANTALOUPEFREQ: Distribution	n	%	n (cum)	% (cum)
Everyday	10	0.30	3326	100.00
Form error (E)	8	.	3334	100.00
Missing (M)	26	.	3360	100.00

CANTALOUPEQUAN	
LABEL	Cantaloupe, Quantity
TYPE	num
LENGTH	8
VARNUM	361

CANTALOUPEQUAN: Distribution	n	%	n (cum)	% (cum)
1/8 of Cantaloupe	1185	35.27	1185	35.27
1/4 of Cantaloupe	1900	56.55	3085	91.82
1/2 of Cantaloupe	275	8.18	3360	100.00

STRAWBERRIESFREQ	
LABEL	Strawberry, other berries, frequency
TYPE	num
LENGTH	8
VARNUM	362

STRAWBERRIESFREQ: Distribution	n	%	n (cum)	% (cum)
Never	115	3.45	115	3.45
Once Per 3 Months	287	8.61	402	12.06
Once Per Month	387	11.61	789	23.67
2-3 Times Per Month	755	22.65	1544	46.31
Once Per Week	495	14.85	2039	61.16
2 Times Per Week	525	15.75	2564	76.90
3-4 Times Per Week	479	14.37	3043	91.27
5-6 Times Per Week	217	6.51	3260	97.78
Everyday	74	2.22	3334	100.00
Form error (E)	2	.	3336	100.00
Missing (M)	24	.	3360	100.00

STRAWBERRIESQUAN	
LABEL	Strawberry, other berries, quantity
TYPE	num
LENGTH	8
VARNUM	363

STRAWBERRIESQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	1071	31.88	1071	31.88
1/2 cup	1918	57.08	2989	88.96
1 cup	371	11.04	3360	100.00

WATERMELONFREQ	
LABEL	Watermelon, frequency
TYPE	num
LENGTH	8
VARNUM	364

WATERMELONFREQ: Distribution	n	%	n (cum)	% (cum)
Never	407	12.26	407	12.26
Once Per 3 Months	1305	39.31	1712	51.57
Once Per Month	542	16.33	2254	67.89
2-3 Times Per Month	500	15.06	2754	82.95
Once Per Week	242	7.29	2996	90.24
2 Times Per Week	164	4.94	3160	95.18
3-4 Times Per Week	112	3.37	3272	98.55
5-6 Times Per Week	38	1.14	3310	99.70
Everyday	10	0.30	3320	100.00

WATERMELONFREQ: Distribution	n	%	n (cum)	% (cum)
Form error (E)	3	.	3323	100.00
Missing (M)	37	.	3360	100.00

WATERMELONQUAN	
LABEL	Watermelon, quantity
TYPE	num
LENGTH	8
VARNUM	365

WATERMELONQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	671	19.97	671	19.97
1/2 cup	1830	54.46	2501	74.43
1 cup	667	19.85	3168	94.29
2 cups	192	5.71	3360	100.00

OTHERFRUITFREQ	
LABEL	Other fruit, grapes, plums, honeydew mango, frequency
TYPE	num
LENGTH	8
VARNUM	366

OTHERFRUITFREQ: Distribution	n	%	n (cum)	% (cum)
Never	156	4.69	156	4.69
Once Per 3 Months	491	14.75	647	19.44
Once Per Month	488	14.66	1135	34.10
2-3 Times Per Month	726	21.81	1861	55.92
Once Per Week	500	15.02	2361	70.94
2 Times Per Week	484	14.54	2845	85.49
3-4 Times Per Week	309	9.28	3154	94.77
5-6 Times Per Week	123	3.70	3277	98.47
Everyday	51	1.53	3328	100.00
Form error (E)	1	.	3329	100.00
Missing (M)	31	.	3360	100.00

OTHERFRUITQUAN	
LABEL	Other fruit, grapes, plums, honeydew mango, quantity
TYPE	num
LENGTH	8
VARNUM	367

OTHERFRUITQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	982	29.23	982	29.23
1/2 cup	2004	59.64	2986	88.87
1 cup	374	11.13	3360	100.00

CANNEDFRUITFREQ	
LABEL	Apple sauce, Canned fruit, frequency
TYPE	num
LENGTH	8
VARNUM	368

CANNEDFRUITFREQ: Distribution	n	%	n (cum)	% (cum)
Never	1036	31.19	1036	31.19
Once Per 3 Months	935	28.15	1971	59.33
Once Per Month	415	12.49	2386	71.82
2-3 Times Per Month	412	12.40	2798	84.23
Once Per Week	238	7.16	3036	91.39
2 Times Per Week	144	4.33	3180	95.73
3-4 Times Per Week	96	2.89	3276	98.62
5-6 Times Per Week	30	0.90	3306	99.52
Everyday	16	0.48	3322	100.00

CANNEDFRUITFREQ: Distribution	n	%	n (cum)	% (cum)
Form error (E)	1	.	3323	100.00
Missing (M)	37	.	3360	100.00

CANNEDFRUITQUAN	
LABEL	Apple sauce, Canned fruit, quantity
TYPE	num
LENGTH	8
VARNUM	369

CANNEDFRUITQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	1219	36.28	1219	36.28
1/2 cup	2038	60.65	3257	96.93
1 cup	103	3.07	3360	100.00

BROCCOLIFREQ	
LABEL	Broccoli, frequency
TYPE	num
LENGTH	8
VARNUM	370

BROCCOLIFREQ: Distribution	n	%	n (cum)	% (cum)
Never	180	5.39	180	5.39
Once Per 3 Months	246	7.36	426	12.75
Once Per Month	371	11.10	797	23.86
2-3 Times Per Month	796	23.83	1593	47.68
Once Per Week	675	20.20	2268	67.88
2 Times Per Week	575	17.21	2843	85.09
3-4 Times Per Week	355	10.63	3198	95.72
5-6 Times Per Week	117	3.50	3315	99.22
Everyday	26	0.78	3341	100.00
Missing (M)	19	.	3360	100.00

BROCCOLIQUAN	
LABEL	Broccoli, quantity
TYPE	num
LENGTH	8
VARNUM	371

BROCCOLIQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	960	28.57	960	28.57
1/2 cup	1980	58.93	2940	87.50
1 cup	420	12.50	3360	100.00

CARROTSFREQ	
LABEL	Carrots, mixed veg with carrots , frequency
TYPE	num
LENGTH	8
VARNUM	372

CARROTSFREQ: Distribution	n	%	n (cum)	% (cum)
Never	210	6.29	210	6.29
Once Per 3 Months	248	7.43	458	13.72
Once Per Month	354	10.61	812	24.33
2-3 Times Per Month	706	21.16	1518	45.49
Once Per Week	668	20.02	2186	65.51
2 Times Per Week	591	17.71	2777	83.22
3-4 Times Per Week	382	11.45	3159	94.67
5-6 Times Per Week	127	3.81	3286	98.47
Everyday	51	1.53	3337	100.00
Form error (E)	2	.	3339	100.00
Missing (M)	21	.	3360	100.00

CARROTSQUAN	
LABEL	Carrots, mixed veg with carrots, quantity
TYPE	num
LENGTH	8
VARNUM	373

CARROTSQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	1263	37.59	1263	37.59
1/2 cup	1865	55.51	3128	93.10
1 cup	232	6.90	3360	100.00

CORNFREQ	
LABEL	Corn, frequency
TYPE	num
LENGTH	8
VARNUM	374

CORNFREQ: Distribution	n	%	n (cum)	% (cum)
Never	127	3.81	127	3.81
Once Per 3 Months	443	13.28	570	17.09
Once Per Month	514	15.41	1084	32.50
2-3 Times Per Month	879	26.36	1963	58.86
Once Per Week	653	19.58	2616	78.44
2 Times Per Week	447	13.40	3063	91.84
3-4 Times Per Week	196	5.88	3259	97.72
5-6 Times Per Week	57	1.71	3316	99.43
Everyday	19	0.57	3335	100.00
Form error (E)	1	.	3336	100.00
Missing (M)	24	.	3360	100.00

CORNQUAN	
LABEL	Corn, quantity
TYPE	num
LENGTH	8
VARNUM	375

CORNQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	1366	40.65	1366	40.65
1/2 cup	1786	53.15	3152	93.81
1 cup	208	6.19	3360	100.00

BEANSPEASFREQ	
LABEL	Green beans, peas frequency
TYPE	num
LENGTH	8
VARNUM	376

BEANSPEASFREQ: Distribution	n	%	n (cum)	% (cum)
Never	208	6.24	208	6.24
Once Per 3 Months	304	9.12	512	15.36
Once Per Month	375	11.25	887	26.60
2-3 Times Per Month	749	22.47	1636	49.07
Once Per Week	688	20.64	2324	69.71
2 Times Per Week	561	16.83	2885	86.53
3-4 Times Per Week	317	9.51	3202	96.04
5-6 Times Per Week	114	3.42	3316	99.46
Everyday	18	0.54	3334	100.00
Form error (E)	2	.	3336	100.00
Missing (M)	24	.	3360	100.00

BEANSPEASQUAN	
LABEL	Green beans, peas quantity
TYPE	num
LENGTH	8
VARNUM	377

BEANSPEASQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	1145	34.08	1145	34.08
1/2 cup	1932	57.50	3077	91.58
1 cup	283	8.42	3360	100.00

SPINACHCOOKEDFREQ	
LABEL	Cooked spinach frequency
TYPE	num
LENGTH	8
VARNUM	378

SPINACHCOOKEDFREQ: Distribution	n	%	n (cum)	% (cum)
Never	895	26.81	895	26.81
Once Per 3 Months	805	24.12	1700	50.93
Once Per Month	456	13.66	2156	64.59
2-3 Times Per Month	530	15.88	2686	80.47
Once Per Week	286	8.57	2972	89.04
2 Times Per Week	194	5.81	3166	94.85
3-4 Times Per Week	115	3.45	3281	98.29
5-6 Times Per Week	43	1.29	3324	99.58
Everyday	14	0.42	3338	100.00
Form error (E)	2	.	3340	100.00
Missing (M)	20	.	3360	100.00

SPINACHCOOKEDQUAN	
LABEL	Cooked spinach quantity
TYPE	num
LENGTH	8
VARNUM	379

SPINACHCOOKEDQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	1180	35.12	1180	35.12
1/2 cup	1976	58.81	3156	93.93
1 cup	204	6.07	3360	100.00

GREENSFREQ	
LABEL	Greens (collard, mustard, turnip) frequency
TYPE	num
LENGTH	8
VARNUM	380

GREENSFREQ: Distribution	n	%	n (cum)	% (cum)
Never	1973	59.12	1973	59.12
Once Per 3 Months	637	19.09	2610	78.21
Once Per Month	231	6.92	2841	85.14
2-3 Times Per Month	246	7.37	3087	92.51
Once Per Week	99	2.97	3186	95.47
2 Times Per Week	83	2.49	3269	97.96
3-4 Times Per Week	46	1.38	3315	99.34
5-6 Times Per Week	15	0.45	3330	99.79
Everyday	7	0.21	3337	100.00
Form error (E)	3	.	3340	100.00
Missing (M)	20	.	3360	100.00

GREENSQUAN	
LABEL	Greens (collard, mustard, turnip) quantity
TYPE	num
LENGTH	8
VARNUM	381

GREENSQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	578	17.20	578	17.20
1/2 cup	2593	77.17	3171	94.37
1 cup	189	5.63	3360	100.00

SWEETPOTATOESFREQ	
LABEL	Sweet potato, yams, frequency
TYPE	num
LENGTH	8
VARNUM	382

SWEETPOTATOESFREQ: Distribution	n	%	n (cum)	% (cum)
Never	663	19.93	663	19.93
Once Per 3 Months	1117	33.57	1780	53.50
Once Per Month	556	16.71	2336	70.21
2-3 Times Per Month	564	16.95	2900	87.17
Once Per Week	239	7.18	3139	94.35
2 Times Per Week	121	3.64	3260	97.99
3-4 Times Per Week	54	1.62	3314	99.61
5-6 Times Per Week	9	0.27	3323	99.88
Everyday	4	0.12	3327	100.00
Form error (E)	4	.	3331	100.00
Missing (M)	29	.	3360	100.00

SWEETPOTATOESQUAN	
LABEL	Sweet potato, yams, quantity
TYPE	num
LENGTH	8
VARNUM	383

SWEETPOTATOESQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	853	25.39	853	25.39
1/2 cup	2165	64.43	3018	89.82
1 cup	342	10.18	3360	100.00

FRIESFREQ	
LABEL	French Fries, home fries, hash browns frequency
TYPE	num
LENGTH	8
VARNUM	384

FRIESFREQ: Distribution	n	%	n (cum)	% (cum)
Never	68	2.04	68	2.04
Once Per 3 Months	360	10.81	428	12.85
Once Per Month	617	18.53	1045	31.38
2-3 Times Per Month	1099	33.00	2144	64.38
Once Per Week	620	18.62	2764	83.00
2 Times Per Week	343	10.30	3107	93.30
3-4 Times Per Week	176	5.29	3283	98.59
5-6 Times Per Week	36	1.08	3319	99.67
Everyday	11	0.33	3330	100.00
Form error (E)	3	.	3333	100.00
Missing (M)	27	.	3360	100.00

FRIESQUAN	
LABEL	French Fries, home fries, hash browns quantity
TYPE	num
LENGTH	8
VARNUM	385

FRIESQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	731	21.76	731	21.76
1/2 cup	1927	57.35	2658	79.11
1 cup	665	19.79	3323	98.90
2 cups	37	1.10	3360	100.00

POTATOESFREQ	
LABEL	White potatoes (not fried), frequency
TYPE	num
LENGTH	8
VARNUM	386

POTATOESFREQ: Distribution	n	%	n (cum)	% (cum)
Never	91	2.74	91	2.74
Once Per 3 Months	383	11.52	474	14.26
Once Per Month	641	19.28	1115	33.53
2-3 Times Per Month	1074	32.30	2189	65.83
Once Per Week	604	18.17	2793	84.00
2 Times Per Week	363	10.92	3156	94.92
3-4 Times Per Week	139	4.18	3295	99.10
5-6 Times Per Week	24	0.72	3319	99.82
Everyday	6	0.18	3325	100.00
Form error (E)	2	.	3327	100.00
Missing (M)	33	.	3360	100.00

POTATOESQUAN	
LABEL	White potatoes (not fried), quantity
TYPE	num
LENGTH	8
VARNUM	387

POTATOESQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	685	20.39	685	20.39
1/2 cup	2036	60.60	2721	80.98
1 cup	607	18.07	3328	99.05
2 cups	32	0.95	3360	100.00

STARCHVEGFREQ	
LABEL	Starchy foods (cassava, manioc, plantains), frequency
TYPE	num
LENGTH	8
VARNUM	388

STARCHVEGFREQ: Distribution	n	%	n (cum)	% (cum)
Never	2472	74.75	2472	74.75
Once Per 3 Months	404	12.22	2876	86.97
Once Per Month	127	3.84	3003	90.81
2-3 Times Per Month	103	3.11	3106	93.92
Once Per Week	67	2.03	3173	95.95
2 Times Per Week	79	2.39	3252	98.34
3-4 Times Per Week	39	1.18	3291	99.52
5-6 Times Per Week	13	0.39	3304	99.91
Everyday	3	0.09	3307	100.00
Form error (E)	4	.	3311	100.00
Missing (M)	49	.	3360	100.00

STARCHVEGQUAN	
LABEL	Starchy foods (cassava, manioc, plantains), quantity
TYPE	num
LENGTH	8
VARNUM	389

STARCHVEGQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	422	12.56	422	12.56
1/2 cup	2821	83.96	3243	96.52
1 cup	112	3.33	3355	99.85
2 cups	5	0.15	3360	100.00

COESLAWCABBAGEFREQ	
LABEL	Cole slaw, cabbage, Chinese cabbage frequency
TYPE	num
LENGTH	8
VARNUM	390

COESLAWCABBAGEFREQ: Distribution	n	%	n (cum)	% (cum)
Never	1003	30.12	1003	30.12
Once Per 3 Months	1096	32.91	2099	63.03
Once Per Month	574	17.24	2673	80.27
2-3 Times Per Month	411	12.34	3084	92.61
Once Per Week	121	3.63	3205	96.25
2 Times Per Week	77	2.31	3282	98.56
3-4 Times Per Week	36	1.08	3318	99.64
5-6 Times Per Week	9	0.27	3327	99.91
Everyday	3	0.09	3330	100.00
Form error (E)	2	.	3332	100.00
Missing (M)	28	.	3360	100.00

COESLAWCABBAGEQUAN	
LABEL	Cole slaw, cabbage, Chinese cabbage quantity
TYPE	num
LENGTH	8
VARNUM	391

COESLAWCABBAGEQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	1065	31.70	1065	31.70
1/2 cup	2064	61.43	3129	93.13
1 cup	231	6.88	3360	100.00

GREENSALADFREQ	
LABEL	Green salad, lettuce salad frequency
TYPE	num
LENGTH	8
VARNUM	392

GREENSALADFREQ: Distribution	n	%	n (cum)	% (cum)
Never	84	2.52	84	2.52
Once Per 3 Months	105	3.15	189	5.67
Once Per Month	242	7.26	431	12.93
2-3 Times Per Month	589	17.67	1020	30.60
Once Per Week	573	17.19	1593	47.79
2 Times Per Week	740	22.20	2333	70.00
3-4 Times Per Week	619	18.57	2952	88.57
5-6 Times Per Week	270	8.10	3222	96.67
Everyday	111	3.33	3333	100.00
Form error (E)	2	.	3335	100.00
Missing (M)	25	.	3360	100.00

GREENSALADQUAN	
LABEL	Green salad, lettuce salad quantity
TYPE	num
LENGTH	8
VARNUM	393

GREENSALADQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 cup	1164	34.64	1164	34.64
1 cup	1391	41.40	2555	76.04
2 cups	805	23.96	3360	100.00

TOMATOESFREQ	
LABEL	Tomatoes, fresh frequency
TYPE	num
LENGTH	8
VARNUM	394

TOMATOESFREQ: Distribution	n	%	n (cum)	% (cum)
Never	645	19.35	645	19.35
Once Per 3 Months	240	7.20	885	26.54
Once Per Month	271	8.13	1156	34.67
2-3 Times Per Month	537	16.11	1693	50.78
Once Per Week	467	14.01	2160	64.79
2 Times Per Week	527	15.81	2687	80.59
3-4 Times Per Week	437	13.11	3124	93.70
5-6 Times Per Week	179	5.37	3303	99.07
Everyday	31	0.93	3334	100.00
Form error (E)	1	.	3335	100.00
Missing (M)	25	.	3360	100.00

TOMATOESQUAN	
LABEL	Tomatoes, fresh quantity
TYPE	num
LENGTH	8
VARNUM	395

TOMATOESQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 of Tomato	1160	34.52	1160	34.52
1/2 of Tomato	1695	50.45	2855	84.97
1 Tomatoe	505	15.03	3360	100.00

SALADDRESSINGFREQ	
LABEL	Salad dressing, any kind; frequency
TYPE	num
LENGTH	8
VARNUM	396

SALADDRESSINGFREQ: Distribution	n	%	n (cum)	% (cum)
Never	173	5.20	173	5.20
Once Per 3 Months	208	6.25	381	11.45
Once Per Month	219	6.58	600	18.03
2-3 Times Per Month	596	17.91	1196	35.94
Once Per Week	562	16.89	1758	52.82
2 Times Per Week	664	19.95	2422	72.78
3-4 Times Per Week	589	17.70	3011	90.47
5-6 Times Per Week	240	7.21	3251	97.69
Everyday	77	2.31	3328	100.00
Form error (E)	4	.	3332	100.00
Missing (M)	28	.	3360	100.00

SALADDRESSINGQUAN	
LABEL	Salad dressing quantity
TYPE	num
LENGTH	8
VARNUM	397

SALADDRESSINGQUAN: Distribution	n	%	n (cum)	% (cum)
1 TBSP	762	22.68	762	22.68
2 TBSPs	1861	55.39	2623	78.07
3 TBSPs	581	17.29	3204	95.36
4 TBSPs	156	4.64	3360	100.00

AVOCADOFREQ	
LABEL	Avocado, guacamole, frequency
TYPE	num
LENGTH	8
VARNUM	398

AVOCADOFREQ: Distribution	n	%	n (cum)	% (cum)
Never	647	19.46	647	19.46
Once Per 3 Months	386	11.61	1033	31.08
Once Per Month	383	11.52	1416	42.60
2-3 Times Per Month	630	18.95	2046	61.55
Once Per Week	479	14.41	2525	75.96
2 Times Per Week	400	12.03	2925	88.00
3-4 Times Per Week	278	8.36	3203	96.36
5-6 Times Per Week	94	2.83	3297	99.19
Everyday	27	0.81	3324	100.00
Form error (E)	1	.	3325	100.00
Missing (M)	35	.	3360	100.00

AVOCADOQUAN	
LABEL	Avocado, guacamole quantity
TYPE	num
LENGTH	8
VARNUM	399

AVOCADOQUAN: Distribution	n	%	n (cum)	% (cum)
1 TBSP	323	9.61	323	9.61
2 TBSPs	1516	45.12	1839	54.73
3 TBSPs	802	23.87	2641	78.60
4 TBSPs	719	21.40	3360	100.00

WINTERSQUASHFREQ	
LABEL	Winter squash, acorn, butternut, kabocha frequency
TYPE	num
LENGTH	8
VARNUM	400

WINTERSQUASHFREQ: Distribution	n	%	n (cum)	% (cum)
Never	1498	44.92	1498	44.92
Once Per 3 Months	908	27.23	2406	72.14
Once Per Month	390	11.69	2796	83.84
2-3 Times Per Month	318	9.54	3114	93.37
Once Per Week	133	3.99	3247	97.36
2 Times Per Week	62	1.86	3309	99.22
3-4 Times Per Week	24	0.72	3333	99.94
5-6 Times Per Week	2	0.06	3335	100.00
Form error (E)	1	.	3336	100.00
Missing (M)	24	.	3360	100.00

WINTERSQUASHQUAN	
LABEL	Winter squash, etc. quantity
TYPE	num
LENGTH	8
VARNUM	401

WINTERSQUASHQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	558	16.61	558	16.61
1/2 cup	2433	72.41	2991	89.02
1 cup	340	10.12	3331	99.14
2 cups	29	0.86	3360	100.00

COOKEDPEPPERSFREQ	
LABEL	Cooked green pepper, chile relleno, frequency
TYPE	num
LENGTH	8
VARNUM	402

COOKEDPEPPERSFREQ: Distribution	n	%	n (cum)	% (cum)
Never	969	29.09	969	29.09
Once Per 3 Months	668	20.05	1637	49.14
Once Per Month	476	14.29	2113	63.43
2-3 Times Per Month	561	16.84	2674	80.28
Once Per Week	310	9.31	2984	89.58
2 Times Per Week	188	5.64	3172	95.23
3-4 Times Per Week	110	3.30	3282	98.53
5-6 Times Per Week	37	1.11	3319	99.64
Everyday	12	0.36	3331	100.00
Form error (E)	3	.	3334	100.00
Missing (M)	26	.	3360	100.00

COOKEDPEPPERSQUAN	
LABEL	Cooked green pepper, chile relleno, quantity
TYPE	num
LENGTH	8
VARNUM	403

COOKEDPEPPERSQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	1310	38.99	1310	38.99
1/2 cup	1886	56.13	3196	95.12
1 cup	153	4.55	3349	99.67
2 cups	11	0.33	3360	100.00

OTHERVEGGIESFREQ	
LABEL	Other vegetables (cauliflower, asparagus, okra, eggplant, etc.) frequency
TYPE	num
LENGTH	8
VARNUM	404

OTHERVEGGIESFREQ: Distribution	n	%	n (cum)	% (cum)
Never	542	16.26	542	16.26
Once Per 3 Months	475	14.25	1017	30.50
Once Per Month	454	13.62	1471	44.12
2-3 Times Per Month	651	19.53	2122	63.65
Once Per Week	456	13.68	2578	77.32
2 Times Per Week	413	12.39	2991	89.71
3-4 Times Per Week	237	7.11	3228	96.82
5-6 Times Per Week	84	2.52	3312	99.34
Everyday	22	0.66	3334	100.00
Missing (M)	26	.	3360	100.00

OTHERVEGGIESQUAN	
LABEL	Other vegetables (cauliflower, asparagus, okra, eggplant, etc.) quantity
TYPE	num
LENGTH	8
VARNUM	405

OTHERVEGGIESQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	679	20.21	679	20.21
1/2 cup	2151	64.02	2830	84.23
1 cup	499	14.85	3329	99.08
2 cups	31	0.92	3360	100.00

REFRIEDBEANSFREQ	
LABEL	Refried beans, bean burritos, frequency
TYPE	num
LENGTH	8
VARNUM	406

REFRIEDBEANSFREQ: Distribution	n	%	n (cum)	% (cum)
Never	968	29.01	968	29.01
Once Per 3 Months	891	26.70	1859	55.71
Once Per Month	548	16.42	2407	72.13
2-3 Times Per Month	525	15.73	2932	87.86
Once Per Week	233	6.98	3165	94.85
2 Times Per Week	118	3.54	3283	98.38
3-4 Times Per Week	35	1.05	3318	99.43
5-6 Times Per Week	14	0.42	3332	99.85
Everyday	5	0.15	3337	100.00
Form error (E)	1	.	3338	100.00
Missing (M)	22	.	3360	100.00

REFRIEDBEANSQUAN	
LABEL	Refried beans, bean burritos, quantity
TYPE	num
LENGTH	8
VARNUM	407

REFRIEDBEANSQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	1109	33.01	1109	33.01
1/2 cup	2104	62.62	3213	95.63
1 cup	147	4.38	3360	100.00

PINTOBEANSFREQ	
LABEL	Pinto, black beans, chili w/ beans, baked beans, frequency
TYPE	num
LENGTH	8
VARNUM	408

PINTOBEANSFREQ: Distribution	n	%	n (cum)	% (cum)
Never	448	13.46	448	13.46
Once Per 3 Months	579	17.40	1027	30.86
Once Per Month	631	18.96	1658	49.82
2-3 Times Per Month	843	25.33	2501	75.15
Once Per Week	387	11.63	2888	86.78
2 Times Per Week	262	7.87	3150	94.65
3-4 Times Per Week	131	3.94	3281	98.59
5-6 Times Per Week	30	0.90	3311	99.49
Everyday	17	0.51	3328	100.00
Form error (E)	2	.	3330	100.00
Missing (M)	30	.	3360	100.00

PINTOBEANSQUAN	
LABEL	Pinto, black beans, chili w/ beans, baked beans, quantity
TYPE	num
LENGTH	8
VARNUM	409

PINTOBEANSQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	977	29.08	977	29.08
1/2 cup	2006	59.70	2983	88.78
1 cup	351	10.45	3334	99.23
2 cups	26	0.77	3360	100.00

VEGGIESTEWFREQ	
LABEL	Vegetable stew, w/o meat frequency
TYPE	num
LENGTH	8
VARNUM	410

VEGGIESTEWFREQ: Distribution	n	%	n (cum)	% (cum)
Never	1600	48.05	1600	48.05
Once Per 3 Months	942	28.29	2542	76.34
Once Per Month	378	11.35	2920	87.69
2-3 Times Per Month	231	6.94	3151	94.62
Once Per Week	92	2.76	3243	97.39
2 Times Per Week	49	1.47	3292	98.86
3-4 Times Per Week	26	0.78	3318	99.64
5-6 Times Per Week	6	0.18	3324	99.82
Everyday	6	0.18	3330	100.00
Form error (E)	1	.	3331	100.00
Missing (M)	29	.	3360	100.00

VEGGIESTEWQUAN	
LABEL	Vegetable stew, w/o meat quantity
TYPE	num
LENGTH	8
VARNUM	411

VEGGIESTEWQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 cup	758	22.56	758	22.56
1 cup	2423	72.11	3181	94.67
2 cups	179	5.33	3360	100.00

VEGSOUPFREQ	
LABEL	Vegetable soup, vegetable-beef soup, tomato soup frequency
TYPE	num
LENGTH	8
VARNUM	412

VEGSOUPFREQ: Distribution	n	%	n (cum)	% (cum)
Never	637	19.12	637	19.12
Once Per 3 Months	1217	36.54	1854	55.66
Once Per Month	714	21.44	2568	77.09
2-3 Times Per Month	474	14.23	3042	91.32
Once Per Week	183	5.49	3225	96.82
2 Times Per Week	72	2.16	3297	98.98
3-4 Times Per Week	26	0.78	3323	99.76
5-6 Times Per Week	5	0.15	3328	99.91
Everyday	3	0.09	3331	100.00
Form error (E)	1	.	3332	100.00
Missing (M)	28	.	3360	100.00

VEGSOUPQUAN	
LABEL	Vegetable soup, vegetable-beef soup, tomato soup quantity
TYPE	num
LENGTH	8
VARNUM	413

VEGSOUPQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 cup	959	28.54	959	28.54
1 cup	2085	62.05	3044	90.60
2 cups	316	9.40	3360	100.00

PEASOUPFREQ	
LABEL	Split pea, bean or lentil soup frequency
TYPE	num
LENGTH	8
VARNUM	414

PEASOUPFREQ: Distribution	n	%	n (cum)	% (cum)
Never	1857	55.77	1857	55.77
Once Per 3 Months	834	25.05	2691	80.81
Once Per Month	319	9.58	3010	90.39
2-3 Times Per Month	177	5.32	3187	95.71
Once Per Week	81	2.43	3268	98.14
2 Times Per Week	29	0.87	3297	99.01
3-4 Times Per Week	21	0.63	3318	99.64
5-6 Times Per Week	9	0.27	3327	99.91
Everyday	3	0.09	3330	100.00
Form error (E)	2	.	3332	100.00
Missing (M)	28	.	3360	100.00

PEASOUPQUAN	
LABEL	Split pea, bean or lentil soup quantity
TYPE	num
LENGTH	8
VARNUM	415

PEASOUPQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 cup	556	16.55	556	16.55
1 cup	2617	77.89	3173	94.43
2 cups	187	5.57	3360	100.00

OTHERSOUPFREQ	
LABEL	Other soup, chicken noodle, cream soups, Cup-A-Soup frequency
TYPE	num
LENGTH	8
VARNUM	416

OTHERSOUPFREQ: Distribution	n	%	n (cum)	% (cum)
Never	470	14.12	470	14.12
Once Per 3 Months	995	29.90	1465	44.02
Once Per Month	792	23.80	2257	67.82
2-3 Times Per Month	605	18.18	2862	86.00
Once Per Week	277	8.32	3139	94.32
2 Times Per Week	112	3.37	3251	97.69
3-4 Times Per Week	55	1.65	3306	99.34
5-6 Times Per Week	16	0.48	3322	99.82
Everyday	6	0.18	3328	100.00
Form error (E)	1	.	3329	100.00
Missing (M)	31	.	3360	100.00

OTHERSOUPQUAN	
LABEL	Other soup, chicken noodle, cream soups, Cup-A-Soup quantity
TYPE	num
LENGTH	8
VARNUM	417

OTHERSOUPQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 cup	1014	30.18	1014	30.18
1 cup	2058	61.25	3072	91.43
2 cups	288	8.57	3360	100.00

PIZZAFREQ	
LABEL	Pizza, frequency
TYPE	num
LENGTH	8
VARNUM	418

PIZZAFREQ: Distribution	n	%	n (cum)	% (cum)
Never	36	1.08	36	1.08
Once Per 3 Months	267	8.01	303	9.09
Once Per Month	721	21.63	1024	30.72
2-3 Times Per Month	1161	34.83	2185	65.56
Once Per Week	857	25.71	3042	91.27
2 Times Per Week	186	5.58	3228	96.85
3-4 Times Per Week	83	2.49	3311	99.34
5-6 Times Per Week	16	0.48	3327	99.82
Everyday	6	0.18	3333	100.00
Form error (E)	2	.	3335	100.00
Missing (M)	25	.	3360	100.00

PIZZAQUAN	
LABEL	Pizza, quantity
TYPE	num
LENGTH	8
VARNUM	419

PIZZAQUAN: Distribution	n	%	n (cum)	% (cum)
1 Slice	435	12.95	435	12.95
2 Slices	1880	55.95	2315	68.90
3 Slices	912	27.14	3227	96.04
4 Slices	133	3.96	3360	100.00

SPAGHETTIFREQ	
LABEL	Spaghetti, lasagna, pasta w/ tomato sauce frequency
TYPE	num
LENGTH	8
VARNUM	420

SPAGHETTIFREQ: Distribution	n	%	n (cum)	% (cum)
Never	65	1.95	65	1.95
Once Per 3 Months	286	8.59	351	10.54
Once Per Month	644	19.35	995	29.89
2-3 Times Per Month	1136	34.12	2131	64.01
Once Per Week	858	25.77	2989	89.79
2 Times Per Week	252	7.57	3241	97.36
3-4 Times Per Week	77	2.31	3318	99.67
5-6 Times Per Week	7	0.21	3325	99.88
Everyday	4	0.12	3329	100.00
Form error (E)	3	.	3332	100.00
Missing (M)	28	.	3360	100.00

SPAGHETTIQUAN	
LABEL	Spaghetti, lasagna, pasta w/ tomato sauce quantity
TYPE	num
LENGTH	8
VARNUM	421

SPAGHETTIQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 cup	1024	30.48	1024	30.48
1 cup	1747	51.99	2771	82.47
2 cups	589	17.53	3360	100.00

MACARONIFREQ	
LABEL	Mac N Cheese, frequency
TYPE	num
LENGTH	8
VARNUM	422

MACARONIFREQ: Distribution	n	%	n (cum)	% (cum)
Never	383	11.50	383	11.50
Once Per 3 Months	802	24.08	1185	35.59
Once Per Month	771	23.15	1956	58.74
2-3 Times Per Month	789	23.69	2745	82.43
Once Per Week	386	11.59	3131	94.02
2 Times Per Week	132	3.96	3263	97.99
3-4 Times Per Week	50	1.50	3313	99.49
5-6 Times Per Week	13	0.39	3326	99.88
Everyday	4	0.12	3330	100.00
Form error (E)	2	.	3332	100.00
Missing (M)	28	.	3360	100.00

MACARONIQUN	
LABEL	Mac N Cheese, quantity
TYPE	num
LENGTH	8
VARNUM	423

MACARONIQUN: Distribution	n	%	n (cum)	% (cum)
1/2 cup	1776	52.86	1776	52.86
1 cup	1400	41.67	3176	94.52
2 cups	184	5.48	3360	100.00

OTHERNOODLESFREQ	
LABEL	Other noodles, egg noodles, pasta salad, sopa seca frequency
TYPE	num
LENGTH	8
VARNUM	424

OTHERNOODLESFREQ: Distribution	n	%	n (cum)	% (cum)
Never	633	19.01	633	19.01
Once Per 3 Months	911	27.36	1544	46.37
Once Per Month	714	21.44	2258	67.81
2-3 Times Per Month	640	19.22	2898	87.03
Once Per Week	267	8.02	3165	95.05
2 Times Per Week	121	3.63	3286	98.68
3-4 Times Per Week	36	1.08	3322	99.76
5-6 Times Per Week	8	0.24	3330	100.00
Form error (E)	1	.	3331	100.00
Missing (M)	29	.	3360	100.00

OTHERNOODLESQUAN	
LABEL	Other noodles, egg noodles, pasta salad, sopa seca quantity
TYPE	num
LENGTH	8
VARNUM	425

OTHERNOODLESQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 cup	2050	61.01	2050	61.01
1 cup	1157	34.43	3207	95.45
2 cups	153	4.55	3360	100.00

TOFUFREQ	
LABEL	Tofu or tempeh frequency
TYPE	num
LENGTH	8
VARNUM	426

TOFUFREQ: Distribution	n	%	n (cum)	% (cum)
Never	2387	71.64	2387	71.64
Once Per 3 Months	473	14.20	2860	85.83
Once Per Month	183	5.49	3043	91.33
2-3 Times Per Month	125	3.75	3168	95.08
Once Per Week	84	2.52	3252	97.60
2 Times Per Week	37	1.11	3289	98.71
3-4 Times Per Week	32	0.96	3321	99.67
5-6 Times Per Week	10	0.30	3331	99.97
Everyday	1	0.03	3332	100.00
Missing (M)	28	.	3360	100.00

TOFUQUAN	
LABEL	Tofu or tempeh quantity
TYPE	num
LENGTH	8
VARNUM	427

TOFUQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	439	13.07	439	13.07
1/2 cup	2849	84.79	3288	97.86
1 cup	72	2.14	3360	100.00

MEATSUBSTITUTEFREQ	
LABEL	Meat substitutes, frequency
TYPE	num
LENGTH	8
VARNUM	428

MEATSUBSTITUTEFREQ: Distribution	n	%	n (cum)	% (cum)
Never	2160	64.75	2160	64.75
Once Per 3 Months	588	17.63	2748	82.37
Once Per Month	194	5.82	2942	88.19
2-3 Times Per Month	171	5.13	3113	93.32
Once Per Week	103	3.09	3216	96.40
2 Times Per Week	62	1.86	3278	98.26
3-4 Times Per Week	28	0.84	3306	99.10
5-6 Times Per Week	24	0.72	3330	99.82
Everyday	6	0.18	3336	100.00
Missing (M)	24	.	3360	100.00

MEATSUBSTITUTEQUAN	
LABEL	Meat substitutes, quantity
TYPE	num
LENGTH	8
VARNUM	429

MEATSUBSTITUTEQUAN: Distribution	n	%	n (cum)	% (cum)
1 Patty or Dog	3191	94.97	3191	94.97
2 Patties or Dogs	169	5.03	3360	100.00

EATMEAT	
LABEL	Do you ever eat meat?
TYPE	num
LENGTH	8
VARNUM	430

EATMEAT: Distribution	n	%	n (cum)	% (cum)
Yes	2662	97.72	2662	97.72
No	62	2.28	2724	100.00
Form error (E)	1	.	2725	100.00
Missing (M)	635	.	3360	100.00

BURGERFREQ	
LABEL	Hamburger (cheeseburger),frequency
TYPE	num
LENGTH	8
VARNUM	431

BURGERFREQ: Distribution	n	%	n (cum)	% (cum)
Never	209	6.34	209	6.34
Once Per 3 Months	564	17.10	773	23.43
Once Per Month	836	25.34	1609	48.77
2-3 Times Per Month	1049	31.80	2658	80.57
Once Per Week	422	12.79	3080	93.36
2 Times Per Week	161	4.88	3241	98.24
3-4 Times Per Week	41	1.24	3282	99.48
5-6 Times Per Week	14	0.42	3296	99.91
Everyday	3	0.09	3299	100.00
Missing (M)	61	.	3360	100.00

BURGERQUAN	
LABEL	Hamburger (cheeseburger), quantity
TYPE	num
LENGTH	8
VARNUM	432

BURGERQUAN: Distribution	n	%	n (cum)	% (cum)
1 Small Patty	1897	56.46	1897	56.46
1 Large Patty	1417	42.17	3314	98.63
2 Patties	46	1.37	3360	100.00

HOTDOGFREQ	
LABEL	Hot dogs, sausages, frequency
TYPE	num
LENGTH	8
VARNUM	433

HOTDOGFREQ: Distribution	n	%	n (cum)	% (cum)
Never	461	13.99	461	13.99
Once Per 3 Months	1023	31.05	1484	45.04
Once Per Month	822	24.95	2306	69.98
2-3 Times Per Month	705	21.40	3011	91.38

HOTDOGFREQ: Distribution	n	%	n (cum)	% (cum)
Once Per Week	185	5.61	3196	97.00
2 Times Per Week	68	2.06	3264	99.06
3-4 Times Per Week	21	0.64	3285	99.70
5-6 Times Per Week	8	0.24	3293	99.94
Everyday	2	0.06	3295	100.00
Missing (M)	65	.	3360	100.00

HOTDOGQUAN	
LABEL	Hot dogs, sausages, quantity
TYPE	num
LENGTH	8
VARNUM	434

HOTDOGQUAN: Distribution	n	%	n (cum)	% (cum)
1 Hot Dog	2507	74.61	2507	74.61
2 Hot Dogs	832	24.76	3339	99.38
3 Hot Dogs	21	0.63	3360	100.00

BOLOGNAFREQ	
LABEL	Lunch Meats, frequency
TYPE	num
LENGTH	8
VARNUM	435

BOLOGNAFREQ: Distribution	n	%	n (cum)	% (cum)
Never	390	11.86	390	11.86
Once Per 3 Months	556	16.92	946	28.78
Once Per Month	533	16.22	1479	45.00
2-3 Times Per Month	835	25.40	2314	70.40
Once Per Week	377	11.47	2691	81.87
2 Times Per Week	329	10.01	3020	91.88
3-4 Times Per Week	199	6.05	3219	97.93
5-6 Times Per Week	48	1.46	3267	99.39
Everyday	20	0.61	3287	100.00
Form error (E)	1	.	3288	100.00
Missing (M)	72	.	3360	100.00

BOLOGNAQUAN	
LABEL	Lunch Meats, quantity
TYPE	num
LENGTH	8
VARNUM	436

BOLOGNAQUAN: Distribution	n	%	n (cum)	% (cum)
1 Slice	346	10.30	346	10.30
2 Slices	1922	57.20	2268	67.50
3 Slices	844	25.12	3112	92.62
4 Slices	248	7.38	3360	100.00

MEATLOAFFREQ	
LABEL	Meat loaf meat balls, frequency
TYPE	num
LENGTH	8
VARNUM	437

MEATLOAFFREQ: Distribution	n	%	n (cum)	% (cum)
Never	574	17.48	574	17.48
Once Per 3 Months	1229	37.42	1803	54.90
Once Per Month	807	24.57	2610	79.48
2-3 Times Per Month	506	15.41	3116	94.88
Once Per Week	123	3.75	3239	98.63
2 Times Per Week	34	1.04	3273	99.67

MEATLOAFFREQ: Distribution	n	%	n (cum)	% (cum)
3-4 Times Per Week	7	0.21	3280	99.88
5-6 Times Per Week	3	0.09	3283	99.97
Everyday	1	0.03	3284	100.00
Form error (E)	1	.	3285	100.00
Missing (M)	75	.	3360	100.00

MEATLOAFQUAN	
LABEL	Meat loaf meat balls, quantity
TYPE	num
LENGTH	8
VARNUM	438

MEATLOAFQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 cup	2533	75.39	2533	75.39
1 cup	784	23.33	3317	98.72
2 cups	43	1.28	3360	100.00

STEAKFREQ	
LABEL	Steak, roast beef or beef, frequency
TYPE	num
LENGTH	8
VARNUM	439

STEAKFREQ: Distribution	n	%	n (cum)	% (cum)
Never	471	14.34	471	14.34
Once Per 3 Months	659	20.07	1130	34.41
Once Per Month	741	22.56	1871	56.97
2-3 Times Per Month	824	25.09	2695	82.06
Once Per Week	355	10.81	3050	92.87
2 Times Per Week	162	4.93	3212	97.81
3-4 Times Per Week	56	1.71	3268	99.51
5-6 Times Per Week	11	0.33	3279	99.85
Everyday	5	0.15	3284	100.00
Form error (E)	1	.	3285	100.00
Missing (M)	75	.	3360	100.00

STEAKQUAN	
LABEL	Steak, roast beef or beef, quantity
TYPE	num
LENGTH	8
VARNUM	440

STEAKQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	543	16.16	543	16.16
1/2 cup	2193	65.27	2736	81.43
1 cup	588	17.50	3324	98.93
2 cups	36	1.07	3360	100.00

TACOSFREQ	
LABEL	Tacos, burritos, enchiladas, tamales, w/ meat chicken, frequency
TYPE	num
LENGTH	8
VARNUM	441

TACOSFREQ: Distribution	n	%	n (cum)	% (cum)
Never	230	7.01	230	7.01
Once Per 3 Months	502	15.30	732	22.31
Once Per Month	730	22.25	1462	44.56
2-3 Times Per Month	1049	31.97	2511	76.53
Once Per Week	546	16.64	3057	93.17
2 Times Per Week	153	4.66	3210	97.84
3-4 Times Per Week	52	1.58	3262	99.42

TACOSFREQ: Distribution	n	%	n (cum)	% (cum)
5-6 Times Per Week	12	0.37	3274	99.79
Everyday	7	0.21	3281	100.00
Form error (E)	3	.	3284	100.00
Missing (M)	76	.	3360	100.00

TACOSQUAN	
LABEL	Tacos, burritos, enchiladas, tamales, w/ meat chicken, quantity
TYPE	num
LENGTH	8
VARNUM	442

TACOSQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	399	11.88	399	11.88
1/2 cup	1753	52.17	2152	64.05
1 cup	1035	30.80	3187	94.85
2 cups	173	5.15	3360	100.00

RIBSFREQ	
LABEL	Ribs, spareribs, frequency
TYPE	num
LENGTH	8
VARNUM	443

RIBSFREQ: Distribution	n	%	n (cum)	% (cum)
Never	1015	30.86	1015	30.86
Once Per 3 Months	1559	47.40	2574	78.26
Once Per Month	387	11.77	2961	90.03
2-3 Times Per Month	223	6.78	3184	96.81
Once Per Week	66	2.01	3250	98.81
2 Times Per Week	26	0.79	3276	99.60
3-4 Times Per Week	8	0.24	3284	99.85
5-6 Times Per Week	4	0.12	3288	99.97
Everyday	1	0.03	3289	100.00
Form error (E)	2	.	3291	100.00
Missing (M)	69	.	3360	100.00

RIBSQUAN	
LABEL	Ribs, spareribs, quantity
TYPE	num
LENGTH	8
VARNUM	444

RIBSQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	473	14.08	473	14.08
1/2 cup	2219	66.04	2692	80.12
1 cup	586	17.44	3278	97.56
2 cups	82	2.44	3360	100.00

PORKFREQ	
LABEL	Pork chops, pork roast, cooked ham, incl breakfast - frequency
TYPE	num
LENGTH	8
VARNUM	445

PORKFREQ: Distribution	n	%	n (cum)	% (cum)
Never	559	17.01	559	17.01
Once Per 3 Months	967	29.42	1526	46.43
Once Per Month	738	22.45	2264	68.88
2-3 Times Per Month	654	19.90	2918	88.77
Once Per Week	253	7.70	3171	96.47
2 Times Per Week	79	2.40	3250	98.87
3-4 Times Per Week	24	0.73	3274	99.60

PORKFREQ: Distribution	n	%	n (cum)	% (cum)
5-6 Times Per Week	8	0.24	3282	99.85
Everyday	5	0.15	3287	100.00
Form error (E)	3	.	3290	100.00
Missing (M)	70	.	3360	100.00

PORKQUAN	
LABEL	Pork chops, pork roast, cooked ham, incl breakfast - quantity
TYPE	num
LENGTH	8
VARNUM	446

PORKQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	583	17.35	583	17.35
1/2 cup	2223	66.16	2806	83.51
1 cup	523	15.57	3329	99.08
2 cups	31	0.92	3360	100.00

VEALFREQ	
LABEL	Veal, lamb, deer, goat meat frequency
TYPE	num
LENGTH	8
VARNUM	447

VEALFREQ: Distribution	n	%	n (cum)	% (cum)
Never	2341	71.20	2341	71.20
Once Per 3 Months	694	21.11	3035	92.31
Once Per Month	112	3.41	3147	95.71
2-3 Times Per Month	83	2.52	3230	98.24
Once Per Week	32	0.97	3262	99.21
2 Times Per Week	15	0.46	3277	99.67
3-4 Times Per Week	7	0.21	3284	99.88
5-6 Times Per Week	2	0.06	3286	99.94
Everyday	2	0.06	3288	100.00
Form error (E)	2	.	3290	100.00
Missing (M)	70	.	3360	100.00

VEALQUAN	
LABEL	Veal, lamb, deer, goat meat quantity
TYPE	num
LENGTH	8
VARNUM	448

VEALQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	340	10.12	340	10.12
1/2 cup	2895	86.16	3235	96.28
1 cup	125	3.72	3360	100.00

LIVERFREQ	
LABEL	Liver, chicken live, liverwurst frequency
TYPE	num
LENGTH	8
VARNUM	449

LIVERFREQ: Distribution	n	%	n (cum)	% (cum)
Never	2959	89.94	2959	89.94
Once Per 3 Months	223	6.78	3182	96.72
Once Per Month	53	1.61	3235	98.33
2-3 Times Per Month	24	0.73	3259	99.06
Once Per Week	17	0.52	3276	99.57
2 Times Per Week	6	0.18	3282	99.76
3-4 Times Per Week	6	0.18	3288	99.94
5-6 Times Per Week	2	0.06	3290	100.00

LIVERFREQ: Distribution	n	%	n (cum)	% (cum)
Form error (E)	2	.	3292	100.00
Missing (M)	68	.	3360	100.00

LIVERQUAN	
LABEL	Liver, chicken live, liverwurst quantity
TYPE	num
LENGTH	8
VARNUM	450

LIVERQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	215	6.40	215	6.40
1/2 cup	3111	92.59	3326	98.99
1 cup	34	1.01	3360	100.00

FEETFREQ	
LABEL	Pigs feet, neck bones, oxtail, tongue frequency
TYPE	num
LENGTH	8
VARNUM	451

FEETFREQ: Distribution	n	%	n (cum)	% (cum)
Never	2952	89.59	2952	89.59
Once Per 3 Months	227	6.89	3179	96.48
Once Per Month	64	1.94	3243	98.42
2-3 Times Per Month	32	0.97	3275	99.39
Once Per Week	10	0.30	3285	99.70
2 Times Per Week	5	0.15	3290	99.85
3-4 Times Per Week	5	0.15	3295	100.00
Missing (M)	65	.	3360	100.00

FEETQUAN	
LABEL	Pigs feet, neck bones, oxtail, tongue quantity
TYPE	num
LENGTH	8
VARNUM	452

FEETQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	178	5.30	178	5.30
1/2 cup	3134	93.27	3312	98.57
1 cup	48	1.43	3360	100.00

MENUDOFREQ	
LABEL	Menudo, pozole frequency
TYPE	num
LENGTH	8
VARNUM	453

MENUDOFREQ: Distribution	n	%	n (cum)	% (cum)
Never	2835	86.46	2835	86.46
Once Per 3 Months	259	7.90	3094	94.36
Once Per Month	87	2.65	3181	97.01
2-3 Times Per Month	62	1.89	3243	98.90
Once Per Week	19	0.58	3262	99.48
2 Times Per Week	5	0.15	3267	99.63
3-4 Times Per Week	9	0.27	3276	99.91
5-6 Times Per Week	3	0.09	3279	100.00
Form error (E)	5	.	3284	100.00
Missing (M)	76	.	3360	100.00

MENUDOQUAN	
LABEL	Menudo, pozole quantity
TYPE	num
LENGTH	8
VARNUM	454

MENUDOQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 cup	239	7.11	239	7.11
1 cup	3057	90.98	3296	98.10
2 cups	64	1.90	3360	100.00

MIXEDBEEFPORKFREQ	
LABEL	Other beef, pork dish, stew, frequency
TYPE	num
LENGTH	8
VARNUM	455

MIXEDBEEFPORKFREQ: Distribution	n	%	n (cum)	% (cum)
Never	1173	35.65	1173	35.65
Once Per 3 Months	1110	33.74	2283	69.39
Once Per Month	496	15.08	2779	84.47
2-3 Times Per Month	315	9.57	3094	94.04
Once Per Week	117	3.56	3211	97.60
2 Times Per Week	49	1.49	3260	99.09
3-4 Times Per Week	23	0.70	3283	99.79
5-6 Times Per Week	4	0.12	3287	99.91
Everyday	3	0.09	3290	100.00
Missing (M)	70	.	3360	100.00

MIXEDBEEFPORKQUAN	
LABEL	Other beef, pork dish quantity
TYPE	num
LENGTH	8
VARNUM	456

MIXEDBEEFPORKQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 cup	2425	72.17	2425	72.17
1 cup	864	25.71	3289	97.89
2 cups	71	2.11	3360	100.00

FRIEDCHICKENFREQ	
LABEL	Fried chicken, nuggets, patty, duck frequency
TYPE	num
LENGTH	8
VARNUM	457

FRIEDCHICKENFREQ: Distribution	n	%	n (cum)	% (cum)
Never	306	9.32	306	9.32
Once Per 3 Months	805	24.53	1111	33.85
Once Per Month	717	21.85	1828	55.70
2-3 Times Per Month	796	24.25	2624	79.95
Once Per Week	352	10.73	2976	90.68
2 Times Per Week	178	5.42	3154	96.10
3-4 Times Per Week	92	2.80	3246	98.90
5-6 Times Per Week	28	0.85	3274	99.76
Everyday	8	0.24	3282	100.00
Form error (E)	1	.	3283	100.00
Missing (M)	77	.	3360	100.00

FRIEDCHICKENQUAN	
LABEL	Fried chicken, nuggets, patty, duck quantity
TYPE	num
LENGTH	8
VARNUM	458

FRIEDCHICKENQUAN: Distribution	n	%	n (cum)	% (cum)
1 Medium Piece	411	12.23	411	12.23
2 Pieces/6 Nuggets	2596	77.26	3007	89.49
3 Pieces	353	10.51	3360	100.00

NOTFRIEDCHICKENFREQ	
LABEL	Roasted, broiled chicken, turkey, frequency
TYPE	num
LENGTH	8
VARNUM	459

NOTFRIEDCHICKENFREQ: Distribution	n	%	n (cum)	% (cum)
Never	313	9.56	313	9.56
Once Per 3 Months	615	18.78	928	28.34
Once Per Month	612	18.69	1540	47.04
2-3 Times Per Month	681	20.80	2221	67.84
Once Per Week	452	13.81	2673	81.64
2 Times Per Week	342	10.45	3015	92.09
3-4 Times Per Week	197	6.02	3212	98.11
5-6 Times Per Week	51	1.56	3263	99.66
Everyday	11	0.34	3274	100.00
Form error (E)	5	.	3279	100.00
Missing (M)	81	.	3360	100.00

NOTFRIEDCHICKENQUAN	
LABEL	Roasted, broiled chicken, turkey, quantity
TYPE	num
LENGTH	8
VARNUM	460

NOTFRIEDCHICKENQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	593	17.65	593	17.65
1/2 cup	2343	69.73	2936	87.38
1 cup	424	12.62	3360	100.00

MIXEDCHICKFREQ	
LABEL	Other chicken dishes, (stew, noodles, salad) frequency
TYPE	num
LENGTH	8
VARNUM	461

MIXEDCHICKFREQ: Distribution	n	%	n (cum)	% (cum)
Never	354	10.77	354	10.77
Once Per 3 Months	542	16.48	896	27.25
Once Per Month	669	20.35	1565	47.60
2-3 Times Per Month	758	23.05	2323	70.65
Once Per Week	514	15.63	2837	86.28
2 Times Per Week	286	8.70	3123	94.98
3-4 Times Per Week	128	3.89	3251	98.87
5-6 Times Per Week	30	0.91	3281	99.79
Everyday	7	0.21	3288	100.00
Missing (M)	72	.	3360	100.00

MIXEDCHICKQUAN	
LABEL	Other chicken dishes, (stew, noodles, salad) quantity
TYPE	num
LENGTH	8
VARNUM	462

MIXEDCHICKQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 cup	2172	64.64	2172	64.64
1 cup	1075	31.99	3247	96.64
2 cups	113	3.36	3360	100.00

OYSTERSFREQ	
LABEL	Oysters, frequency
TYPE	num
LENGTH	8
VARNUM	463

OYSTERSFREQ: Distribution	n	%	n (cum)	% (cum)
Never	2631	80.09	2631	80.09
Once Per 3 Months	560	17.05	3191	97.14
Once Per Month	59	1.80	3250	98.93
2-3 Times Per Month	24	0.73	3274	99.67
Once Per Week	6	0.18	3280	99.85
2 Times Per Week	3	0.09	3283	99.94
3-4 Times Per Week	1	0.03	3284	99.97
5-6 Times Per Week	1	0.03	3285	100.00
Form error (E)	3	.	3288	100.00
Missing (M)	72	.	3360	100.00

OYSTERSQUAN	
LABEL	Oysters, quantity
TYPE	num
LENGTH	8
VARNUM	464

OYSTERSQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	347	10.33	347	10.33
1/2 cup	2943	87.59	3290	97.92
1 cup	70	2.08	3360	100.00

SHELLFISHFREQ	
LABEL	Shellfish, shrimp, scallops, crabs frequency
TYPE	num
LENGTH	8
VARNUM	465

SHELLFISHFREQ: Distribution	n	%	n (cum)	% (cum)
Never	863	26.27	863	26.27
Once Per 3 Months	1089	33.15	1952	59.42
Once Per Month	633	19.27	2585	78.69
2-3 Times Per Month	459	13.97	3044	92.66
Once Per Week	145	4.41	3189	97.08
2 Times Per Week	53	1.61	3242	98.69
3-4 Times Per Week	32	0.97	3274	99.67
5-6 Times Per Week	10	0.30	3284	99.97
Everyday	1	0.03	3285	100.00
Form error (E)	5	.	3290	100.00
Missing (M)	70	.	3360	100.00

SHELLFISHQUAN	
LABEL	Shellfish, shrimp, scallops, crabs quantity
TYPE	num
LENGTH	8
VARNUM	466

SHELLFISHQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	529	15.74	529	15.74
1/2 cup	2236	66.55	2765	82.29
1 cup	524	15.60	3289	97.89
2 cups	71	2.11	3360	100.00

TUNAFREQ	
LABEL	Tuna, tuna salad, tuna casserole, frequency
TYPE	num
LENGTH	8
VARNUM	467

TUNAFREQ: Distribution	n	%	n (cum)	% (cum)
Never	851	25.92	851	25.92
Once Per 3 Months	961	29.27	1812	55.19
Once Per Month	678	20.65	2490	75.85
2-3 Times Per Month	513	15.63	3003	91.47
Once Per Week	170	5.18	3173	96.65
2 Times Per Week	63	1.92	3236	98.57
3-4 Times Per Week	38	1.16	3274	99.73
5-6 Times Per Week	6	0.18	3280	99.91
Everyday	3	0.09	3283	100.00
Form error (E)	2	.	3285	100.00
Missing (M)	75	.	3360	100.00

TUNAUAN	
LABEL	Tuna, tuna salad, tuna casserole, quantity (how much of the tuna)
TYPE	num
LENGTH	8
VARNUM	468

TUNAUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	889	26.46	889	26.46
1/2 cup	2291	68.18	3180	94.64
1 cup	180	5.36	3360	100.00

FRIEDFISHFREQ	
LABEL	Fried fish, fish sandwich frequency
TYPE	num
LENGTH	8
VARNUM	469

FRIEDFISHFREQ: Distribution	n	%	n (cum)	% (cum)
Never	1409	42.81	1409	42.81
Once Per 3 Months	1108	33.67	2517	76.48
Once Per Month	432	13.13	2949	89.61
2-3 Times Per Month	218	6.62	3167	96.23
Once Per Week	80	2.43	3247	98.66
2 Times Per Week	23	0.70	3270	99.36
3-4 Times Per Week	10	0.30	3280	99.67
5-6 Times Per Week	11	0.33	3291	100.00
Missing (M)	69	.	3360	100.00

FRIEDFISHQUAN	
LABEL	Fried fish, fish sandwich quantity (how much of the fish)
TYPE	num
LENGTH	8
VARNUM	470

FRIEDFISHQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	553	16.46	553	16.46
1/2 cup	2585	76.93	3138	93.39
1 cup	222	6.61	3360	100.00

NOTFRIEDFISHFREQ	
LABEL	Other fish (not fried) frequency
TYPE	num
LENGTH	8
VARNUM	471

NOTFRIEDFISHFREQ: Distribution	n	%	n (cum)	% (cum)
Never	976	29.70	976	29.70
Once Per 3 Months	737	22.43	1713	52.13
Once Per Month	582	17.71	2295	69.84
2-3 Times Per Month	512	15.58	2807	85.42
Once Per Week	300	9.13	3107	94.55
2 Times Per Week	124	3.77	3231	98.33
3-4 Times Per Week	42	1.28	3273	99.60
5-6 Times Per Week	10	0.30	3283	99.91
Everyday	3	0.09	3286	100.00
Missing (M)	74	.	3360	100.00

NOTFRIEDFISHQUAN	
LABEL	Other fish (not fried)quantity
TYPE	num
LENGTH	8
VARNUM	472

NOTFRIEDFISHQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	505	15.03	505	15.03
1/2 cup	2508	74.64	3013	89.67
1 cup	347	10.33	3360	100.00

BISCUITSFREQ	
LABEL	Biscuits, muffins, croissants frequency
TYPE	num
LENGTH	8
VARNUM	473

BISCUITSFREQ: Distribution	n	%	n (cum)	% (cum)
Never	308	9.22	308	9.22
Once Per 3 Months	949	28.40	1257	37.62
Once Per Month	770	23.05	2027	60.67
2-3 Times Per Month	674	20.17	2701	80.84
Once Per Week	309	9.25	3010	90.09
2 Times Per Week	172	5.15	3182	95.24
3-4 Times Per Week	101	3.02	3283	98.26
5-6 Times Per Week	38	1.14	3321	99.40
Everyday	20	0.60	3341	100.00
Missing (M)	19	.	3360	100.00

BISCUITSQUAN	
LABEL	Biscuits, muffins, croissants quantity
TYPE	num
LENGTH	8
VARNUM	474

BISCUITSQUAN: Distribution	n	%	n (cum)	% (cum)
1 Small	1550	46.13	1550	46.13
1 Medium	1576	46.90	3126	93.04
2 Biscuits	234	6.96	3360	100.00

BUNSFREQ	
LABEL	Buns: (burger, hotdog, hoagie, sub) frequency
TYPE	num
LENGTH	8
VARNUM	475

BUNSFREQ: Distribution	n	%	n (cum)	% (cum)
Never	230	6.89	230	6.89
Once Per 3 Months	617	18.48	847	25.37
Once Per Month	746	22.34	1593	47.71
2-3 Times Per Month	943	28.24	2536	75.95
Once Per Week	457	13.69	2993	89.64
2 Times Per Week	216	6.47	3209	96.11
3-4 Times Per Week	102	3.05	3311	99.16
5-6 Times Per Week	22	0.66	3333	99.82
Everyday	6	0.18	3339	100.00
Missing (M)	21	.	3360	100.00

BUNSQUAN	
LABEL	Buns: (burger, hotdog, hoagie, sub) quantity
TYPE	num
LENGTH	8
VARNUM	476

BUNSQUAN: Distribution	n	%	n (cum)	% (cum)
1 Bun	2794	83.15	2794	83.15
2 Buns	566	16.85	3360	100.00

BAGELFREQ	
LABEL	Bagels, English muffins, dinner rolls frequency
TYPE	num
LENGTH	8
VARNUM	477

BAGELFREQ: Distribution	n	%	n (cum)	% (cum)
Never	203	6.09	203	6.09
Once Per 3 Months	589	17.67	792	23.76
Once Per Month	685	20.55	1477	44.31
2-3 Times Per Month	861	25.83	2338	70.15
Once Per Week	479	14.37	2817	84.52
2 Times Per Week	285	8.55	3102	93.07
3-4 Times Per Week	151	4.53	3253	97.60
5-6 Times Per Week	51	1.53	3304	99.13
Everyday	29	0.87	3333	100.00
Form error (E)	1	.	3334	100.00
Missing (M)	26	.	3360	100.00

BAGELQUAN	
LABEL	Bagels, English muffins, quantity
TYPE	num
LENGTH	8
VARNUM	478

BAGELQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 Bagel/Roll	407	12.11	407	12.11
1 Bagel/Roll	2953	87.89	3360	100.00

CORNTORTILLASFREQ	
LABEL	Corn tortillas frequency
TYPE	num
LENGTH	8
VARNUM	479

CORNTORTILLASFREQ: Distribution	n	%	n (cum)	% (cum)
Never	1775	53.30	1775	53.30
Once Per 3 Months	660	19.82	2435	73.12
Once Per Month	299	8.98	2734	82.10
2-3 Times Per Month	295	8.86	3029	90.96
Once Per Week	160	4.80	3189	95.77
2 Times Per Week	72	2.16	3261	97.93
3-4 Times Per Week	39	1.17	3300	99.10
5-6 Times Per Week	15	0.45	3315	99.55
Everyday	15	0.45	3330	100.00
Form error (E)	2	.	3332	100.00
Missing (M)	28	.	3360	100.00

CORNTORTILLASQUAN	
LABEL	Corn tortillas quantity
TYPE	num
LENGTH	8
VARNUM	480

CORNTORTILLASQUAN: Distribution	n	%	n (cum)	% (cum)
1 Tortilla	2513	74.79	2513	74.79
2 Tortillas	672	20.00	3185	94.79
3 Tortillas	140	4.17	3325	98.96
4 Tortillas	35	1.04	3360	100.00

FLOURTORTILLASFREQ	
LABEL	Flour Tortilla frequency
TYPE	num
LENGTH	8
VARNUM	481

FLOURTORTILLASFREQ: Distribution	n	%	n (cum)	% (cum)
Never	1310	39.32	1310	39.32
Once Per 3 Months	683	20.50	1993	59.81
Once Per Month	463	13.90	2456	73.71
2-3 Times Per Month	450	13.51	2906	87.21
Once Per Week	234	7.02	3140	94.24
2 Times Per Week	119	3.57	3259	97.81
3-4 Times Per Week	54	1.62	3313	99.43
5-6 Times Per Week	13	0.39	3326	99.82
Everyday	6	0.18	3332	100.00
Form error (E)	2	.	3334	100.00
Missing (M)	26	.	3360	100.00

FLOURTORTILLASQUAN	
LABEL	Flour tortilla quantity
TYPE	num
LENGTH	8
VARNUM	482

FLOURTORTILLASQUAN: Distribution	n	%	n (cum)	% (cum)
1 Tortilla	2509	74.67	2509	74.67
2 Tortillas	774	23.04	3283	97.71
3 Tortillas	68	2.02	3351	99.73
4 Tortillas	9	0.27	3360	100.00

CORNREADFREQ	
LABEL	Corn bread, corn muffins, hush puppies , frequency
TYPE	num
LENGTH	8
VARNUM	483

CORNREADFREQ: Distribution	n	%	n (cum)	% (cum)
Never	859	25.66	859	25.66
Once Per 3 Months	1784	53.29	2643	78.94
Once Per Month	402	12.01	3045	90.95
2-3 Times Per Month	197	5.88	3242	96.83
Once Per Week	57	1.70	3299	98.54
2 Times Per Week	35	1.05	3334	99.58
3-4 Times Per Week	9	0.27	3343	99.85
5-6 Times Per Week	4	0.12	3347	99.97
Everyday	1	0.03	3348	100.00
Form error (E)	2	.	3350	100.00
Missing (M)	10	.	3360	100.00

CORNREADQUAN	
LABEL	Corn bread, quantity
TYPE	num
LENGTH	8
VARNUM	484

CORNREADQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 Piece	425	12.65	425	12.65
1 Piece	2552	75.95	2977	88.60
2 Pieces	383	11.40	3360	100.00

OTHERREADFREQ	
LABEL	Other breads, toast, sandwich, frequency
TYPE	num
LENGTH	8
VARNUM	485

OTHERREADFREQ: Distribution	n	%	n (cum)	% (cum)
Never	100	2.99	100	2.99
Once Per 3 Months	149	4.45	249	7.44
Once Per Month	216	6.45	465	13.89
2-3 Times Per Month	578	17.27	1043	31.16
Once Per Week	432	12.91	1475	44.07
2 Times Per Week	652	19.48	2127	63.55
3-4 Times Per Week	695	20.76	2822	84.31
5-6 Times Per Week	297	8.87	3119	93.19
Everyday	228	6.81	3347	100.00
Missing (M)	13	.	3360	100.00

OTHERREADQUAN	
LABEL	Other breads, toast, sandwich, quantity
TYPE	num
LENGTH	8
VARNUM	486

OTHERBREADQUAN: Distribution	n	%	n (cum)	% (cum)
1 Slice	785	23.36	785	23.36
2 Slices	2428	72.26	3213	95.63
3 Slices	96	2.86	3309	98.48
4 Slices	51	1.52	3360	100.00

RICEFREQ	
LABEL	Rice, dishes made with rice, frequency
TYPE	num
LENGTH	8
VARNUM	487

RICEFREQ: Distribution	n	%	n (cum)	% (cum)
Never	87	2.62	87	2.62
Once Per 3 Months	199	6.00	286	8.62
Once Per Month	356	10.74	642	19.36
2-3 Times Per Month	719	21.68	1361	41.04
Once Per Week	740	22.32	2101	63.36
2 Times Per Week	638	19.24	2739	82.60
3-4 Times Per Week	387	11.67	3126	94.27
5-6 Times Per Week	127	3.83	3253	98.10
Everyday	63	1.90	3316	100.00
Form error (E)	3	.	3319	100.00
Missing (M)	41	.	3360	100.00

RICEQUAN	
LABEL	Rice, dishes made with rice, quantity
TYPE	num
LENGTH	8
VARNUM	488

RICEQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 cup	2082	61.96	2082	61.96
1 cup	1196	35.60	3278	97.56
2 cups	82	2.44	3360	100.00

MARGARINEFREQ	
LABEL	Margarine on bread, veg frequency
TYPE	num
LENGTH	8
VARNUM	489

MARGARINEFREQ: Distribution	n	%	n (cum)	% (cum)
Never	1618	48.71	1618	48.71
Once Per 3 Months	421	12.67	2039	61.38
Once Per Month	193	5.81	2232	67.19
2-3 Times Per Month	298	8.97	2530	76.16
Once Per Week	217	6.53	2747	82.69
2 Times Per Week	227	6.83	2974	89.52
3-4 Times Per Week	196	5.90	3170	95.42
5-6 Times Per Week	78	2.35	3248	97.77
Everyday	74	2.23	3322	100.00
Form error (E)	1	.	3323	100.00
Missing (M)	37	.	3360	100.00

MARGARINEQUAN	
LABEL	Margarine, quantity (pats/tsp)
TYPE	num
LENGTH	8
VARNUM	490

MARGARINEQUAN: Distribution	n	%	n (cum)	% (cum)
1 tsp	2599	77.35	2599	77.35
2 tsps	656	19.52	3255	96.88
3 tsps	83	2.47	3338	99.35
4 tsps	22	0.65	3360	100.00

BUTTERFREQ	
LABEL	Butter on bread, veg frequency
TYPE	num
LENGTH	8
VARNUM	491

BUTTERFREQ: Distribution	n	%	n (cum)	% (cum)
Never	395	11.93	395	11.93
Once Per 3 Months	359	10.84	754	22.77
Once Per Month	312	9.42	1066	32.19
2-3 Times Per Month	536	16.18	1602	48.37
Once Per Week	437	13.19	2039	61.56
2 Times Per Week	483	14.58	2522	76.15
3-4 Times Per Week	433	13.07	2955	89.22
5-6 Times Per Week	215	6.49	3170	95.71
Everyday	142	4.29	3312	100.00
Form error (E)	2	.	3314	100.00
Missing (M)	46	.	3360	100.00

BUTTERQUAN	
LABEL	Butter, quantity (pats/tsp)
TYPE	num
LENGTH	8
VARNUM	492

BUTTERQUAN: Distribution	n	%	n (cum)	% (cum)
1 tsp	1952	58.10	1952	58.10
2 tsps	1194	35.54	3146	93.63
3 tsps	181	5.39	3327	99.02
4 tsps	33	0.98	3360	100.00

POWERBARSFREQ	
LABEL	Energy bars, Power bars, Clif bars, frequency
TYPE	num
LENGTH	8
VARNUM	493

POWERBARSFREQ: Distribution	n	%	n (cum)	% (cum)
Never	1773	53.16	1773	53.16
Once Per 3 Months	686	20.57	2459	73.73
Once Per Month	207	6.21	2666	79.94
2-3 Times Per Month	244	7.32	2910	87.26
Once Per Week	143	4.29	3053	91.54
2 Times Per Week	97	2.91	3150	94.45
3-4 Times Per Week	103	3.09	3253	97.54
5-6 Times Per Week	52	1.56	3305	99.10
Everyday	30	0.90	3335	100.00
Form error (E)	2	.	3337	100.00
Missing (M)	23	.	3360	100.00

POWERBARSSQUAN	
LABEL	Energy bars, Power bars, quantity
TYPE	num
LENGTH	8
VARNUM	494

POWERBARSSQUAN: Distribution	n	%	n (cum)	% (cum)
1 Bar	3278	97.56	3278	97.56
2 Bars	82	2.44	3360	100.00

BREAKFASTBARSFREQ	
LABEL	Breakfast bars, cereal bars, granola bars frequency
TYPE	num
LENGTH	8
VARNUM	495

BREAKFASTBARSFREQ: Distribution	n	%	n (cum)	% (cum)
Never	850	25.46	850	25.46
Once Per 3 Months	721	21.60	1571	47.06
Once Per Month	393	11.77	1964	58.84
2-3 Times Per Month	546	16.36	2510	75.19
Once Per Week	281	8.42	2791	83.61
2 Times Per Week	250	7.49	3041	91.10
3-4 Times Per Week	184	5.51	3225	96.61
5-6 Times Per Week	68	2.04	3293	98.65
Everyday	45	1.35	3338	100.00
Missing (M)	22	.	3360	100.00

BREAKFASTBARSQUAN	
LABEL	Breakfast bars, cereal bars quantity
TYPE	num
LENGTH	8
VARNUM	496

BREAKFASTBARSQUAN: Distribution	n	%	n (cum)	% (cum)
1 Bar	3087	91.88	3087	91.88
2 Bars	273	8.13	3360	100.00

NUTSFREQ	
LABEL	Peanuts, sunflower seeds, other nuts, frequency
TYPE	num
LENGTH	8
VARNUM	497

NUTSFREQ: Distribution	n	%	n (cum)	% (cum)
Never	406	12.15	406	12.15
Once Per 3 Months	608	18.20	1014	30.35
Once Per Month	479	14.34	1493	44.69
2-3 Times Per Month	602	18.02	2095	62.71
Once Per Week	368	11.01	2463	73.72
2 Times Per Week	370	11.07	2833	84.79
3-4 Times Per Week	266	7.96	3099	92.76
5-6 Times Per Week	128	3.83	3227	96.59
Everyday	114	3.41	3341	100.00
Missing (M)	19	.	3360	100.00

NUTSQUAN	
LABEL	Peanuts, sunflower seeds, other nuts, quantity
TYPE	num
LENGTH	8
VARNUM	498

NUTSQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	2410	71.73	2410	71.73
1/2 cup	860	25.60	3270	97.32
1 cup	90	2.68	3360	100.00

PEANUTBUTTERFREQ	
LABEL	Peanut butter frequency
TYPE	num
LENGTH	8
VARNUM	499

PEANUTBUTTERFREQ: Distribution	n	%	n (cum)	% (cum)
Never	394	11.80	394	11.80
Once Per 3 Months	419	12.55	813	24.36
Once Per Month	433	12.97	1246	37.33
2-3 Times Per Month	612	18.33	1858	55.66
Once Per Week	514	15.40	2372	71.06
2 Times Per Week	460	13.78	2832	84.84
3-4 Times Per Week	295	8.84	3127	93.68
5-6 Times Per Week	136	4.07	3263	97.75
Everyday	75	2.25	3338	100.00
Missing (M)	22	.	3360	100.00

PEANUTBUTTERQUAN	
LABEL	Peanut butter quantity (TBSP)
TYPE	num
LENGTH	8
VARNUM	500

PEANUTBUTTERQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 TBSP	375	11.16	375	11.16
1 TBSP	1740	51.79	2115	62.95
2 TBSPs	1101	32.77	3216	95.71
3 TBSPs	144	4.29	3360	100.00

SALTYSNACKSFREQ	
LABEL	Snack chips, potato chips, corn chips, popcorn frequency
TYPE	num
LENGTH	8
VARNUM	501

SALTYSNACKSFREQ: Distribution	n	%	n (cum)	% (cum)
Never	120	3.59	120	3.59
Once Per 3 Months	314	9.40	434	12.99
Once Per Month	417	12.49	851	25.48
2-3 Times Per Month	700	20.96	1551	46.44
Once Per Week	645	19.31	2196	65.75
2 Times Per Week	562	16.83	2758	82.57
3-4 Times Per Week	372	11.14	3130	93.71
5-6 Times Per Week	137	4.10	3267	97.81
Everyday	73	2.19	3340	100.00
Form error (E)	3	.	3343	100.00
Missing (M)	17	.	3360	100.00

SALTYSNACKSQUAN	
LABEL	Snack chips quantity
TYPE	num
LENGTH	8
VARNUM	502

SALTYSNACKSQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	700	20.83	700	20.83
1/2 cup	1787	53.18	2487	74.02
1 cup	738	21.96	3225	95.98
2 cups	135	4.02	3360	100.00

PRETZELFREQ	
LABEL	Pretzels, fat free crackers, rice cakes frequency
TYPE	num
LENGTH	8
VARNUM	503

PRETZELFREQ: Distribution	n	%	n (cum)	% (cum)
Never	596	17.88	596	17.88
Once Per 3 Months	631	18.93	1227	36.80
Once Per Month	488	14.64	1715	51.44
2-3 Times Per Month	579	17.37	2294	68.81
Once Per Week	424	12.72	2718	81.52
2 Times Per Week	343	10.29	3061	91.81
3-4 Times Per Week	188	5.64	3249	97.45
5-6 Times Per Week	55	1.65	3304	99.10
Everyday	30	0.90	3334	100.00
Missing (M)	26	.	3360	100.00

PRETZELQUAN	
LABEL	Pretzels, Quantity
TYPE	num
LENGTH	8
VARNUM	504

PRETZELQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	1008	30.00	1008	30.00
1/2 cup	2045	60.86	3053	90.86
1 cup	307	9.14	3360	100.00

CRACKERFREQ	
LABEL	Crackers, like Saltines, Cheez-Its, other crackers, frequency
TYPE	num
LENGTH	8
VARNUM	505

CRACKERFREQ: Distribution	n	%	n (cum)	% (cum)
Never	411	12.33	411	12.33
Once Per 3 Months	645	19.35	1056	31.68
Once Per Month	577	17.31	1633	48.99
2-3 Times Per Month	715	21.45	2348	70.45
Once Per Week	425	12.75	2773	83.20
2 Times Per Week	339	10.17	3112	93.37
3-4 Times Per Week	154	4.62	3266	97.99
5-6 Times Per Week	42	1.26	3308	99.25
Everyday	25	0.75	3333	100.00
Form error (E)	1	.	3334	100.00
Missing (M)	26	.	3360	100.00

CRACKERQUAN	
LABEL	Crackers, like Saltines, Cheez-Its, other crackers, quantity
TYPE	num
LENGTH	8
VARNUM	506

CRACKERQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	1201	35.74	1201	35.74
1/2 cup	1900	56.55	3101	92.29
1 cup	259	7.71	3360	100.00

JELLYFREQ	
LABEL	Jelly, jam, frequency
TYPE	num
LENGTH	8
VARNUM	507

JELLYFREQ: Distribution	n	%	n (cum)	% (cum)
Never	513	15.35	513	15.35
Once Per 3 Months	735	22.00	1248	37.35
Once Per Month	536	16.04	1784	53.40
2-3 Times Per Month	651	19.49	2435	72.88
Once Per Week	402	12.03	2837	84.91
2 Times Per Week	287	8.59	3124	93.50
3-4 Times Per Week	149	4.46	3273	97.96
5-6 Times Per Week	49	1.47	3322	99.43
Everyday	19	0.57	3341	100.00
Form error (E)	1	.	3342	100.00
Missing (M)	18	.	3360	100.00

JELLYQUAN	
LABEL	Jelly, jam, quantity
TYPE	num
LENGTH	8
VARNUM	508

JELLYQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 TBSP	750	22.32	750	22.32
1 TBSP	2156	64.17	2906	86.49
2 TBSPs	454	13.51	3360	100.00

MAYOFREQ	
LABEL	Mayonnaise, sandwich spreads frequency
TYPE	num
LENGTH	8
VARNUM	509

MAYOFREQ: Distribution	n	%	n (cum)	% (cum)
Never	564	16.85	564	16.85
Once Per 3 Months	512	15.30	1076	32.15
Once Per Month	427	12.76	1503	44.91
2-3 Times Per Month	660	19.72	2163	64.63
Once Per Week	479	14.31	2642	78.94
2 Times Per Week	372	11.11	3014	90.05
3-4 Times Per Week	236	7.05	3250	97.10
5-6 Times Per Week	70	2.09	3320	99.19
Everyday	27	0.81	3347	100.00
Missing (M)	13	.	3360	100.00

MAYOQUAN	
LABEL	Mayonnaise, sandwich spreads quantity
TYPE	num
LENGTH	8
VARNUM	510

MAYOQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 TBSP	1019	30.33	1019	30.33
1 TBSP	2041	60.74	3060	91.07
2 TBSPs	300	8.93	3360	100.00

SALSAFREQ	
LABEL	Catsup, BBQ sauce, salsa, chili sauce frequency
TYPE	num
LENGTH	8
VARNUM	511

SALSAFREQ: Distribution	n	%	n (cum)	% (cum)
Never	444	13.28	444	13.28
Once Per 3 Months	290	8.67	734	21.96
Once Per Month	379	11.34	1113	33.29
2-3 Times Per Month	730	21.84	1843	55.13
Once Per Week	588	17.59	2431	72.72
2 Times Per Week	498	14.90	2929	87.62
3-4 Times Per Week	294	8.79	3223	96.41
5-6 Times Per Week	89	2.66	3312	99.07
Everyday	31	0.93	3343	100.00
Missing (M)	17	.	3360	100.00

SALSAQUAN	
LABEL	Catsup, BBQ sauce, quantity
TYPE	num
LENGTH	8
VARNUM	512

SALSAQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 TBSP	561	16.70	561	16.70
1 TBSP	1641	48.84	2202	65.54
2 TBSPs	851	25.33	3053	90.86
3 TBSPs	307	9.14	3360	100.00

MUSTARDFREQ	
LABEL	Mustard, BBQ sauce, soy sauce, gravy, other sauce, frequency
TYPE	num
LENGTH	8
VARNUM	513

MUSTARDFREQ: Distribution	n	%	n (cum)	% (cum)
Never	222	6.66	222	6.66
Once Per 3 Months	299	8.97	521	15.63
Once Per Month	397	11.91	918	27.53
2-3 Times Per Month	822	24.66	1740	52.19
Once Per Week	636	19.08	2376	71.27
2 Times Per Week	523	15.69	2899	86.95
3-4 Times Per Week	324	9.72	3223	96.67
5-6 Times Per Week	84	2.52	3307	99.19
Everyday	27	0.81	3334	100.00
Form error (E)	3	.	3337	100.00
Missing (M)	23	.	3360	100.00

MUSTARDQUAN	
LABEL	Mustard, BBQ sauce, soy sauce, gravy, other sauce, quantity
TYPE	num
LENGTH	8
VARNUM	514

MUSTARDQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 TBSP	749	22.29	749	22.29
1 TBSP	1707	50.80	2456	73.10
2 TBSPs	775	23.07	3231	96.16
3 TBSPs	129	3.84	3360	100.00

DONUTFREQ	
LABEL	Donuts frequency
TYPE	num
LENGTH	8
VARNUM	515

DONUTFREQ: Distribution	n	%	n (cum)	% (cum)
Never	402	12.04	402	12.04
Once Per 3 Months	1390	41.63	1792	53.67
Once Per Month	769	23.03	2561	76.70
2-3 Times Per Month	447	13.39	3008	90.09
Once Per Week	201	6.02	3209	96.11
2 Times Per Week	83	2.49	3292	98.59
3-4 Times Per Week	30	0.90	3322	99.49
5-6 Times Per Week	8	0.24	3330	99.73
Everyday	9	0.27	3339	100.00
Form error (E)	1	.	3340	100.00
Missing (M)	20	.	3360	100.00

DONUTQUAN	
LABEL	Donuts quantity
TYPE	num
LENGTH	8
VARNUM	516

DONUTQUAN: Distribution	n	%	n (cum)	% (cum)
1 Donut	2530	75.30	2530	75.30
2 Donuts	746	22.20	3276	97.50
3 Donuts	84	2.50	3360	100.00

CAKEFREQ	
LABEL	Cake, snack cakes, cupcakes, Ho-Hos, pastry, frequency
TYPE	num
LENGTH	8
VARNUM	517

CAKEFREQ: Distribution	n	%	n (cum)	% (cum)
Never	390	11.68	390	11.68
Once Per 3 Months	1140	34.13	1530	45.81
Once Per Month	783	23.44	2313	69.25
2-3 Times Per Month	586	17.54	2899	86.80
Once Per Week	219	6.56	3118	93.35
2 Times Per Week	124	3.71	3242	97.07
3-4 Times Per Week	63	1.89	3305	98.95
5-6 Times Per Week	17	0.51	3322	99.46
Everyday	18	0.54	3340	100.00
Form error (E)	4	.	3344	100.00
Missing (M)	16	.	3360	100.00

CAKEQUAN	
LABEL	Cake, snack cakes, cupcakes, Ho-Hos, pastry,quantity
TYPE	num
LENGTH	8
VARNUM	518

CAKEQUAN: Distribution	n	%	n (cum)	% (cum)
1 Small Piece	1551	46.16	1551	46.16
1 Medium Piece	1510	44.94	3061	91.10
2 Pieces	279	8.30	3340	99.40
3 Pieces	20	0.60	3360	100.00

COOKIESFREQ	
LABEL	Cookies frequency
TYPE	num
LENGTH	8
VARNUM	519

COOKIESFREQ: Distribution	n	%	n (cum)	% (cum)
Never	92	2.76	92	2.76
Once Per 3 Months	414	12.41	506	15.17
Once Per Month	689	20.66	1195	35.83
2-3 Times Per Month	979	29.36	2174	65.19
Once Per Week	549	16.46	2723	81.65
2 Times Per Week	320	9.60	3043	91.24
3-4 Times Per Week	199	5.97	3242	97.21
5-6 Times Per Week	58	1.74	3300	98.95
Everyday	35	1.05	3335	100.00
Missing (M)	25	.	3360	100.00

COOKIESQUAN	
LABEL	Cookies quantity
TYPE	num
LENGTH	8
VARNUM	520

COOKIESQUAN: Distribution	n	%	n (cum)	% (cum)
1-2 Cookies	1579	46.99	1579	46.99
3-4 Cookies	1518	45.18	3097	92.17
5-6 Cookies	219	6.52	3316	98.69
7+ Cookies	44	1.31	3360	100.00

PUDDINGFREQ	
LABEL	Pudding, flan frequency
TYPE	num
LENGTH	8
VARNUM	521

PUDDINGFREQ: Distribution	n	%	n (cum)	% (cum)
Never	1344	40.20	1344	40.20
Once Per 3 Months	1324	39.61	2668	79.81
Once Per Month	343	10.26	3011	90.07
2-3 Times Per Month	187	5.59	3198	95.66
Once Per Week	81	2.42	3279	98.09
2 Times Per Week	35	1.05	3314	99.13
3-4 Times Per Week	16	0.48	3330	99.61
5-6 Times Per Week	8	0.24	3338	99.85
Everyday	5	0.15	3343	100.00
Form error (E)	2	.	3345	100.00
Missing (M)	15	.	3360	100.00

PUDDINGQUAN	
LABEL	Pudding, flan quantity
TYPE	num
LENGTH	8
VARNUM	522

PUDDINGQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	1086	32.32	1086	32.32
1/2 cup	2178	64.82	3264	97.14
1 cup	90	2.68	3354	99.82
2 cups	6	0.18	3360	100.00

ICECREAMFREQ	
LABEL	Ice cream, Ice cream bars, frequency
TYPE	num
LENGTH	8
VARNUM	523

ICECREAMFREQ: Distribution	n	%	n (cum)	% (cum)
Never	165	4.94	165	4.94
Once Per 3 Months	640	19.15	805	24.09
Once Per Month	736	22.02	1541	46.11
2-3 Times Per Month	846	25.31	2387	71.42
Once Per Week	423	12.66	2810	84.08
2 Times Per Week	285	8.53	3095	92.61
3-4 Times Per Week	167	5.00	3262	97.61
5-6 Times Per Week	62	1.86	3324	99.46
Everyday	18	0.54	3342	100.00
Form error (E)	1	.	3343	100.00
Missing (M)	17	.	3360	100.00

ICECREAMQUAN	
LABEL	Ice cream, Ice cream bars, quantity
TYPE	num
LENGTH	8
VARNUM	524

ICECREAMQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 cup	2416	71.90	2416	71.90
1 cup	863	25.68	3279	97.59
2 cups	81	2.41	3360	100.00

CHOCOLATESYRUPFREQ	
LABEL	Chocolate syrup/ sauce frequency
TYPE	num
LENGTH	8
VARNUM	525

CHOCOLATESYRUPFREQ: Distribution	n	%	n (cum)	% (cum)
Never	1400	42.30	1400	42.30
Once Per 3 Months	1101	33.26	2501	75.56
Once Per Month	335	10.12	2836	85.68
2-3 Times Per Month	231	6.98	3067	92.66
Once Per Week	107	3.23	3174	95.89
2 Times Per Week	74	2.24	3248	98.13
3-4 Times Per Week	37	1.12	3285	99.24
5-6 Times Per Week	16	0.48	3301	99.73
Everyday	9	0.27	3310	100.00
Form error (E)	1	.	3311	100.00
Missing (M)	49	.	3360	100.00

CHOCOLATESYRUPQUAN	
LABEL	Chocolate syrup/ sauce quantity
TYPE	num
LENGTH	8
VARNUM	526

CHOCOLATESYRUPQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 cup	3360	100.00	3360	100.00

PUMPKINPIEFREQ	
LABEL	Pumpkin, sweet potato Pie frequency
TYPE	num
LENGTH	8
VARNUM	527

PUMPKINPIEFREQ: Distribution	n	%	n (cum)	% (cum)
Never	1107	33.09	1107	33.09
Once Per 3 Months	2030	60.69	3137	93.78
Once Per Month	108	3.23	3245	97.01
2-3 Times Per Month	46	1.38	3291	98.39
Once Per Week	33	0.99	3324	99.37
2 Times Per Week	11	0.33	3335	99.70
3-4 Times Per Week	4	0.12	3339	99.82
5-6 Times Per Week	3	0.09	3342	99.91
Everyday	3	0.09	3345	100.00
Form error (E)	1	.	3346	100.00
Missing (M)	14	.	3360	100.00

PUMPKINPIEQUAN	
LABEL	Pumpkin, sweet potato Pie quantity
TYPE	num
LENGTH	8
VARNUM	528

PUMPKINPIEQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 Piece	413	12.29	413	12.29
1 Piece	2721	80.98	3134	93.27
2 Pieces	226	6.73	3360	100.00

OTHERPIEFREQ	
LABEL	Other Pie, fast food or snack pie frequency
TYPE	num
LENGTH	8
VARNUM	529

OTHERPIEFREQ: Distribution	n	%	n (cum)	% (cum)
Never	1340	40.10	1340	40.10
Once Per 3 Months	1549	46.35	2889	86.45
Once Per Month	246	7.36	3135	93.81
2-3 Times Per Month	115	3.44	3250	97.25
Once Per Week	45	1.35	3295	98.59
2 Times Per Week	25	0.75	3320	99.34
3-4 Times Per Week	12	0.36	3332	99.70
5-6 Times Per Week	7	0.21	3339	99.91
Everyday	3	0.09	3342	100.00
Form error (E)	5	.	3347	100.00
Missing (M)	13	.	3360	100.00

OTHERPIEQUAN	
LABEL	Other Pie, fast food or snack pie quantity
TYPE	num
LENGTH	8
VARNUM	530

OTHERPIEQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 Piece	411	12.23	411	12.23
1 Piece	2848	84.76	3259	96.99
2 Pieces	101	3.01	3360	100.00

CHOCOLATECANDYFREQ	
LABEL	Chocolate candy, candy bar, frequency
TYPE	num
LENGTH	8
VARNUM	531

CHOCOLATECANDYFREQ: Distribution	n	%	n (cum)	% (cum)
Never	199	5.95	199	5.95
Once Per 3 Months	613	18.34	812	24.29
Once Per Month	620	18.55	1432	42.84
2-3 Times Per Month	742	22.20	2174	65.03
Once Per Week	451	13.49	2625	78.52
2 Times Per Week	309	9.24	2934	87.77
3-4 Times Per Week	238	7.12	3172	94.88
5-6 Times Per Week	100	2.99	3272	97.88
Everyday	71	2.12	3343	100.00
Form error (E)	2	.	3345	100.00
Missing (M)	15	.	3360	100.00

CHOCOLATECANDYQUAN	
LABEL	Chocolate candy, candy bar, quantity
TYPE	num
LENGTH	8
VARNUM	532

CHOCOLATECANDYQUAN: Distribution	n	%	n (cum)	% (cum)
1 Mini	616	18.33	616	18.33
1 Medium	2177	64.79	2793	83.12
1 Large	485	14.43	3278	97.56
1 King	82	2.44	3360	100.00

CANDYFREQ	
LABEL	Other hard candy, Skittles, Lifesavers frequency
TYPE	num
LENGTH	8
VARNUM	533

CANDYFREQ: Distribution	n	%	n (cum)	% (cum)
Never	469	14.01	469	14.01
Once Per 3 Months	923	27.57	1392	41.58
Once Per Month	623	18.61	2015	60.19
2-3 Times Per Month	573	17.11	2588	77.30
Once Per Week	319	9.53	2907	86.83
2 Times Per Week	222	6.63	3129	93.46
3-4 Times Per Week	133	3.97	3262	97.43
5-6 Times Per Week	51	1.52	3313	98.95
Everyday	35	1.05	3348	100.00
Missing (M)	12	.	3360	100.00

CANDYQUAN	
LABEL	Other hard candy, Skittles, Lifesavers quantity
TYPE	num
LENGTH	8
VARNUM	534

CANDYQUAN: Distribution	n	%	n (cum)	% (cum)
1-2 Pieces	1652	49.17	1652	49.17
1/2 Package	1095	32.59	2747	81.76
1 Package	613	18.24	3360	100.00

MILKFREQ	
LABEL	Glasses of Milk, (not on cereal), frequency
TYPE	num
LENGTH	8
VARNUM	535

MILKFREQ: Distribution	n	%	n (cum)	% (cum)
Never	778	23.31	778	23.31
Once Per 3 Months	477	14.29	1255	37.61
Once Per Month	293	8.78	1548	46.39
2-3 Times Per Month	358	10.73	1906	57.12
Once Per Week	278	8.33	2184	65.45
2 Times Per Week	302	9.05	2486	74.50
3-4 Times Per Week	322	9.65	2808	84.15
5-6 Times Per Week	176	5.27	2984	89.42
Everyday	353	10.58	3337	100.00
Form error (E)	2	.	3339	100.00
Missing (M)	21	.	3360	100.00

MILKQUAN	
LABEL	Glasses of Milk, (not on cereal), quantity
TYPE	num
LENGTH	8
VARNUM	536

MILKQUAN: Distribution	n	%	n (cum)	% (cum)
1 Glass	2961	88.13	2961	88.13
2 Glasses	348	10.36	3309	98.48
3 Glasses	51	1.52	3360	100.00

DIETSHAKESFREQ	
LABEL	Slimfast, Sego, Ensure,etc frequency
TYPE	num
LENGTH	8
VARNUM	537

DIETSHAKESFREQ: Distribution	n	%	n (cum)	% (cum)
Never	2965	88.77	2965	88.77
Once Per 3 Months	163	4.88	3128	93.65
Once Per Month	49	1.47	3177	95.12
2-3 Times Per Month	54	1.62	3231	96.74
Once Per Week	24	0.72	3255	97.46
2 Times Per Week	23	0.69	3278	98.14
3-4 Times Per Week	31	0.93	3309	99.07
5-6 Times Per Week	14	0.42	3323	99.49
Everyday	17	0.51	3340	100.00
Form error (E)	1	.	3341	100.00
Missing (M)	19	.	3360	100.00

DIETSHAKESQUAN	
LABEL	Slimfast, Sego, Ensure,etc quantity
TYPE	num
LENGTH	8
VARNUM	538

DIETSHAKESQUAN: Distribution	n	%	n (cum)	% (cum)
1 Glass	376	11.19	376	11.19
2 Glasses	2984	88.81	3360	100.00

TOMATOJUICEFREQ	
LABEL	Tomato juice, V-8 frequency
TYPE	num
LENGTH	8
VARNUM	539

TOMATOJUICEFREQ: Distribution	n	%	n (cum)	% (cum)
Never	2491	74.51	2491	74.51
Once Per 3 Months	589	17.62	3080	92.13
Once Per Month	103	3.08	3183	95.21
2-3 Times Per Month	91	2.72	3274	97.94
Once Per Week	28	0.84	3302	98.77
2 Times Per Week	13	0.39	3315	99.16
3-4 Times Per Week	12	0.36	3327	99.52
5-6 Times Per Week	12	0.36	3339	99.88
Everyday	4	0.12	3343	100.00
Form error (E)	1	.	3344	100.00
Missing (M)	16	.	3360	100.00

TOMATOJUICEQUAN	
LABEL	Tomato juice, V-8 quantity
TYPE	num
LENGTH	8
VARNUM	540

TOMATOJUICEQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 Glass	277	8.24	277	8.24
1 Glass	3037	90.39	3314	98.63
2 Glasses	46	1.37	3360	100.00

ORANGEJUICEFREQ	
LABEL	Real 100% orange juice, grapefruit juice frequency
TYPE	num
LENGTH	8
VARNUM	541

ORANGEJUICEFREQ: Distribution	n	%	n (cum)	% (cum)
Never	524	15.71	524	15.71
Once Per 3 Months	761	22.82	1285	38.53
Once Per Month	469	14.06	1754	52.59
2-3 Times Per Month	629	18.86	2383	71.45
Once Per Week	321	9.63	2704	81.08
2 Times Per Week	283	8.49	2987	89.57
3-4 Times Per Week	188	5.64	3175	95.20
5-6 Times Per Week	78	2.34	3253	97.54
Everyday	82	2.46	3335	100.00
Form error (E)	1	.	3336	100.00
Missing (M)	24	.	3360	100.00

ORANGEJUICEQUAN	
LABEL	Real 100% orange juice., quantity
TYPE	num
LENGTH	8
VARNUM	542

ORANGEJUICEQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 Glass	565	16.82	565	16.82
1 Glass	2540	75.60	3105	92.41
2 Glasses	255	7.59	3360	100.00

REALJUICEFREQ	
LABEL	Apple juice, grape juice, pineapple, smoothie frequency
TYPE	num
LENGTH	8
VARNUM	543

REALJUICEFREQ: Distribution	n	%	n (cum)	% (cum)
Never	449	13.53	449	13.53
Once Per 3 Months	754	22.72	1203	36.26
Once Per Month	474	14.29	1677	50.54
2-3 Times Per Month	642	19.35	2319	69.89
Once Per Week	350	10.55	2669	80.44
2 Times Per Week	286	8.62	2955	89.06
3-4 Times Per Week	180	5.42	3135	94.48
5-6 Times Per Week	108	3.25	3243	97.74
Everyday	75	2.26	3318	100.00
Form error (E)	1	.	3319	100.00
Missing (M)	41	.	3360	100.00

REALJUICEQUAN	
LABEL	Apple juice, grape juice, pineapple, smoothie quantity
TYPE	num
LENGTH	8
VARNUM	544

REALJUICEQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 Glass	465	13.84	465	13.84
1 Glass	2610	77.68	3075	91.52
2 Glasses	285	8.48	3360	100.00

HICFREQ	
LABEL	Hi C, Cranberry Cocktail, Hawaiian Punch, Tang frequency
TYPE	num
LENGTH	8
VARNUM	545

HICFREQ: Distribution	n	%	n (cum)	% (cum)
Never	1859	55.78	1859	55.78
Once Per 3 Months	626	18.78	2485	74.56
Once Per Month	226	6.78	2711	81.34
2-3 Times Per Month	265	7.95	2976	89.29
Once Per Week	125	3.75	3101	93.04
2 Times Per Week	88	2.64	3189	95.68
3-4 Times Per Week	76	2.28	3265	97.96
5-6 Times Per Week	33	0.99	3298	98.95
Everyday	35	1.05	3333	100.00
Missing (M)	27	.	3360	100.00

HICQUAN	
LABEL	Hi C, Cranberry Cocktail, Hawaiian Punch, Tang quantity
TYPE	num
LENGTH	8
VARNUM	546

HICQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 Glass	295	8.78	295	8.78
1 Glass	2879	85.68	3174	94.46
2 Glasses	154	4.58	3328	99.05
3 Glasses	32	0.95	3360	100.00

SOMEJUICEFREQ	
LABEL	Drinks with some juice, Sunny Delight frequency
TYPE	num
LENGTH	8
VARNUM	547

SOMEJUICEFREQ: Distribution	n	%	n (cum)	% (cum)
Never	2428	72.87	2428	72.87
Once Per 3 Months	465	13.96	2893	86.82
Once Per Month	150	4.50	3043	91.33
2-3 Times Per Month	123	3.69	3166	95.02
Once Per Week	66	1.98	3232	97.00
2 Times Per Week	37	1.11	3269	98.11
3-4 Times Per Week	33	0.99	3302	99.10
5-6 Times Per Week	13	0.39	3315	99.49
Everyday	17	0.51	3332	100.00
Missing (M)	28	.	3360	100.00

SOMEJUICEQUAN	
LABEL	Drinks with some juice, Sunny Delight quantity
TYPE	num
LENGTH	8
VARNUM	548

SOMEJUICEQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 Glass	194	5.77	194	5.77
1 Glass	3054	90.89	3248	96.67
2 Glasses	96	2.86	3344	99.52
3 Glasses	16	0.48	3360	100.00

ICEDTEAFREQ	
LABEL	Ice tea, homemade, instant, bottled(Nestea, Lipton, Snapple, Tazo) frequency
TYPE	num
LENGTH	8
VARNUM	549

ICEDTEAFREQ: Distribution	n	%	n (cum)	% (cum)
Never	1260	37.82	1260	37.82
Once Per 3 Months	484	14.53	1744	52.34
Once Per Month	273	8.19	2017	60.53
2-3 Times Per Month	407	12.21	2424	72.75
Once Per Week	230	6.90	2654	79.65
2 Times Per Week	223	6.69	2877	86.34
3-4 Times Per Week	212	6.36	3089	92.71
5-6 Times Per Week	108	3.24	3197	95.95
Everyday	135	4.05	3332	100.00
Form error (E)	1	.	3333	100.00
Missing (M)	27	.	3360	100.00

ICEDTEAQUAN	
LABEL	Ice tea, homemade, instant, bottled(Nestea, Lipton, Snapple, Tazo) quantity
TYPE	num
LENGTH	8
VARNUM	550

ICEDTEAQUAN: Distribution	n	%	n (cum)	% (cum)
1 Glass	2633	78.36	2633	78.36
2 Glasses	551	16.40	3184	94.76
3 Glasses	124	3.69	3308	98.45
4 Glasses	52	1.55	3360	100.00

KOOLAIDFREQ	
LABEL	Kool-Aid, lemonade, sports drinks, fruit-flavored frequency
TYPE	num
LENGTH	8
VARNUM	551

KOOLAIDFREQ: Distribution	n	%	n (cum)	% (cum)
Never	922	27.62	922	27.62
Once Per 3 Months	886	26.54	1808	54.16
Once Per Month	443	13.27	2251	67.44
2-3 Times Per Month	459	13.75	2710	81.19
Once Per Week	213	6.38	2923	87.57
2 Times Per Week	169	5.06	3092	92.63
3-4 Times Per Week	117	3.51	3209	96.14
5-6 Times Per Week	57	1.71	3266	97.84
Everyday	72	2.16	3338	100.00
Form error (E)	1	.	3339	100.00
Missing (M)	21	.	3360	100.00

KOOLAIDQUAN	
LABEL	Kool-Aid, lemonade, sports drinks, fruit-flavored quantity
TYPE	num
LENGTH	8
VARNUM	552

KOOLAIDQUAN: Distribution	n	%	n (cum)	% (cum)
1 Glass	2232	66.43	2232	66.43
1 20-Ounce Bottle	761	22.65	2993	89.08
2 Glasses	316	9.40	3309	98.48
2 20-Ounce Bottles	51	1.52	3360	100.00

SOFTDRINKSFREQ	
LABEL	Any kind of soft drink, cola Sprite, orange soda, reg or diet frequency
TYPE	num
LENGTH	8
VARNUM	553

SOFTDRINKSFREQ: Distribution	n	%	n (cum)	% (cum)
Never	436	13.04	436	13.04
Once Per 3 Months	578	17.29	1014	30.33
Once Per Month	359	10.74	1373	41.07
2-3 Times Per Month	427	12.77	1800	53.84
Once Per Week	312	9.33	2112	63.18
2 Times Per Week	340	10.17	2452	73.35
3-4 Times Per Week	297	8.88	2749	82.23
5-6 Times Per Week	198	5.92	2947	88.15
Everyday	396	11.85	3343	100.00
Missing (M)	17	.	3360	100.00

SOFTDRINKSQUAN	
LABEL	Any kind of soft drink, cola Sprite, orange soda, reg or diet quantity
TYPE	num
LENGTH	8
VARNUM	554

SOFTDRINKSQUAN: Distribution	n	%	n (cum)	% (cum)
1 Can	2236	66.55	2236	66.55
1 20-Ounce Bottle	601	17.89	2837	84.43
2 Cans	358	10.65	3195	95.09
1 Big Gulp/3 Cans	165	4.91	3360	100.00

BEERFREQ	
LABEL	Beer or non-alcoholic beer frequency
TYPE	num
LENGTH	8
VARNUM	555

BEERFREQ: Distribution	n	%	n (cum)	% (cum)
Never	1540	46.07	1540	46.07
Once Per 3 Months	501	14.99	2041	61.05
Once Per Month	317	9.48	2358	70.54
2-3 Times Per Month	379	11.34	2737	81.87
Once Per Week	268	8.02	3005	89.89
2 Times Per Week	205	6.13	3210	96.02
3-4 Times Per Week	100	2.99	3310	99.01
5-6 Times Per Week	20	0.60	3330	99.61
Everyday	13	0.39	3343	100.00
Form error (E)	3	.	3346	100.00
Missing (M)	14	.	3360	100.00

BEERQUAN	
LABEL	Beer or non-alcoholic beer quantity
TYPE	num
LENGTH	8
VARNUM	556

BEERQUAN: Distribution	n	%	n (cum)	% (cum)
1 Can	2477	73.72	2477	73.72
2 Cans	650	19.35	3127	93.07
3-4 Cans	213	6.34	3340	99.40
5+ Cans or Large Pitcher	20	0.60	3360	100.00

WINEFREQ	
LABEL	Wine, wine coolers frequency
TYPE	num
LENGTH	8
VARNUM	557

WINEFREQ: Distribution	n	%	n (cum)	% (cum)
Never	1174	35.11	1174	35.11
Once Per 3 Months	605	18.09	1779	53.20
Once Per Month	348	10.41	2127	63.61
2-3 Times Per Month	429	12.83	2556	76.44
Once Per Week	274	8.19	2830	84.63
2 Times Per Week	265	7.92	3095	92.55
3-4 Times Per Week	171	5.11	3266	97.67
5-6 Times Per Week	65	1.94	3331	99.61
Everyday	13	0.39	3344	100.00
Missing (M)	16	.	3360	100.00

WINEQUAN	
LABEL	Wine, wine coolers quantity
TYPE	num
LENGTH	8
VARNUM	558

WINEQUAN: Distribution	n	%	n (cum)	% (cum)
1/2 Glass	246	7.32	246	7.32
1 Glass	2215	65.92	2461	73.24
2 Glasses	793	23.60	3254	96.85
3 Glasses	106	3.15	3360	100.00

LIQUORFREQ	
LABEL	Liquor, or mixed drinks frequency
TYPE	num
LENGTH	8
VARNUM	559

LIQUORFREQ: Distribution	n	%	n (cum)	% (cum)
Never	1320	39.49	1320	39.49
Once Per 3 Months	940	28.12	2260	67.60
Once Per Month	395	11.82	2655	79.42
2-3 Times Per Month	357	10.68	3012	90.10
Once Per Week	167	5.00	3179	95.09
2 Times Per Week	110	3.29	3289	98.38
3-4 Times Per Week	37	1.11	3326	99.49
5-6 Times Per Week	9	0.27	3335	99.76
Everyday	8	0.24	3343	100.00
Form error (E)	2	.	3345	100.00
Missing (M)	15	.	3360	100.00

LIQUORQUAN	
LABEL	Liquor, or mixed drinks quantity
TYPE	num
LENGTH	8
VARNUM	560

LIQUORQUAN: Distribution	n	%	n (cum)	% (cum)
1 Drink	2278	67.80	2278	67.80
2 Drinks	817	24.32	3095	92.11
3 Drinks	205	6.10	3300	98.21
4 Drinks	60	1.79	3360	100.00

WATERFREQ	
LABEL	Water, tap or bottled frequency
TYPE	num
LENGTH	8
VARNUM	561

WATERFREQ: Distribution	n	%	n (cum)	% (cum)
Never	40	1.20	40	1.20
Once Per 3 Months	23	0.69	63	1.89
Once Per Month	23	0.69	86	2.59
2-3 Times Per Month	23	0.69	109	3.28
Once Per Week	42	1.26	151	4.54
2 Times Per Week	46	1.38	197	5.92
3-4 Times Per Week	121	3.64	318	9.56
5-6 Times Per Week	170	5.11	488	14.68
Everyday	2837	85.32	3325	100.00
Form error (E)	4	.	3329	100.00
Missing (M)	31	.	3360	100.00

WATERQUAN	
LABEL	Water, tap or bottled quantity
TYPE	num
LENGTH	8
VARNUM	562

WATERQUAN: Distribution	n	%	n (cum)	% (cum)
1 Glass	316	9.40	316	9.40
2 Glasses	473	14.08	789	23.48
3-4 Glasses	1121	33.36	1910	56.85
5+ Glasses	1450	43.15	3360	100.00

COFFEEFREQ	
LABEL	Coffee, regular or decaf frequency
TYPE	num
LENGTH	8
VARNUM	563

COFFEEFREQ: Distribution	n	%	n (cum)	% (cum)
Never	1181	35.40	1181	35.40
Once Per 3 Months	163	4.89	1344	40.29
Once Per Month	87	2.61	1431	42.90
2-3 Times Per Month	114	3.42	1545	46.31
Once Per Week	88	2.64	1633	48.95
2 Times Per Week	97	2.91	1730	51.86
3-4 Times Per Week	180	5.40	1910	57.25
5-6 Times Per Week	222	6.65	2132	63.91
Everyday	1204	36.09	3336	100.00
Form error (E)	3	.	3339	100.00
Missing (M)	21	.	3360	100.00

COFFEEQUAN	
LABEL	Coffee, regular or decaf quantity
TYPE	num
LENGTH	8
VARNUM	564

COFFEEQUAN: Distribution	n	%	n (cum)	% (cum)
1 Cup	2353	70.03	2353	70.03
2 Cups	767	22.83	3120	92.86
3 Cups	173	5.15	3293	98.01
4+ Cups	67	1.99	3360	100.00

HOTTEAFREQ	
LABEL	Hot tea (not including herbal), frequency
TYPE	num
LENGTH	8
VARNUM	565

HOTTEAFREQ: Distribution	n	%	n (cum)	% (cum)
Never	1315	39.42	1315	39.42
Once Per 3 Months	518	15.53	1833	54.95
Once Per Month	277	8.30	2110	63.25
2-3 Times Per Month	316	9.47	2426	72.72
Once Per Week	191	5.73	2617	78.45
2 Times Per Week	179	5.37	2796	83.81
3-4 Times Per Week	201	6.03	2997	89.84
5-6 Times Per Week	128	3.84	3125	93.68
Everyday	211	6.32	3336	100.00
Missing (M)	24	.	3360	100.00

HOTTEAQUAN	
LABEL	Hot tea (not including herbal), quantity
TYPE	num
LENGTH	8
VARNUM	566

HOTTEAQUAN: Distribution	n	%	n (cum)	% (cum)
1 Cup	2896	86.19	2896	86.19
2 Cups	392	11.67	3288	97.86
3 Cups	51	1.52	3339	99.38
4+ Cups	21	0.63	3360	100.00

CREAMINCOFFEE	
LABEL	What do you usually add to your coffee?
TYPE	num
LENGTH	8
VARNUM	567

CREAMINCOFFEE: Distribution	n	%	n (cum)	% (cum)
Cream/Half & Half	1021	30.39	1021	30.39
Nondairy creamer	232	6.90	1253	37.29
Milk	606	18.04	1859	55.33
None of these	383	11.40	2242	66.73
Don't Drink it	1118	33.27	3360	100.00

CREAMINTEA	
LABEL	What do you usually add to your tea?
TYPE	num
LENGTH	8
VARNUM	568

CREAMINTEA: Distribution	n	%	n (cum)	% (cum)
Cream/Half & Half	147	4.38	147	4.38
Nondairy creamer	35	1.04	182	5.42
Milk	354	10.54	536	15.95
None of these	1686	50.18	2222	66.13
Don't Drink it	1138	33.87	3360	100.00

SUGARINCOFFEE	
LABEL	Do you add sugar or honey to your coffee?
TYPE	num
LENGTH	8
VARNUM	569

SUGARINCOFFEE: Distribution	n	%	n (cum)	% (cum)
No	2069	61.58	2069	61.58
Yes	1291	38.42	3360	100.00

COFFEESUGARTEASPOONS	
LABEL	How many teaspoons in each cup?
TYPE	num
LENGTH	8
VARNUM	570

COFFEESUGARTEASPOONS: Distribution	n	%	n (cum)	% (cum)
1 tsp	2515	74.85	2515	74.85
2 tsps	505	15.03	3020	89.88
3 tsps	216	6.43	3236	96.31
4 tsps	124	3.69	3360	100.00

SUGARINTEA	
LABEL	Do you add sugar or honey to your tea?
TYPE	num
LENGTH	8
VARNUM	571

SUGARINTEA: Distribution	n	%	n (cum)	% (cum)
No	2049	60.98	2049	60.98
Yes	1311	39.02	3360	100.00

TEASUGARTEASPOONS	
LABEL	How many teaspoons in each cup?
TYPE	num
LENGTH	8
VARNUM	572

TEASUGARTEASPOONS: Distribution	n	%	n (cum)	% (cum)
1 tsp	2610	77.68	2610	77.68
2 tsps	497	14.79	3107	92.47
3 tsps	171	5.09	3278	97.56
4 tsps	82	2.44	3360	100.00

VEGGIESFREQ	
LABEL	How many servings of vegetables eaten per day/week not counting salad or potatoes
TYPE	num
LENGTH	8
VARNUM	573

VEGGIESFREQ: Distribution	n	%	n (cum)	% (cum)
Rarely	181	5.47	181	5.47
1-2 Per Week	408	12.33	589	17.79
3-4 Per Week	622	18.79	1211	36.59
5-6 Per Week	329	9.94	1540	46.53
1 Per Day	430	12.99	1970	59.52
1 1/2 Per Day	310	9.37	2280	68.88
2 Per Day	623	18.82	2903	87.70
3 Per Day	311	9.40	3214	97.10
4+ Per Day	96	2.90	3310	100.00
Form error (E)	13	.	3323	100.00
Missing (M)	37	.	3360	100.00

FRUITSFREQ	
LABEL	How many fruits eaten per day or week, not counting juice
TYPE	num
LENGTH	8
VARNUM	574

FRUITSFREQ: Distribution	n	%	n (cum)	% (cum)
Rarely	164	4.95	164	4.95
1-2 Per Week	457	13.79	621	18.74
3-4 Per Week	634	19.13	1255	37.87
5-6 Per Week	336	10.14	1591	48.01
1 Per Day	450	13.58	2041	61.59
1 1/2 Per Day	280	8.45	2321	70.04
2 Per Day	641	19.34	2962	89.38
3 Per Day	352	10.62	3314	100.00
Form error (E)	10	.	3324	100.00
Missing (M)	36	.	3360	100.00

FATOILFREQ	
LABEL	How often eat foods cooked, fried, sauteed in fat/oil?
TYPE	num
LENGTH	8
VARNUM	575

FATOILFREQ: Distribution	n	%	n (cum)	% (cum)
Rarely	454	13.64	454	13.64
1-2 Per Week	668	20.07	1122	33.70
3-4 Per Week	681	20.46	1803	54.16
5-6 Per Week	325	9.76	2128	63.92
1 Per Day	790	23.73	2918	87.65
1 1/2 Per Day	135	4.06	3053	91.71

FATOILFREQ: Distribution	n	%	n (cum)	% (cum)
2 Per Day	196	5.89	3249	97.60
3 Per Day	80	2.40	3329	100.00
Form error (E)	4	.	3333	100.00
Missing (M)	27	.	3360	100.00

MILKTYPE	
LABEL	Milk type
TYPE	num
LENGTH	8
VARNUM	576

MILKTYPE: Distribution	n	%	n (cum)	% (cum)
Whole milk	663	19.73	663	19.73
Reduced fat 2%	949	28.24	1612	47.98
Low fat 1%	723	21.52	2335	69.49
Non-fat	450	13.39	2785	82.89
Soy milk	186	5.54	2971	88.42
Rice milk	49	1.46	3020	89.88
Don't drink	340	10.12	3360	100.00

DIETSHAKESTYPE	
LABEL	Type of Slim Fast:
TYPE	num
LENGTH	8
VARNUM	577

DIETSHAKESTYPE: Distribution	n	%	n (cum)	% (cum)
Low-Carb like Atkins	67	1.99	67	1.99
Regular	469	13.96	536	15.95
Don't Drink	2824	84.05	3360	100.00

ORANGEJUICETYPE	
LABEL	Type of Orange juice
TYPE	num
LENGTH	8
VARNUM	578

ORANGEJUICETYPE: Distribution	n	%	n (cum)	% (cum)
Calcium-fortified	1716	51.07	1716	51.07
Not calcium-fortified	439	13.07	2155	64.14
Don't know	675	20.09	2830	84.23
Don't drink	530	15.77	3360	100.00

SOFTDRINKSTYPE	
LABEL	Type of Soda
TYPE	num
LENGTH	8
VARNUM	579

SOFTDRINKSTYPE: Distribution	n	%	n (cum)	% (cum)
Diet soda, low-calorie	888	26.43	888	26.43
Regular	1937	57.65	2825	84.08
Don't drink	535	15.92	3360	100.00

ICEDTEATYPE	
LABEL	Type of iced tea
TYPE	num
LENGTH	8
VARNUM	580

ICEDTEATYPE: Distribution	n	%	n (cum)	% (cum)
Homemade, no sugar	541	16.10	541	16.10
Homemade, with sugar	709	21.10	1250	37.20
Bottled, no sugar	235	6.99	1485	44.20
Bottled, regular	569	16.93	2054	61.13
Don't drink	1306	38.87	3360	100.00

BEERTYPE	
LABEL	Type of beer
TYPE	num
LENGTH	8
VARNUM	581

BEERTYPE: Distribution	n	%	n (cum)	% (cum)
Regular beer	1257	37.41	1257	37.41
Light beer	515	15.33	1772	52.74
Low-carb beer	16	0.48	1788	53.21
Non-alcoholic beer	16	0.48	1804	53.69
Don't drink	1556	46.31	3360	100.00

BURGERTYPE	
LABEL	Type Hamburger
TYPE	num
LENGTH	8
VARNUM	582

BURGERTYPE: Distribution	n	%	n (cum)	% (cum)
Hamburger	492	14.64	492	14.64
Cheeseburger	2596	77.26	3088	91.90
Don't eat	272	8.10	3360	100.00

HOTDOGTYPE	
LABEL	Type of Hot Dog/sausage
TYPE	num
LENGTH	8
VARNUM	583

HOTDOGTYPE: Distribution	n	%	n (cum)	% (cum)
Low fat or turkey dog	480	14.29	480	14.29
Regular hot dogs	2220	66.07	2700	80.36
Don't Eat	660	19.64	3360	100.00

BOLOGNATYPE	
LABEL	Type of Lunch meats
TYPE	num
LENGTH	8
VARNUM	584

BOLOGNATYPE: Distribution	n	%	n (cum)	% (cum)
Low fat or turkey lunch meats	1016	30.24	1016	30.24
Regular lunch meats	1900	56.55	2916	86.79
Don't Eat	444	13.21	3360	100.00

SPAGHETTITYPE	
LABEL	Type of Spaghetti
TYPE	num
LENGTH	8
VARNUM	585

SPAGHETTITYPE: Distribution	n	%	n (cum)	% (cum)
Meatless	612	18.21	612	18.21
With meat sauce or meatballs	2664	79.29	3276	97.50
Don't Eat	84	2.50	3360	100.00

CHEESETYPE	
LABEL	Type of Cheese
TYPE	num
LENGTH	8
VARNUM	586

CHEESETYPE: Distribution	n	%	n (cum)	% (cum)
Low-fat	748	22.26	748	22.26
Not Low Fat	2524	75.12	3272	97.38
Don't Eat	88	2.62	3360	100.00

SALADDRESSTYPE	
LABEL	Type of Dressing
TYPE	num
LENGTH	8
VARNUM	587

SALADDRESSTYPE: Distribution	n	%	n (cum)	% (cum)
Low-carb	110	3.27	110	3.27
Low-fat	877	26.10	987	29.38
Regular	2189	65.15	3176	94.52
Don't Use	184	5.48	3360	100.00

POWERBARSTYPE	
LABEL	Energy Bars Type
TYPE	num
LENGTH	8
VARNUM	588

POWERBARSTYPE: Distribution	n	%	n (cum)	% (cum)
Low-carb, low sugar	253	7.53	253	7.53
Low-fat	119	3.54	372	11.07
Regular	941	28.01	1313	39.08
Don't Eat	2047	60.92	3360	100.00

BREAKFASTBARSTYPE	
LABEL	Breakfast Bars Type
TYPE	num
LENGTH	8
VARNUM	589

BREAKFASTBARSTYPE: Distribution	n	%	n (cum)	% (cum)
Low-carb, low sugar	229	6.82	229	6.82
Low-fat	313	9.32	542	16.13
Regular	1911	56.88	2453	73.01
Don't Eat	907	26.99	3360	100.00

BREADTYPE	
LABEL	Bread type
TYPE	num
LENGTH	8
VARNUM	590

BREADTYPE: Distribution	n	%	n (cum)	% (cum)
100% whole wheat	2157	64.20	2157	64.20
Low-carb	67	1.99	2224	66.19
White	1089	32.41	3313	98.60
Don't Eat	47	1.40	3360	100.00

CRACKERTYPE	
LABEL	Type of Cracker
TYPE	num
LENGTH	8
VARNUM	591

CRACKERTYPE: Distribution	n	%	n (cum)	% (cum)
Low-fat	310	9.23	310	9.23
Low sodium	453	13.48	763	22.71
Regular	2286	68.04	3049	90.74
Don't Eat	311	9.26	3360	100.00

CHIPTYPE	
LABEL	Salty Snack, Chip Type
TYPE	num
LENGTH	8
VARNUM	592

CHIPTYPE: Distribution	n	%	n (cum)	% (cum)
Low-fat	270	8.04	270	8.04
Low sodium	294	8.75	564	16.79
Regular	2647	78.78	3211	95.57
Don't Eat	149	4.43	3360	100.00

CHOC CANDYTYPE	
LABEL	Chocolate Candy Type
TYPE	num
LENGTH	8
VARNUM	593

CHOC CANDYTYPE: Distribution	n	%	n (cum)	% (cum)
Low-carb, low sugar	38	1.13	38	1.13
Low-fat	28	0.83	66	1.96
Regular	3091	91.99	3157	93.96
Don't Eat	203	6.04	3360	100.00

COOKIESTYPE	
LABEL	Cookie Type
TYPE	num
LENGTH	8
VARNUM	594

COOKIESTYPE: Distribution	n	%	n (cum)	% (cum)
Low-carb, low sugar	50	1.49	50	1.49
Low-fat	48	1.43	98	2.92
Regular	3156	93.93	3254	96.85
Don't eat	106	3.15	3360	100.00

CAKETYPE	
LABEL	Cake Type
TYPE	num
LENGTH	8
VARNUM	595

CAKETYPE: Distribution	n	%	n (cum)	% (cum)
Low-carb, low sugar	32	0.95	32	0.95
Low-fat	33	0.98	65	1.93
Regular	3075	91.52	3140	93.45
Don't eat	220	6.55	3360	100.00

ICECREAMTYPE	
LABEL	Ice Cream Type
TYPE	num
LENGTH	8
VARNUM	596

ICECREAMTYPE: Distribution	n	%	n (cum)	% (cum)
Low carb, low sugar	88	2.62	88	2.62
Low-fat or ice milk	253	7.53	341	10.15
Regular	2865	85.27	3206	95.42
Don't eat	154	4.58	3360	100.00

JELLYTYPE	
LABEL	Jelly Type
TYPE	num
LENGTH	8
VARNUM	597

JELLYTYPE: Distribution	n	%	n (cum)	% (cum)
Low sugar	384	11.43	384	11.43
Regular	2466	73.39	2850	84.82
Don't eat	510	15.18	3360	100.00

FATONMEATTYPE	
LABEL	Beef or pork, skin/fat
TYPE	num
LENGTH	8
VARNUM	598

FATONMEATTYPE: Distribution	n	%	n (cum)	% (cum)
Avoid eating the fat	2076	61.79	2076	61.79
Sometimes eat the fat	760	22.62	2836	84.40
Often eat the fat	264	7.86	3100	92.26
Don't eat	260	7.74	3360	100.00

CHICKENSKINTYPE	
LABEL	Chicken or Turkey, skin/fat
TYPE	num
LENGTH	8
VARNUM	599

CHICKENSKINTYPE: Distribution	n	%	n (cum)	% (cum)
Avoid eating the skin	1565	46.58	1565	46.58
Sometimes eat the skin	1063	31.64	2628	78.21
Often eat the skin	574	17.08	3202	95.30
Don't eat	158	4.70	3360	100.00

OTHEREGGSTYPE	
LABEL	When you ate eggs, how often were they enriched?
TYPE	num
LENGTH	8
VARNUM	600

OTHEREGGSTYPE: Distribution	n	%	n (cum)	% (cum)
Usually	460	13.69	460	13.69
Sometimes	827	24.61	1287	38.30
Hardly ever	1033	30.74	2320	69.05
Don't know or don't eat	1040	30.95	3360	100.00

COOKINGFATPAMORNONE	
LABEL	Pam or Dont know selected
TYPE	num
LENGTH	8
VARNUM	601

COOKINGFATPAMORNONE: Distribution	n	%	n (cum)	% (cum)
No	2811	83.66	2811	83.66
Yes	549	16.34	3360	100.00

COOKINGFATBUTTER	
LABEL	Butter selected
TYPE	num
LENGTH	8
VARNUM	602

COOKINGFATBUTTER: Distribution	n	%	n (cum)	% (cum)
No	1910	56.85	1910	56.85
Yes	1450	43.15	3360	100.00

COOKINGFATHALF	
LABEL	Butter/margarine blend selected
TYPE	num
LENGTH	8
VARNUM	603

COOKINGFATHALF: Distribution	n	%	n (cum)	% (cum)
No	3177	94.55	3177	94.55
Yes	183	5.45	3360	100.00

COOKINGFATSTICKMARG	
LABEL	Stick Margarine selected
TYPE	num
LENGTH	8
VARNUM	604

COOKINGFATSTICKMARG: Distribution	n	%	n (cum)	% (cum)
No	3215	95.68	3215	95.68
Yes	145	4.32	3360	100.00

COOKINGFATSOFTMARG	
LABEL	Soft tub margarine selected
TYPE	num
LENGTH	8
VARNUM	605

COOKINGFATSOFTMARG: Distribution	n	%	n (cum)	% (cum)
No	3180	94.64	3180	94.64
Yes	180	5.36	3360	100.00

COOKINGFATDIET	
LABEL	Low-fat margarine selected
TYPE	num
LENGTH	8
VARNUM	606

COOKINGFATDIET: Distribution	n	%	n (cum)	% (cum)
No	3318	98.75	3318	98.75
Yes	42	1.25	3360	100.00

COOKINGFATVEGGIE	
LABEL	Corn oil, vegetable margarine selected
TYPE	num
LENGTH	8
VARNUM	607

COOKINGFATVEGGIE: Distribution	n	%	n (cum)	% (cum)
No	2688	80.00	2688	80.00
Yes	672	20.00	3360	100.00

COOKINGFATOLIVE	
LABEL	Olive oil, canola oil selected
TYPE	num
LENGTH	8
VARNUM	608

COOKINGFATOLIVE: Distribution	n	%	n (cum)	% (cum)
No	1044	31.07	1044	31.07
Yes	2316	68.93	3360	100.00

COOKINGFATLARD	
LABEL	Lard, fatback, bacon fat selected
TYPE	num
LENGTH	8
VARNUM	609

COOKINGFATLARD: Distribution	n	%	n (cum)	% (cum)
No	3334	99.23	3334	99.23
Yes	26	0.77	3360	100.00

COOKINGFATCRISCO	
LABEL	Crisco
TYPE	num
LENGTH	8
VARNUM	610

COOKINGFATCRISCO: Distribution	n	%	n (cum)	% (cum)
No	3324	98.93	3324	98.93
Yes	36	1.07	3360	100.00

LCCEREALTYPE	
LABEL	Cold cereal type: Low-carb like Atkins, Lowcarb SpecialK
TYPE	num
LENGTH	8
VARNUM	611

LCCEREALTYPE: Distribution	n	%	n (cum)	% (cum)
No	3221	95.86	3221	95.86
Yes	139	4.14	3360	100.00

CHEERIOSTYPE	
LABEL	Cold cereal type: Cheerios, Grape Nuts,Shredded Wheat, etc.
TYPE	num
LENGTH	8
VARNUM	612

CHEERIOSTYPE: Distribution	n	%	n (cum)	% (cum)
No	1665	49.55	1665	49.55
Yes	1695	50.45	3360	100.00

TOTALTYPE	
LABEL	Cold cereal type: TOTAL
TYPE	num
LENGTH	8
VARNUM	613

TOTALTYPE: Distribution	n	%	n (cum)	% (cum)
No	3317	98.72	3317	98.72
Yes	43	1.28	3360	100.00

FIBERONETYPE	
LABEL	Cold cereal type: Fiber One
TYPE	num
LENGTH	8
VARNUM	614

FIBERONETYPE: Distribution	n	%	n (cum)	% (cum)
No	3236	96.31	3236	96.31
Yes	124	3.69	3360	100.00

PRODUCT19TYPE	
LABEL	Cold cereal type: Product 19, Complete
TYPE	num
LENGTH	8
VARNUM	615

PRODUCT19TYPE: Distribution	n	%	n (cum)	% (cum)
No	3352	99.76	3352	99.76
Yes	8	0.24	3360	100.00

ALLBRANTYPE	
LABEL	Cold cereal type: All Bran, Bran Buds
TYPE	num
LENGTH	8
VARNUM	616

ALLBRANTYPE: Distribution	n	%	n (cum)	% (cum)
No	3306	98.39	3306	98.39
Yes	54	1.61	3360	100.00

OTHERFIBERTYPE	
LABEL	Cold cereal type: Other fiber like Raisin Bran, Fruit-n-Fiber
TYPE	num
LENGTH	8
VARNUM	617

OTHERFIBERTYPE: Distribution	n	%	n (cum)	% (cum)
No	2840	84.52	2840	84.52
Yes	520	15.48	3360	100.00

SWEETENEDTYPE	
LABEL	Cold cereal type: Sweetened, Frosted Flakes, Froot Loops
TYPE	num
LENGTH	8
VARNUM	618

SWEETENEDTYPE: Distribution	n	%	n (cum)	% (cum)
No	2366	70.42	2366	70.42
Yes	994	29.58	3360	100.00

CORNFLAKESTYPE	
LABEL	Cold cereal type: Corn Flakes, Rice crispies, Special K
TYPE	num
LENGTH	8
VARNUM	619

CORNFLAKESTYPE: Distribution	n	%	n (cum)	% (cum)
No	2462	73.27	2462	73.27
Yes	898	26.73	3360	100.00

PRENATALAMOUNT	
LABEL	How often do you take Prenatal vitamins type
TYPE	num
LENGTH	8
VARNUM	620

PRENATALAMOUNT: Distribution	n	%	n (cum)	% (cum)
Didn't Take	1643	49.73	1643	49.73
A Few Days Per Month	167	5.05	1810	54.78
1-3 Days Per Week	159	4.81	1969	59.59
4-5 Days Per Week	273	8.26	2242	67.86
Everyday	1062	32.14	3304	100.00
Form error (E)	3	.	3307	100.00
Missing (M)	53	.	3360	100.00

PRENATALYEARS	
LABEL	Number of Years: Prenatal vitamins
TYPE	num
LENGTH	8
VARNUM	621

PRENATALYEARS: Distribution	n	%	n (cum)	% (cum)
Less Than 1 Year	406	24.59	406	24.59
1 Year	226	13.69	632	38.28
2 Years	298	18.05	930	56.33
3-4 Years	578	35.01	1508	91.34
5-9 Years	127	7.69	1635	99.03
10+ Years	16	0.97	1651	100.00
Form error (E)	3	.	1654	100.00
Missing (M)	1706	.	3360	100.00

ONEADAYAMOUNT	
LABEL	How often do you take One-A-Day type w minerals
TYPE	num
LENGTH	8
VARNUM	622

ONEADAYAMOUNT: Distribution	n	%	n (cum)	% (cum)
Didn't Take	2450	74.49	2450	74.49
A Few Days Per Month	165	5.02	2615	79.51
1-3 Days Per Week	152	4.62	2767	84.13
4-5 Days Per Week	131	3.98	2898	88.11
Everyday	391	11.89	3289	100.00
Missing (M)	71	.	3360	100.00

ONEADAYYEARS	
LABEL	Number of Years: One-A-Day w minerals
TYPE	num
LENGTH	8
VARNUM	623

ONEADAYYEARS: Distribution	n	%	n (cum)	% (cum)
Less Than 1 Year	234	29.14	234	29.14
1 Year	130	16.19	364	45.33
2 Years	113	14.07	477	59.40
3-4 Years	133	16.56	610	75.97
5-9 Years	96	11.96	706	87.92
10+ Years	97	12.08	803	100.00
Form error (E)	1	.	804	100.00
Missing (M)	2556	.	3360	100.00

STRESSTABSAMOUNT	
LABEL	How often do you take Stress-Tabs, B-complex type
TYPE	num
LENGTH	8
VARNUM	624

STRESSTABSAMOUNT: Distribution	n	%	n (cum)	% (cum)
Didn't Take	3029	93.00	3029	93.00
A Few Days Per Month	66	2.03	3095	95.03
1-3 Days Per Week	50	1.54	3145	96.56
4-5 Days Per Week	25	0.77	3170	97.33
Everyday	87	2.67	3257	100.00
Missing (M)	103	.	3360	100.00

STRESSTABSYEARS	
LABEL	Number of Years: Stress-Tabs/B-complex
TYPE	num
LENGTH	8
VARNUM	625

STRESSTABSYEARS: Distribution	n	%	n (cum)	% (cum)
Less Than 1 Year	94	37.30	94	37.30
1 Year	44	17.46	138	54.76
2 Years	32	12.70	170	67.46
3-4 Years	42	16.67	212	84.13
5-9 Years	25	9.92	237	94.05
10+ Years	15	5.95	252	100.00
Missing (M)	3108	.	3360	100.00

VITAMINAAMOUNT	
LABEL	How often do you take Vitamin A
TYPE	num
LENGTH	8
VARNUM	626

VITAMINAAMOUNT: Distribution	n	%	n (cum)	% (cum)
Didn't Take	3199	98.25	3199	98.25
A Few Days Per Month	22	0.68	3221	98.93
1-3 Days Per Week	15	0.46	3236	99.39
4-5 Days Per Week	7	0.21	3243	99.60
Everyday	13	0.40	3256	100.00
Form error (E)	2	.	3258	100.00
Missing (M)	102	.	3360	100.00

VITAMINAYEARS	
LABEL	Number of Years of Vitamin A type
TYPE	num
LENGTH	8
VARNUM	627

VITAMINAYEARS: Distribution	n	%	n (cum)	% (cum)
Less Than 1 Year	47	54.65	47	54.65
1 Year	11	12.79	58	67.44
2 Years	8	9.30	66	76.74
3-4 Years	6	6.98	72	83.72
5-9 Years	3	3.49	75	87.21
10+ Years	11	12.79	86	100.00
Missing (M)	3274	.	3360	100.00

BETACAROTENEAMOUNT	
LABEL	How often do you take often Beta-Carotene
TYPE	num
LENGTH	8
VARNUM	628

BETACAROTENEAMOUNT: Distribution	n	%	n (cum)	% (cum)
Didn't Take	3205	98.59	3205	98.59
A Few Days Per Month	23	0.71	3228	99.29
1-3 Days Per Week	7	0.22	3235	99.51
4-5 Days Per Week	6	0.18	3241	99.69
Everyday	10	0.31	3251	100.00
Form error (E)	1	.	3252	100.00
Missing (M)	108	.	3360	100.00

BETACAROTENEYEARS	
LABEL	Number of Years: Beta-Carotene type
TYPE	num
LENGTH	8
VARNUM	629

BETACAROTENEYEARS: Distribution	n	%	n (cum)	% (cum)
Less Than 1 Year	41	49.40	41	49.40
1 Year	12	14.46	53	63.86
2 Years	10	12.05	63	75.90
3-4 Years	5	6.02	68	81.93
5-9 Years	4	4.82	72	86.75
10+ Years	11	13.25	83	100.00
Missing (M)	3277	.	3360	100.00

VITAMINCAMOUNT	
LABEL	How often do you take Vitamin C
TYPE	num
LENGTH	8
VARNUM	630

VITAMINCAMOUNT: Distribution	n	%	n (cum)	% (cum)
Didn't Take	2741	83.85	2741	83.85
A Few Days Per Month	295	9.02	3036	92.87
1-3 Days Per Week	98	3.00	3134	95.87
4-5 Days Per Week	46	1.41	3180	97.28
Everyday	89	2.72	3269	100.00
Missing (M)	91	.	3360	100.00

VITAMINCYEARS	
LABEL	Number of Years: Vitamin C type
TYPE	num
LENGTH	8
VARNUM	631

VITAMINCYEARS: Distribution	n	%	n (cum)	% (cum)
Less Than 1 Year	134	27.86	134	27.86
1 Year	67	13.93	201	41.79
2 Years	58	12.06	259	53.85
3-4 Years	77	16.01	336	69.85
5-9 Years	63	13.10	399	82.95
10+ Years	82	17.05	481	100.00
Missing (M)	2879	.	3360	100.00

VITAMINEAMOUNT	
LABEL	How often do you take Vitamin E
TYPE	num
LENGTH	8
VARNUM	632

VITAMINEAMOUNT: Distribution	n	%	n (cum)	% (cum)
Didn't Take	3098	95.41	3098	95.41
A Few Days Per Month	59	1.82	3157	97.23
1-3 Days Per Week	29	0.89	3186	98.12
4-5 Days Per Week	24	0.74	3210	98.86
Everyday	37	1.14	3247	100.00
Missing (M)	113	.	3360	100.00

VITAMINEYEARS	
LABEL	Number of Years: Vitamin E type
TYPE	num
LENGTH	8
VARNUM	633

VITAMINEYEARS: Distribution	n	%	n (cum)	% (cum)
Less Than 1 Year	68	41.72	68	41.72
1 Year	27	16.56	95	58.28
2 Years	20	12.27	115	70.55
3-4 Years	18	11.04	133	81.60
5-9 Years	19	11.66	152	93.25
10+ Years	11	6.75	163	100.00
Missing (M)	3197	.	3360	100.00

FOLATEAMOUNT	
LABEL	How often do you take Folate
TYPE	num
LENGTH	8
VARNUM	634

FOLATEAMOUNT: Distribution	n	%	n (cum)	% (cum)
Didn't Take	2963	91.06	2963	91.06
A Few Days Per Month	68	2.09	3031	93.15
1-3 Days Per Week	37	1.14	3068	94.28
4-5 Days Per Week	56	1.72	3124	96.00
Everyday	130	4.00	3254	100.00
Missing (M)	106	.	3360	100.00

FOLATEYEARS	
LABEL	Number of Years: Folate type
TYPE	num
LENGTH	8
VARNUM	635

FOLATEYEARS: Distribution	n	%	n (cum)	% (cum)
Less Than 1 Year	113	37.54	113	37.54
1 Year	48	15.95	161	53.49
2 Years	49	16.28	210	69.77
3-4 Years	60	19.93	270	89.70

FOLATEYEARS: Distribution	n	%	n (cum)	% (cum)
5-9 Years	16	5.32	286	95.02
10+ Years	15	4.98	301	100.00
Form error (E)	1	.	302	100.00
Missing (M)	3058	.	3360	100.00

CALCIUMAMOUNT	
LABEL	How often do you take Calcium, Tums, Rolaid s
TYPE	num
LENGTH	8
VARNUM	636

CALCIUMAMOUNT: Distribution	n	%	n (cum)	% (cum)
Didn't Take	2670	81.93	2670	81.93
A Few Days Per Month	273	8.38	2943	90.30
1-3 Days Per Week	103	3.16	3046	93.46
4-5 Days Per Week	70	2.15	3116	95.61
Everyday	143	4.39	3259	100.00
Missing (M)	101	.	3360	100.00

CALCIUMYEARS	
LABEL	Number of Years: Calcium, Tums, Rolaid s
TYPE	num
LENGTH	8
VARNUM	637

CALCIUMYEARS: Distribution	n	%	n (cum)	% (cum)
Less Than 1 Year	145	26.13	145	26.13
1 Year	79	14.23	224	40.36
2 Years	68	12.25	292	52.61
3-4 Years	118	21.26	410	73.87
5-9 Years	82	14.77	492	88.65
10+ Years	63	11.35	555	100.00
Missing (M)	2805	.	3360	100.00

VITAMINDAMOUNT	
LABEL	How often do you take Vitamin D, alone, w Calcium
TYPE	num
LENGTH	8
VARNUM	638

VITAMINDAMOUNT: Distribution	n	%	n (cum)	% (cum)
Didn't Take	2688	82.28	2688	82.28
A Few Days Per Month	134	4.10	2822	86.38
1-3 Days Per Week	113	3.46	2935	89.84
4-5 Days Per Week	92	2.82	3027	92.65
Everyday	240	7.35	3267	100.00
Missing (M)	93	.	3360	100.00

VITAMINDYEARS	
LABEL	Number of Years: Vitamin D
TYPE	num
LENGTH	8
VARNUM	639

VITAMINDYEARS: Distribution	n	%	n (cum)	% (cum)
Less Than 1 Year	195	34.88	195	34.88
1 Year	93	16.64	288	51.52
2 Years	78	13.95	366	65.47
3-4 Years	110	19.68	476	85.15
5-9 Years	60	10.73	536	95.89
10+ Years	23	4.11	559	100.00

VITAMINDYEARS: Distribution	n	%	n (cum)	% (cum)
Form error (E)	1	.	560	100.00
Missing (M)	2800	.	3360	100.00

ZINCAMOUNT	
LABEL	How often do you take do you take Zinc
TYPE	num
LENGTH	8
VARNUM	640

ZINCAMOUNT: Distribution	n	%	n (cum)	% (cum)
Didn't Take	3103	95.45	3103	95.45
A Few Days Per Month	85	2.61	3188	98.06
1-3 Days Per Week	16	0.49	3204	98.55
4-5 Days Per Week	19	0.58	3223	99.14
Everyday	28	0.86	3251	100.00
Form error (E)	1	.	3252	100.00
Missing (M)	108	.	3360	100.00

ZINCYEARS	
LABEL	Number of Years: Zinc type
TYPE	num
LENGTH	8
VARNUM	641

ZINCYEARS: Distribution	n	%	n (cum)	% (cum)
Less Than 1 Year	71	43.83	71	43.83
1 Year	21	12.96	92	56.79
2 Years	21	12.96	113	69.75
3-4 Years	22	13.58	135	83.33
5-9 Years	11	6.79	146	90.12
10+ Years	16	9.88	162	100.00
Missing (M)	3198	.	3360	100.00

IRONAMOUNT	
LABEL	How often do you take Iron
TYPE	num
LENGTH	8
VARNUM	642

IRONAMOUNT: Distribution	n	%	n (cum)	% (cum)
Didn't Take	2892	88.47	2892	88.47
A Few Days Per Month	100	3.06	2992	91.53
1-3 Days Per Week	62	1.90	3054	93.42
4-5 Days Per Week	59	1.80	3113	95.23
Everyday	156	4.77	3269	100.00
Missing (M)	91	.	3360	100.00

IRONYEARS	
LABEL	Number of Years: Iron type
TYPE	num
LENGTH	8
VARNUM	643

IRONYEARS: Distribution	n	%	n (cum)	% (cum)
Less Than 1 Year	193	52.30	193	52.30
1 Year	62	16.80	255	69.11
2 Years	41	11.11	296	80.22
3-4 Years	38	10.30	334	90.51
5-9 Years	19	5.15	353	95.66
10+ Years	16	4.34	369	100.00
Missing (M)	2991	.	3360	100.00

SELENIUMAMOUNT	
LABEL	How often do you take Selenium
TYPE	num
LENGTH	8
VARNUM	644

SELENIUMAMOUNT: Distribution	n	%	n (cum)	% (cum)
Didn't Take	3219	98.62	3219	98.62
A Few Days Per Month	15	0.46	3234	99.08
1-3 Days Per Week	13	0.40	3247	99.48
4-5 Days Per Week	10	0.31	3257	99.79
Everyday	7	0.21	3264	100.00
Form error (E)	1	.	3265	100.00
Missing (M)	95	.	3360	100.00

SELENIUMYEARS	
LABEL	Number of Years: Selenium type
TYPE	num
LENGTH	8
VARNUM	645

SELENIUMYEARS: Distribution	n	%	n (cum)	% (cum)
Less Than 1 Year	37	51.39	37	51.39
1 Year	10	13.89	47	65.28
2 Years	10	13.89	57	79.17
3-4 Years	5	6.94	62	86.11
5-9 Years	2	2.78	64	88.89
10+ Years	8	11.11	72	100.00
Missing (M)	3288	.	3360	100.00

OMEGA3AMOUNT	
LABEL	How often do you take Omega-3, fish/flax seed oil
TYPE	num
LENGTH	8
VARNUM	646

OMEGA3AMOUNT: Distribution	n	%	n (cum)	% (cum)
Didn't Take	2741	83.75	2741	83.75
A Few Days Per Month	149	4.55	2890	88.30
1-3 Days Per Week	98	2.99	2988	91.29
4-5 Days Per Week	76	2.32	3064	93.61
Everyday	209	6.39	3273	100.00
Form error (E)	2	.	3275	100.00
Missing (M)	85	.	3360	100.00

OMEGA3YEARS	
LABEL	Number Years: Omega-3, fish/flax oil
TYPE	num
LENGTH	8
VARNUM	647

OMEGA3YEARS: Distribution	n	%	n (cum)	% (cum)
Less Than 1 Year	157	29.85	157	29.85
1 Year	88	16.73	245	46.58
2 Years	84	15.97	329	62.55
3-4 Years	129	24.52	458	87.07
5-9 Years	55	10.46	513	97.53
10+ Years	13	2.47	526	100.00
Missing (M)	2834	.	3360	100.00

PRENATALTYPE	
LABEL	If you took prenatal vitamins, did you usually take types
TYPE	num
LENGTH	8
VARNUM	648

PRENATALTYPE: Distribution	n	%	n (cum)	% (cum)
With iron	1559	46.40	1559	46.40
Without iron	1177	35.03	2736	81.43
Don't Know	624	18.57	3360	100.00

MINERALSYESORNO	
LABEL	If you took Once-a-Day, Centrum, or Thera-type
TYPE	num
LENGTH	8
VARNUM	649

MINERALSYESORNO: Distribution	n	%	n (cum)	% (cum)
contain minerals, iron, zinc, etc.	2397	71.34	2397	71.34
do not contain minerals	62	1.85	2459	73.18
Don't know	901	26.82	3360	100.00

VITAMINCQUAN	
LABEL	How many Mg per Vitamin C tablet
TYPE	num
LENGTH	8
VARNUM	650

VITAMINCQUAN: Distribution	n	%	n (cum)	% (cum)
100 mg	33	0.98	33	0.98
250 mg	2106	62.68	2139	63.66
500 mg	183	5.45	2322	69.11
750 mg	12	0.36	2334	69.46
1000 mg	176	5.24	2510	74.70
1500 mg	14	0.42	2524	75.12
2000 mg	17	0.51	2541	75.63
3000+ mg	10	0.30	2551	75.92
Don't Know	809	24.08	3360	100.00

VITAMINEQUAN	
LABEL	How many IU per Vitamin E capsule
TYPE	num
LENGTH	8
VARNUM	651

VITAMINEQUAN: Distribution	n	%	n (cum)	% (cum)
100 IU	2379	70.80	2379	70.80
200 IU	26	0.77	2405	71.58
300 IU	13	0.39	2418	71.96
400 IU	41	1.22	2459	73.18
600 IU	7	0.21	2466	73.39
800 IU	4	0.12	2470	73.51
1000 IU	11	0.33	2481	73.84
2000+ IU	5	0.15	2486	73.99
Don't Know	874	26.01	3360	100.00

ATEANYFISH	
LABEL	In the 3 months before you become pregnant, did you ever eat fish?
TYPE	num
LENGTH	8
VARNUM	652

ATEANYFISH: Distribution	n	%	n (cum)	% (cum)
Yes	2759	85.47	2759	85.47
No	469	14.53	3228	100.00
Form error (E)	1	.	3229	100.00
Missing (M)	131	.	3360	100.00

FRIEDFISH2FREQ	
LABEL	Fish sticks, fried fish, or fish sandwich frequency
TYPE	num
LENGTH	8
VARNUM	653

FRIEDFISH2FREQ: Distribution	n	%	n (cum)	% (cum)
Never	983	33.61	983	33.61
Once Per 3 Months	1157	39.56	2140	73.16
Once Per Month	402	13.74	2542	86.91
2-3 Times Per Month	235	8.03	2777	94.94
Once Per Week	78	2.67	2855	97.61
2 Times Per Week	45	1.54	2900	99.15
3-4 Times Per Week	18	0.62	2918	99.76
5-6 Times Per Week	3	0.10	2921	99.86
Everyday	4	0.14	2925	100.00
Form error (E)	1	.	2926	100.00
Missing (M)	434	.	3360	100.00

FRIEDFISH2QUAN	
LABEL	Fish sticks, fried fish, or fish sandwich quantity
TYPE	num
LENGTH	8
VARNUM	654

FRIEDFISH2QUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	611	18.18	611	18.18
1/2 cup	2556	76.07	3167	94.26
1 cup	193	5.74	3360	100.00

TUNA2FREQ	
LABEL	Tuna, tuna salad, tuna casserole, frequency
TYPE	num
LENGTH	8
VARNUM	655

TUNA2FREQ: Distribution	n	%	n (cum)	% (cum)
Never	509	17.46	509	17.46
Once Per 3 Months	978	33.54	1487	50.99
Once Per Month	595	20.40	2082	71.40
2-3 Times Per Month	528	18.11	2610	89.51
Once Per Week	169	5.80	2779	95.30
2 Times Per Week	89	3.05	2868	98.35
3-4 Times Per Week	38	1.30	2906	99.66
5-6 Times Per Week	6	0.21	2912	99.86
Everyday	4	0.14	2916	100.00
Form error (E)	1	.	2917	100.00
Missing (M)	443	.	3360	100.00

TUNA2QUAN	
LABEL	Tuna, tuna salad, tuna casserole, quantity
TYPE	num
LENGTH	8
VARNUM	656

TUNA2QUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	920	27.38	920	27.38
1/2 cup	2281	67.89	3201	95.27
1 cup	159	4.73	3360	100.00

SALMONFREQ	
LABEL	Salmon, frequency
TYPE	num
LENGTH	8
VARNUM	657

SALMONFREQ: Distribution	n	%	n (cum)	% (cum)
Never	616	21.12	616	21.12
Once Per 3 Months	881	30.21	1497	51.34
Once Per Month	546	18.72	2043	70.06
2-3 Times Per Month	536	18.38	2579	88.44
Once Per Week	210	7.20	2789	95.64
2 Times Per Week	86	2.95	2875	98.59
3-4 Times Per Week	31	1.06	2906	99.66
5-6 Times Per Week	7	0.24	2913	99.90
Everyday	3	0.10	2916	100.00
Form error (E)	2	.	2918	100.00
Missing (M)	442	.	3360	100.00

SALMONQUAN	
LABEL	Salmon, quantity
TYPE	num
LENGTH	8
VARNUM	658

SALMONQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	577	17.17	577	17.17
1/2 cup	2527	75.21	3104	92.38
1 cup	256	7.62	3360	100.00

HALIBUTFREQ	
LABEL	Halibut, frequency
TYPE	num
LENGTH	8
VARNUM	659

HALIBUTFREQ: Distribution	n	%	n (cum)	% (cum)
Never	1847	63.60	1847	63.60
Once Per 3 Months	780	26.86	2627	90.46
Once Per Month	162	5.58	2789	96.04
2-3 Times Per Month	89	3.06	2878	99.10
Once Per Week	14	0.48	2892	99.59
2 Times Per Week	10	0.34	2902	99.93
3-4 Times Per Week	2	0.07	2904	100.00
Form error (E)	2	.	2906	100.00
Missing (M)	454	.	3360	100.00

HALIBUTQUAN	
LABEL	Halibut, quantity
TYPE	num
LENGTH	8
VARNUM	660

HALIBUTQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	338	10.06	338	10.06
1/2 cup	2937	87.41	3275	97.47
1 cup	85	2.53	3360	100.00

TROUTFREQ	
LABEL	Trout, frequency
TYPE	num
LENGTH	8
VARNUM	661

TROUTFREQ: Distribution	n	%	n (cum)	% (cum)
Never	2285	78.68	2285	78.68
Once Per 3 Months	484	16.67	2769	95.35
Once Per Month	85	2.93	2854	98.28
2-3 Times Per Month	36	1.24	2890	99.52
Once Per Week	8	0.28	2898	99.79
2 Times Per Week	5	0.17	2903	99.97
3-4 Times Per Week	1	0.03	2904	100.00
Form error (E)	3	.	2907	100.00
Missing (M)	453	.	3360	100.00

TROUTQUAN	
LABEL	Trout, quantity
TYPE	num
LENGTH	8
VARNUM	662

TROUTQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	216	6.43	216	6.43
1/2 cup	3082	91.73	3298	98.15
1 cup	62	1.85	3360	100.00

MACKERELFREQ	
LABEL	Mackerel, frequency
TYPE	num
LENGTH	8
VARNUM	663

MACKERELFREQ: Distribution	n	%	n (cum)	% (cum)
Never	2683	92.39	2683	92.39
Once Per 3 Months	160	5.51	2843	97.90
Once Per Month	34	1.17	2877	99.07
2-3 Times Per Month	20	0.69	2897	99.76
Once Per Week	3	0.10	2900	99.86
2 Times Per Week	3	0.10	2903	99.97
3-4 Times Per Week	1	0.03	2904	100.00
Form error (E)	5	.	2909	100.00
Missing (M)	451	.	3360	100.00

MACKERELQUAN	
LABEL	Mackerel, quantity
TYPE	num
LENGTH	8
VARNUM	664

MACKERELQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	148	4.40	148	4.40
1/2 cup	3193	95.03	3341	99.43
1 cup	19	0.57	3360	100.00

HERRINGFREQ	
LABEL	Herring, frequency
TYPE	num
LENGTH	8
VARNUM	665

HERRINGFREQ: Distribution	n	%	n (cum)	% (cum)
Never	2727	93.87	2727	93.87
Once Per 3 Months	132	4.54	2859	98.42
Once Per Month	24	0.83	2883	99.24
2-3 Times Per Month	14	0.48	2897	99.72
Once Per Week	6	0.21	2903	99.93
2 Times Per Week	2	0.07	2905	100.00
Form error (E)	2	.	2907	100.00
Missing (M)	453	.	3360	100.00

HERRINGQUAN	
LABEL	Herring, quantity
TYPE	num
LENGTH	8
VARNUM	666

HERRINGQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	146	4.35	146	4.35
1/2 cup	3199	95.21	3345	99.55
1 cup	15	0.45	3360	100.00

SARDINESFREQ	
LABEL	Sardines, frequency
TYPE	num
LENGTH	8
VARNUM	667

SARDINESFREQ: Distribution	n	%	n (cum)	% (cum)
Never	2560	88.25	2560	88.25
Once Per 3 Months	225	7.76	2785	96.00
Once Per Month	54	1.86	2839	97.86
2-3 Times Per Month	35	1.21	2874	99.07
Once Per Week	14	0.48	2888	99.55
2 Times Per Week	10	0.34	2898	99.90
3-4 Times Per Week	1	0.03	2899	99.93
5-6 Times Per Week	1	0.03	2900	99.97
Everyday	1	0.03	2901	100.00
Form error (E)	1	.	2902	100.00
Missing (M)	458	.	3360	100.00

SARDINESQUAN	
LABEL	Sardines, quantity
TYPE	num
LENGTH	8
VARNUM	668

SARDINESQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	244	7.26	244	7.26
1/2 cup	3096	92.14	3340	99.40
1 cup	20	0.60	3360	100.00

OTHERWHITEFISHFREQ	
LABEL	Other white fish, such as cod, sole, flounder, catfish, perch or haddock, frequency
TYPE	num
LENGTH	8
VARNUM	669

OTHERWHITEFISHFREQ: Distribution	n	%	n (cum)	% (cum)
Never	1033	35.43	1033	35.43
Once Per 3 Months	984	33.74	2017	69.17
Once Per Month	390	13.37	2407	82.54
2-3 Times Per Month	332	11.39	2739	93.93

OTHERWHITEFISHREQ: Distribution	n	%	n (cum)	% (cum)
Once Per Week	110	3.77	2849	97.70
2 Times Per Week	46	1.58	2895	99.28
3-4 Times Per Week	14	0.48	2909	99.76
5-6 Times Per Week	4	0.14	2913	99.90
Everyday	3	0.10	2916	100.00
Form error (E)	1	.	2917	100.00
Missing (M)	443	.	3360	100.00

OTHERWHITEFISHQUAN	
LABEL	Other white fish, such as cod, sole, flounder, catfish, perch or haddock, quantity
TYPE	num
LENGTH	8
VARNUM	670

OTHERWHITEFISHQUAN: Distribution	n	%	n (cum)	% (cum)
1/4 cup	500	14.88	500	14.88
1/2 cup	2682	79.82	3182	94.70
1 cup	178	5.30	3360	100.00

ADSUG_NA	
LABEL	Added sugars, excluding sugars in alcoholic beverages
TYPE	num
LENGTH	8
VARNUM	671

ADSUG_NA: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

ADSUG_NA: Statistics	Value
N	3360.00
MIN	0.18
MAX	209.79
MEAN	11.81
STD	11.66

ADSUG_NA: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	1.58	2.72	3.58	5.33	8.54	13.86	23.49	31.93	56.56

A_BEV_KC	
LABEL	Calories from Alcoholic beverages, kcals
TYPE	num
LENGTH	8
VARNUM	672

A_BEV_KC: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

A_BEV_KC: Statistics	Value
N	3360.00
MIN	0.00
MAX	1354.54
MEAN	48.00
STD	80.92

A_BEV_KC: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	15.06	64.43	135.08	206.39	360.47

DFATHOIL	
LABEL	Discretionary fat, oil, for HEI, grams
TYPE	num
LENGTH	8
VARNUM	673

DFATHOIL: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DFATHOIL: Statistics	Value
N	3360.00
MIN	0.36
MAX	144.44
MEAN	18.56
STD	11.53

DFATHOIL: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	2.90	5.05	6.62	10.41	16.37	24.12	32.94	39.65	55.54

DFATHSOL	
LABEL	Discretionary fat, solid, for HEI, grams
TYPE	num
LENGTH	8
VARNUM	674

DFATHSOL: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DFATHSOL: Statistics	Value
N	3360.00
MIN	2.00
MAX	561.10
MEAN	38.53
STD	24.87

DFATHSOL: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	8.84	13.92	17.32	24.45	33.74	46.51	62.78	77.86	116.51

D_SOY	
LABEL	Dairy equivalents from soy products, oz-equivalent
TYPE	num
LENGTH	8
VARNUM	675

D_SOY: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

D_SOY: Statistics	Value
N	3360.00
MIN	0.00
MAX	3.18
MEAN	0.02
STD	0.14

D_SOY: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.62

M_SOY_ND	
LABEL	Meat equivalents from soy, without dairy, oz-equivalent
TYPE	num
LENGTH	8
VARNUM	676

M_SOY_ND: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

M_SOY_ND: Statistics	Value
N	3360.00
MIN	0.00
MAX	5.06
MEAN	0.11
STD	0.31

M_SOY_ND: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.01	0.01	0.03	0.08	0.22	0.44	1.58

GR_A_SUGBEV_TOT_GM	
LABEL	Sugary beverages including juices for AHEI, grams
TYPE	num
LENGTH	8
VARNUM	677

GR_A_SUGBEV_TOT_GM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

GR_A_SUGBEV_TOT_GM: Statistics	Value
N	3360.00
MIN	0.00
MAX	5778.00
MEAN	304.93
STD	478.82

GR_A_SUGBEV_TOT_GM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	5.60	12.62	36.57	122.11	367.98	818.18	1229.21	2200.37

DHA_EPA	
LABEL	Total average daily intake of DHA & EPA (fish fatty acids), grams
TYPE	num
LENGTH	8
VARNUM	678

DHA_EPA: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DHA_EPA: Statistics	Value
N	3360.00
MIN	0.00
MAX	2.83
MEAN	0.13
STD	0.19

DHA_EPA: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.01	0.01	0.02	0.04	0.08	0.16	0.28	0.42	0.95

ADJ_PUFA	
LABEL	Avg. daily polyunsaturated fat (PUFA), without DHA & EPA, grams
TYPE	num
LENGTH	8
VARNUM	679

ADJ_PUFA: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

ADJ_PUFA: Statistics	Value
N	3360.00
MIN	0.54
MAX	157.23
MEAN	14.47
STD	8.46

ADJ_PUFA: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	3.71	5.65	6.87	9.24	12.88	17.54	23.53	28.56	41.07

AV_TOT_S	
LABEL	Avg. daily vegetable servings (1/2 cup) excl. potatoes for AHEI
TYPE	num
LENGTH	8
VARNUM	680

AV_TOT_S: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

AV_TOT_S: Statistics	Value
N	3360.00
MIN	0.05
MAX	17.30
MEAN	2.77
STD	1.90

AV_TOT_S: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.37	0.71	0.92	1.47	2.30	3.57	5.28	6.52	9.30

AF_TOT_S	
LABEL	Avg. daily fruit servings (1/2 cup) excluding juice for AHEI
TYPE	num
LENGTH	8
VARNUM	681

AF_TOT_S: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

AF_TOT_S: Statistics	Value
N	3360.00
MIN	0.01
MAX	7.70
MEAN	1.74
STD	1.33

AF_TOT_S: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.10	0.30	0.39	0.72	1.34	2.54	3.70	4.44	5.77

R_MEAT_S	
LABEL	Avg. daily servings red meat (4 oz.) or cured meat (1.5 oz.) for AHEI
TYPE	num
LENGTH	8
VARNUM	682

R_MEAT_S: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

R_MEAT_S: Statistics	Value
N	3360.00
MIN	0.01
MAX	12.88

R_MEAT_S: Statistics	Value
MEAN	0.64
STD	0.61

R_MEAT_S: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.04	0.11	0.17	0.30	0.49	0.80	1.21	1.61	2.79

A_NUT_S	
LABEL	Avg. daily servings nuts (1 oz.) or peanut butter (1 Tbsp.) for AHEI
TYPE	num
LENGTH	8
VARNUM	683

A_NUT_S: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

A_NUT_S: Statistics	Value
N	3360.00
MIN	0.00
MAX	4.20
MEAN	0.45
STD	0.53

A_NUT_S: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.01	0.03	0.05	0.11	0.26	0.61	1.06	1.48	2.62

A_BEAN_S	
LABEL	Avg. daily servings beans or tofu (1/2 cup) for AHEI
TYPE	num
LENGTH	8
VARNUM	684

A_BEAN_S: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

A_BEAN_S: Statistics	Value
N	3360.00
MIN	0.00
MAX	4.60
MEAN	0.24
STD	0.34

A_BEAN_S: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.01	0.02	0.03	0.07	0.13	0.26	0.52	0.80	1.75

AA_BEV	
LABEL	Avg. daily alcoholic drinks (wine 4 oz.) for AHEI
TYPE	num
LENGTH	8
VARNUM	685

AA_BEV: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

AA_BEV: Statistics	Value
N	3360.00
MIN	0.00
MAX	21.13
MEAN	0.59
STD	1.07

AA_BEV: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	0.20	0.76	1.52	2.42	4.73

DT_TRFAT	
LABEL	Avg. daily trans-fat intake, grams
TYPE	num
LENGTH	8
VARNUM	686

DT_TRFAT: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

DT_TRFAT: Statistics	Value
N	3360.00
MIN	0.10
MAX	36.72
MEAN	2.27
STD	1.66

DT_TRFAT: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.41	0.71	0.92	1.32	1.90	2.76	3.95	4.97	8.21

HEI1_tfr	
LABEL	HEI-2005 component 1, Total Fruit
TYPE	num
LENGTH	8
VARNUM	687

HEI1_tfr: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

HEI1_tfr: Statistics	Value
N	3360.00
MIN	0.18
MAX	5.00
MEAN	3.70
STD	1.40

HEI1_tfr: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.65	1.14	1.52	2.51	4.15	5.00	5.00	5.00	5.00

HEI2_wfr	
LABEL	HEI-2005 component 2, Whole Fruit
TYPE	num
LENGTH	8
VARNUM	688

HEI2_wfr: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

HEI2_wfr: Statistics	Value
N	3360.00
MIN	0.08
MAX	5.00
MEAN	4.06
STD	1.35

HEI2_wfr: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.56	1.26	1.75	3.16	5.00	5.00	5.00	5.00	5.00

HEI3_veg	
LABEL	HEI-2005 component 3, Total Vegetables
TYPE	num
LENGTH	8
VARNUM	689

HEI3_veg: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

HEI3_veg: Statistics	Value
N	3360.00
MIN	0.19
MAX	5.00
MEAN	3.79
STD	1.18

HEI3_veg: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	1.11	1.72	2.11	2.81	4.00	5.00	5.00	5.00	5.00

HEI4_dol	
LABEL	HEI-2005 component 4, Dark Green & Orange Vegetables & Legumes
TYPE	num
LENGTH	8
VARNUM	690

HEI4_dol: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

HEI4_dol: Statistics	Value
N	3360.00
MIN	0.00
MAX	5.00
MEAN	3.35
STD	1.57

HEI4_dol: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.23	0.72	1.05	1.97	3.58	5.00	5.00	5.00	5.00

HEI5_tgr	
LABEL	HEI-2005 component 5, Total Grains
TYPE	num
LENGTH	8
VARNUM	691

HEI5_tgr: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

HEI5_tgr: Statistics	Value
N	3360.00
MIN	0.14
MAX	5.00
MEAN	4.26
STD	0.92

HEI5_tgr: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	1.38	2.36	2.91	3.73	4.63	5.00	5.00	5.00	5.00

HEI6_wgr	
LABEL	HEI-2005 component 6, Whole Grains
TYPE	num
LENGTH	8
VARNUM	692

HEI6_wgr: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

HEI6_wgr: Statistics	Value
N	3360.00
MIN	0.00
MAX	5.00
MEAN	1.93
STD	1.27

HEI6_wgr: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.15	0.36	0.51	0.91	1.66	2.67	3.86	4.67	5.00

HEI7_mlk	
LABEL	HEI-2005 component 7, Milk
TYPE	num
LENGTH	8
VARNUM	693

HEI7_mlk: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

HEI7_mlk: Statistics	Value
N	3360.00
MIN	0.47
MAX	10.00
MEAN	5.93
STD	2.45

HEI7_mlk: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	1.27	2.29	2.85	3.98	5.63	7.75	10.00	10.00	10.00

HEI8_pro	
LABEL	HEI-2005 component 8, Meat and Beans
TYPE	num
LENGTH	8
VARNUM	694

HEI8_pro: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

HEI8_pro: Statistics	Value
N	3360.00
MIN	1.12
MAX	10.00
MEAN	8.92
STD	1.59

HEI8_pro: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	4.08	5.46	6.38	8.10	10.00	10.00	10.00	10.00	10.00

HEI9_oil	
LABEL	HEI-2005 component 9, Oils
TYPE	num
LENGTH	8
VARNUM	695

HEI9_oil: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

HEI9_oil: Statistics	Value
N	3360.00
MIN	1.08
MAX	10.00
MEAN	8.05
STD	2.14

HEI9_oil: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	2.79	3.88	4.74	6.48	8.75	10.00	10.00	10.00	10.00

HEI10_sfa	
LABEL	HEI-2005 component 10, Saturated Fat
TYPE	num
LENGTH	8
VARNUM	696

HEI10_sfa: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

HEI10_sfa: Statistics	Value
N	3360.00
MIN	0.00
MAX	10.00
MEAN	4.61
STD	3.09

HEI10_sfa: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	1.88	4.80	7.43	8.58	9.10	10.00

HEI11_sod	
LABEL	HEI-2005 component 11, Sodium
TYPE	num
LENGTH	8
VARNUM	697

HEI11_sod: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

HEI11_sod: Statistics	Value
N	3360.00
MIN	0.00
MAX	10.00
MEAN	3.35
STD	2.00

HEI11_sod: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.60	1.94	3.25	4.65	5.98	6.90	8.40

HEI12_fas	
LABEL	HEI-2005 component 12, SoFAAS Cals (Solid Fat, Alcohol & Added Sugars)
TYPE	num
LENGTH	8
VARNUM	698

HEI12_fas: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

HEI12_fas: Statistics	Value
N	3360.00
MIN	0.00
MAX	20.00

HEI12_fas: Statistics	Value
MEAN	10.62
STD	4.88

HEI12_fas: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	1.45	3.84	7.39	10.97	14.07	16.86	18.44	20.00

HEI2005_TOTAL_SCORE	
LABEL	HEI-2005, Total Score
TYPE	num
LENGTH	8
VARNUM	699

HEI2005_TOTAL_SCORE: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

HEI2005_TOTAL_SCORE: Statistics	Value
N	3360.00
MIN	27.53
MAX	91.61
MEAN	62.56
STD	10.71

HEI2005_TOTAL_SCORE: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	38.16	44.21	47.77	55.05	63.08	70.45	76.23	79.23	84.35

HEIX1_TOTALVEG	
LABEL	HEI-2010 component 1, Total Vegetables
TYPE	num
LENGTH	8
VARNUM	700

HEIX1_TOTALVEG: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

HEIX1_TOTALVEG: Statistics	Value
N	3360.00
MIN	0.19
MAX	5.00
MEAN	3.79
STD	1.18

HEIX1_TOTALVEG: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	1.11	1.72	2.11	2.81	4.00	5.00	5.00	5.00	5.00

HEIX2_GREEN_AND_BEAN	
LABEL	HEI-2010 component 2, Dark Green Vegetables & Legumes
TYPE	num
LENGTH	8
VARNUM	701

HEIX2_GREEN_AND_BEAN: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

HEIX2_GREEN_AND_BEAN: Statistics	Value
N	3360.00
MIN	0.00
MAX	5.00
MEAN	3.82
STD	1.52

HEIX2_GREEN_AND_BEAN: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.24	0.81	1.33	2.60	5.00	5.00	5.00	5.00	5.00

HEIX3_TOTALFRUIT	
LABEL	HEI-2010 component 3, Total Fruit
TYPE	num
LENGTH	8
VARNUM	702

HEIX3_TOTALFRUIT: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

HEIX3_TOTALFRUIT: Statistics	Value
N	3360.00
MIN	0.18
MAX	5.00
MEAN	3.70
STD	1.40

HEIX3_TOTALFRUIT: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.65	1.14	1.52	2.51	4.15	5.00	5.00	5.00	5.00

HEIX4_WHOLEFRUIT	
LABEL	HEI-2010 component 4, Whole Fruit
TYPE	num
LENGTH	8
VARNUM	703

HEIX4_WHOLEFRUIT: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

HEIX4_WHOLEFRUIT: Statistics	Value
N	3360.00
MIN	0.08
MAX	5.00
MEAN	4.06
STD	1.35

HEIX4_WHOLEFRUIT: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.56	1.26	1.75	3.16	5.00	5.00	5.00	5.00	5.00

HEIX5_WHOLEGRAIN	
LABEL	HEI-2010 component 5, Whole Grains
TYPE	num
LENGTH	8
VARNUM	704

HEIX5_WHOLEGRAIN: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

HEIX5_WHOLEGRAIN: Statistics	Value
N	3360.00
MIN	0.00
MAX	10.00
MEAN	3.86
STD	2.54

HEIX5_WHOLEGRAIN: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.30	0.72	1.02	1.83	3.32	5.34	7.73	9.34	10.00

HEIX6_TOTALDAIRY	
LABEL	HEI-2010 component 6, Milk
TYPE	num
LENGTH	8
VARNUM	705

HEIX6_TOTALDAIRY: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

HEIX6_TOTALDAIRY: Statistics	Value
N	3360.00
MIN	0.47
MAX	10.00
MEAN	5.93
STD	2.45

HEIX6_TOTALDAIRY: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	1.27	2.29	2.85	3.98	5.63	7.75	10.00	10.00	10.00

HEIX7_TOTPROT	
LABEL	HEI-2010 component 7, Meat and Beans
TYPE	num
LENGTH	8
VARNUM	706

HEIX7_TOTPROT: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

HEIX7_TOTPROT: Statistics	Value
N	3360.00
MIN	0.56
MAX	5.00
MEAN	4.46
STD	0.79

HEIX7_TOTPROT: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	2.04	2.73	3.19	4.05	5.00	5.00	5.00	5.00	5.00

HEIX8_SEAPLANT_PROT	
LABEL	HEI-2010 component 8, Seafood & Plant Protein
TYPE	num
LENGTH	8
VARNUM	707

HEIX8_SEAPLANT_PROT: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

HEIX8_SEAPLANT_PROT: Statistics	Value
N	3360.00
MIN	0.08
MAX	5.00
MEAN	3.83
STD	1.35

HEIX8_SEAPLANT_PROT: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.56	1.25	1.72	2.75	4.44	5.00	5.00	5.00	5.00

HEIX9_FATTYACID	
LABEL	HEI-2010 component 9, Fatty Acid Ratio, (M+P)/S
TYPE	num
LENGTH	8
VARNUM	708

HEIX9_FATTYACID: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

HEIX9_FATTYACID: Statistics	Value
N	3360.00
MIN	0.00
MAX	10.00
MEAN	5.32
STD	2.70

HEIX9_FATTYACID: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	1.13	1.99	3.32	5.03	7.22	9.96	10.00	10.00

HEIX10_SODIUM	
LABEL	HEI-2010 component 10, Sodium
TYPE	num
LENGTH	8
VARNUM	709

HEIX10_SODIUM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

HEIX10_SODIUM: Statistics	Value
N	3360.00
MIN	0.00
MAX	10.00
MEAN	4.18
STD	2.47

HEIX10_SODIUM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.76	2.43	4.07	5.82	7.48	8.62	10.00

HEIX11_REFINEDGRAIN	
LABEL	HEI-2010 component 11, Refined Grains
TYPE	num
LENGTH	8
VARNUM	710

HEIX11_REFINEDGRAIN: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

HEIX11_REFINEDGRAIN: Statistics	Value
N	3360.00
MIN	0.00
MAX	10.00
MEAN	7.91
STD	2.28

HEIX11_REFINEDGRAIN: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.54	3.40	4.64	6.57	8.54	10.00	10.00	10.00	10.00

HEIX12_SOFAAS	
LABEL	HEI-2010 component 12, SoFAAS Cals (Solid Fat, Excess Alcohol & Added Sugars)
TYPE	num
LENGTH	8
VARNUM	711

HEIX12_SOFAAS: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

HEIX12_SOFAAS: Statistics	Value
N	3360.00
MIN	0.00
MAX	20.00
MEAN	11.71
STD	4.72

HEIX12_SOFAAS: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	2.66	5.16	8.71	12.20	15.10	17.55	19.10	20.00

HEI2010_TOTAL_SCORE	
LABEL	HEI-2010, Total Score
TYPE	num
LENGTH	8
VARNUM	712

HEI2010_TOTAL_SCORE: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

HEI2010_TOTAL_SCORE: Statistics	Value
N	3360.00
MIN	23.75
MAX	94.53
MEAN	62.57
STD	11.69

HEI2010_TOTAL_SCORE: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	35.51	42.29	46.72	54.45	63.36	71.27	77.12	80.85	86.50

AHEI_VEGS	
LABEL	AHEI-2010 Vegetable(not potato)servings score
TYPE	num
LENGTH	8
VARNUM	713

AHEI_VEGS: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

AHEI_VEGS: Statistics	Value
N	3360.00
MIN	0.10
MAX	10.00
MEAN	5.13
STD	2.76

AHEI_VEGS: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.74	1.43	1.84	2.94	4.59	7.14	10.00	10.00	10.00

AHEI_FRUITS	
LABEL	AHEI-2010 Fruit (not juice) servings score
TYPE	num
LENGTH	8
VARNUM	714

AHEI_FRUITS: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

AHEI_FRUITS: Statistics	Value
N	3360.00
MIN	0.02
MAX	10.00
MEAN	4.19
STD	2.92

AHEI_FRUITS: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.26	0.75	0.99	1.80	3.35	6.34	9.24	10.00	10.00

AHEI_WGRAINS	
LABEL	AHEI-2010 Whole grain servings score
TYPE	num
LENGTH	8
VARNUM	715

AHEI_WGRAINS: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

AHEI_WGRAINS: Statistics	Value
N	3360.00
MIN	0.00
MAX	10.00
MEAN	1.91
STD	1.51

AHEI_WGRAINS: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.09	0.25	0.40	0.81	1.55	2.58	3.85	4.84	7.54

AHEI_SUGBEVS	
LABEL	AHEI-2010 Sugary beverages (and juice) servings score
TYPE	num
LENGTH	8
VARNUM	716

AHEI_SUGBEVS: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

AHEI_SUGBEVS: Statistics	Value
N	3360.00
MIN	0.00
MAX	10.00

AHEI_SUGBEVS: Statistics	Value
MEAN	4.38
STD	3.93

AHEI_SUGBEVS: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	0.00	4.62	8.39	9.44	9.75	10.00

AHEI_NUTLEGS	
LABEL	AHEI-2010 Nuts and legumes servings score
TYPE	num
LENGTH	8
VARNUM	717

AHEI_NUTLEGS: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

AHEI_NUTLEGS: Statistics	Value
N	3360.00
MIN	0.02
MAX	10.00
MEAN	5.41
STD	3.29

AHEI_NUTLEGS: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.36	0.90	1.34	2.48	4.74	9.06	10.00	10.00	10.00

AHEI_RMEATS	
LABEL	AHEI-2010 Red meats servings score
TYPE	num
LENGTH	8
VARNUM	718

AHEI_RMEATS: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

AHEI_RMEATS: Statistics	Value
N	3360.00
MIN	0.00
MAX	10.00
MEAN	6.22
STD	2.66

AHEI_RMEATS: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	1.98	4.81	6.92	8.21	9.08	9.47	9.95

AHEI_TRFATPCT	
LABEL	AHEI-2010 Trans-fat percent score
TYPE	num
LENGTH	8
VARNUM	719

AHEI_TRFATPCT: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

AHEI_TRFATPCT: Statistics	Value
N	3360.00
MIN	0.00
MAX	10.00
MEAN	8.02
STD	1.11

AHEI_TRFATPCT: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	4.48	6.06	6.63	7.39	8.14	8.76	9.31	9.62	10.00

AHEI_DHAEPA	
LABEL	AHEI-2010 DHA & EPA (fish fatty acids) intake score
TYPE	num
LENGTH	8
VARNUM	720

AHEI_DHAEPA: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

AHEI_DHAEPA: Statistics	Value
N	3360.00
MIN	0.03
MAX	10.00
MEAN	4.14
STD	3.16

AHEI_DHAEPA: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.21	0.48	0.77	1.60	3.14	6.24	10.00	10.00	10.00

AHEI_PUFAPCT	
LABEL	AHEI-2010 Polyunsaturated fat (oils) percent score
TYPE	num
LENGTH	8
VARNUM	721

AHEI_PUFAPCT: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

AHEI_PUFAPCT: Statistics	Value
N	3360.00
MIN	0.73
MAX	10.00
MEAN	7.03
STD	1.81

AHEI_PUFAPCT: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	2.89	4.13	4.70	5.71	6.97	8.39	9.88	10.00	10.00

AHEI_SODIUM	
LABEL	AHEI-2010 Sodium intake score
TYPE	num
LENGTH	8
VARNUM	722

AHEI_SODIUM: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

AHEI_SODIUM: Statistics	Value
N	3360.00
MIN	0.00
MAX	10.00
MEAN	6.02
STD	3.35

AHEI_SODIUM: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	0.00	0.00	3.64	6.67	9.07	10.00	10.00	10.00

AHEI_ALCDRKS	
LABEL	AHEI-2010 Alcoholic drinks score
TYPE	num
LENGTH	8
VARNUM	723

AHEI_ALCDRKS: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

AHEI_ALCDRKS: Statistics	Value
N	3360.00
MIN	0.00
MAX	10.00
MEAN	5.51
STD	2.78

AHEI_ALCDRKS: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	0.00	2.50	2.50	5.00	5.00	5.00	10.00	10.00	10.00

AHEI2010	
LABEL	AHEI-2010, Total Score (range 0 to 110)
TYPE	num
LENGTH	8
VARNUM	724

AHEI2010: Distribution	n	%	n (cum)	% (cum)
[data]	3360	100.00	3360	100.00

AHEI2010: Statistics	Value
N	3360.00
MIN	23.21
MAX	93.09
MEAN	57.96
STD	12.21

AHEI2010: Percentiles	1%	5%	10%	25%	50%	75%	90%	95%	99%
Value	32.32	38.81	42.23	48.90	57.40	66.67	74.08	78.29	85.97