Frequency
Percent
Row Pct
Col Pct

Table of regulatory_pathway by deficiency_domain

regulatory_pathway(regulatory_pathway)	deficiency_domain(deficiency_domain) CMC	Clinical	Regulatory	Nonclinical	Statistics	Patent Certifications	Total
505(b)(2)	154 25.25 47.68 49.04	68 11.15 21.05 46.26	47 7.70 14.55 73.44	42 6.89 13.00 68.85	1 0.16 0.31 7.69	11 1.80 3.41 100.00	323 52.95
Not Available	84 13.77 54.19 26.75	40 6.56 25.81 27.21	5 0.82 3.23 7.81	17 2.79 10.97 27.87	9 1.48 5.81 69.23	0 0.00 0.00 0.00	155 25.41
505(b)	28 4.59 47.46 8.92	25 4.10 42.37 17.01	4 0.66 6.78 6.25	1 0.16 1.69 1.64	1 0.16 1.69 7.69	0 0.00 0.00 0.00	59 9.67
351(a)	25 4.10 62.50 7.96	10 1.64 25.00 6.80	5 0.82 12.50 7.81	0 0.00 0.00 0.00	0 0.00 0.00 0.00	0 0.00 0.00 0.00	40 6.56
351(k)	23 3.77 69.70 7.32	4 0.66 12.12 2.72	3 0.49 9.09 4.69	1 0.16 3.03 1.64	2 0.33 6.06 15.38	0 0.00 0.00 0.00	33 5.41
Total	314 51.48	147 24.10	64 10.49	61 10.00	13 2.13	11 1.80	610 100.00

Statistics for Table of regulatory_pathway by deficiency_domain

Statistic	DF	Value	Prob
Chi-Square	20	70.4874	<.0001
Likelihood Ratio Chi-Square	20	82.1958	<.0001
Mantel-Haenszel Chi-Square	1	12.6732	0.0004
Phi Coefficient		0.3399	
Contingency Coefficient		0.3218	
Cramer's V		0.1700	

WARNING: 40% of the cells have expected counts less than 5. Chi-Square may not be a valid test.

Sample Size = 610

Frequency
Percent
Row Pct
Col Pct

Table of office by deficiency_domain

office(office)	deficiency_domain(deficiency_domain)						
	CMC	Clinical	Regulatory	Nonclinical	Statistics	Patent Certifications	Total
Not Available	84 13.77 53.85 26.75	41 6.72 26.28 27.89	5 0.82 3.21 7.81	17 2.79 10.90 27.87	9 1.48 5.77 69.23	0 0.00 0.00 0.00	156 25.57
Drug Evaluation 2	25 4.10 31.65 7.96	20 3.28 25.32 13.61	11 1.80 13.92 17.19	17 2.79 21.52 27.87	1 0.16 1.27 7.69	5 0.82 6.33 45.45	79 12.95
Neuroscience	25 4.10 46.30 7.96	10 1.64 18.52 6.80	10 1.64 18.52 15.63	8 1.31 14.81 13.11	0 0.00 0.00 0.00	1 0.16 1.85 9.09	54 8.85
Drug Evaluation 1	21 3.44 40.38 6.69	16 2.62 30.77 10.88	9 1.48 17.31 14.06	2 0.33 3.85 3.28	0 0.00 0.00 0.00	4 0.66 7.69 36.36	52 8.52
Hematology & Oncology Products	31 5.08 63.27 9.87	7 1.15 14.29 4.76	5 0.82 10.20 7.81	4 0.66 8.16 6.56	2 0.33 4.08 15.38	0 0.00 0.00 0.00	49 8.03
Cardiology, Hematology, Endocrinology, and Nephrology	28 4.59 68.29 8.92	10 1.64 24.39 6.80	3 0.49 7.32 4.69	0 0.00 0.00 0.00	0 0.00 0.00 0.00	0 0.00 0.00 0.00	41 6.72
Immunology and Inflammation	27 4.43 67.50 8.60	7 1.15 17.50 4.76	6 0.98 15.00 9.38	0 0.00 0.00 0.00	0 0.00 0.00 0.00	0 0.00 0.00 0.00	40 6.56
Drug Evaluation 3	13 2.13 40.63 4.14	13 2.13 40.63 8.84	3 0.49 9.38 4.69	3 0.49 9.38 4.92	0 0.00 0.00 0.00	0 0.00 0.00 0.00	32 5.25
Oncologic Diseases	18 2.95 69.23 5.73	5 0.82 19.23 3.40	2 0.33 7.69 3.13	0 0.00 0.00 0.00	1 0.16 3.85 7.69	0 0.00 0.00 0.00	26 4.26
Infectious Diseases	12 1.97 48.00 3.82	2 0.33 8.00 1.36	5 0.82 20.00 7.81	6 0.98 24.00 9.84	0 0.00 0.00 0.00	0 0.00 0.00 0.00	25 4.10
Drug Evaluation 4	5 0.82 29.41 1.59	7 1.15 41.18 4.76	2 0.33 11.76 3.13	3 0.49 17.65 4.92	0 0.00 0.00 0.00	0 0.00 0.00 0.00	17 2.79
Antimicrobial Products	13 2.13 81.25 4.14	1 0.16 6.25 0.68	1 0.16 6.25 1.56	1 0.16 6.25 1.64	0 0.00 0.00 0.00	0 0.00 0.00 0.00	16 2.62
Specialty Medicine	6 0.98 54.55 1.91	4 0.66 36.36 2.72	1 0.16 9.09 1.56	0 0.00 0.00 0.00	0 0.00 0.00 0.00	0 0.00 0.00 0.00	11 1.80
New Drugs	3 0.49 50.00 0.96	2 0.33 33.33 1.36	0 0.00 0.00 0.00	0 0.00 0.00 0.00	0 0.00 0.00 0.00	1 0.16 16.67 9.09	6 0.98

Frequency
Percent
Row Pct
Col Pct

Table of office by deficiency_domain

office(office)	deficiency_domain(deficiency_domain) CMC	Clinical	Regulatory	Nonclinical	Statistics	Patent Certifications	Total
Rare Diseases, Pediatrics, Urologic and Reproductive Medicine	3 0.49 50.00 0.96	2 0.33 33.33 1.36	1 0.16 16.67 1.56	0 0.00 0.00 0.00	0 0.00 0.00 0.00	0 0.00 0.00 0.00	6 0.98
Total	314 51.48	147 24.10	64 10.49	61 10.00	13 2.13	11 1.80	610 100.00

Statistics for Table of office by deficiency_domain

Statistic	DF	Value	Prob
Chi-Square	70	140.3522	<.0001
Likelihood Ratio Chi-Square	70	151.0472	<.0001
Mantel-Haenszel Chi-Square	1	7.1685	0.0074
Phi Coefficient		0.4797	
Contingency Coefficient		0.4325	
Cramer's V		0.2145	

WARNING: 64% of the cells have expected counts less than 5. Chi-Square may not be a valid test.

Sample Size = 610

Frequency
Percent
Row Pct
Col Pct

Table of year by deficiency_domain

year(year)	deficiency_domain(deficiency_domain)						
	CMC	Clinical	Regulatory	Nonclinical	Statistics	Patent Certifications	Total
2024	53 8.69 58.89 16.88	19 3.11 21.11 12.93	5 0.82 5.56 7.81	10 1.64 11.11 16.39	3 0.49 3.33 23.08	0 0.00 0.00 0.00	90 14.75
2025	40 6.56 51.28 12.74	23 3.77 29.49 15.65	1 0.16 1.28 1.56	8 1.31 10.26 13.11	6 0.98 7.69 46.15	0 0.00 0.00 0.00	78 12.79
2018	29 4.75 46.77 9.24	9 1.48 14.52 6.12	9 1.48 14.52 14.06	11 1.80 17.74 18.03	1 0.16 1.61 7.69	3 0.49 4.84 27.27	62 10.16
2019	30 4.92 48.39 9.55	13 2.13 20.97 8.84	10 1.64 16.13 15.63	4 0.66 6.45 6.56	1 0.16 1.61 7.69	4 0.66 6.45 36.36	62 10.16
2021	35 5.74 57.38 11.15	15 2.46 24.59 10.20	6 0.98 9.84 9.38	4 0.66 6.56 6.56	1 0.16 1.64 7.69	0 0.00 0.00 0.00	61 10.00
2020	31 5.08 57.41 9.87	9 1.48 16.67 6.12	9 1.48 16.67 14.06	5 0.82 9.26 8.20	0 0.00 0.00 0.00	0 0.00 0.00 0.00	54 8.85
2017	16 2.62 41.03 5.10	12 1.97 30.77 8.16	4 0.66 10.26 6.25	6 0.98 15.38 9.84	1 0.16 2.56 7.69	0 0.00 0.00 0.00	39 6.39
2016	16 2.62 44.44 5.10	9 1.48 25.00 6.12	4 0.66 11.11 6.25	5 0.82 13.89 8.20	0 0.00 0.00 0.00	2 0.33 5.56 18.18	36 5.90
2023	22 3.61 64.71 7.01	6 0.98 17.65 4.08	5 0.82 14.71 7.81	1 0.16 2.94 1.64	0 0.00 0.00 0.00	0 0.00 0.00 0.00	34 5.57
2022	18 2.95 56.25 5.73	7 1.15 21.88 4.76	6 0.98 18.75 9.38	1 0.16 3.13 1.64	0 0.00 0.00 0.00	0 0.00 0.00 0.00	32 5.25
2013	7 1.15 38.89 2.23	9 1.48 50.00 6.12	1 0.16 5.56 1.56	0 0.00 0.00 0.00	0 0.00 0.00 0.00	1 0.16 5.56 9.09	18 2.95
2015	6 0.98 40.00 1.91	4 0.66 26.67 2.72	2 0.33 13.33 3.13	3 0.49 20.00 4.92	0 0.00 0.00 0.00	0 0.00 0.00 0.00	15 2.46
2014	5 0.82 41.67 1.59	3 0.49 25.00 2.04	2 0.33 16.67 3.13	1 0.16 8.33 1.64	0 0.00 0.00 0.00	1 0.16 8.33 9.09	12 1.97
2011	2 0.33 50.00 0.64	2 0.33 50.00 1.36	0 0.00 0.00 0.00	0 0.00 0.00 0.00	0 0.00 0.00 0.00	0 0.00 0.00 0.00	4 0.66

Frequency
Percent
Row Pct
Col Pct

Table of year by deficiency_domain

year(year)	deficiency_domain(deficiency_domain) CMC	Clinical	Regulatory	Nonclinical	Statistics	Patent Certifications	Total
2010	1 0.16 33.33 0.32	1 0.16 33.33 0.68	0 0.00 0.00 0.00	1 0.16 33.33 1.64	0 0.00 0.00 0.00	0 0.00 0.00 0.00	3 0.49
2007	1 0.16 50.00 0.32	1 0.16 50.00 0.68	0 0.00 0.00 0.00	0 0.00 0.00 0.00	0 0.00 0.00 0.00	0 0.00 0.00 0.00	2 0.33
2008	0 0.00 0.00 0.00	1 0.16 50.00 0.68	0 0.00 0.00 0.00	1 0.16 50.00 1.64	0 0.00 0.00 0.00	0 0.00 0.00 0.00	2 0.33
2009	1 0.16 50.00 0.32	1 0.16 50.00 0.68	0 0.00 0.00 0.00	0 0.00 0.00 0.00	0 0.00 0.00 0.00	0 0.00 0.00 0.00	2 0.33
2002	0 0.00 0.00 0.00	1 0.16 100.00 0.68	0 0.00 0.00 0.00	0 0.00 0.00 0.00	0 0.00 0.00 0.00	0 0.00 0.00 0.00	1 0.16
2004	0 0.00 0.00 0.00	1 0.16 100.00 0.68	0 0.00 0.00 0.00	0 0.00 0.00 0.00	0 0.00 0.00 0.00	0 0.00 0.00 0.00	1 0.16
2012	1 0.16 100.00 0.32	0 0.00 0.00 0.00	0 0.00 0.00 0.00	0 0.00 0.00 0.00	0 0.00 0.00 0.00	0 0.00 0.00 0.00	1 0.16
2026	0 0.00 0.00 0.00	1 0.16 100.00 0.68	0 0.00 0.00 0.00	0 0.00 0.00 0.00	0 0.00 0.00 0.00	0 0.00 0.00 0.00	1 0.16
Total	314 51.48	147 24.10	64 10.49	61 10.00	13 2.13	11 1.80	610 100.00

Statistics for Table of year by deficiency_domain

Statistic	DF	Value	Prob
Chi-Square	105	111.1756	0.3214
Likelihood Ratio Chi-Square	105	116.0026	0.2177
Mantel-Haenszel Chi-Square	1	4.6489	0.0311
Phi Coefficient		0.4269	
Contingency Coefficient		0.3926	
Cramer's V		0.1909	

WARNING: 73% of the cells have expected counts less than 5. Chi-Square may not be a valid test.

Sample Size = 610