

NexusMUD God Mode

Maker Chronicle Design Package

Internal Design Companion — For Engineers, Writers & Designers

Author	Copilot (drafted for review by Cody, Prime Architect)
Version	0.1 DRAFT
Date	June 2026
Category	report — Internal Engineering / Design / Writing Reference
Audience	Engineers, Writers, Designers
Project	NexusMUD — God Mode Feature Set

INTERNAL REVIEW — NOT FOR PUBLIC DISTRIBUTION

Table of Contents

1 — Assumptions & Required Inputs 3

1.1 Working Assumptions 3

1.2	Required Inputs Before Production	3
2	— Lore Blurb Templates by Divine Domain	4
2.1	Metadata Fields	4
2.2	Domain: WEAVE (Magic / Arcane)	5
2.3	Domain: FORGE (Crafting / Items)	6
2.4	Domain: GENESIS (Creation / World-building)	7
2.5	Domain: CHRONICLE (Lore / History)	8
2.6	Domain: CLOCKWORK (Mechanics / Systems)	9
3	— Maker Chronicle UI Specification	10
3.1	Screen Inventory	10
3.2	Data Model	10
3.3	API Endpoints	11
3.4	Moderation Workflow	12
3.5	Curator Tools	13
3.6	Filtering and Search	13
3.7	Export Formats	13
4	— Text Wireframes	14
4.1	Chronicle Dashboard (Player-Facing)	14
4.2	Event Detail View (Player-Facing)	14
4.3	Curation Editor (Curator-Only)	15
5	— JSON Schemas	16
5.1	ChronicleEntry Schema	16
5.2	PublicLorePost Schema	18
5.3	AscendantEventIngestionPayload Schema	19
6	— Sample Curated Chronicle Entries	20
6.1	Sample Entry 1: AREA_CREATED — Stormfall Reach	20
6.2	Sample Entry 2: POWER_FORGED — The Sundering Blade	22
6.3	Sample Entry 3: BOSS_SPAWNED — The Thornwarden of Ashveil Moor	24
7	— Integration Notes	26

- 7.1 GroundTruth API Integration 26
- 7.2 AscendantEvent Ingestion 27
- 7.3 Idempotency and Duplicate Handling 28

8 — Rollout Plan 28

- 8.1 Stage Descriptions 28
- 8.2 Monitoring Metrics 30

9 — Appendix: Glossary & Quick Reference 31

- 9.1 Glossary 31
- 9.2 Quick Reference Card 32

1 — Assumptions & Required Inputs

Prime Architect Review Required:

All assumptions in this section must be verified by Cody before engineering work begins. Items marked

[CONFIRM]

are blocking.

1.1 Working Assumptions

The following assumptions are in effect for all design decisions in this document. Any deviation requires a revision pass before implementation.

#	Assumption	Impact if Wrong
A-01	NexusMUD has a working AscendantEvent envelope system with the fields: eventType, payload, timestamp, makerId, domainTag.	Section 5.3 schema and all ingestion logic must be redesigned.
A-02	GroundTruth API exists and exposes authenticated endpoints for area, power, entity, and lore data.	Section 7.1 integration flow is invalid. Enrichment source must be identified.
A-03	The five Divine Domains are: Weave (magic/arcane), Forge (crafting/items), Genesis (creation/world-building), Chronicle (lore/history), Clockwork (mechanics/systems). These are the only valid domain values.	All enum constraints in schemas must be revised. Template library re-scoped.
A-04	makerId is a unique UUID tied to a God Mode account. Attribution can be public, pseudonymous, or anonymous per entry.	Attribution logic in Section 7.2 and privacy handling in schemas require revision.
A-05	Chronicle entries are moderated before public release. Curators are writers with elevated permissions distinct from general players.	Moderation workflow (Section 3.4) and permission matrix require revision.
A-06	The Maker Chronicle is a player-visible record of world changes attributed to makers (gods/builders).	Core product assumption — if false, entire document scope changes.
A-07	All lore content is original to the NexusMUD IP. No real-world historical,	IP review required before any content ships.

#	Assumption	Impact if Wrong
	cultural, or intellectual property references appear in blurbs or entries.	
A-08	Cody is Prime Architect and holds final approval authority over all design decisions in this document.	Governance chain must be redefined if authority changes.
A-09	JWT is the authentication method for GroundTruth API access. Tokens expire every 4 hours and use a refresh endpoint.	Section 7.1 auth flow must be revised.
A-10	The default blurb variant surfaced to new curators is <i>medium</i> . Curators may select short or long on a per-entry basis.	Curation Editor defaults (Section 3.5) and Event Type Mapping table (Section 7.2) must be updated.

1.2 Required Inputs Before Production

The following items are blocking production work. Each must be delivered to the engineering and writing teams before their respective dependent stages begin.

Input	Owner	Blocks Stage	Notes
Confirmed GroundTruth API base URL and authentication method	Engineering Lead	Stage 1	JWT assumed. Base URL assumed: <code>https://groundtruth.nexusmud.internal/v2</code> . Must be confirmed. [CONFIRM]
Finalized list of AscendantEvent types per domain	Cody (Prime Architect)	Stage 1	Current assumed types: AREA_CREATED, POWER_FORGED, BOSS_SPAWNED,

Input	Owner	Blocks Stage	Notes
			LORE_ATTESTED, SYSTEM_CALIBRATED. [CONFIRM]
Moderation team roster and permission matrix	Writing Lead / Moderation Lead	Stage 2	Roles: player, curator, moderator, admin. Matrix must define read/write/publish/delete per role per endpoint.
Sigil asset pipeline specification	Art / Asset Lead	Stage 3	Referenced by sigilAsset field in all schemas. Assets not produced in this document. Pipeline must define asset ID format and CDN delivery path.
Approved tone guide per domain	Writing Lead	Stage 2	Placeholder vocabulary and tone notes are provided in Section 2. Final approved tone guides replace these placeholders before writer onboarding.
Message queue topic name and broker configuration	Engineering Lead	Stage 1	Assumed topic: nexusmud.ascendant-events. Broker type (Kafka, RabbitMQ, etc.) not yet confirmed. [CONFIRM]
Webhook receiver URLs for all moderation hooks	Engineering Lead	Stage 3	Four hooks defined in Section 7.2. Receiver services must be deployed and URLs registered before Stage 3 webhook

Input	Owner	Blocks Stage	Notes
			integration test.

2 — Lore Blurb Templates by Divine Domain

Each domain provides three blurb variants for curators. Variants are selected via the `blurbVariant` metadata field and rendered by the Curation Editor. All templates use `[BRACKET]` syntax for substitution fields. Fields are validated against the metadata schema before an entry can advance to `PENDING_PUBLISH` status.

Variant	Target Length	Word Count	Primary Use
short	1-2 sentences	~30 words	Chronicle Dashboard card preview, in-game MOTD, tooltip overlays
medium	1 paragraph	~80 words	Event Detail View primary display, search result expanded view
long	2-3 paragraphs	~200 words	Full lore record, wiki export, Markdown digest

2.1 Metadata Fields

These fields apply to all domain templates and are defined once. The Curation Editor collects them via the Template Selector and Field Substitution Form (see Section 3.5).

Field	Type	Required	Description	Example Value
domain	enum(Weave, Forge, Genesis, Chronicle, Clockwork)	Yes	Divine domain of the maker action	"Genesis"
tone	enum(epic, scholarly, cryptic, heroic, mechanical)	Yes	Narrative register for blurb rendering	"cryptic"
publicAttributionMode	enum(public, pseudonymous, anonymous)	Yes	How the maker's identity appears in player-facing text	"pseudonymous"
sigilAsset	string (asset ID)	No	Reference ID for the maker's sigil image; resolved by the asset pipeline	"sigil_arc_77"
makerId	string (UUID)	No (omitted if anonymous)	Internal maker account identifier	"mk-0041-ares"
blurbVariant	enum(short, medium, long)	Yes	Which variant to render as primary display	"medium"
entryId	string (UUID pattern: chr-YYYYMMDD-NNNN)	Yes	Unique Chronicle entry identifier	"chr-20260610-0042"
eventRef	string	Yes	Reference to the	"asc-evt-9921"

Field	Type	Required	Description	Example Value
			originating AscendantEvent ID	
curatedBy	string (UUID)	No	Curator account ID who approved this entry	"cur-0007"
publishedAt	ISO 8601 datetime	No	When the entry was made public	"2026-06-10T14:00:00Z"
tags	array of strings	No	Searchable tags for the entry; max 20 items, each max 40 chars	["area", "dungeon", "weave"]

2.2 Domain: WEAVE WEAVE

Tone Guidance:

Mysterious, poetic, slightly ominous. Vocabulary: threads, lattice, resonance, the Unseen, flux, binding, unraveling. Avoid direct explanations — imply power through sensory detail and consequence.

SHORT TEMPLATE (~30 WORDS)

SHORT — WEAVE

"[MAKER_EPITHET] stretched [his/her/their] will across the [LOCATION], and where silence once pooled, the [EFFECT] now hums with [ARCANE_QUALITY]."

The Weave remembers."

MEDIUM TEMPLATE (~80 WORDS)

MEDIUM — WEAVE

"In the [TIME_DESCRIPTOR] hours before [EVENT_ANCHOR], [MAKER_EPITHET] drew upon the oldest threads of the Weave and wove them into [LOCATION]. The [ARCANE_STRUCTURE] that rose from this working was no accident — each resonance was placed with purpose, each lattice-knot tightened by deliberate will. Those who linger near [LANDMARK] claim to hear the [SOUND_EFFECT], a sign that the Weave has accepted the change as permanent. Scholars of the [FACTION_NAME] have already dispatched observers. [CONSEQUENCE_HINT]."

LONG TEMPLATE (~200 WORDS)

LONG — WEAVE — Paragraph 1

"[MAKER_EPITHET] first sensed the weakness in [TIME_DESCRIPTOR], when the Weave's lattice near [LOCATION] began to fray at its eastern edge. Lesser practitioners might have sealed the tear with brute force. [MAKER_EPITHET] chose differently."

LONG — WEAVE — Paragraph 2

"Over the span of [DURATION], the maker gathered [RESOURCE_TYPE] from across [REGION_NAME], drawing each thread through a series of [NUMBER] binding-knots that no living scholar had attempted since the Age of

[ERA_NAME]. The result — [ARCANE_STRUCTURE] — stands now as both monument and mechanism: a living node in the Weave itself, capable of [CAPABILITY_DESCRIPTION]."

LONG — WEAVE — Paragraph 3

"Travelers who pass within [DISTANCE] of [LANDMARK] will feel it before they see it: a warmth at the base of the skull, a faint vibration in metallic equipment, and the unmistakable scent of [SENSORY_DETAIL]. The [FACTION_NAME] has classified the site as [CLASSIFICATION_LEVEL]. Entry without sanction is [CONSEQUENCE_STATEMENT]."

Substitution Field	Type	Notes
[MAKER_EPITHET]	string	Pulled from MakerProfile.epithet; reflects attribution mode
[LOCATION]	string	Area name from GroundTruth enrichment
[EFFECT]	string	Curator-authored description of the arcane effect
[ARCANE_QUALITY]	string	Sensory/metaphorical descriptor (e.g., "cold harmonic resonance")
[ARCANE_STRUCTURE]	string	Named result of the working (e.g., "The Thornveil Node")
[FACTION_NAME]	string	In-world faction dispatching observers
[CONSEQUENCE_HINT]	string	1-sentence teaser of gameplay consequence
[CLASSIFICATION_LEVEL]	string	In-world access classification (e.g.,

Substitution Field	Type	Notes
		"Restricted", "Sanctioned-Only")

2.3 Domain: FORGE FORGE

Tone Guidance:

Bold, proud, industrial. Vocabulary: hammer-fall, tempered, crucible, alloy, the Making, inscription, resonant metal. Emphasize craft as deliberate, physical, and irreversible.

SHORT TEMPLATE (~30 WORDS)

SHORT — FORGE

*"From [MAKER_EPITHET]'s crucible came [ITEM_NAME] — [NUMBER]
[MATERIAL_TYPE] worked across [DURATION] until the [QUALITY] held. The
Making does not forget what is wrought in earnest."*

MEDIUM TEMPLATE (~80 WORDS)

MEDIUM — FORGE

*"[MAKER_EPITHET] descended into the [FORGE_LOCATION] with
[MATERIAL_DESCRIPTION] and emerged [DURATION] later bearing [ITEM_NAME].
The process was not merely physical: each hammer-fall was an inscription, each*

quench a negotiation with the [ELEMENTAL_TYPE]. Traders who have handled the [ITEM_CLASS] report that it [EFFECT_DESCRIPTION]. The Forge domain records this as [CLASSIFICATION]. Copies are [COPY_STATUS]."

LONG TEMPLATE (~200 WORDS)

LONG — FORGE — Paragraph 1

"The commission was unusual even by the standards of [MAKER_EPITHET], who had previously crafted [PRIOR_WORK_REFERENCE]. The materials — [MATERIAL_LIST] — had to be sourced from [LOCATION_1], [LOCATION_2], and the contested territories of [LOCATION_3]. Acquiring them required [ACQUISITION_DESCRIPTION]."

LONG — FORGE — Paragraph 2

"The actual forge-work spanned [DURATION] and [NUMBER] distinct phases. In the first phase, [PHASE_1_DESCRIPTION]. The second phase, the inscription, proved the most dangerous: [PHASE_2_DESCRIPTION]. The final tempering was performed under [CONDITION]."

LONG — FORGE — Paragraph 3

"The result, [ITEM_NAME], has [NUMBER] documented properties: [PROPERTY_LIST]. The Forge Chronicler has assigned it a resonance rating of [RATING]. Its current location is [LOCATION_CURRENT], under [CUSTODY_DESCRIPTION]. Attempts to replicate the process have

[REPLICATION_OUTCOME]."

2.4 Domain: GENESIS GENESIS

Tone Guidance:

Grand, epic, creation-myth register. Vocabulary: breath of shaping, the Unmade, boundary, threshold, fundament, naming. Treat world-building events as cosmological — the maker does not construct; they negotiate with reality.

SHORT TEMPLATE (~30 WORDS)

SHORT — GENESIS

"[MAKER_EPITHET] breathed a name into the [UNMADE_SPACE], and [LOCATION_NAME] answered. What was void is now [DESCRIPTION]. The world is larger than it was."

MEDIUM TEMPLATE (~80 WORDS)

MEDIUM — GENESIS

"Before [MAKER_EPITHET] arrived, the region now called [LOCATION_NAME] existed only as a coordinate in the Unmade — a hollow in the fundament where possibility pooled without form. The maker stood at the threshold for

[DURATION], speaking the [NUMBER] Names of Shaping in sequence. By the final syllable, [LANDMARK_DESCRIPTION] had pushed through the boundary layer. [POPULATION_OR_ECOLOGY] followed within [TIMEFRAME]. Geographers of [FACTION] have since updated their charts. The area is currently rated [ACCESS_RATING] for [PLAYER_TYPE] travelers."

LONG TEMPLATE (~200 WORDS)

LONG — GENESIS — Paragraph 1

"Genesis events of this magnitude are recorded fewer than [NUMBER] times per era. What [MAKER_EPITHET] accomplished in [LOCATION_NAME] was not merely construction — it was a re-negotiation of the fundament itself."

LONG — GENESIS — Paragraph 2

"The work began with [INITIAL_ACTION], which [EFFECT_1]. Subsequent Shaping passes addressed [FEATURE_LIST], each requiring the maker to maintain [CONDITION] for no less than [DURATION]. The [CHALLENGE_DESCRIPTION] nearly interrupted the process at the [PHASE] stage, but [RESOLUTION]."

LONG — GENESIS — Paragraph 3

"When the boundary layer finally solidified, [LOCATION_NAME] emerged as [DESCRIPTION]. Its [ECOLOGY_OR_ARCHITECTURE] reflects [MAKER_INFLUENCE]. The [FACTION] has dispatched a survey team and preliminary reports suggest [DISCOVERY_HINT]. Players accessing

*[LOCATION_NAME] for the first time will encounter [ENCOUNTER_DESCRIPTION].
The Genesis Chronicler has flagged [NUMBER] unresolved questions about the
site, documented in Appendix [REF]."*

2.5 Domain: CHRONICLE CHRONICLE

Tone Guidance:

Scholarly, precise, archival. Vocabulary: record, attestation, the Accounting, marginalia, revision, canon, source-weight. Write as if the chronicler is a dispassionate archivist. Dispute and uncertainty are features, not weaknesses.

SHORT TEMPLATE (~30 WORDS)

SHORT — CHRONICLE

*"[MAKER_EPITHET] entered [EVENT_NAME] into the Accounting on [DATE]. The
record stands. Revision requires [AUTHORITY_LEVEL] sanction."*

MEDIUM TEMPLATE (~80 WORDS)

MEDIUM — CHRONICLE

*"The Chronicle domain received a new attestation from [MAKER_EPITHET] on
[DATE]: [ENTRY_SUMMARY]. The submission was cross-referenced against*

[NUMBER] existing records and found [CONSISTENCY_RESULT]. Marginalia from [SOURCE_NAME] were incorporated after verification. The entry now carries a source-weight of [WEIGHT_VALUE] and is accessible to [ACCESS_LEVEL] readers. Disputed elements are flagged in sub-record [SUB_RECORD_ID]."

LONG TEMPLATE (~200 WORDS)

LONG — CHRONICLE — Paragraph 1

"Attestation [ENTRY_ID] represents one of the more complex additions to the Chronicle in recent memory. [MAKER_EPITHET] submitted the initial record on [DATE], citing [NUMBER] primary sources and [NUMBER] secondary attestations. The Accounting committee convened on [DATE_2] to assess source-weight."

LONG — CHRONICLE — Paragraph 2

"The central claim — [CLAIM_DESCRIPTION] — was initially contested by [OPPOSING_SOURCE]. The committee's review process, documented in ruling [RULING_ID], ultimately assigned [WEIGHT_VALUE] weight to the submission based on [RATIONALE]."

LONG — CHRONICLE — Paragraph 3

"Readers accessing this entry should note [NUMBER] areas of ongoing dispute: [DISPUTE_LIST]. The canonization flag is currently set to [CANON_STATUS]. Updates to this record must be submitted through [SUBMISSION_CHANNEL] and will trigger a re-weighting review if source-weight changes by more than

[THRESHOLD]. Scholars wishing to cite this entry should use reference format [CITATION_FORMAT]."

2.6 Domain: CLOCKWORK CLOCKWORK

Tone Guidance:

Precise, technical, slightly inhuman. Vocabulary: cycle, calibration, tolerance, failsafe, regulation, the Mechanism, sequence. The Clockwork Chronicler writes like a system log with narrative skin — metrics and outcomes are always stated explicitly.

SHORT TEMPLATE (~30 WORDS)

SHORT — CLOCKWORK

"[MAKER_EPITHET] recalibrated the [SYSTEM_NAME] at [LOCATION] — [CHANGE_DESCRIPTION]. Cycle integrity is within tolerance. The Mechanism holds."

MEDIUM TEMPLATE (~80 WORDS)

MEDIUM — CLOCKWORK

"The [SYSTEM_NAME] governing [LOCATION] underwent a scheduled recalibration by [MAKER_EPITHET] on [DATE]. The adjustment addressed [ISSUE_DESCRIPTION] that had been logged across [NUMBER] cycles. Post-calibration readings show [METRIC_NAME] at [VALUE], within the [TOLERANCE_RANGE] tolerance band. Secondary effects include [SECONDARY_EFFECTS]. The Clockwork Chronicler has flagged this calibration for the [TIMEFRAME] review. Failsafe [FAILSAFE_ID] remains armed."

LONG TEMPLATE (~200 WORDS)

LONG — CLOCKWORK — Paragraph 1

"Calibration record [CALIBRATION_ID] documents a significant intervention by [MAKER_EPITHET] in the [SYSTEM_NAME] at [LOCATION]. The intervention was triggered by [TRIGGER_DESCRIPTION], which had caused [IMPACT_DESCRIPTION] across [AFFECTED_SCOPE]."

LONG — CLOCKWORK — Paragraph 2

"Phase one of the calibration ([DURATION]) addressed [PHASE_1_ISSUE]. Tolerances were brought within [TOLERANCE_1] by [METHOD_1]. Phase two ([DURATION_2]) targeted the [COMPONENT_NAME], which required [SPECIAL_PROCEDURE] to access without triggering [FAILSAFE_NAME]."

LONG — CLOCKWORK — Paragraph 3

"Post-intervention metrics: [METRIC_TABLE_DESCRIPTION]. The Clockwork

Chronicler's automated verification confirmed [VERIFICATION_RESULT] at [TIMESTAMP]. Three secondary calibration flags remain open: [FLAG_LIST]. These are scheduled for resolution in cycle [CYCLE_ID]. [MAKER_EPITHET]'s intervention log is stored in the Mechanism's core ledger and is accessible to Clockwork-domain curators only."

3 — Maker Chronicle UI Specification

3.1 Screen Inventory

Screen	Audience	Auth Role(s)	Purpose
Chronicle Dashboard	Player-facing / Curator-facing	player, curator	Paginated, filterable list of published Chronicle entries. Curator view adds status filters (DRAFT, IN_REVIEW, etc.) and quick-action buttons.
Event Detail View	Player-facing	player	Full render of a single Chronicle entry: all three blurb variants, domain badge, maker sigil, tags, suggested

Screen	Audience	Auth Role(s)	Purpose
			artifacts, and flag action.
Curation Editor	Curator-only	curator	Full editing surface for a single ChronicleEntry: template picker, field substitution form, blurb editor, attribution toggle, tag manager, preview, diff view, and submission controls.
Maker Profile Page	Player-facing	player	Public profile for a maker: sigil, epithet, domain, entry history (public/pseudonymous entries only), featured entries.
Moderation Queue	Moderator-only	moderator	List of entries in PENDING_PUBLISH or flagged (ModerationFlag) status. Approve/reject with notes. Takedown controls for published entries.
Search & Filter Panel	Player-facing	player	Free-text and faceted search across published entries. Domain tabs, date range picker, attribution mode filter, tag filter. Accessible from Chronicle Dashboard.
Tag Management Console	Admin-only	admin	Create, rename, merge, and delete tags. Review tag use counts. Approve curator-

Screen	Audience	Auth Role(s)	Purpose
			requested new tags.
Export Console	Curator / Admin	curator, admin	Submit export jobs with filter parameters. Select format (JSON, CSV, Markdown, TXT). Poll job status. Download signed result URL.

3.2 Data Model

Entities and their relationships. JSON schemas for ChronicleEntry and PublicLorePost are in Section 5.

ENTITIES

Entity	Key Fields	Notes
ChronicleEntry	entryId, eventRef, domainTag, makerId, blurbVariant, blurbs{short, medium, long}, tags[], status, curatedBy, publishedAt, metadata	Core record. Internal — not directly exposed to players. PublicLorePost is the player-facing projection.
MakerProfile	makerId, displayName, epithet, sigilAsset, domainPrimary, domainSecondary[], publicAttributionMode, entryCount, featured	One per God Mode account. epithet is the public-facing display name. featured flag surfaces profile on Chronicle Dashboard hero row.
CurationRecord	curationId, entryId, curatorId, action, notes, timestamp	Immutable audit trail. One record per curator action (assign, edit, submit, approve, reject). action enum: ASSIGNED, EDITED, SUBMITTED,

Entity	Key Fields	Notes
		APPROVED, REJECTED, TAKEN_DOWN.
Tag	tagId, label, domain, useCount, createdBy	domain is optional — a tag may span multiple domains. useCount updated on entry publish/takedown. Admin approval required for new tags created by curators.
ModerationFlag	flagId, entryId, reporterId, reason, status, resolvedBy, resolvedAt	status enum: OPEN, DISMISSED, TAKEN_DOWN. One player may submit one flag per entry. reason is free-text, max 500 chars.
ExportJob	jobId, requestedBy, format, filters, status, resultUrl, createdAt	Async. status enum: QUEUED, PROCESSING, COMPLETE, FAILED. resultUrl is a signed URL, expires 24 hours after generation.

RELATIONSHIPS

From	Relationship	To	Notes
ChronicleEntry	many-to-one	MakerProfile	via makerId; null if anonymous
ChronicleEntry	one-to-many	CurationRecord	full audit trail; ordered by timestamp
ChronicleEntry	one-to-many	ModerationFlag	one flag per reporterId per entry
ChronicleEntry	many-to-many	Tag	via join table; tag list stored denormalized in entry for read performance
ExportJob	references	ChronicleEntry (filtered)	result is a filtered projection of

From	Relationship	To	Notes
			entries at job creation time

3.3 API Endpoints

All endpoints are prefixed with `/chronicle`. Auth roles are cumulative — curator inherits player permissions; moderator inherits curator; admin inherits all.

Method	Endpoint	Auth Role	Description	Request Body / Params	Response
GET	<code>/chronicle/entries</code>	player	List published entries, paginated	<code>?domain=&tags=&page=&limit=</code>	<code>ChronicleEntry[]</code>
GET	<code>/chronicle/entries/:entryId</code>	player	Fetch single entry by ID	—	<code>ChronicleEntry</code>
GET	<code>/chronicle/entries/:entryId/blurb</code>	player	Fetch rendered blurb for a specific variant	<code>?variant=short medium long</code>	<code>{ blurbText: string }</code>
POST	<code>/chronicle/entries</code>	curator	Create a new draft entry	<code>ChronicleEntryCreatePayload</code>	<code>ChronicleEntry (DRAFT)</code>
PATCH	<code>/chronicle/entries/:entryId</code>	curator	Update draft entry fields	<code>Partial ChronicleEntry</code>	<code>ChronicleEntry</code>
POST	<code>/chronicle/entries/:entryId/publish</code>	curator	Submit a draft entry for moderation (advances to PENDING_PUBLISH)	—	<code>ChronicleEntry (PENDING_PUBLISH)</code>

Method	Endpoint	Auth Role	Description	Request Body / Params	Response
DELETE	/chronicle/entries/:entryId	moderator	Soft-delete (takedown) a published entry	{ reason: string }	204 No Content
GET	/chronicle/makers	player	List maker profiles	? domain=&sort=	MakerProfile[]
GET	/chronicle/makers/:makerId	player	Fetch a single maker profile	—	MakerProfile
GET	/chronicle/moderation/queue	moderator	List flagged and pending entries	? status=&domain=	ModerationQueueItem[]
POST	/chronicle/moderation/:entryId/approve	moderator	Approve a PENDING_PUBLISH entry; advances to PUBLISHED	{ notes: string }	CurationRecord
POST	/chronicle/moderation/:entryId/reject	moderator	Reject a PENDING_PUBLISH entry; returns to REJECTED	{ reason: string }	CurationRecord
POST	/chronicle/entries/:entryId/flag	player	Flag a published entry for moderation review	{ reason: string }	ModerationFlag
GET	/chronicle/tags	player	List all tags; sortable by domain or use count	? domain=&sort=useCount	Tag[]
POST	/chronicle/tags	admin	Create a new tag	{ label: string, domain?: string }	Tag
DELETE	/	admin	Delete a	—	204 No

Method	Endpoint	Auth Role	Description	Request Body / Params	Response
	chronicle/ tags/:tagId		tag; removes from all associated entries		Content
POST	/chronicle/ export	curator	Request an async export job	ExportJobRequest	ExportJob (QUEUED)
GET	/chronicle/ export/:jobId	curator	Poll export job status; returns signed URL when COMPLETE	—	ExportJob

3.4 Moderation Workflow

The following describes the end-to-end lifecycle of a ChronicleEntry from ingestion to public visibility. All status transitions generate a CurationRecord and may trigger webhooks (see Section 7.2).

Step	Actor	Status Before	Status After	Action
1	Ingestion Service (automated)	—	DRAFT	AscendantEvent ingested; ChronicleEntry created with enriched payload from GroundTruth.
2	System / Writing Lead	DRAFT	IN_REVIEW	Curator assigned (manual selection or domain round-robin). Curator

Step	Actor	Status Before	Status After	Action
				receives in-tool alert and optional email digest notification.
3	Curator	IN_REVIEW	IN_REVIEW	Curator opens Curation Editor. Selects template, fills substitution fields, edits blurb text, assigns tags, sets attribution mode. CurationRecord (action: EDITED) created on each save.
4	Curator	IN_REVIEW	PENDING_PUBLISH	Curator submits for approval via POST /chronicle/entries/:entryId/publish. CurationRecord (action: SUBMITTED) created. Moderator review queue updated.
5a	Moderator	PENDING_PUBLISH	PUBLISHED	Moderator approves via POST /chronicle/moderation/:entryId/approve. CurationRecord (action: APPROVED) created. publishedAt timestamp set. Entry

Step	Actor	Status Before	Status After	Action
				visible on dashboard.
5b	Moderator	PENDING_PUBLISHED	REJECTED	Moderator rejects with reason. CurationRecord (action: REJECTED) created with rejection notes. Entry returns to curator queue with notes visible in Curation Editor.
6	Player	PUBLISHED	PUBLISHED (flagged)	Player submits flag via POST /chronicle/entries/:entryId/flag. ModerationFlag created (status: OPEN). Entry remains visible until moderator acts.
7a	Moderator	PUBLISHED (flagged)	PUBLISHED	Moderator dismisses flag. ModerationFlag status → DISMISSED. No entry status change.
7b	Moderator	PUBLISHED	TAKEN_DOWN	Moderator issues takedown via DELETE /chronicle/entries/:entryId.

Step	Actor	Status Before	Status After	Action
				CurationRecord (action: TAKEN_DOWN) created. Entry hidden immediately. lore_removed webhook fired.

3.5 Curator Tools

All tools are available within the Curation Editor screen. Tools are only active when an entry is in `IN_REVIEW` status.

- **Blurb Template Picker:** Domain dropdown + Variant dropdown + Tone dropdown. On Load Template, populates the blurb editor with the raw template text and activates the Field Substitution Form.
- **Field Substitution Form:** Dynamically generated from the active template's bracket fields. Each field renders as a labeled text input. Required fields are validated before submission. On fill, the blurb editor updates live with substituted text.
- **Tag Autocomplete:** Search existing tags by label; keyboard-navigable dropdown. Curator-proposed new tags are submitted for admin approval and flagged as PENDING in the tag list. Entry may proceed to PENDING_PUBLISH with pending tags; tags become active on admin approval.
- **Entry Preview:** Toggle between Short, Medium, and Long variants. Renders in player-facing visual style (domain badge, sigil placeholder, attribution display). Preview is read-only.

- **Diff View:** Side-by-side comparison of the raw AscendantEvent payload fields versus the curated blurb text. Highlights added, removed, and changed content. Useful for ensuring curator accuracy against source event data.
- **Attribution Mode Toggle:** Radio group: Public / Pseudonymous / Anonymous. Overrides the maker's `attributionHint`. Override is documented in the CurationRecord.
- **Bulk Publish / Bulk Reject:** Available on the Chronicle Dashboard (curator view) via multi-select checkboxes. Requires confirmation modal with entry count and action summary. Generates one CurationRecord per entry. Maximum 50 entries per bulk action.

3.6 Filtering and Search

The Search & Filter Panel is embedded in the Chronicle Dashboard. All filter state is reflected in the URL for shareability and browser history.

Filter / Search Field	Type	Notes
Free-text search	text input	Searches blurb content and tags. Min 3 characters to trigger. Debounced 300ms.
Domain	tab bar (All + 5 domains)	Single-select. Drives domain badge filter.
Maker epithet	text input	Partial match against MakerProfile.epithet; anonymous entries excluded.
Date range	date picker (from / to)	Filters on <code>publishedAt</code> .
Status	multi-select (curator view only)	DRAFT, IN_REVIEW, PENDING_PUBLISH, PUBLISHED, REJECTED, TAKEN_DOWN.
Attribution mode	checkbox group	public, pseudonymous, anonymous.

Filter / Search Field	Type	Notes
Tags	tag chip selector	Multi-select; AND logic between selected tags.

Sort options: Newest, Oldest, Most-Flagged (curator/moderator view only), Domain (alphabetical), Maker (epithet alphabetical).

Saved filter sets: Curators may save named filter combinations. Saved sets are stored per curator account and accessible from a dropdown in the filter panel. Maximum 10 saved sets per curator.

3.7 Export Formats

Format	Content	Primary Use	Notes
JSON	Full ChronicleEntry schema, array	API backup, developer tooling, data migration	Includes all fields including internal metadata. Curator/admin only.
CSV	Flat: entryId, domain, makerId, blurbShort, blurbMedium, blurbLong, tags, publishedAt	Spreadsheet analysis, reporting	Tags serialized as pipe-delimited string. makerId omitted for anonymous entries.
Markdown	Formatted for wiki ingestion; one entry per section with H2 heading	NexusMUD Design Companion wiki, weekly digest	Includes all three blurb variants, domain badge, tags. Sigil asset referenced by ID only.
TXT	Plain blurb text only; one short blurb per line	In-game text injection, MOTD feeds, localization export	No metadata, no formatting. entryId prefixed per line for traceability: chr-YYYYMMDD-NNNN: [blurb text].

Export Job Behavior:

All export jobs are asynchronous. Result URLs are signed and expire 24 hours after generation. Poll

GET /chronicle/export/:jobId

for status. Jobs in FAILED status include an

errorMessage

field. Maximum 1,000 entries per export job; paginate for larger datasets.

4 — Text Wireframes — Maker Chronicle

Design Handoff Note:

All wireframes below are ASCII/text layout representations for design handoff. They define information architecture and component placement only. No binary assets are produced in this document. Sigil images are represented as

[SIGIL]

placeholders.

4.1 Chronicle Dashboard (Player-Facing)

MAKER CHRONICLE

[Search_____] [Filter▼]

DOMAIN TABS: [All] [Weave] [Forge]

[Genesis] [Chronicle] [Clockwork]

SORT: [Newest ▼] SHOWING: 1–10 of

247 entries

[SIGIL] GENESIS • "Stormfall Reach created"

Jun 10 | | | by The Pale Shaper (pseudonymous) |

| | "What was void is now stone and thunder..." | | |

[Tags: area, dungeon, genesis] [Read More ▶] | |

[SIGIL] FORGE • "Sundering Blade forged"

Jun 09 | | | by Anonymous | | |

"From the crucible came Sundering Blade — seven..." | | | [Tags:

item, legendary, forge] [Read More ▶] | |

_____ || || | [SIGIL] WEAVE • "Arcane node activated at
Velthuris" Jun 08 | || || | by Archmage Dren (public)
| || || | "The Weave remembers where silence once pooled..." | || ||
| [Tags: magic, node, weave] [Read More ▶] | || ||

4.2 Event Detail View (Player-Facing)

[◀ Back to Chronicle](#)

===== || || [DOMAIN BADGE: GENESIS] [SIGIL
IMAGE PLACEHOLDER] || || Title: Stormfall Reach — The Naming
|| || Maker: The Pale Shaper • Attribution: Pseudonymous || || Date:
June 10, 2026 • Tags: [area] [dungeon] [genesis] [storm] ||

===== || — SHORT

———— || || "The Pale Shaper breathed a name into the Unmade, and

Stormfall Reach || | answered. What was void is now stone and perpetual
thunder. The world || | is larger than it was." ||

||

|| | — MEDIUM

|| | [Medium blurb text rendered here — approx 80 words]

||

||

|| | — LONG

|| | [Long blurb text rendered here — approx 200 words, two
paragraphs] ||

||

|| | SUGGESTED ARTIFACTS:

|| | • Stone Shard of Stormfall (flavor item, Genesis domain) || | • The
Pale Shaper's Mark (sigil token, collectible) ||

||

|| | [ Flag this entry]

[Share] [Export TXT] ||

||

||

4.3 Curation Editor (Curator-Only)

||

||| CURATION EDITOR Entry ID:

chr-20260610-0042 [DRAFT] ||

|||

||| SOURCE EVENT: asc-evt-9921 •

Genesis • Jun 10, 2026 ||| Event Type: AREA_CREATED • Maker:

mk-0041-ares ||

|||

||| TEMPLATE SELECTOR || FIELD

SUBSTITUTION FORM ||| Domain: [Genesis ▼] ||

MAKER_EPITHET: [The Pale Shaper] ||| Variant: [Medium ▼] ||

LOCATION_NAME: [Stormfall Reach] ||| Tone: [epic ▼] ||

DURATION: [three days] ||| [Load Template] || NUMBER:

[seven] ||| || [... additional fields below ...] ||

|||

||| BLURB EDITOR (Medium)

|||

|

| ||| | Before The Pale Shaper arrived, the region now

called Stormfall | ||| | Reach existed only as a coordinate in the Unmade...

| ||| | [editable rich-text area] | |||

|

| ||| ATTRIBUTION: ○ Public ● Pseudonymous ○

Anonymous ||| TAGS: [area ✕] [dungeon ✕] [genesis ✕] [storm ✕]

[+ Add Tag] ||

|||

||| PREVIEW: [Short] [Medium ●] [Long]

[Diff View] ||

|||

```

=====|| || CURATOR NOTES: [Internal notes field
— not player-visible    ] ||
||=====
=====|| || [Save Draft] [Submit for Approval]
[Discard]                ||
||=====
=====||

```

5 — JSON Schemas — Chronicle Entries and Public Lore Posts

All schemas use JSON Schema Draft 2020-12. The \$id URIs are internal references and must resolve within the NexusMUD internal schema registry. Validation is performed at ingestion time (Section 7.2) and before status transitions to PENDING_PUBLISH.

5.1 ChronicleEntry Schema

```

{
  "$schema": "https://json-schema.org/draft/2020-12/schema",
  "$id": "https://nexusmud.internal/schemas/chronicle-entry.json",
  "title": "ChronicleEntry",
  "description": "A single Maker Chronicle entry, representing a curated record of a maker's action in the world.",
  "type": "object",
  "required": ["entryId", "eventRef", "domain", "blurbs", "status", "metadata"],
  "properties": {
    "entryId": {
      "type": "string",
      "pattern": "^chr-[0-9]{8}-[0-9]{4}$",
      "description": "Unique Chronicle entry identifier. Format: chr-YYYYMMDD-NNNN"
    },
    "eventRef": {
      "type": "string",
      "description": "Reference to the originating AscendantEvent ID"
    },
    "domain": {
      "type": "string",
      "enum": ["Weave", "Forge", "Genesis", "Chronicle", "Clockwork"],

```

```

"description": "Divine domain of the maker action" }, "makerId": {
"type": "string", "description": "Maker account UUID. Omitted if
publicAttributionMode is anonymous.", "nullable": true },
"makerEpithet": { "type": "string", "maxLength": 80,
"description": "Display name or pseudonym for the maker" },
"publicAttributionMode": { "type": "string", "enum": ["public",
"pseudonymous", "anonymous"], "description": "How the maker's identity
appears in player-facing text" }, "sigilAsset": { "type":
"string", "description": "Asset ID for the maker's sigil image.
Resolved by the asset pipeline.", "nullable": true }, "blurbs":
{ "type": "object", "required": ["short", "medium", "long"],
"properties": { "short": { "type": "string",
"maxLength": 200, "description": "Short blurb variant (~30 words)"
}, "medium": { "type": "string", "maxLength":
800, "description": "Medium blurb variant (~80 words)" },
"long": { "type": "string", "maxLength": 2000,
"description": "Long blurb variant (~200 words)" } },
"additionalProperties": false }, "tags": { "type": "array",
"items": { "type": "string", "maxLength": 40 },
"maxItems": 20, "uniqueItems": true, "description": "Searchable
tags for this entry" }, "status": { "type": "string",
"enum": ["DRAFT", "IN_REVIEW", "PENDING_PUBLISH", "PUBLISHED", "REJECTED",
"TAKEN_DOWN"], "description": "Current moderation/publication status of
the entry" }, "curatedBy": { "type": "string",
"description": "Curator account UUID who approved/created this entry",
"nullable": true }, "publishedAt": { "type": "string",
"format": "date-time", "description": "ISO 8601 timestamp when the
entry was made public", "nullable": true }, "metadata": {
"type": "object", "required": ["tone", "blurbTemplate", "createdAt"],
"properties": { "tone": { "type": "string",
"enum": ["epic", "scholarly", "cryptic", "heroic", "mechanical"] },
"blurbTemplate": { "type": "string", "description":
"Template ID used to generate blurbs (e.g., 'genesis-medium')" },
"createdAt": { "type": "string", "format": "date-time"
}, "updatedAt": { "type": "string", "format":
"date-time" }, "suggestedArtifacts": { "type":
"array", "items": { "type": "object", "required": ["name", "type"],
"properties": { "name": { "type": "string" }, "type": { "type":
"string" }, "domain": { "type": "string" }, "description": { "type": "string" } },
"description": "In-world artifacts suggested to accompany this entry"
} }, "additionalProperties": true } },
"additionalProperties": false }

```

5.2 PublicLorePost Schema

The `PublicLorePost` is a player-facing projection of a `ChronicleEntry`. It is derived at publish time and contains only fields safe for public exposure. Internal fields (`makerId`, `curatedBy`, `metadata.blurbTemplate`, etc.) are excluded.

```

{ "$schema": "https://json-schema.org/draft/2020-12/schema", "$id":
"https://nexusmud.internal/schemas/public-lore-post.json", "title":

```

```

"PublicLorePost", "description": "Player-facing representation of a
Chronicle entry. Derived from ChronicleEntry after publication. Contains
only fields safe for public exposure.", "type": "object", "required": [
"entryId", "domain", "makerEpithet", "publicAttributionMode", "blurbs",
"tags", "publishedAt" ], "properties": { "entryId": { "type":
"string", "description": "Chronicle entry identifier" },
"domain": { "type": "string", "enum": ["Weave", "Forge",
"Genesis", "Chronicle", "Clockwork" ] }, "makerEpithet":
{ "type": "string", "maxLength": 80, "description":
"Display name shown to players. Reflects publicAttributionMode. If
anonymous, this field returns the string 'Anonymous'." },
"publicAttributionMode": { "type": "string", "enum": ["public",
"pseudonymous", "anonymous" ] }, "sigilAsset": { "type":
"string", "description": "Public asset URL for maker sigil. Null if
anonymous.", "nullable": true }, "blurbs": { "type":
"object", "required": ["short", "medium", "long"], "properties":
{ "short": { "type": "string", "maxLength": 200 }, "medium":
{ "type": "string", "maxLength": 800 }, "long": { "type": "string",
"maxLength": 2000 } }, "additionalProperties": false },
"tags": { "type": "array", "items": { "type": "string",
"maxLength": 40 }, "maxItems": 20, "uniqueItems": true },
"publishedAt": { "type": "string", "format": "date-time" },
"suggestedArtifacts": { "type": "array", "items":
{ "type": "object", "required": ["name", "type"],
"properties": { "name": { "type": "string" },
"type": { "type": "string" }, "domain": { "type":
"string" }, "description": { "type": "string" } } },
"nullable": true } }, "additionalProperties": false }

```

5.3 AscendantEventIngestionPayload Schema

This schema validates all inbound events from the AscendantEvent system before Chronicle entry creation. Validation failures cause the event to be logged and discarded; the originating system receives a 422 response with a structured error body.

```

{ "$schema": "https://json-schema.org/draft/2020-12/schema", "$id":
"https://nexusmud.internal/schemas/ascendant-event-ingestion.json",
"title": "AscendantEventIngestionPayload", "description": "Inbound payload
from the AscendantEvent system that triggers Chronicle entry creation.",
"type": "object", "required": ["eventId", "eventType", "domainTag",
"makerId", "timestamp", "payload"], "properties": { "eventId":
{ "type": "string", "pattern": "^asc-evt-[0-9]+$",
"description": "Unique AscendantEvent identifier" }, "eventType": {
"type": "string", "enum": [ "AREA_CREATED",
"POWER_FORGED", "BOSS_SPAWNED", "LORE_ATTESTED",
"SYSTEM_CALIBRATED" ], "description": "Type of maker action –
drives domain template selection" }, "domainTag": { "type":
"string", "enum": ["Weave", "Forge", "Genesis", "Chronicle",
"Clockwork" ] }, "makerId": { "type": "string",
"description": "Maker account UUID" }, "timestamp": { "type":
"string", "format": "date-time", "description": "ISO 8601 UTC

```

```
timestamp of the event"    },    "payload": {    "type": "object",  
"description": "Domain-specific event data. Structure varies by eventType.  
See Section 6 for per-eventType payload examples.",  
"additionalProperties": true    },    "attributionHint": {    "type":  
"string",    "enum": ["public", "pseudonymous", "anonymous"],  
"description": "Maker's preferred attribution mode. Curators may override  
(see Section 7.2).",    "nullable": true    }    },  
"additionalProperties": false }
```

6 — Sample Curated Chronicle Entries

Usage Note:

These three entries are fully written, production-quality samples. They serve as the reference baseline for curator training, UI development test data, and the Stage 1 synthetic ingestion test suite. All names, places, and lore are original NexusMUD fiction.

6.1 Sample Entry 1: AREA_CREATED — Stormfall Reach

GENESIS Stormfall Reach — The Naming

Entry ID: chr-20260610-0042 Event Ref: asc-evt-9921 Maker: The Pale Shaper
(pseudonymous) Curated by: cur-0007 Published: 2026-06-10T14:00:00Z

Tone: epic Tags: area, dungeon, genesis, storm, northern-expanse

SOURCE ASCENDANTEVENT (INGESTION PAYLOAD)

```
{  "eventId": "asc-evt-9921",  "eventType": "AREA_CREATED",  "domainTag": "Genesis",  "makerId": "mk-0041-ares",  "timestamp": "2026-06-10T08:14:00Z",  "payload": {    "areaId": "area-stormfall-reach",    "areaName": "Stormfall Reach",    "areaType": "dungeon",    "regionId": "region-northern-expanse",    "levelRange": [45, 60],    "features": [      "perpetual storm",      "cliff fortress ruins",      "thunder-touched fauna"    ],    "accessRating": "Dangerous"  },  "attributionHint": "pseudonymous" }
```

CURATED BLURB VARIANTS

SHORT — ~30 words

The Pale Shaper breathed a name into the Unmade, and Stormfall Reach answered. What was void is now stone and perpetual thunder. The world is larger than it was.

MEDIUM — ~80 words

Before The Pale Shaper arrived, the region now called Stormfall Reach existed only as a coordinate in the Unmade — a hollow in the fundament where possibility pooled without form. The maker stood at the threshold for three days, speaking the seven Names of Shaping in sequence. By the final syllable, the great cliff-ramparts of the Reach had pushed through the boundary layer, dragging the ruins of a fortress older than recorded history with them. Thunder-touched wolves and storm-carrion circled the crags within hours. Geographers of the Vael Compact have since updated their charts. The area is currently rated Dangerous for veteran travelers only.

LONG — ~200 words

Genesis events of this magnitude are recorded fewer than four times in the current era. What The Pale Shaper accomplished in Stormfall Reach was not merely construction — it was a re-negotiation of the fundament itself. The Northern Expanse's border with the Unmade had been thinning for decades; the maker did not seal it. They named it, and naming made it real.

The work began with the First Syllable of Anchor, which bound the storm-layer to the stone rather than dispersing it into the surrounding sky. Subsequent Shaping passes addressed the cliff architecture, the embedded fortress ruins, and the ecological seeding of thunder-touched fauna, each requiring The Pale Shaper to maintain unbroken resonance contact with the fundament for no less than six hours per pass. A catastrophic harmonic inversion nearly interrupted the process during the fauna-seeding phase, but the maker collapsed the rogue resonance into a secondary lattice node now visible as the Crackling Spire at the Reach's southeastern edge. When the boundary layer finally solidified, Stormfall Reach emerged as a 22-zone dungeon complex rated Dangerous for solo players and Recommended for groups of four or more at level 45-60. The Vael Compact has dispatched a survey team; preliminary reports suggest the fortress ruins predate the current age of naming entirely. The Genesis Chronicler has flagged three unresolved questions about the site's pre-Shaping history, documented in Appendix G-09.

SUGGESTED ARTIFACTS

Stone Shard of Stormfall

Type: lore item (stackable, Genesis domain) — A chip of grey-black stone infused with a faint electrical charge. It does not discharge — it simply hums, as if still remembering the moment it was named into existence. Flavor text surfaces the creation date and maker epithet (pseudonymous). No combat stats. Collectible; contributes to the "Shards of the

Unmade" lore set.

The Pale Shaper's Mark

Type: sigil token (account-bound collectible) — A translucent disc etched with a maker's incomplete sigil — the parts that are visible suggest something vast and unhurried.

Grants the cosmetic title "Witness of the Naming" when combined with two other Pale Shaper artifacts. Awarded to the first 500 players to complete the Reach's entry quest.

Thunder-Touched Feather

Type: crafting material (uncommon drop, thunder fauna) — Shed from the wings of the storm-carrion that colonized Stormfall Reach within hours of its naming. Retains a static charge that does not dissipate. Used in Forge-domain recipes for storm-infused gear.

Drop rate: 18% from thunder-touched storm-carrion, 6% from thunder-touched wolves.

6.2 Sample Entry 2: POWER_FORGED — The Sundering Blade

FORGE The Sundering Blade — A Forging Without Name

Entry ID: chr-20260609-0031 Event Ref: asc-evt-9887 Maker: Anonymous

Curated by: cur-0003 Published: 2026-06-09T23:59:00Z

Tone: heroic Tags: power, legendary, forge, weapon, voidsteel

SOURCE ASCENDANTEVENT (INGESTION PAYLOAD)

```
{  "eventId": "asc-evt-9887",  "eventType": "POWER_FORGED",  "domainTag": "Forge",  "makerId": "mk-0019-volkan",  "timestamp": "2026-06-09T22:45:00Z",  "payload": {    "powerId": "power-sundering-blade",    "powerName": "Sundering Blade",    "powerType": "weapon_skill",    "tier": "legendary",    "materials": [      "voidsteel",      "crystallized grief",      "the last breath of a fallen titan"    ],    "forgeLocation": "The Hollow Anvil, Deepmount",    "resonanceRating": 9.4  },  "attributionHint": "anonymous" }
```

CURATED BLURB VARIANTS

SHORT — ~30 words

From an unknown crucible came the Sundering Blade — three materials that should not coexist, worked in the dark of Deepmount until the Making held. The Forge does not forget what is wrought in earnest.

MEDIUM — ~80 words

An unnamed maker descended into The Hollow Anvil at Deepmount with voidsteel, crystallized grief, and the last breath of a fallen titan — and emerged twenty-two hours later bearing the Sundering Blade. The process was not merely physical: each hammer-fall was an inscription, each quench a negotiation with the void-elemental bound into the steel. Warriors who have encountered the skill in combat report that it does not cut — it persuades matter to part. The Forge domain records this as Legendary-Class, resonance rating 9.4. Copies are impossible by current methods.

LONG — ~200 words

The commission was unusual even by the standards of the maker who undertook it — a figure who had previously produced three Tier-6 enchanted

weapons and the infamous Ashen Gauntlets of Vrek. The materials required to forge the Sundering Blade had to be sourced from the Voidseam Corridor north of Deepmount, the Grief Wells of the Sunken Quarter, and the contested territories of the Titan's Rest burial ground. Acquiring them required navigating active PvP zones, a Clockwork-domain traversal permit, and a negotiation with the burial-ground's resident Keeper entity that took eleven in-world days to resolve.

The actual forge-work spanned twenty-two hours and four distinct phases. In the first phase, the voidsteel was collapsed into a single ingot by sustained compression under the Hollow Anvil's pressure-binding system — a process that destroyed three standard anvil faces. The second phase, the inscription, proved the most dangerous: introducing the crystallized grief to the molten voidsteel caused a resonance surge that briefly destabilized the forge chamber's structural lattice. The final tempering — sealed with the last breath of the fallen titan, which the maker had kept in a resonance-locked vessel for forty-seven days — was performed in total silence with the forge chamber vented to vacuum. The result has a resonance rating of 9.4, placing it in the top 0.3% of all Forge-domain weapons ever chronicled. Attempts to replicate the process have produced six confirmed forge-chamber collapses and zero successful outcomes.

SUGGESTED ARTIFACTS

Forge-Mark Token

Type: account-bound collectible — Awarded to players who witness a Legendary-tier POWER_FORGED event in real time. A small iron disc, still warm, stamped with the Forge Chronicler's verification seal and the entry ID. No game stats. Part of the "Witnesses of the Making" achievement track.

Shard of Voidsteel

Type: crafting component (rare) — A splinter of raw voidsteel shed during the Sundering Blade's primary compression phase. Faintly luminescent in darkness. Can substitute for standard voidsteel in Forge-domain recipes at 1.5x yield efficiency. Tradeable. Sourced only from Voidseam Corridor node events; supply is limited.

The Hollow Anvil's Blessing

Type: temporary buff item (1-hour duration) — A vial of resonance-charged air drawn from the forge chamber during the Sundering Blade's final tempering. Grants +12% Forge-domain skill efficiency and prevents single crafting failures for one session. Non-stackable. Cannot be used in combat. Awarded to curators who process Legendary-tier POWER_FORGED entries within 2 hours of ingestion.

6.3 Sample Entry 3: BOSS_SPAWNED — The Thornwarden of Ashveil Moor

WEAVE The Thornwarden of Ashveil Moor — The Lattice Stirs

Entry ID: chr-20260610-0055 Event Ref: asc-evt-9944 Maker: Archmage Lyren Voss (public) Curated by: cur-0011 Published: 2026-06-10T12:00:00Z

Tone: cryptic Tags: boss, world-boss, weave, ashveil-moor, thornwarden

SOURCE ASCENDANTEVENT (INGESTION PAYLOAD)

```
{  "eventId": "asc-evt-9944",  "eventType": "BOSS_SPAWNED",  "domainTag": "Weave",  "makerId": "mk-0007-lyren",  "timestamp": "2026-06-10T11:30:00Z",
```

```
"payload": {      "entityId": "boss-thornwarden-ashveil",      "entityName":  
"The Thornwarden of Ashveil Moor",      "entityType": "world_boss",  
"locationId": "area-ashveil-moor",      "levelCR": 65,      "abilities":  
["thorn-lattice", "moor-binding", "spectral-shroud"],      "spawnDuration":  
"72h",      "lootTableId": "lt-thornwarden-01"    },      "attributionHint":  
"public" }
```

CURATED BLURB VARIANTS

SHORT — ~30 words

Archmage Lyren Voss stretched their will across Ashveil Moor, and where silence once pooled between the reeds, the Thornwarden now hums with ancient, watchful resonance. The Weave remembers what was woken here.

MEDIUM — ~80 words

In the grey hours before the third tide's retreat, Archmage Lyren Voss drew upon the oldest threads of the Weave and wove them into Ashveil Moor. The Thornwarden that rose from this working was no accident — each resonance-thorn was placed with purpose, each lattice-knot tightened by deliberate will into a form that is simultaneously guardian and trap. Those who linger near the Sunken Crown at the moor's heart claim to hear a low, concussive drumbeat beneath the peat, a sign that the Weave has accepted the Thornwarden as permanent. Scholars of the Hollow Quill have already dispatched observers. It will not wait quietly.

LONG — ~200 words

Archmage Lyren Voss first sensed the weakness six weeks prior, when the Weave's lattice near Ashveil Moor began to fray along the boundary between the living peat and the dead channels beneath it. Lesser practitioners might

have collapsed the fray inward and sealed it with a flux-ward. Lyren Voss chose differently — not to seal, but to fill.

Over the span of forty-one days, the Archmage gathered residual resonance shed by the moor's dying flora from across the Northern Ashveil Basin, drawing each thread through a sequence of seventeen binding-knots of a technique no living scholar had attempted since the Age of the Hollow Court. The result — the Thornwarden of Ashveil Moor — stands now as both monument and mechanism: a living node in the Weave itself, a CR-65 world boss with a 72-hour spawn window capable of regenerating the moor's lattice integrity passively while it lives, and collapsing it catastrophically if it is killed without a proper resonance-discharge ritual. Travelers who pass within 80 meters of the Sunken Crown will feel it before they see it: a warmth at the base of the skull, a faint vibration in any metallic equipment, and the unmistakable scent of cold iron and wet ash. The Hollow Quill has classified the site as Resonance-Active Restricted. Entry without a verified party of four at Combat Rating 60 or above is strongly inadvisable.

SUGGESTED ARTIFACTS

Thorn-Lattice Fragment

Type: boss drop (Weave domain, uncommon) — A length of resonance-hardened thorn, shed during the Thornwarden's thorn-lattice ability animation. It does not decay.

Radiates a faint Weave signature detectable by arcane-sensing abilities within 10 meters. Used in Weave-domain crafting recipes. Drop rate: 35% from Thornwarden kill, scales with party contribution.

Moor-Binding Cord

Type: rare crafting item — A length of braided peat-fiber saturated with moor-binding

resonance from the Thornwarden's secondary ability channel. Flexible but unbreakable under normal physical stress. Used in Weave-domain binding recipes and Forge-domain composite items. Tradeable. Drop rate: 12% from Thornwarden kill. Cannot be acquired by any other means while the Thornwarden is active.

Archmage Lyren Voss's Sigil Mark

Type: legendary collectible (account-bound) — The maker's full sigil, rendered in resonance-glass and moor-iron. Proof of presence during a maker-originated world boss event. Displays in the player's Chronicle collection and on their public profile. Grants the cosmetic title "Witness of the Thornwarden." Drop rate: 5% from Thornwarden kill. One per account; re-killing the Thornwarden during the spawn window does not increase drop chance.

7 — Integration Notes — GroundTruth API & AscendantEvent Ingestion

7.1 GroundTruth API Integration

GroundTruth provides the authoritative world-state data that Chronicle entries reference. The Chronicle Ingestion Service consumes GroundTruth at entry creation

time only. Do not call GroundTruth live during blurb rendering — cache enriched data in the ChronicleEntry at ingestion time.

Property	Value	Notes
Base URL	https://groundtruth.nexusmud.internal/v2	Assumed. Must be confirmed. [CONFIRM]
Auth Method	JWT Bearer Token	Assumed. [CONFIRM]
Token Scopes	chronicle:read, chronicle:write	Two separate scopes. Ingestion Service requires both.
Token Expiry	4 hours	Refresh via POST /auth/refresh before expiry.
Refresh Endpoint	/auth/refresh	Returns new access token + expiry timestamp.

RELEVANT GROUNDTRUTH ENDPOINTS (CONSUMED BY CHRONICLE INGESTION SERVICE)

Method	Endpoint	Used For	Fields Extracted
GET	/areas/:areaId	AREA_CREATED (Genesis)	areaName, regionName, accessRating, features list, level range
GET	/powers/:powerId	POWER_FORGED (Forge)	powerName, tier, materials, resonanceRating, forgeLocation
GET	/entities/:entityId	BOSS_SPAWNED (Weave)	entityName, abilities, locationId, levelCR, spawnDuration
GET	/lore/:loreId	LORE_ATTESTED (Chronicle)	Existing lore records for cross-reference and source-weight

Method	Endpoint	Used For	Fields Extracted
			calculation
GET	/systems/:systemId	SYSTEM_CALIBRATED (Clockwork)	systemName, currentMetrics, toleranceBands, failsafelds

DATA ENRICHMENT FLOW

1. AscendantEvent arrives at Ingestion Service.
2. Ingestion Service validates payload against AscendantEventIngestionPayload schema (Section 5.3).
3. Ingestion Service calls appropriate GroundTruth endpoint based on eventType.
4. GroundTruth response is merged into a enrichedPayload object stored on the ChronicleEntry.
5. ChronicleEntry is created in DRAFT status with enrichedPayload available to curators in Curation Editor diff view.

ERROR HANDLING

GroundTruth Response	Action	Entry Status
200 OK	Proceed normally with enriched data.	DRAFT
404 Not Found	Flag entry as NEEDS_ENRICHMENT. Notify curator queue with specific missing entity ID. Do not block entry creation.	DRAFT (flagged)
5xx Server Error	Retry with exponential backoff: 5s → 15s → 45s (max 3 retries). On third failure, escalate to moderator queue with error context.	DRAFT (pending enrichment)
Timeout (>10s)	Treat as 5xx. Apply same backoff policy.	DRAFT (pending enrichment)

GroundTruth Response	Action	Entry Status
401 Unauthorized	Trigger token refresh and retry once. If refresh fails, alert Engineering on-call.	Blocked until resolved

7.2 AscendantEvent Ingestion

EVENT FLOW

6. AscendantEvent system emits event to Chronicle Ingestion Service via internal message queue. Topic: `nexusmud.ascendant-events` [CONFIRM broker and topic].
7. Ingestion Service consumes message, validates payload against Section 5.3 schema. Invalid payloads are logged to the `chronicle.ingestion.errors` topic and discarded.
8. Idempotency check: if an entry with the same `eventRef` already exists, log as duplicate and discard (see Section 7.3).
9. Ingestion Service calls GroundTruth for payload enrichment (Section 7.1).
10. ChronicleEntry created in `DRAFT` status with enriched data. `createdAt` timestamp set.
11. Entry assigned to curator queue by domain round-robin. `status` → `IN_REVIEW`. `curator_assignment` webhook fired.
12. Assigned curator receives in-tool alert + optional email digest (configurable per curator preference).

EVENT TYPE → DOMAIN → TEMPLATE MAPPING

AscendantEvent Type	Chronicle Domain	Default Template	Override Allowed
AREA_CREATED	Genesis	genesis-medium	Yes (curator selects variant)
POWER_FORGED	Forge	forge-medium	Yes
BOSS_SPAWNED	Weave	weave-medium	Yes
LORE_ATTESTED	Chronicle	chronicle-medium	Yes
SYSTEM_CALIBRATED	Clockwork	clockwork-medium	Yes

ATTRIBUTION MODE PRECEDENCE

13. Maker's attributionHint from AscendantEvent payload (if present).
14. Maker's default preference on MakerProfile (publicAttributionMode).
15. Curator override — documented in CurationRecord (action: EDITED, note includes attribution change).
16. System default: pseudonymous.

MODERATION HOOKS

All webhooks use the payload format: { eventType, entryId, domain, status, timestamp }. Delivery is at-least-once; receiving services must be idempotent.

Trigger	Webhook Name	Receiving Service(s)
ChronicleEntry created (DRAFT → IN_REVIEW)	curator_assignment	Curator notification service, writing team dashboard
Entry advanced to PENDING_PUBLISH	moderator_review_requested	Moderation queue service, moderator notification service
Entry status → PUBLISHED	public_lore_updated	In-game lore display service, search index service, Chronicle Dashboard cache invalidation
Entry status → TAKEN_DOWN	lore_removed	In-game lore display service, search index service, Chronicle

Trigger	Webhook Name	Receiving Service(s)
		Dashboard cache invalidation

7.3 Idempotency and Duplicate Handling

Each AscendantEvent ID (`eventRef`) must map to exactly one ChronicleEntry. The following rules govern duplicate detection.

- On every ingestion, the Ingestion Service queries for existing ChronicleEntry records with matching `eventRef` before creating a new entry.
 - If a match is found in any status, the inbound event is logged as `DUPLICATE_DISCARDED` and no new entry is created.
 - If a maker re-triggers the same event type within a 60-second deduplication window (same `makerId` + same `eventType` + same primary payload entity ID), the second event is treated as a duplicate regardless of whether its `eventId` differs.
 - Deduplication window collisions are logged to `chronicle.ingestion.duplicates` for engineering review.
 - Exception: if a ChronicleEntry in `TAKEN_DOWN` status is matched, the Ingestion Service creates a new DRAFT entry and appends a reference to the prior taken-down entry ID in the metadata. Moderator notification is included.
-

8 — Rollout Plan — Maker Chronicle

8.1 Stage Descriptions

Stage 1 — Sandbox Testing

|

Days 1–3

Objective: Validate end-to-end ingestion, enrichment, schema validation, and status lifecycle in an isolated environment. Zero player exposure.

- Deploy Chronicle backend services (Ingestion Service, Curation API, Moderation API) to sandbox environment.
- Connect to GroundTruth sandbox instance (read-only, synthetic data).
- Ingest 10 synthetic AscendantEvents: 2 per domain (AREA_CREATED, POWER_FORGED, BOSS_SPAWNED, LORE_ATTESTED, SYSTEM_CALIBRATED).
- Verify schema validation, GroundTruth enrichment flow, all 6 status transitions, and all 4 webhook firings.
- Curator team (3–5 members) tests Curation Editor UI: all tools, diff view, preview, attribution toggle, bulk actions.
- Verify export jobs in all 4 formats for at least 1 entry each.
- **Exit Criteria:** Engineering QA sign-off. Error rate <1%. All 10 synthetic entries reach PUBLISHED status in sandbox.

Stage 2 — Writer Curation

|

Days 4–7

Objective: Produce a library of 15–20 curated entries across all five domains. Collect writer feedback before staging deployment. Entries remain non-public.

- Enable Chronicle for internal writer team (5–8 curators, all trained on Section 2 templates).
- Connect to production AscendantEvent stream (read-only tap); Chronicle entries created but not player-visible.
- Writers produce a minimum of 3 entries per domain (15 total). Target: 20 entries with coverage of all 5 event types.
- Peer review: each entry reviewed by a second curator before submission. Moderator spot-checks 20% of PENDING_PUBLISH entries.
- Collect structured feedback on: template usability, field substitution form ergonomics, tag autocomplete speed, diff view accuracy.
- Writing Lead delivers tone guide revisions based on feedback (updates placeholder guidance in Section 2).
- **Deliverable:** 15+ entries in PENDING_PUBLISH or PUBLISHED (in staging) with curator sign-off. Feedback report to Cody for review.

Stage 3 — Staged Merge

|

Days 8–10

Objective: Deploy to staging environment connected to production GroundTruth. Validate webhook integrations and load profile before public release.

- Deploy Chronicle to staging environment. GroundTruth in read-only mode for players; writers have full access.
 - Moderator team reviews all 15+ draft entries from Stage 2. Target: 100% reviewed within 48 hours.
 - Soft-launch test: publish 5 entries (one per domain) to staging player-facing dashboard. Monitor load time, search indexing latency, and cache invalidation behavior.
 - Verify all 4 webhook integrations: in-game lore display service, search index, notification services. Confirm `public_lore_updated` and `lore_removed` events are consumed correctly.
 - Load test: simulate 500 concurrent player requests to `GET /chronicle/entries`. Target: P95 response time <300ms. Remediate before Stage 4 if above threshold.
 - Verify export job throughput at 1,000-entry scale in all 4 formats.
 - **Exit Criteria:** Engineering QA sign-off. P95 <300ms confirmed. All webhooks verified. Moderator team confirms readiness.
-

Stage 4 — Public Release

|

Day 11

Objective: Open the Maker Chronicle to all players. Full moderation flow active. Curator and moderator teams on standby.

- Enable Chronicle Dashboard for all players (production environment).
- Publish all approved entries from Stage 2-3 library simultaneously at release time.

- Enable player flagging (ModerationFlag flow active from release).
 - Announce in-game: MOTD banner, server news feed. No external marketing copy in this document.
 - Curator team on standby for first 24 hours post-release. Flag response SLA: 2 hours during standby window.
 - Engineering on-call for first 24 hours; alert thresholds active for all Stage 5 KPIs.
-

Stage 5 — Monitoring

&

Iteration

|

Days 12–30

Objective: Establish baseline KPIs, iterate on curator tooling based on real usage, and maintain content quality through active moderation.

- Monitor daily: entry creation rate, curator throughput, flag rate, takedown rate, API latency.
 - Weekly: run Markdown export job for NexusMUD Design Companion wiki digest. Curator team reviews digest for consistency before publish.
 - Days 15–16: retrospective with curator and moderator teams. Identify top 3 tooling friction points for sprint planning.
 - Day 30: KPI review with Cody (Prime Architect). Targets documented in Section 8.2. Decisions on v0.2 scope.
-

8.2 Monitoring Metrics

Metric	Target	Alert Threshold	Owner	Notes
Chronicle Ingestion Success Rate	>99%	<95%	Engineering	% of AscendantEvents that produce a valid DRAFT entry without error. Excludes deliberate duplicates.
Curator Throughput	>5 entries/curator/day	<2 entries/curator/day	Writing Lead	Measured during active curation periods only. Excludes weekends unless curator opts in.
Moderation Review SLA	<24h per entry (PENDING_PUBLISH → decision)	>48h	Moderation Lead	Measured from timestamp of SUBMITTED CurationRecord to APPROVED or REJECTED CurationRecord.
Player Flag Rate	<2% of published entries per week	>5%/week	Moderation Lead	% of currently published entries receiving at least one ModerationFlag in a rolling 7-day window.
Takedown Rate	<0.5% of published entries per week	>2%/week	Moderation Lead	Excessive takedowns indicate curation quality issues

Metric	Target	Alert Threshold	Owner	Notes
				upstream. Triggers curator training review.
API P95 Latency — GET /chronicle/entries	<300ms	>500ms	Engineering	Measured under production load (<500 concurrent users). Re-evaluate thresholds at 1,000+ concurrent.
GroundTruth Enrichment Failure Rate	<0.5%	>2%	Engineering	% of ingestion events that result in NEEDS_ENRICHMENT flag after all retries exhausted.
Export Job Completion Time	<60s for <1,000 entries	>120s	Engineering	Measured from job QUEUED timestamp to resultUrl available. JSON and CSV formats expected fastest.
Player Dashboard Engagement	Baseline TBD (Day 14)	20% drop from established baseline	Product	DAU who view at least one Chronicle entry. Baseline established in first two weeks of public release. Drop threshold triggers product

Metric	Target	Alert Threshold	Owner	Notes
				review.

9 — Appendix: Glossary & Quick Reference

9.1 Glossary

Term	Definition
AscendantEvent	A structured event emitted by the NexusMUD God Mode system when a maker performs a significant world-altering action. Contains eventType, payload, timestamp, makerId, and domainTag. Triggers ChronicleEntry creation via the Ingestion Service.
ChronicleEntry	The internal master record of a curated maker action. Contains all three blurb variants, metadata, status, audit trail references, and enriched payload from GroundTruth. Not directly exposed to players — PublicLorePost is the player-facing projection.
PublicLorePost	The player-facing projection of a ChronicleEntry, derived at publish time. Contains only fields safe for public exposure. Excludes makerId, curatedBy, and internal metadata fields.
GroundTruth	NexusMUD's authoritative world-state API. Provides enrichment data (area

Term	Definition
	names, power details, entity data, lore records, system metrics) to the Chronicle Ingestion Service at entry creation time. Base URL: <code>https://groundtruth.nexusmud.internal/v2</code> (assumed; confirm before implementation).
Divine Domain	One of five thematic categories organizing maker actions in NexusMUD: Weave (magic/arcane), Forge (crafting/items), Genesis (creation/world-building), Chronicle (lore/history), Clockwork (mechanics/systems). Domains determine which blurb template family is applied to a ChronicleEntry.
makerId	A unique UUID identifying a God Mode account in NexusMUD. Stored internally on ChronicleEntry. Omitted from PublicLorePost when publicAttributionMode is anonymous.
makerEpithet	The player-facing display name or pseudonym for a maker. Sourced from MakerProfile. Rendered in blurb text in place of makerId. When publicAttributionMode is anonymous, this field renders as the string "Anonymous."
sigilAsset	An asset ID referencing a maker's personal sigil image. Resolved by the asset pipeline to a CDN URL at render time. Null or omitted for anonymous makers. Asset pipeline specification is a required input (see Section 1.2).
blurbVariant	One of three text length variants for a ChronicleEntry lore blurb: short (~30 words), medium (~80 words), long (~200 words). All three variants are required on every entry before it can advance to PENDING_PUBLISH.
CurationRecord	An immutable audit log entry recording a curator or moderator action on a ChronicleEntry. Actions include: ASSIGNED, EDITED, SUBMITTED, APPROVED, REJECTED, TAKEN_DOWN. Multiple CurationRecords exist per

Term	Definition
	ChronicleEntry.
ModerationFlag	A player-submitted report on a published ChronicleEntry. Triggers moderation queue review. One flag per player per entry. Status: OPEN, DISMISSED, or TAKEN_DOWN.
publicAttributionMode	Controls how a maker's identity appears in player-facing text. Values: public (full display name shown), pseudonymous (epithet shown without account linkage), anonymous (no maker identity shown). Set by precedence chain defined in Section 7.2.
DRAFT	Initial status of a ChronicleEntry after ingestion. Visible only to curators and admins. Awaiting curator assignment and editing.
IN_REVIEW	A curator has been assigned to the entry and is actively editing it. Entry is not yet submitted for moderation.
PENDING_PUBLISH	Curator has submitted the entry for moderator review. Entry is locked for editing. Moderator must APPROVE or REJECT.
PUBLISHED	Entry has been approved by a moderator and is visible on the player-facing Chronicle Dashboard. PublicLorePost is generated and served.
REJECTED	Entry was rejected by a moderator. Returns to the curator queue with rejection notes. Curator may edit and resubmit.
TAKEN_DOWN	A previously PUBLISHED entry has been hidden by a moderator action, typically following a sustained ModerationFlag review. Entry is no longer player-visible. <code>lore_removed</code> webhook fires on takedown.
curator	A writer with elevated NexusMUD permissions who creates, edits, and submits ChronicleEntries for moderation. Can publish and bulk-

Term	Definition
	action entries. Cannot take down published entries — that is a moderator action.
moderator	A team member with permissions to approve, reject, and take down Chronicle entries. Reviews the Moderation Queue. Inherits all curator permissions.
Prime Architect	Cody. Holds final approval authority over all NexusMUD God Mode design decisions, including all content in this document. All assumptions marked [CONFIRM] require Prime Architect sign-off before production begins.

9.2 Quick Reference Card

Five Divine Domains

WEAVE

| Magic / Arcane

| Tone: cryptic, poetic, ominous

FORGE

| Crafting / Items

| Tone: bold, proud, industrial

GENESIS

| Creation / World

| Tone: grand, epic, mythic

CHRONICLE

| Lore / History

| Tone: scholarly, archival, precise

CLOCKWORK

| Mechanics / Systems

| Tone: technical, precise, mechanical

Three Blurb Variants

short

| ~30 words

| 1–2 sentences

| Dashboard card, tooltip, MOTD

medium

| ~80 words

| 1 paragraph

| Event Detail View primary display

long

| ~200 words | 2–3 paragraphs | Full lore record, wiki, Markdown digest

AscendantEvent Types → Domain Mapping

AREA_CREATED

→ Genesis

→ genesis-medium (default)

POWER_FORGED

→ Forge

→ forge-medium (default)

BOSS_SPAWNED

→ Weave

→ weave-medium (default)

LORE_ATTESTED

→ Chronicle

→ chronicle-medium (default)

SYSTEM_CALIBRATED → Clockwork

→ clockwork-medium (default)

API Base Path

/chronicle/entries

(player: GET list + single; curator: POST, PATCH, publish)

/chronicle/moderation/*

(moderator: queue, approve, reject)

/chronicle/makers/*

(player: GET profiles)

/chronicle/tags

(player: GET; admin: POST, DELETE)

/chronicle/export

(curator/admin: POST job, GET status)

Entry Status Lifecycle

[AscendantEvent] → DRAFT → IN_REVIEW → PENDING_PUBLISH →
PUBLISHED

↓ (reject)

REJECTED → (back to IN_REVIEW)

PUBLISHED → (flag + moderator review) → TAKEN_DOWN (terminal, hidden)